

2001

Virginia Department of Transportation
Daily Traffic Volumes
Including Vehicle Classification Estimates
where available

Jurisdiction Report

20

Chesterfield County
City of Colonial Heights
City of Richmond

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets includes a list of all Interstate and Primary highway segments with the estimated Annual Average Daily Traffic (AADT). AADT is the total annual traffic estimate divided by the number of days in the year. This book is titled "Average Daily Traffic Volumes on Interstate, Arterial and Primary Routes".

The second booklet includes the same information as the first, along with some additional information such as an estimate of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks. This booklet also includes the estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; and a "Design Hour" estimate which is a value used by planners to formulate design criteria. This book is titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes".

Both of the Interstate and Primary booklets mentioned above include a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the booklet has been redesigned based on user requests and feedback. The people at VDOT Traffic Engineering's Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

In addition to the two annual publications, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for all roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Available this year is a compact disc (CD) that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. One disc will include both Primary and Interstate publications as well as each of the 100 Jurisdiction Reports. The CD will also include a number of summary reports not available in the printed version.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Traffic Engineering Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

Design Hour: The estimate of the traffic volume for the 30th highest traffic volume occurring in a one-year period.

QK: Quality of the Design Hour estimate:

- A 30th Highest Hour Observed During 12 Months of Continuous Traffic Data
- B 30th Highest Hour Observed During Less than 12 Months of Continuous Traffic Data
- F Factored Highest Hour Collected at in a 48 Hour Weekday Period
- G Factored Highest Hour Collected at in a 48 Hour Weekday Period with Growth Element
- M Manual Estimate of 30th Highest Hour
- N Design Hour of Similar Neighboring Traffic Link
- O Provided by External Source

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available, the actual date that the count was obtained is provided. All other AADT data are factored to be accurate for the year of the report.

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Secondary Route

Special Routes



Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route



ALT - Alternate Route
Wye - Wye Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Colonial Heights															
1 Boulevard	0.04	9600	G	98%	0%	1%	0%	0%	0%	F	1000	G	10000	G	2001
						From: NCL Petersburg									
1 Boulevard	0.49	9600	G	98%	0%	1%	0%	0%	0%	F	970	G	9900	G	2001
						To: Washington Ave									
1 Boulevard	0.40	20000	G	98%	0%	1%	0%	0%	0%	F	1800	G	20000	G	2001
						From: Dupuy Ave									
1 Boulevard	0.33	22000	F	98%	0%	1%	0%	0%	0%	F	2400	F	22000	F	2001
						To: Lynchburg Ave									
1 Boulevard	0.26	23000	G	98%	0%	1%	0%	0%	0%	F	2200	G	24000	G	2001
						From: Westover Ave									
1 Boulevard	0.74	25000	G	98%	0%	1%	0%	0%	0%	F	2200	G	26000	G	2001
						To: Branders Bridge Rd									
1 Boulevard	0.17	23000	G	98%	0%	1%	0%	0%	0%	F	2100	G	24000	G	2001
						From: Temple Ave									
1 Boulevard	0.19	28000	G	98%	0%	1%	0%	0%	0%	F	2600	G	30000	G	2001
						To: Lakeview Ave									
1 Boulevard	0.62	24000	G	98%	0%	1%	0%	0%	0%	F	2300	G	25000	G	2001
						From: Ellerslie Ave									
						To: Sherwood Ave									
						From: NCL Colonial Heights									
Chesterfield County															
1 Jefferson Davis Hwy	0.22	23000	G	98%	0%	1%	0%	0%	0%	F	2200	G	24000	G	2001
						From: NCL Colonial Heights									
1 Jefferson Davis Hwy	1.32	17000	G	96%	1%	2%	1%	1%	0%	C	1600	G	18000	G	2001
						To: SR 144 Harrowgate Rd									
1 Jefferson Davis Hwy	0.14	17000	G	96%	1%	2%	1%	1%	0%	F	1700	G	18000	G	2001
						From: 20-620 Woods Edge Rd									
1 Jefferson Davis Hwy	2.44	15000	G	96%	1%	2%	1%	1%	0%	F	1300	G	15000	G	2001
						To: 20-619 Happy Hill Rd									
1 Jefferson Davis Hwy	0.90	20000	G	96%	1%	2%	1%	1%	0%	F	1800	G	21000	G	2001
						From: 20-618 Old Bermuda Hundred Rd									
1 Jefferson Davis Hwy	3.91	17000	G	94%	0%	2%	1%	2%	0%	F	1600	G	18000	G	2001
						To: SR 10 West Hundred Rd									
1 Jefferson Davis Hwy	2.41	23000	G	94%	0%	2%	1%	2%	0%	C	2100	G	24000	G	2001
						From: SR 145 Chester Rd									
1 Jefferson Davis Hwy	1.17	24000	G	94%	1%	2%	1%	2%	0%	F	2200	G	25000	G	2001
						To: SR 150 Chippenham Pkwy									
						From: SCL Richmond									
City of Richmond															
1 Jefferson Davis Hwy	2.13	26000	F	94%	1%	2%	1%	2%	0%	F	2200	F	27000	F	2001
						From: SCL Richmond									
1 Jefferson Davis Hwy	0.86	17000	F	94%	1%	2%	1%	2%	0%	F	1800	F	16000	F	2001
						To: Bellmeade Rd									
1 Jefferson Davis Hwy	1.01	23000	F	94%	1%	2%	1%	2%	0%	F	1800	F	26000	F	2001
						From: Hopkins Rd									
1 Cowardin Ave	0.39	23000	F	96%	1%	2%	0%	1%	0%	F	2000	F	26000	F	2001
						To: US 360 Hull St									
1 Lee Bridge	0.76	38000	F	96%	1%	2%	0%	1%	0%	C	3900	F	43000	F	2001
						From: Semmes Ave									
1 Belvidere St	0.92	33000	F	96%	1%	2%	0%	1%	0%	F	3200	F	37000	F	2001
						To: 2nd St									
						From: Franklin St									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Richmond																
1 Belvidere St	0.15	43000	F	96%	1%	2%	0%	1%	0%	F	3900	F	49000	F	2001	
				From:	Franklin St											
				To:	US 250 Broad St											
1 Belvidere St	0.40	34000	F	96%	1%	2%	0%	1%	0%	F	3300	F	38000	F	2001	
				From:	Chamberlayne Ave											
				To:	Belvidere St											
1 Chamberlayne Ave	1.02	22000	F	96%	1%	2%	0%	1%	0%	C	2000	F	25000	F	2001	
				From:	Edge Hill Rd											
				To:	Brookland Park Blvd											
1 Chamberlayne Ave	0.86	17000	F	95%	1%	2%	0%	1%	0%	C	1700	F	19000	F	2001	
				From:	Laburnum Ave											
				To:	Claremont Ave											
1 Chamberlayne Ave	0.26	14000	F	96%	1%	1%	0%	1%	0%	F	1300	F	16000	F	2001	
				From:	Azalea Ave											
				To:	Chamberlayne Ave											
1 Azalea Ave	0.26	18000	F	96%	1%	1%	0%	1%	0%	F	2000	F	20000	F	2001	
				From:	NCL Richmond											
				To:	AZALEA AVE											
2 301 Chamberlayne	0.04	14000	F	95%	1%	2%	0%	2%	0%	F	1300	F	14000	F	2001	
				From:	NCL RICHMOND											
				To:	Broad St											
5 25th St	0.22	3100	F	95%	1%	3%	1%	0%	0%	C	330	F	3500	F	2001	
				From:	Main St											
				To:	25th St											
5 Main St	0.30	13000	F	95%	0%	1%	3%	1%	0%	F	1500	F	15000	F	2001	
				From:	Williamsburg Rd											
				To:	Nicholson St											
5 Main St	0.40	6700	F	95%	0%	1%	3%	1%	0%	C	870	F	7500	F	2001	
				From:	ECL Richmond											
				To:	WCL Richmond											
6 Patterson Ave	1.30	15000	F	99%	0%	1%	0%	0%	0%	F	1400	F	16000	F	2001	
				From:	Libbie Ave											
				To:	Malvern Ave											
6 Patterson Ave	0.38	9200	F	99%	0%	1%	0%	0%	0%	F	1100	F	10000	F	2001	
				From:	Thompson St											
				To:	Boulevard											
10 Broad Rock Rd	0.81	8200	F	95%	1%	2%	0%	0%	0%	C	780	F	8500	F	2001	
				From:	US 360 Hull St											
				To:	N Belt Blvd											
10 Broad Rock Blvd	0.43	18000	F	95%	1%	2%	0%	0%	0%	F	1600	F	19000	F	2001	
				From:	S Belt Blvd											
				To:	W. Belmont Rd											
10 Iron Bridge Rd	0.56	11000	F	97%	1%	2%	0%	0%	0%	F	1100	F	12000	F	2001	
				From:	SCL Richmond											
				To:	SCL Richmond											
Chesterfield County																
10 Iron Bridge Rd	0.56	11000	G	97%	1%	2%	0%	0%	0%	F	1100	G	12000	G	2001	
				From:	SR 150 Chippenham Pkwy											
				To:												

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
10 Iron Bridge Rd	1.25	28000	G	94%	0%	2%	1%	2%	0%	F	2900	G	30000	G	2001
				From: SR 150 Chippenham Pkwy											
				To: 20-638 Cogbill Rd											
10 Iron Bridge Rd	3.19	24000	G	94%	0%	2%	1%	2%	0%	F	2300	G	25000	G	2001
				From: SR 288											
10 Iron Bridge Rd	1.47	28000	G	94%	0%	2%	1%	2%	0%	F	2600	G	30000	G	2001
				From: 20-655 Beach Rd											
10 Iron Bridge Rd	4.03	23000	G	94%	0%	2%	1%	2%	0%	F	1900	G	24000	G	2001
				From: 20-749											
10 Iron Bridge Rd	0.67	19000	G	94%	0%	2%	1%	2%	0%	F	1600	G	20000	G	2001
				From: SR 144 W, Harrowgate Rd											
10 Hundred Rd	0.25	26000	G	94%	1%	1%	1%	3%	0%	F	2300	G	27000	G	2001
				From: SR 144 E, Chester Rd											
10 Hundred Rd	1.68	26000	G	94%	1%	1%	1%	3%	0%	F	2300	G	28000	G	2001
				From: US 1, US 301 Jefferson Davis Hwy											
10 West Hundred Rd	0.44	44000	G	94%	1%	1%	1%	3%	0%	F	4200	G	46000	G	2001
				From: I-95											
10 West Hundred Rd	2.47	38000	G	94%	0%	2%	1%	3%	0%	F	5300	G	42000	G	2001
				From: 20-618 Old Bermuda Hundred Rd											
10 Hundred Rd East	1.46	28000	G	94%	0%	2%	1%	3%	0%	F	2900	G	31000	G	2001
				From: I-295											
10 Hundred Rd East	0.90	25000	B	94%	0%	2%	1%	3%	0%	A	2700	B	28000	B	2001
				From: 20-746 Enon Church Rd											
10 Hundred Rd East	2.07	21000	F	92%	0%	2%	1%	4%	0%	C	2000	F	23000	F	2001
				From: Prince George County Line											
City of Richmond															
33 Staples Mill Rd	0.03	29000	F	97%	0%	2%	0%	0%	0%	F	2700	F	29000	F	2001
				From: WCL Richmond											
				To: US 250 Broad St											
33 Broad St	0.79	27000	A								NA		30000	A	2001
				From: Malvern Ave											
33 Broad St	0.97	29000	F	97%	1%	1%	0%	1%	0%	F	2800	F	31000	F	2001
				From: Sheppard St											
33 Broad St	0.38	26000	F	97%	1%	1%	0%	1%	0%	F	2400	F	28000	F	2001
				From: SR 399 Terminal Place											
33 Broad St	0.94	23000	F	97%	1%	1%	0%	1%	0%	F	2200	F	25000	F	2001
				From: SR 33 P, Harrison St											
33 250 Broad St	0.08	25000	F	97%	1%	1%	0%	1%	0%	F	2200	F	27000	F	2001
				From: US 250 Broad St											
33 Hancock Rd	0.23	800	F	97%	1%	1%	0%	1%	0%	F	90	F	830	F	2001
				From: Leigh St											
				To: US 33 Hancock St											
33 Leigh St	0.27	9700	F	95%	2%	2%	1%	0%	0%	F	990	F	10000	F	2001
				From: US 1 Belvidere St											
33 Leigh St	1.60	8500	F	95%	2%	2%	1%	0%	0%	C	960	F	8800	F	2001
				From: Martin Luther King Jr Bridge											
33 Mosby St	0.30	10000	F	95%	2%	2%	1%	0%	0%	F	1100	F	11000	F	2001
				From: Fairmont Ave											
				To: Mosby St											
33 Fairmont Ave	0.43	8800	F	97%	1%	1%	0%	0%	0%	C	780	F	9200	F	2001
				From: 25Th St											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Richmond																
33 Nine Mile Rd	0.90	8900	F	From: 25Th St	97%	1%	2%	0%	0%	0%	C	840	F	9300	F	2001
				To: ECL Richmond												
33 Harrison St	0.24	3100	F	From: Broad St	96%	1%	3%	0%	0%	0%	C	310	F	3300	F	2001
		Combined Traffic: 3900	F	To: Leigh St	96%	1%	2%	0%	0%	0%	F	390	F	4100	F	2001
33 Leigh St	0.07	8100	F	From: Harrison St	96%	1%	3%	0%	0%	0%	F	800	F	8400	F	2001
		Combined Traffic: NA	NA	To: Hancock St												
Chesterfield County																
36 River Rd	0.87	3400	G	From: 20-602; 20-669 Church Rd	94%	1%	2%	1%	2%	0%	F	340	G	3600	G	2001
36 River Rd	1.13	3900	G	From: 20-601 Little Rd	94%	1%	2%	1%	2%	0%	F	380	G	4100	G	2001
36 River Rd	3.05	6400	G	From: 20-600 Matoaca Rd	96%	0%	2%	1%	1%	0%	F	660	G	6800	G	2001
36 Chesterfield Ave	0.81	7000	G	From: 20-1121 Granger Rd	96%	0%	2%	1%	1%	0%	F	660	G	7400	G	2001
				To: WCL Petersburg												
60 Midlothian Turnpike	4.78	20000	G	From: Powhatan County Line	98%	0%	1%	0%	1%	0%	F	1900	G	21000	G	2001
60 Midlothian Turnpike	2.26	35000	G	From: 20-754 Coalfield Rd	98%	0%	1%	0%	1%	0%	F	3000	G	37000	G	2001
60 Midlothian Turnpike	1.79	56000	A	From: SR 147 Huguenot Rd	98%	0%	1%	0%	1%	0%	B	5600	A	59000	A	2001
60 Midlothian Turnpike	1.12	70000	G	From: 20-675 Robius Rd	98%	0%	1%	0%	1%	0%	F	6600	G	70000	G	2001
60 Midlothian Turnpike	0.95	47000	G	From: SR 76 Powwhite Pkwy	98%	0%	1%	0%	1%	0%	F	4500	G	49000	G	2001
60 Midlothian Turnpike	1.30	53000	G	From: 20-678 Providence Rd	98%	0%	1%	0%	1%	0%	F	5000	G	56000	G	2001
				To: SR 150 Chippenham Pkwy; WCL Richmond												
City of Richmond																
60 Midlothian Turnpike	0.38	42000	F	From: SR 150 Chippenham Pkwy; WCL Richmond	98%	0%	1%	0%	1%	0%	F	3700	F	44000	F	2001
60 Midlothian Turnpike	1.78	30000	F	From: Carnation St	97%	1%	1%	0%	1%	0%	C	3000	F	32000	F	2001
60 Midlothian Turnpike	0.62	22000	F	From: SR 161 Belt Blvd	97%	1%	1%	0%	1%	0%	F	2200	F	23000	F	2001
60 Roanoke St	0.45	11000	F	From: Roanoke St Midlothian Turnpike	98%	1%	1%	0%	0%	0%	C	1100	F	11000	F	2001
60 Forest Hill Ave	0.22	26000	F	From: Forest Hill Ave Roanoke St	98%	1%	1%	0%	0%	0%	F	2700	F	27000	F	2001
60 Semmes Ave	1.13	24000	F	From: Semmes Ave Forest Hill Ave	98%	0%	1%	0%	0%	0%	C	2500	F	25000	F	2001
60 Semmes Ave	0.56	13000	F	From: US 1, US 301 Cowardin Ave	98%	0%	1%	0%	0%	0%	F	1700	F	14000	F	2001
60 Manchester Bridge	0.49	22000	F	From: Manchester Bridge Semmes Ave	96%	1%	2%	1%	1%	0%	C	2700	F	23000	F	2001
				To: 9th St												

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
60 9th St	0.25	11000	F	96%	1%	Manchester Bridge				F	2100	F	11000	F	2001
		19000	F	96%	1%	2%	1%	1%	0%	F	3500	F	20000	F	2001
60 Cary St	0.45	6100	F	96%	1%	SR 147 Cary St				F	620	F	6400	F	2001
		18000	F	96%	1%	2%	1%	1%	0%	F	1900	F	20000	F	2001
60 360 14th St	0.08	17000	N	97%	1%	US 360 14th St				N	1700	N	18000	N	2001
						RT 360/MAIN STREET									
60 360 Main St	0.30	16000	F	97%	1%	14th St				F	1400	F	16000	F	2001
						RT 360									
60 Main St	0.18	24000	G	96%	1%	US 360, 18th St				F	2300	G	25000	G	2001
						21st St									
60 21st St	0.23	5500	F	96%	1%	Main St				F	560	F	5700	F	2001
						US 250 Broad St									
60 250 Broad St	0.13	9500	F	97%	1%	23rd St				F	890	F	10000	F	2001
						36th St									
60 Broad St	0.80	6600	F	97%	1%	Government Rd				C	610	F	6900	F	2001
						Williamsburg Rd									
60 Government Rd	1.19	8600	F	97%	1%	Government Rd				F	780	F	9000	F	2001
						ECL Richmond									
60 Williamsburg Rd	0.39	12000	F	96%	0%	Manchester Bridge				F	1200	F	12000	F	2001
						Canal St									
60 8th St	0.19	8700	F	96%	1%	Manchester Bridge				F	1400	F	9000	F	2001
		19000	F	96%	1%	2%	1%	1%	0%	F	3500	F	20000	F	2001
60 8th St	0.15	12000	F	96%	1%	Canal St				F	1700	F	13000	F	2001
		22000	F	96%	1%	2%	1%	1%	0%	F	3800	F	24000	F	2001
60 Main St	0.37	12000	F	96%	1%	Main St				F	1300	F	13000	F	2001
		18000	F	96%	1%	2%	1%	1%	0%	F	1900	F	20000	F	2001
60 21st St	0.07	5700	F	97%	1%	14th St				F	520	F	5900	F	2001
						US 60, US 250 Broad St									
60 Marshall Street	0.13	2200	F	95%	2%	Marshall Street				F	170	F	2200	F	2001
		NA	F	95%	2%	2%	1%	0%	0%						
60 23rd St	0.06	480	F			23rd St				48	F	480	F	2001	
		NA	F			Marshall Street									NA
East 64	0.74	65000	F	96%	0%	US 60, US 250 Broad St				F	6700	F	71000	F	2001
		134000	F	96%	0%	1%	1%	2%	0%	F	15000	F	148000	F	2001
East South 64 95	0.48	65000	F	91%	1%	I-95, I-195				F	6100	F	68000	F	2001
		126000	F	91%	1%	2%	1%	6%	0%	F	12000	F	132000	F	2001
To: SR 161 Boulevard															

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Richmond																
East 64						From: SR 161 Boulevard										
South 95	2.72	69000	A	91%	1%	2%	1%	6%	0%	A	6700	A	72000	A	2001	
	Combined Traffic:	136000	A	91%	1%	2%	1%	6%	0%	A	13000	A	142000	A	2001	
East 64						From: I-95 East Interchange										
	1.67	54000	F	93%	0%	2%	1%	4%	0%	F	5500	F	55000	F	2001	
	Combined Traffic:	100000	F	94%	0%	2%	1%	4%	0%	F	10000	F	102000	F	2001	
East 64						From: US 360 Mechanicsville Turnpike										
	0.25	40000	F	93%	0%	2%	1%	4%	0%	F	3700	F	41000	F	2001	
	Combined Traffic:	76000	F	94%	0%	2%	1%	4%	0%	F	7300	F	78000	F	2001	
East 64						From: MECL Richmond										
	0.24	40000	F	93%	0%	2%	1%	4%	0%	F	3700	F	41000	F	2001	
	Combined Traffic:	76000	F	94%	0%	2%	1%	4%	0%	F	7300	F	78000	F	2001	
East 64						From: MWCL Richmond										
	0.24	40000	F	93%	0%	2%	1%	4%	0%	F	3700	F	41000	F	2001	
	Combined Traffic:	76000	F	94%	0%	2%	1%	4%	0%	F	7300	F	78000	F	2001	
East 64						From: ECL Richmond										
West 64						From: Henrico County Line										
	0.92	69000	F	96%	0%	1%	1%	2%	0%	F	7900	F	76000	F	2001	
	Combined Traffic:	134000	F	96%	0%	1%	1%	2%	0%	F	15000	F	148000	F	2001	
West 64						From: I-95; I-195										
North 95	0.78	61000	F	91%	1%	2%	1%	5%	0%	F	5800	F	64000	F	2001	
	Combined Traffic:	126000	F	91%	1%	2%	1%	6%	0%	F	12000	F	132000	F	2001	
West 64						From: SR 161 Boulevard										
North 95	2.51	67000	A	91%	1%	2%	1%	5%	0%	A	6200	A	70000	A	2001	
	Combined Traffic:	136000	A	91%	1%	2%	1%	6%	0%	A	13000	A	142000	A	2001	
West 64						From: I-95 East Interchange										
	1.70	46000	F	94%	0%	2%	1%	3%	0%	F	4900	F	47000	F	2001	
	Combined Traffic:	100000	F	94%	0%	2%	1%	4%	0%	F	10000	F	102000	F	2001	
West 64						From: MECL Richmond										
	0.24	36000	F	94%	0%	2%	1%	3%	0%	F	3600	F	37000	F	2001	
	Combined Traffic:	76000	F	94%	0%	2%	1%	4%	0%	F	7300	F	78000	F	2001	
West 64						From: MWCL Richmond										
	0.24	36000	F	94%	0%	2%	1%	3%	0%	F	3600	F	37000	F	2001	
	Combined Traffic:	76000	F	94%	0%	2%	1%	4%	0%	F	7300	F	78000	F	2001	
West 64						From: ECL Richmond										
	0.24	36000	F	94%	0%	2%	1%	3%	0%	F	3600	F	37000	F	2001	
	Combined Traffic:	76000	F	94%	0%	2%	1%	4%	0%	F	7300	F	78000	F	2001	
Chesterfield County																
76	Powhite Pkwy	1.29	19000	G	97%	0%	1%	0%	1%	0%	F	2200	G	19000	G	2001
76	Powhite Pkwy	2.00	28000	G	97%	0%	1%	0%	1%	0%	F	3700	G	30000	G	2001
76	Powhite Pkwy	3.07	30000	G	97%	0%	1%	0%	1%	0%	F	3700	G	33000	G	2001
76	Powhite Pkwy	2.42	47000	A	97%	0%	1%	0%	1%	0%	A	5700	A	51000	A	2001
76	Powhite Pkwy	0.72	65000	G	97%	0%	1%	0%	1%	0%	F	7500	G	65000	G	2001
76	Powhite Pkwy	0.10	65000	G	97%	0%	1%	0%	1%	0%	F	7600	G	71000	G	2001
City of Richmond																
76	Powhite Pkwy	1.84	65000	N	97%	0%	1%	0%	1%	0%	N	7600	N	71000	N	2001
76	Powhite Pkwy	1.60	62000	F	97%	0%	1%	0%	1%	0%	F	8300	F	68000	F	2001

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Colonial Heights															
North 95						From: NCL Petersburg									
	0.21	41000	G	89%	1%	2%	1%	8%	0%	F	3700	G	41000	G	2001
	Combined Traffic:	88000	G	88%	1%	2%	1%	9%	0%	F	6800	G	87000	G	2001
North 95						To: Southpark Blvd									
	0.98	37000	G	89%	1%	2%	1%	8%	0%	F	3000	G	37000	G	2001
	Combined Traffic:	72000	G	88%	1%	2%	1%	9%	0%	F	5600	G	71000	G	2001
North 95						To: SR 144 Temple Ave									
	2.38	39000	B	89%	1%	2%	1%	8%	0%	A	3500	B	39000	B	2001
	Combined Traffic:	78000	F	88%	1%	2%	1%	9%	0%	F	7600	F	78000	F	2001
						To: NCL Colonial Heights									
Chesterfield County															
North 95						From: NCL Colonial Heights									
	1.55	39000	B	89%	1%	2%	1%	8%	0%	A	3500	B	39000	B	2001
	Combined Traffic:	78000	F	88%	1%	2%	1%	9%	0%	F	7600	F	78000	F	2001
North 95						To: 20-620; 20-746 Walthall									
	2.90	36000	G	89%	1%	2%	1%	8%	0%	F	2900	G	36000	G	2001
	Combined Traffic:	74000	G	88%	1%	2%	1%	9%	0%	F	6100	G	73000	G	2001
North 95						To: SR 10 West Hundred Rd									
	1.81	46000	G	89%	1%	2%	1%	8%	0%	F	4200	G	46000	G	2001
	Combined Traffic:	92000	G	88%	1%	2%	1%	9%	0%	F	8300	G	91000	G	2001
North 95						To: SR 288									
	2.04	41000	G	89%	1%	2%	1%	8%	0%	F	4200	G	41000	G	2001
	Combined Traffic:	84000	G	88%	1%	2%	1%	9%	0%	F	8100	G	83000	G	2001
North 95						To: 20-613 Willis Rd									
	2.77	43000	G	89%	1%	2%	1%	8%	0%	F	4100	G	43000	G	2001
	Combined Traffic:	87000	G	88%	1%	2%	1%	9%	0%	F	8200	G	86000	G	2001
North 95						To: SR 150 Chippenham Pkwy									
	0.80	47000	G	89%	1%	2%	1%	8%	0%	F	4900	G	47000	G	2001
	Combined Traffic:	98000	G	88%	1%	2%	1%	9%	0%	F	11000	G	96000	G	2001
						To: SCL Richmond									
City of Richmond															
North 95						From: SCL Richmond									
	1.12	47000	G	89%	1%	2%	1%	8%	0%	F	4900	G	47000	G	2001
	Combined Traffic:	98000	G	88%	1%	2%	1%	9%	0%	F	11000	G	96000	G	2001
North 95						To: SR 161 Bells Rd									
	3.81	44000	G	89%	1%	2%	1%	8%	0%	F	4700	G	44000	G	2001
	Combined Traffic:	93000	G	88%	1%	2%	1%	9%	0%	F	9800	G	92000	G	2001
North 95						To: Maury St									
	0.45	52000	F	89%	1%	2%	1%	8%	0%	F	5600	F	51000	F	2001
	Combined Traffic:	104000	F	88%	1%	2%	1%	9%	0%	F	11000	F	103000	F	2001
North 95						To: James River Bridge									
	0.40	52000	F	89%	1%	2%	1%	8%	0%	F	5600	F	51000	F	2001
	Combined Traffic:	104000	F	88%	1%	2%	1%	9%	0%	F	11000	F	103000	F	2001
North 95						To: SR 195 Downtown Expressway									
	1.54	61000	F	89%	1%	2%	1%	8%	0%	F	5500	F	60000	F	2001
	Combined Traffic:	114000	F	88%	1%	2%	1%	9%	0%	F	10000	F	113000	F	2001
						To: I-64 South Intersection									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
North 95	2.51	67000	A	91%	1%	2%	1%	5%	0%	A	6200	A	70000	A	2001
	Combined Traffic:	136000	A	91%	1%	2%	1%	6%	0%	A	13000	A	142000	A	2001
From: I-64 South Intersection															
North 95	0.78	61000	F	91%	1%	2%	1%	5%	0%	F	5800	F	64000	F	2001
	Combined Traffic:	126000	F	91%	1%	2%	1%	6%	0%	F	12000	F	132000	F	2001
To: SR 161 Boulevard															
North 95	1.07	40000	F	89%	1%	2%	1%	7%	0%	F	3800	F	41000	F	2001
	Combined Traffic:	92000	F	90%	1%	2%	1%	6%	0%	F	8700	F	92000	F	2001
To: I-64 North Interchange															
To: NCL Richmond															
City of Colonial Heights															
South 95	0.37	46000	G	87%	1%	2%	1%	10%	0%	F	3100	G	46000	G	2001
	Combined Traffic:	88000	G	88%	1%	2%	1%	9%	0%	F	6800	G	87000	G	2001
To: NCL Petersburg															
South 95	1.05	35000	G	87%	1%	2%	1%	10%	0%	F	2700	G	35000	G	2001
	Combined Traffic:	72000	G	88%	1%	2%	1%	9%	0%	F	5600	G	71000	G	2001
To: Southpark Blvd															
South 95	2.15	39000	F	87%	1%	2%	1%	10%	0%	F	4100	F	39000	F	2001
	Combined Traffic:	78000	F	88%	1%	2%	1%	9%	0%	F	7600	F	78000	F	2001
To: SR 144 Temple Ave															
To: NCL Colonial Heights															
Chesterfield County															
South 95	1.92	39000	F	87%	1%	2%	1%	10%	0%	F	4100	F	39000	F	2001
	Combined Traffic:	78000	F	88%	1%	2%	1%	9%	0%	F	7600	F	78000	F	2001
To: NCL Colonial Heights															
South 95	3.24	38000	G	87%	1%	2%	1%	10%	0%	F	3100	G	37000	G	2001
	Combined Traffic:	74000	G	88%	1%	2%	1%	9%	0%	F	6100	G	73000	G	2001
To: 20-620; 20-746 Walthall															
South 95	1.54	46000	G	87%	1%	2%	1%	10%	0%	F	4100	G	45000	G	2001
	Combined Traffic:	92000	G	88%	1%	2%	1%	9%	0%	F	8300	G	91000	G	2001
To: SR 10 West Hundred Rd															
South 95	1.79	43000	G	87%	1%	2%	1%	10%	0%	F	3900	G	43000	G	2001
	Combined Traffic:	84000	G	88%	1%	2%	1%	9%	0%	F	8100	G	83000	G	2001
To: SR 288															
South 95	3.14	43000	G	87%	1%	2%	1%	10%	0%	F	4100	G	43000	G	2001
	Combined Traffic:	87000	G	88%	1%	2%	1%	9%	0%	F	8200	G	86000	G	2001
To: 20-613 Willis Rd															
South 95	0.24	50000	G	87%	1%	2%	1%	10%	0%	F	5600	G	49000	G	2001
	Combined Traffic:	98000	G	88%	1%	2%	1%	9%	0%	F	11000	G	96000	G	2001
To: SR 150 Chippenham Pkwy															
To: SCL Richmond															
City of Richmond															
South 95	1.39	50000	G	87%	1%	2%	1%	10%	0%	F	5600	G	49000	G	2001
	Combined Traffic:	98000	G	88%	1%	2%	1%	9%	0%	F	11000	G	96000	G	2001
To: SCL Richmond															
South 95	3.86	49000	G	87%	1%	2%	1%	10%	0%	F	5200	G	48000	G	2001
	Combined Traffic:	93000	G	88%	1%	2%	1%	9%	0%	F	9800	G	92000	G	2001
To: SR 161 Bells Rd															
To: Maury St															

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
South 95	0.75	52000	F	87%	1%	2%	1%	10%	0%	F	5300	F	52000	F	2001
	Combined Traffic:	104000	F	88%	1%	2%	1%	9%	0%	F	11000	F	103000	F	2001
South 95	1.47	53000	F	87%	1%	2%	1%	10%	0%	F	4500	F	53000	F	2001
	Combined Traffic:	114000	F	88%	1%	2%	1%	9%	0%	F	10000	F	113000	F	2001
South 95	2.72	69000	A	91%	1%	2%	1%	6%	0%	A	6700	A	72000	A	2001
	Combined Traffic:	136000	A	91%	1%	2%	1%	6%	0%	A	13000	A	142000	A	2001
South 95	0.48	65000	F	91%	1%	2%	1%	6%	0%	F	6100	F	68000	F	2001
	Combined Traffic:	126000	F	91%	1%	2%	1%	6%	0%	F	12000	F	132000	F	2001
South 95	1.01	51000	F	91%	1%	2%	1%	6%	0%	F	4800	F	52000	F	2001
	Combined Traffic:	92000	F	90%	1%	2%	1%	6%	0%	F	8700	F	92000	F	2001
Chesterfield County															
144 Temple Ave	0.19	26000	G	98%	0%	1%	1%	1%	0%	F	2400	G	27000	G	2001
City of Colonial Heights															
144 Temple Ave	0.93	25000	G	98%	0%	1%	1%	1%	0%	F	2300	G	25000	G	2001
144 Temple Ave	0.37	28000	G	98%	0%	1%	1%	1%	0%	F	2500	G	29000	G	2001
144 Temple Ave	0.50	27000	G	98%	0%	1%	1%	1%	0%	F	2400	G	27000	G	2001
144 1 Boulevard	0.74	25000	G	98%	0%	1%	0%	0%	0%	F	2200	G	26000	G	2001
144 1 Boulevard	0.17	23000	G	98%	0%	1%	0%	0%	0%	F	2100	G	24000	G	2001
144 1 Boulevard	0.19	28000	G	98%	0%	1%	0%	0%	0%	F	2600	G	30000	G	2001
144 1 Boulevard	0.62	24000	G	98%	0%	1%	0%	0%	0%	F	2300	G	25000	G	2001
Chesterfield County															
144 1 Jefferson Davis	0.22	23000	G	98%	0%	1%	0%	0%	0%	F	2200	G	24000	G	2001
144 Harrowgate Rd	1.44	9500	G	96%	1%	1%	0%	1%	0%	F	950	G	9900	G	2001
144 Harrowgate Rd	2.24	9400	G	96%	2%	2%	0%	1%	0%	F	930	G	9900	G	2001
144 Harrowgate Rd	1.76	10000	G	97%	1%	1%	0%	1%	0%	F	1000	G	11000	G	2001
144 10 Hundred Rd	0.25	26000	G	94%	1%	1%	1%	3%	0%	F	2300	G	27000	G	2001
144 Chester Rd	1.77	9800	G	96%	1%	2%	0%	1%	0%	F	1000	G	10000	G	2001

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
145 Centralia Rd	2.81	8900	G	97%	0%	2%	1%	0%	0%	F	980	G	9300	G	2001
				From: SR 10 Iron Bridge Rd											
				To: SR 144 Chester Rd											
145 Chester Rd	2.37	6500	G	97%	0%	2%	1%	0%	0%	F	780	G	6800	G	2001
				From: SR 144; Centralia Rd											
				To: US 1, US 301 Jefferson Davis Hwy											
City of Richmond															
146	0.86	21000	F	97%	0%	1%	0%	1%	0%	C	2600	F	23000	F	2001
				From: SR 76 Powhite Pkwy											
				To: SR 195 Downtown Expwy											
Chesterfield County															
147 Huguenot Rd	1.33	36000	G	95%	0%	1%	2%	2%	0%	F	3300	G	38000	G	2001
				From: US 60 Midlothian Tnpk											
				To: 20-711 Robious Rd											
147 Huguenot Rd	3.08	41000	G	95%	0%	1%	2%	2%	0%	F	3900	G	43000	G	2001
				From: 20-678 Buford Rd											
				To: SCL Richmond											
147 Huguenot Rd	0.59	40000	G	98%	0%	1%	0%	0%	0%	F	3900	G	42000	G	2001
				From: SCL Richmond											
				To: SR 150 Chippenham Pkwy											
City of Richmond															
147 Huguenot Rd	0.22	39000	G	97%	0%	1%	1%	1%	0%	C	3700	G	40000	G	2001
				From: SCL Richmond											
				To: SR 150 Chippenham Pkwy											
147 Huguenot Rd	1.12	28000	F	98%	0%	1%	1%	1%	0%	C	2700	F	29000	F	2001
				From: NCL Richmond											
				To: Huguenot Memorial Bridge											
Chesterfield County															
147 Huguenot Rd	0.38	27000	G	98%	0%	1%	0%	0%	0%	F	2400	G	29000	G	2001
				From: NCL Richmond											
				To: Huguenot Memorial Bridge											
City of Richmond															
147 River Rd	0.68	27000	F	98%	0%	1%	0%	0%	0%	F	2400	F	29000	F	2001
				From: WCL Richmond											
				To: Three Chopt Rd											
147 Cary St	0.16	22000	F	98%	0%	1%	0%	0%	0%	F	1800	F	23000	F	2001
				From: Libbie Ave											
				To: Westmoreland St											
147 Cary St	1.10	16000	F	98%	0%	1%	0%	0%	0%	C	1300	F	17000	F	2001
				From: Westmoreland St											
				To: Thompson St											
147 Cary St	0.77	13000	F	98%	0%	1%	0%	0%	0%	F	1100	F	14000	F	2001
				From: Thompson St											
				To: SR 161 Boulevard											
147 Cary St	1.59	11000	F	98%	0%	1%	0%	0%	0%	F	1100	F	11000	F	2001
				From: SR 161 Boulevard											
				To: US 1 US 301 Belvidere St											
147 Cary St	0.81	7800	F	98%	0%	1%	0%	0%	0%	F	1100	F	8100	F	2001
				From: US 1 US 301 Belvidere St											
				To: US 60, 9th St											
147 Thompson St	0.07	14000	F	97%	1%	2%	0%	0%	0%	F	1400	F	15000	F	2001
				From: Cary St											
				To: Ellwood Ave											
147 Ellwood Ave	0.77	11000	F	97%	1%	2%	0%	0%	0%	F	1100	F	11000	F	2001
				From: Thompson St											
				To: SR 161 Boulevard											
				Combined Traffic:											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
147 Main St	1.56	11000	F	97%	1%	2%	0%	0%	0%	C	1200	F	12000	F	2001
		22000	F	98%	0%	1%	0%	0%	0%	F	2300	F	23000	F	2001
From: SR 161 Boulevard															
To: US 1 US 301 Belvidere St															
147 Main St	0.81	9400	F	97%	1%	2%	0%	0%	0%	F	1200	F	9800	F	2001
		17000	F	98%	0%	2%	0%	0%	0%	F	2300	F	18000	F	2001
To: US 60 P, 8th St															
From: NCL Richmond															
150 Willey Bridge	1.31	41000	F								5300	F	45000	F	2001
To: SR 147 Huguenot Rd															
150 Chippenham Pkwy	1.56	36000	F								4400	F	39000	F	2001
To: Forest Hill Ave															
150 Chippenham Pkwy	0.46	42000	F								5000	F	46000	F	2001
To: ECL Richmond															
Chesterfield County															
150 Chippenham Pkwy	1.02	57000	G	97%	0%	1%	0%	1%	0%	F	6300	G	62000	G	2001
To: 20-686 Jahnke Rd															
150 Chippenham Pkwy	1.07	65000	G	97%	0%	1%	0%	1%	0%	F	7000	G	71000	G	2001
To: US 60 Midlothian TrnPk															
150 Chippenham Pkwy	1.67	64000	G	97%	0%	1%	0%	1%	0%	F	6900	G	64000	G	2001
To: US 360 Hull Street Rd															
150 Chippenham Pkwy	2.59	53000	G	97%	0%	1%	0%	1%	0%	F	5500	G	58000	G	2001
To: SR 10 Iron Bridge Rd															
150 Chippenham Pkwy	2.91	42000	G	97%	0%	1%	0%	1%	0%	F	4500	G	46000	G	2001
To: US 1 Jefferson Davis Hwy															
150 Chippenham Pkwy	1.35	54000	G	97%	0%	1%	0%	1%	0%	F	6000	G	NA		2001
To: I-95															
City of Richmond															
161 Commerce Rd	0.21	25000	F	83%	1%	3%	3%	10%	0%	F	2300	F	26000	F	2001
To: Bells Rd															
161 Bells Rd	1.17	11000	F	83%	1%	3%	3%	10%	0%	C	1200	F	12000	F	2001
To: US 1 US 301 Jefferson Davis Hwy															
161 Bells Rd	0.49	13000	F	90%	1%	2%	2%	5%	0%	C	1200	F	13000	F	2001
To: Belt Blvd															
161 Belt Blvd	0.84	4400	F	90%	1%	2%	2%	5%	0%	F	410	F	4600	F	2001
To: Terminal Ave															
161 Belt Blvd	0.98	6800	F	90%	1%	2%	2%	5%	0%	F	640	F	7100	F	2001
To: SR 10 Broad Rock Rd															
161 10 Broad Rock Blv	0.43	18000	F	95%	1%	2%	0%	0%	0%	F	1600	F	19000	F	2001
To: N RT 10															
161 Belt Blvd	0.30	14000	F	96%	1%	2%	0%	1%	0%	C	1300	F	15000	F	2001
To: SR 10 Broad Rock Rd															
161 Belt Blvd	0.87	20000	F	96%	1%	2%	0%	1%	0%	F	1800	F	21000	F	2001
To: US 360 Hull St															
161 Westover Hills Boule	0.92	19000	F	98%	1%	1%	0%	1%	0%	C	1800	F	20000	F	2001
To: Forest Hill Ave															
161 Westover Hills Blvd	0.40	14000	F	98%	1%	1%	0%	1%	0%	F	1800	F	15000	F	2001
To: Evelyn Byrd Rd															
161 Nickel Bridge	0.90	15000	F	99%	0%	0%	0%	0%	0%	F	1800	F	16000	F	2001
To: Shirley Lane															

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
161	Park Drive	0.43	14000	F	99%	0%	0%	0%	0%	C	1700	F	14000	F	2001
				From:	Shirley Lane										
161	Blanton Ave	0.22	13000	F	99%	0%	0%	0%	0%	F	1400	F	13000	F	2001
				From:	Rugby Rd										
161	Boulevard	0.38	12000	F	98%	0%	1%	0%	0%	C	1300	F	13000	F	2001
				From:	Grant St										
161	Boulevard	0.84	16000	F	98%	0%	1%	0%	0%	F	1500	F	17000	F	2001
				From:	SR 147 Cary St										
161	Boulevard	1.05	24000	F	95%	1%	2%	1%	1%	C	2100	F	25000	F	2001
				From:	US 33 US 250 Broad St										
161	Boulevard	0.12	13000	F	94%	1%	2%	1%	2%	F	1300	F	13000	F	2001
				From:	I-95										
161	Hermitage Rd	1.27	9300	F	97%	0%	2%	0%	0%	C	1100	F	9700	F	2001
				From:	Westwood Ave										
161	Hermitage Rd	0.20	15000	F	96%	0%	2%	0%	1%	F	1600	F	16000	F	2001
				From:	I-95										
				To:	NCL Richmond										
North	195	0.48	13000	F	97%	0%	1%	0%	1%	F	2900	F	15000	F	2001
				From:	SR 195 Downtown Expry										
		Combined Traffic:	28000	F	97%	0%	1%	0%	1%	F	5800	F	29000	F	2001
North	195	0.79	36000	A	97%	0%	1%	0%	1%	A	5600	A	40000	A	2001
				From:	SR 76 Powhite Pkwy										
		Combined Traffic:	70000	G	97%	0%	1%	0%	1%	C	11000	G	74000	G	2001
North	195	0.41	43000	F	97%	0%	1%	0%	1%	F	6600	F	48000	F	2001
				From:	Thompson St										
		Combined Traffic:	92000	F	97%	0%	1%	0%	1%	F	12000	F	97000	F	2001
North	195	0.45	39000	F	97%	0%	1%	0%	1%	F	5000	F	44000	F	2001
				From:	US 33 US 250 Broad St										
		Combined Traffic:	87000	F	97%	0%	1%	0%	1%	F	9800	F	92000	F	2001
North	195	0.12	39000	F	97%	0%	1%	0%	1%	F	5000	F	44000	F	2001
				From:	NCL Richmond										
		Combined Traffic:	87000	F	97%	0%	1%	0%	1%	F	9800	F	92000	F	2001
North	195	0.88	39000	N	97%	0%	1%	0%	1%	N	5000	N	44000	N	2001
				From:	SR 197 Laburnum Ave										
		Combined Traffic:	87000	N	97%	0%	1%	0%	1%	N	9800	N	92000	N	2001
South	195	0.61	14000	F	97%	0%	1%	0%	1%	F	2900	F	14000	F	2001
				From:	SR 195 Downtown Expry										
		Combined Traffic:	28000	F	97%	0%	1%	0%	1%	F	5800	F	29000	F	2001
South	195	0.22	35000	G	97%	0%	1%	0%	1%	C	5200	G	35000	G	2001
				From:	SR 76 Powhite Pkwy										
		Combined Traffic:	70000	G	97%	0%	1%	0%	1%	C	11000	G	74000	G	2001
South	195	0.65	48000	F	97%	0%	1%	0%	1%	F	5500	F	48000	F	2001
				From:	Grove Ave										
		Combined Traffic:	92000	F	97%	0%	1%	0%	1%	F	12000	F	97000	F	2001
South	195	0.65	48000	F	97%	0%	1%	0%	1%	F	4800	F	48000	F	2001
				From:	US 33 US 250 Broad St										
		Combined Traffic:	87000	F	97%	0%	1%	0%	1%	F	9800	F	92000	F	2001
				To:	NCL Richmond										

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
South 195						From: NCL Richmond									
	0.37	48000	F	97%	0%	1%	0%	1%	0%	F	4800	F	48000	F	2001
	Combined Traffic:	87000	F	97%	0%	1%	0%	1%	0%	F	9800	F	92000	F	2001
South 195						To: SCL Richmond									
	0.07	48000	F	97%	0%	1%	0%	1%	0%	F	4800	F	48000	F	2001
	Combined Traffic:	87000	F	97%	0%	1%	0%	1%	0%	F	9800	F	92000	F	2001
South 195						To: SR 197 Laburnum Ave									
	0.93	48000	N	97%	0%	1%	0%	1%	0%	N	4800	N	48000	N	2001
	Combined Traffic:	87000	N	97%	0%	1%	0%	1%	0%	N	9800	N	92000	N	2001
North 195						To: I-95 S									
Downtown Expressw	1.02	12000	F	98%	0%	1%	0%	0%	0%	F	2500	F	13000	F	2001
	Combined Traffic:	22000	F	98%	0%	1%	0%	0%	0%	F	3600	F	24000	F	2001
North 195						To: Ramp to Canal Street									
Downtown Expressw	2.10	18000	F	98%	0%	1%	0%	0%	0%	C	4800	F	18000	F	2001
	Combined Traffic:	35000	F	98%	0%	1%	0%	0%	0%	C	9600	F	35000	F	2001
North 195						To: SR 146									
Downtown Expressw	0.27	9300	F	98%	0%	1%	0%	0%	0%	F	2700	F	10000	F	2001
	Combined Traffic:	18000	F	98%	0%	1%	0%	0%	0%	F	4800	F	20000	F	2001
South 195						To: I-95 N									
Downtown Expressw	1.00	10000	F	98%	0%	1%	0%	0%	0%	F	1100	F	11000	F	2001
	Combined Traffic:	22000	F	98%	0%	1%	0%	0%	0%	F	3600	F	24000	F	2001
South 195						To: Ramp to Byrd Street									
Downtown Expressw	2.15	17000	F	98%	0%	1%	0%	0%	0%	C	4700	F	17000	F	2001
	Combined Traffic:	35000	F	98%	0%	1%	0%	0%	0%	C	9600	F	35000	F	2001
South 195						To: SR 146									
Downtown Expressw	0.24	8800	F	98%	0%	1%	0%	0%	0%	F	2200	F	9200	F	2001
	Combined Traffic:	18000	F	98%	0%	1%	0%	0%	0%	F	4800	F	20000	F	2001
197						To: I-95 S									
Malvern Ave	1.22	6300	F	97%	1%	2%	0%	1%	0%	C	740	F	6600	F	2001
197						To: ECL Richmond									
Weswood Ave	0.11	14000	F	97%	1%	2%	0%	0%	0%	F	1700	F	15000	F	2001
197						To: Saunders Ave									
Saunders Ave	0.42	8600	F	97%	1%	2%	0%	0%	0%	F	1000	F	9000	F	2001
197						To: Laburnum Ave									
Laburnum Ave	0.14	18000	F	97%	0%	1%	0%	1%	0%	F	1900	F	18000	F	2001
197						To: Rosedale Ave									
Laburnum Ave	0.35	20000	F	97%	0%	1%	0%	1%	0%	F	2100	F	20000	F	2001
197						To: Hermitage Rd									
Laburnum Ave	0.62	18000	F	97%	0%	1%	0%	1%	0%	F	1700	F	18000	F	2001
197						To: Brook Road									
Laburnum Ave	0.22	17000	F	97%	0%	1%	0%	1%	0%	F	1700	F	17000	F	2001
250						To: Chamberlayne Ave									
Broad St	0.04	29000	F	97%	1%	1%	0%	1%	0%	F	3100	F	32000	F	2001
250 33						To: US 33 Staples Mill Rd									
Broad St	0.79	27000	A								NA		30000	A	2001
						To: Malvern Ave									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Richmond																
250 33 Broad St	0.97	29000	F	From: Malvern Ave	97%	1%	1%	0%	1%	0%	F	2800	F	31000	F	2001
				To: Sheppard St	97%	1%	1%	0%	1%	0%	F	2400	F	28000	F	2001
250 33 Broad St	0.94	23000	F	From: SR 399 Terminal Place	97%	1%	1%	0%	1%	0%	F	2200	F	25000	F	2001
				To: SR 33 Par Harrison St	97%	1%	2%	0%	1%	0%	F	3000	F	35000	F	2001
250 Broad St	0.08	25000	F	From: US 33 Hancock St	97%	1%	1%	0%	1%	0%	F	2200	F	27000	F	2001
				Combined Traffic:	33000	F	97%	1%	2%	0%	1%	0%	F	3000	F	35000
250 Broad St	0.38	18000	F	From: 2nd St	97%	1%	1%	0%	1%	0%	F	1700	F	20000	F	2001
				To: 8th St	97%	1%	1%	0%	1%	0%	F	2200	F	23000	F	2001
250 Broad St	0.49	14000	F	From: 14th St	97%	1%	1%	0%	1%	0%	F	1300	F	15000	F	2001
				To: 21st St	97%	1%	2%	1%	0%	0%	F	890	F	10000	F	2001
250 Broad St	0.13	9500	F	From: 23rd St	97%	1%	2%	1%	0%	0%	F	890	F	10000	F	2001
				To: 23rd St	97%	1%	2%	1%	0%	0%	F	890	F	10000	F	2001
Chesterfield County																
288	1.11	25000	G	From: I-95	93%	0%	2%	1%	3%	0%	F	2900	G	27000	G	2001
				To: US 1	93%	0%	2%	1%	3%	0%	F	3100	G	29000	G	2001
288	3.88	26000	G	From: SR 145	93%	0%	2%	1%	3%	0%	F	3100	G	29000	G	2001
				To: SR 10	93%	0%	2%	1%	3%	0%	C	3900	A	36000	A	2001
288	4.09	21000	G	From: 20-604 Courthouse Rd	93%	0%	2%	1%	3%	0%	F	2500	G	23000	G	2001
				To: US 360	93%	0%	2%	1%	3%	0%	F	2600	G	24000	G	2001
East 295	2.64	17000	F	From: SR 76, Gap	88%	1%	2%	1%	9%	0%	F	1700	F	17000	F	2001
				Combined Traffic:	38000	F	79%	1%	2%	1%	18%	0%	F	3400	F	38000
East 295	2.11	18000	G	From: SR 10	72%	1%	2%	1%	25%	0%	F	1100	G	16000	G	2001
				Combined Traffic:	32000	G	72%	1%	2%	1%	25%	0%	F	2300	G	30000
West 295	2.95	21000	F	From: NCL Hopewell	72%	1%	2%	1%	25%	0%	F	1700	F	21000	F	2001
				Combined Traffic:	38000	F	79%	1%	2%	1%	18%	0%	F	3400	F	38000
West 295	1.80	14000	G	From: SR 10	72%	1%	2%	1%	25%	0%	F	1200	G	14000	G	2001
				Combined Traffic:	32000	G	72%	1%	2%	1%	25%	0%	F	2300	G	30000
City of Colonial Heights	0.04	9600	G	From: NCL Petersburg	98%	0%	1%	0%	0%	0%	F	1000	G	10000	G	2001
				To: Washington Ave	98%	0%	1%	0%	0%	0%	F	1000	G	10000	G	2001

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Colonial Heights															
301 1	Boulevard	0.49	9600	G	98%	0%	1%	0%	0%	F	970	G	9900	G	2001
				From:	Washington Ave										
				To:	Dupuy Ave										
301 1	Boulevard	0.40	20000	G	98%	0%	1%	0%	0%	F	1800	G	20000	G	2001
				From:	Lynchburg Ave										
				To:	Westover Ave										
301 1	Boulevard	0.33	22000	F	98%	0%	1%	0%	0%	F	2400	F	22000	F	2001
				From:	Branders Bridge Rd										
301 1	Boulevard	0.26	23000	G	98%	0%	1%	0%	0%	F	2200	G	24000	G	2001
				From:	Temple Ave										
301 1	Boulevard	0.74	25000	G	98%	0%	1%	0%	0%	F	2200	G	26000	G	2001
				From:	Lakeview Ave										
301 1	Boulevard	0.17	23000	G	98%	0%	1%	0%	0%	F	2100	G	24000	G	2001
				From:	Ellerslie Ave										
301 1	Boulevard	0.19	28000	G	98%	0%	1%	0%	0%	F	2600	G	30000	G	2001
				From:	Sherwood Ave										
301 1	Boulevard	0.62	24000	G	98%	0%	1%	0%	0%	F	2300	G	25000	G	2001
				To:	NCL Colonial Heights										
Chesterfield County															
301 1	Jefferson Davis	0.22	23000	G	98%	0%	1%	0%	0%	F	2200	G	24000	G	2001
				From:	NCL Colonial Heights										
				To:	SR 144 Harrowgate Rd										
301 1	Jefferson Davis	1.32	17000	G	96%	1%	2%	1%	1%	C	1600	G	18000	G	2001
				From:	20-620 Woods Edge Rd										
301 1	Jefferson Davis	0.14	17000	G	96%	1%	2%	1%	1%	F	1700	G	18000	G	2001
				From:	20-619 Happy Hill Rd										
301 1	Jefferson Davis	2.44	15000	G	96%	1%	2%	1%	1%	F	1300	G	15000	G	2001
				From:	20-618 Old Bermuda Hundred Rd										
301 1	Jefferson Davis	0.90	20000	G	96%	1%	2%	1%	1%	F	1800	G	21000	G	2001
				From:	SR 10 West Hundred Rd										
301 1	Jefferson Davis	3.91	17000	G	94%	0%	2%	1%	2%	F	1600	G	18000	G	2001
				From:	SR 145 Chester Rd										
301 1	Jefferson Davis	2.41	23000	G	94%	0%	2%	1%	2%	C	2100	G	24000	G	2001
				From:	SR 150 Chippenham Pkwy										
301 1	Jefferson Davis	1.17	24000	G	94%	1%	2%	1%	2%	F	2200	G	25000	G	2001
				To:	SCL Richmond										
City of Richmond															
301 1	Jefferson Davis	2.13	26000	F	94%	1%	2%	1%	2%	F	2200	F	27000	F	2001
				From:	SCL Richmond										
				To:	Bellmeade Rd										
301 1	Jefferson Davis	0.86	17000	F	94%	1%	2%	1%	2%	F	1800	F	16000	F	2001
				From:	Hopkins Rd										
301 1	Jefferson Davis	1.01	23000	F	94%	1%	2%	1%	2%	F	1800	F	26000	F	2001
				From:	US 360 Hull St										
301 1	Cowardin Ave	0.39	23000	F	96%	1%	2%	0%	1%	F	2000	F	26000	F	2001
				From:	Semmes Ave										
301 1	Lee Bridge	0.76	38000	F	96%	1%	2%	0%	1%	C	3900	F	43000	F	2001
				From:	2nd St										
301 1	Belvidere St	0.92	33000	F	96%	1%	2%	0%	1%	F	3200	F	37000	F	2001
				From:	Franklin St										
301 1	Belvidere St	0.15	43000	F	96%	1%	2%	0%	1%	F	3900	F	49000	F	2001
				To:	US 250 Broad St										

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail								
City of Richmond																	
301 1	Belvidere St	0.40	34000	F	96%	1%	2%	0%	1%	0%	F	3300	F	38000	F	2001	
					From:	US 250 Broad St											
					To:	Chamberlayne Ave											
301 1	Chamberlayne	1.02	22000	F	96%	1%	2%	0%	1%	0%	C	2000	F	25000	F	2001	
					From:	Belvidere St											
					To:	Edge Hill Rd											
301 1	Chamberlayne	0.31	24000	F	96%	1%	2%	0%	1%	0%	F	2100	F	27000	F	2001	
					From:	Edge Hill Rd											
					To:	Brookland Park Blvd											
301 1	Chamberlayne	0.86	17000	F	95%	1%	2%	0%	1%	0%	C	1700	F	19000	F	2001	
					From:	Brookland Park Blvd											
					To:	Laburnum Ave											
301 1	Chamberlayne	0.26	14000	F	96%	1%	1%	0%	1%	0%	F	1300	F	16000	F	2001	
					From:	Laburnum Ave											
					To:	Claremont Ave											
301 1	Chamberlayne	0.94	16000	F	96%	1%	1%	0%	1%	0%	C	1600	F	18000	F	2001	
					From:	Claremont Ave											
					To:	AZALEA AVE											
301	Chamberlayne Ave	0.04	14000	F	95%	1%	2%	0%	2%	0%	F	1300	F	14000	F	2001	
					From:	AZALEA AVE											
					To:	NCL Richmond											
Chesterfield County																	
360	Hull Street Rd	5.16	14000	G	89%	1%	2%	1%	7%	1%	F	1100	G	13000	G	2001	
					From:	Amelia County Line											
					To:	20-603 W; Skinquarter Rd											
360	Hull Street Rd	2.84	16000	G	89%	1%	2%	1%	7%	1%	F	1300	G	16000	G	2001	
					From:	20-603 W; Skinquarter Rd											
					To:	20-730 Baldwin Creek Rd											
360	Hull Street Rd	3.78	20000	G	89%	1%	2%	1%	7%	1%	F	1600	G	20000	G	2001	
					From:	20-730 Baldwin Creek Rd											
					To:	20-702 Spring Run											
360	Hull Street Rd	2.19	51000	G	89%	1%	2%	1%	7%	1%	F	4400	G	50000	G	2001	
					From:	20-702 Spring Run											
					To:	SR 288											
360	Hull Street Rd	3.20	29000	G	89%	1%	2%	1%	7%	1%	F	2400	G	29000	G	2001	
					From:	SR 288											
					To:	20-653 Courthouse Rd											
360	Hull Street Rd	2.21	34000	G	89%	1%	2%	1%	7%	1%	F	3100	G	33000	G	2001	
					From:	20-653 Courthouse Rd											
					To:	20-647 Walmsley Blvd											
360	Hull Street Rd	2.25	30000	G	89%	1%	2%	1%	7%	1%	F	2800	G	30000	G	2001	
					From:	20-647 Walmsley Blvd											
					To:	SR 150 Chippenham Pkwy; WCL Richmond											
City of Richmond																	
360	Hull Street Rd	0.61	27000	F	97%	1%	2%	0%	1%	0%	F	3100	F	28000	F	2001	
					From:	SR 150 Chippenham Pkwy; WCL Richmond											
					To:	Hey Rd											
360	Hull Street Rd	2.18	26000	F	97%	1%	2%	0%	1%	0%	F	2600	F	27000	F	2001	
					From:	Hey Rd											
					To:	SR 161 Belt Blvd											
360	Hull St	0.18	21000	F	97%	1%	2%	0%	1%	0%	F	2000	F	21000	F	2001	
					From:	SR 161 Belt Blvd											
					To:	Mcguire Dr											
360	Hull St	1.05	17000	F	97%	1%	2%	0%	1%	0%	F	1400	F	17000	F	2001	
					From:	Mcguire Dr											
					To:	Midlothian Tnpk											
360		0.54	22000	B	97%	1%	2%	0%	1%	0%	B	2000	B	23000	B	2001	
					From:	Midlothian Tnpk											
					To:	US 1 Jefferson Davis Hwy											
360	Hull St	0.55	16000	F	97%	1%	2%	0%	1%	0%	F	1400	F	16000	F	2001	
					From:	US 1 Jefferson Davis Hwy											
					To:	Commerce Rd											
360	Hull St	0.37	21000	F	97%	1%	2%	0%	1%	0%	F	2000	F	22000	F	2001	
					From:	Commerce Rd											
					To:	1st St											
360	Mayo Bridge	0.51	22000	F	97%	1%	2%	0%	1%	0%	F	2200	F	23000	F	2001	
					From:	1st St											
					To:	Dock St											
360	14th St	0.08	17000	G	97%	1%	2%	0%	1%	0%	F	1700	G	18000	G	2001	
					From:	Dock St											
					To:	US 60 Cary St											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
360 14th St	0.08	17000	N	97%	1%	2%	0%	1%	0%	N	1700	N	18000	N	2001
				From:	US 60 Cary St										
				To:	US 60 Par, Main St										
360 Main St	0.30	16000	F	97%	1%	2%	0%	1%	0%	F	1400	F	16000	F	2001
				From:	14th St										
				To:	18th St										
360 18th St	0.14	7600	F	97%	1%	2%	0%	1%	0%	F	730	F	7800	F	2001
				From:	US 60 Main St										
				To:	Grace St										
360 18th St	0.75	4100	F	97%	1%	2%	0%	1%	0%	F	650	F	4200	F	2001
Combined Traffic:		9500	F	97%	1%	2%	0%	1%	0%	F	1400	F	9800	F	2001
				From:	Balding St										
				To:	18th St										
360 Balding St	0.03	4100	N	97%	1%	2%	0%	1%	0%	N	650	N	4200	N	2001
Combined Traffic:		9500	N	97%	1%	2%	0%	1%	0%	N	1400	N	9800	N	2001
				From:	17th St										
				To:	Balding St										
360 17th St	0.19	9100	F	97%	1%	2%	0%	1%	0%	F	1100	F	9300	F	2001
				From:	Fairfield Way										
				To:	17th St										
360 Fairfield Way	0.54	6900	F	97%	1%	2%	0%	1%	0%	F	820	F	7000	F	2001
				From:	Mechanicsville TnPk										
				To:	Fairfield Way										
360 Mechanicsville TnPk	0.44	14000	F	97%	1%	2%	0%	1%	0%	F	1400	F	14000	F	2001
				From:	I-64										
				To:	ECL Richmond										
360 Mechanicsville TnPk	0.25	37000	F	97%	0%	2%	0%	1%	0%	F	3700	F	38000	F	2001
				From:	US 360, 18th St										
				To:	17th St										
360 Grace St	0.06	2500	F	97%	1%	2%	0%	1%	0%	F	350	F	2600	F	2001
Combined Traffic:		NA									NA		NA		
				From:	17th St										
				To:	Grace St										
360 17th St	0.08	4000	F	97%	1%	2%	0%	1%	0%	F	460	F	4100	F	2001
Combined Traffic:		8100	F	97%	1%	2%	0%	1%	0%	F	1100	F	8300	F	2001
				From:	US 250 Broad St										
				To:	Balding St										
360 17th St	0.68	5400	F	97%	1%	2%	0%	1%	0%	F	740	F	5600	F	2001
Combined Traffic:		9500	F	97%	1%	2%	0%	1%	0%	F	1400	F	9800	F	2001
Chesterfield County															
600 Pickett Ave	0.37	6800	G	96%	0%	2%	0%	1%	0%	C	660	G	7100	G	2001
				From:	Dinwiddie County Line										
				To:	SR 36 E; River Rd										
600 Matoaca Rd	0.29	2900	G	94%	1%	3%	1%	1%	0%	F	300	G	3000	G	2001
				From:	SR 36 W; River Rd										
				To:	20-1314 Madison St										
600 Matoaca Rd	0.18	2800	G	94%	1%	3%	1%	1%	0%	F	300	G	2900	G	2001
				From:	Tri City Urban Boundary										
				To:	20-628 Hickory Rd										
600 Matoaca Rd	1.19	5500	G	94%	1%	3%	1%	1%	0%	F	540	G	5400	G	2001
				From:	20-626 Woodpecker Rd										
				To:	SR 36 River Rd										
601 Little Rd	0.34	710	R								NA		NA		1994
				From:	20-1325 Tangier Circle										
				To:	20-669 Church Rd										

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
602 River Rd	2.77	960	G	89%	1%	6%	2%	1%	0%	F	100	G	950	G	2001
				From: Amelia County Line											
602 River Rd	1.97	1300	G	89%	1%	6%	2%	1%	0%	F	140	G	1300	G	2001
				To: 20-646 W; Taylor Rd											
602 River Rd	4.60	390	G	89%	2%	6%	2%	2%	0%	C	45	G	390	G	2001
				From: 20-621 E; Black Rd											
602 River Rd	3.03	1000	G	89%	1%	6%	2%	1%	0%	F	110	G	1000	G	2001
				To: 20-653 Second Branch Rd											
602 River Rd	2.68	2000	G	89%	1%	6%	2%	1%	0%	F	170	G	1900	G	2001
				From: 20-635 Reedy Branch Rd											
602 River Rd	0.62	2500	G	94%	1%	3%	1%	1%	0%	F	230	G	2500	G	2001
				To: 20-636 E; Nash Rd											
602 River Rd	0.94	1800	G	94%	1%	3%	1%	1%	0%	F	180	G	1800	G	2001
				From: 20-628 N; Hickory Rd											
602 River Rd	2.87	1900	G	94%	1%	3%	1%	1%	0%	C	180	G	1900	G	2001
				To: 20-630 Graves Rd											
602 River Rd	0.77	3200	G	94%	1%	3%	1%	1%	0%	F	320	G	3100	G	2001
				From: 20-629 Eanes Rd											
				To: SR 36 River Rd; 20-669 Church											
603 Skinquarter Rd	1.90	390	R								NA		NA		1996
				From: Powhatan County Line											
603 Skinquarter Rd	1.10	770	R								NA		NA		1996
				To: 20-665 Pear Orchard Rd											
603 Skinquarter Rd	0.50	1200	R								NA		NA		1996
				From: 20-605 Moseley Rd											
603 Skinquarter Rd	0.60	1600	R								NA		NA		1996
				To: 20-668 Duval Rd											
603 Beaver Bridge Rd	4.40	440	R								NA		NA		1994
				From: US 360 Hull St Rd											
				To: 20-621 Winterpock Rd											
604 Genito Rd	0.83	1600	G	97%	1%	2%	0%	0%	0%	F	170	G	1600	G	2001
				From: Powhatan County Line											
604 Genito Rd	1.93	2100	G	97%	1%	2%	0%	0%	0%	F	230	G	2100	G	2001
				To: 20-605 E; Moseley Rd											
604 Genito Rd	2.10	2800	G	97%	1%	2%	0%	0%	0%	F	340	G	2700	G	2001
				From: 20-606 Mt Hermon Rd											
604 Genito Rd	2.19	3700	G	97%	1%	2%	0%	0%	0%	F	460	G	3900	G	2001
				To: 20-667 Otterdale Rd											
604 Genito Rd	1.35	11000	G	97%	1%	2%	0%	0%	0%	C	1200	G	11000	G	2001
				From: 20-4656 Cove Ridge Rd											
604 Genito Rd	3.01	10000	G	97%	1%	2%	0%	0%	0%	F	1100	G	11000	G	2001
				To: 20-754 Coalfield Rd											
604 Genito Rd	1.22	7400	G	96%	1%	2%	1%	1%	0%	F	800	G	7800	G	2001
				From: US 360 Hull Steet Rd											
604 Courthouse Rd	1.78	16000	G	96%	1%	2%	1%	1%	0%	C	1600	G	17000	G	2001
				To: 20-653 N; Courthouse Rd											
604 Courthouse Rd	1.32	4700	G	96%	1%	2%	1%	1%	0%	F	450	G	5000	G	2001
				From: 20-651 Belmont Rd											
604 Courthouse Rd	2.22	4600	G	96%	1%	2%	1%	1%	0%	F	440	G	4800	G	2001
				To: 20-811 Yatesdale Dr											
				From: 20-811 Yatesville Dr											
				To: SR 10 Iron Bridge Rd											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Chesterfield County																
(605) Moseley Rd	4.20	350	R								NA		NA		1996	
				From:	20-603 Skinquarter Rd											
				To:	20-604 E; Genito Rd											
(605) Moseley Rd	1.04	440	G	91%	2%	5%	2%	0%	0%	C	50	G	440	G	2001	
				From:	20-604 W; Genito Rd											
				To:	Powhatan County Line											
(606) Mt Herndon Rd	3.40	290	R								NA		NA		1996	
				From:	20-604 Genito Rd											
				To:	20-671 N; Hallsboro Rd											
(607) Huguenot Springs Rd	1.20	530	R								NA		NA		1994	
				From:	US 60 Midlothian Tpke											
				To:	Powhatan County Line											
(608)	0.31	410	R								NA		NA		1996	
				From:	Dead End											
				To:	20-1407											
(608) Woodfin Dr	0.20	4300	R								NA		NA		1996	
				From:	US 1 South											
				To:	US 1 North											
(608) Reymet Rd	0.87	4700	R								NA		NA		1994	
				From:	20-614 Coach Rd											
				To:												
(609) Centralia Rd	1.36	6300	R								NA		NA		1996	
				From:	SR 10 Iron Bridge Rd											
				To:	20-717 Centralia Rd											
(610) Jefferson Ave	0.22	130	R								NA		NA		1996	
				From:	Dead End											
				To:	20-746 Enon Church Rd											
(611) Kingsland Dr	0.05	7000	G	97%	0%	2%	0%	0%	0%	F	760	G	7400	G	2001	
				From:	SR 10 Iron Bridge Rd											
				To:	20-641 Beulah Rd											
(611) Kingsland Dr	2.38	2400	G	97%	0%	2%	0%	0%	0%	C	250	G	2500	G	2001	
				From:	20-637 Hopkins Rd											
				To:												
(611) Kingsland Dr	0.45	2300	G	97%	0%	2%	0%	0%	0%	F	280	G	2400	G	2001	
				From:	20-1663 Firethorne La											
				To:	SR 145 Chester Rd											
(611) Kingsland Dr	0.97	1500	G	97%	0%	2%	0%	0%	0%	F	180	G	1600	G	2001	
				From:	SR 145 Chester Rd											
				To:												
(612) Gregory Pond Rd	0.25	60	R								NA		NA		1996	
				From:	US 360 Hull Steet Rd											
				To:	Dead End											
(613) Willis Rd	0.02	1700	G	92%	1%	3%	1%	3%	0%	F	220	G	1800	G	2001	
				From:	20-1625 Perrymont Rd											
				To:	US 1 Jefferson Davis Hwy											
(613) Willis Rd	0.44	10000	G	92%	1%	3%	1%	3%	0%	C	970	G	11000	G	2001	
				From:	US 1 Jefferson Davis Hwy											
				To:	I-95											
(613) Willis Rd	0.45	8200	G	77%	1%	6%	5%	8%	3%	C	800	G	8600	G	2001	
				From:	I-95											
				To:	20-614 Coach Rd											
(613) Willis Rd	0.85	3100	R								NA		NA		1996	
				From:	20-614 Coach Rd											
				To:	Dead End											
(614) Coach Rd	0.82	1900	R								NA		NA		1994	
				From:	20-608 Reymet Rd											
				To:	20-613 Coach Rd											
(615) Coxendale Rd	1.67	1600	R								NA		NA		1994	
				From:	20-616 Osborne Rd											
				To:												
(615) Coxendale Rd	0.99	1700	R								NA		NA		1996	
				From:	20-732 Old Stage Rd											
				To:	Dead End											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(616) Chester Rd South	0.17	2400	G	99%	0%	0%	1%	0%	0%	F	280	G	2600	G	2001
(616) Chester Rd South	1.05	2700	G	99%	0%	0%	1%	0%	0%	F	290	G	2900	G	2001
(616) Curtis St	0.18	3500	G	99%	0%	0%	1%	0%	0%	F	370	G	3700	G	2001
(616) Curtis St	0.16	3500	G	99%	0%	0%	1%	0%	0%	F	370	G	3700	G	2001
(616) Curtis St	0.13	2500	G	99%	0%	0%	1%	0%	0%	C	280	G	2700	G	2001
(616) Curtis St	0.12	3000	G	99%	0%	0%	1%	0%	0%	F	310	G	3200	G	2001
(616) Curtis St	0.36	3700	G	99%	0%	0%	1%	0%	0%	F	480	G	3800	G	2001
(616) Curtis St	0.15	3500	G	99%	0%	0%	1%	0%	0%	F	380	G	3600	G	2001
(616) Osborne Rd	1.05	3800	G	98%	1%	1%	0%	0%	0%	C	440	G	4000	G	2001
(616) Osborne Rd	0.25	2200	G	94%	1%	3%	0%	1%	0%	F	240	G	2300	G	2001
(616) Osborne Rd	0.75	1200	G	94%	1%	3%	0%	1%	0%	C	120	G	1200	G	2001
(617) Ramblewood Rd	0.90	1700	G	98%	0%	1%	0%	0%	0%	C	200	G	1800	G	2001
(617) Ramblewood Dr	0.44	2300	G	98%	0%	1%	0%	0%	0%	F	260	G	2400	G	2001
(617) Ramblewood Dr	0.17	4100	G	99%	0%	1%	0%	0%	0%	C	460	G	4300	G	2001
(617) Ramblewood Dr	1.55	1400	G	99%	0%	1%	0%	0%	0%	F	170	G	1500	G	2001
(618) Old Bermuda Hundre	1.25	3600	G	95%	1%	2%	1%	1%	0%	C	420	G	3800	G	2001
(618) Old Bermuda Hundre	0.97	1900	G	95%	1%	2%	1%	1%	0%	F	200	G	2000	G	2001
(618) Old Bermuda Hundre	0.57	4300	G	95%	1%	2%	1%	1%	0%	F	440	G	4600	G	2001
(618) Meadowville Rd	0.31	1200	G	97%	0%	2%	0%	0%	0%	F	120	G	1300	G	2001
(618) Meadowville Rd	0.15	1400	G	97%	0%	2%	0%	0%	0%	F	140	G	1500	G	2001
(618) Meadowville Rd	2.17	280	G	97%	0%	2%	0%	0%	0%	C	40	G	300	G	2001
(618) Meadowville Rd	0.21	20	R								NA		NA		05/17/2000
(619) Happy Hill Rd	1.14	480	R								NA		NA		1996
(619) Happy Hill Rd	0.17	370	G	95%	1%	2%	1%	1%	0%	F	60	G	390	G	2001

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(619) Happy Hill Rd	0.63	5400	G	95%	1%	2%	1%	1%	0%	C	610	G	5600	G	2001
				From: US 1 N; Jefferson Davis Hwy											
				To: 20-803 Marobrith Rd											
(619) Happy Hill Rd	1.97	3600	G	95%	1%	2%	1%	1%	0%	F	370	G	3700	G	2001
				From: 20-616 Chester Rd S											
				To: SR 144 Harrogate Rd											
(619) Happy Hill Rd	0.13	4700	G	95%	1%	2%	1%	1%	0%	F	500	G	4900	G	2001
				From: 20-625 Branders Bridge Rd											
				To: US 1 Jefferson Davis Hwy											
(620) Woods Edge Rd	0.34	12000	G	95%	1%	2%	1%	1%	0%	C	1200	G	12000	G	2001
				From: Tri City Urban Boundary											
				To: 20-746 & Ramp to I-95											
(620) Woods Edge Rd	1.94	3500	G	96%	0%	2%	0%	1%	0%	C	380	G	3600	G	2001
				From: 20-818 Lawing Dr											
				To: 20-617 West Ramblewood Dr											
(620) Golf Course Rd	0.44	2700	G	96%	0%	2%	0%	1%	0%	F	300	G	2800	G	2001
				From: 20-618 Old Bermuda Hundred Rd											
				To: Dead End											
(621) Epps Falls Rd	1.60	40	R								NA		NA		09/14/2000
				From: 20-602 W; River Rd											
				To: 20-602 E; River Rd											
(621) Black Rd; Winterpock	3.69	1800	G	93%	1%	3%	1%	2%	0%	C	160	G	1800	G	2001
				From: 20-655 Beach Rd											
(621) Winterpock Rd	3.02	7100	G	95%	1%	3%	0%	1%	0%	C	640	G	7100	G	2001
				From: US 360 Hull Street Rd											
				To: 20-603 Skinquarter Rd											
(622) Clayville La	1.60	320	R								NA		NA		1996
				From: Powhatan County Line											
(623) Dry Creek Rd	0.85	260	R								NA		NA		09/14/2000
				From: 20-655 Beach Rd											
				To: Dead End											
(624) Walton Park Rd	0.47	3700	G	97%	1%	1%	1%	1%	0%	C	380	G	3800	G	2001
				From: 20-1385 Queensgate Rd											
				To: 20-1096 Overcliff Ct											
(624) Walton Park Rd	0.92	9500	R								NA		NA		1996
				From: US 60 Midlothian Tpke											
(625) Branders Bridge Rd	0.57	5500	G	96%	0%	1%	2%	1%	0%	F	550	G	5800	G	2001
				From: WCL Colonial Heights											
				To: Tri City Urban Boundary											
(625) Branders Bridge Rd	0.56	3400	G	96%	0%	1%	2%	1%	0%	F	350	G	3600	G	2001
				From: 20-626 Lakeview Dr											
(625) Branders Bridge Rd	5.19	1300	G	96%	0%	1%	2%	1%	0%	F	170	G	1400	G	2001
				From: 20-619 Happy Hill Rd											
(625) Branders Bridge Rd	0.74	5400	G	96%	0%	1%	2%	1%	0%	C	580	G	5700	G	2001
				From: 20-631 Bradley Bridge Rd											
(625) Branders Bridge Rd	0.38	6700	G	96%	0%	1%	2%	1%	0%	F	740	G	7100	G	2001
				From: 20-681 Hundred Rd W											
(626) Woodpecker Rd	3.09	430	R								NA		NA		1996
				From: 20-654 Bundle Rd											
				To: 20-636 W; Nash Rd											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(626) Woodpecker Rd	0.05	2500	G	93%	1%	4%	1%	1%	0%	F	260	G	2500	G	2001
				From: 20-636 W; Nash Rd											
(626) Woodpecker Rd	2.26	1100	G	93%	1%	4%	1%	1%	0%	C	120	G	1100	G	2001
				From: 20-636 E; Nash Rd											
(626) Woodpecker Rd	3.02	1200	G	97%	0%	1%	1%	1%	0%	F	130	G	1200	G	2001
				From: 20-634 Cattail Rd											
(626) Woodpecker Rd	3.07	3600	G	97%	0%	1%	1%	1%	0%	C	440	G	3600	G	2001
				From: 20-719 Bixby La											
(626) Lakeview Dr	0.81	6500	G	97%	0%	1%	1%	1%	0%	F	650	G	6800	G	2001
				From: 20-627 Chestnut Bridge Rd											
				To: 20-627 Woodpecker Rd											
				To: WCL Colonial Heights											
(627) Woodpecker Rd	2.04	3000	G	96%	1%	2%	1%	1%	0%	C	320	G	3100	G	2001
				From: 20-628 Hickory Rd											
(627) Woodpecker Rd	0.84	170	R								NA		NA		1996
				From: 20-626 Woodpecker Rd											
				To: Dead End											
(628) Trents Bridge Rd	1.06	330	R								NA		NA		1996
				From: 20-636 Exter Mill Rd											
				To: 20-602 S; River Rd											
(628) Hickory Rd	4.04	1500	G	92%	2%	4%	0%	1%	0%	C	140	G	1500	G	2001
				From: 20-602 N; River Rd											
(628) Hickory Rd	0.83	3000	G	92%	2%	4%	0%	1%	0%	F	320	G	3100	G	2001
				From: 20-669 E; Church Rd											
(628) Hickory Rd	2.68	2000	G	95%	2%	3%	0%	0%	0%	C	210	G	2100	G	2001
				From: 20-600 Matoaca Rd											
(628) Hickory Rd	0.64	3100	G	95%	2%	4%	0%	0%	0%	F	310	G	3300	G	2001
				From: 20-1188 Hickory Ct											
				To: SR 36 River Rd											
(629) Eanes Rd	1.00	320	R								NA		NA		1996
				From: 20-602 River Rd											
				To: Dead End											
(630) Graves Rd	0.50	260	R								NA		NA		10/27/2000
				From: Dead End											
(630) Graves Rd	2.90	1500	R								NA		NA		10/27/2000
				From: 20-602 River Rd											
				To: 20-628 Hickory											
(631) Rhodes La	0.50	120	R								NA		NA		10/24/2000
				From: 20-669 Sandy Ford Rd											
(631) Rhodes La	1.80	140	R								NA		NA		10/24/2000
				From: 0.50 MW 20-669											
(631) Bradley Bridge Rd	2.38	6200	R								NA		NA		10/24/2000
				From: 20-626 E; Woodpecker Rd											
				To: 20-626 W; Woodpecker Rd											
(631) Bradley Bridge Rd	1.70	2500	R								NA		NA		10/24/2000
				From: 20-632 Lewis Rd											
				To: 20-625 Branders Bridge Rd											
(632) Lewis Rd	0.36	4900	G	98%	0%	1%	0%	0%	0%	F	520	G	4800	G	2001
				From: 20-631 Bradley Bridge Rd											
				To: 20-3900 Fieldwood Dr											
(632) Lewis Rd	1.64	4800	G	98%	0%	1%	0%	0%	0%	C	530	G	4800	G	2001
				From: 20-3900 Fieldwood Rd											
(632) Iron Bridge Blvd	0.40	1400	G	98%	0%	1%	0%	0%	0%	F	150	G	1500	G	2001
				From: SR 10 W; Iron Bridge Rd											
				To: 20-1569; Gap T; Iron Br Pkwy											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Chesterfield County																
(632)	0.10	7200	R			From: Cul-de-Sac; Gap Terminus					NA		NA		05/25/2000	
(632)	2.35	4600	R			From: SR 10 E; Iron Bridge Rd					NA		NA		05/25/2000	
						To: SR 145; 20-2039										
(633)	Rowlett Rd	1.30	380	R		From: 20-628 Hickory Rd					NA		NA		1996	
						To: 20-634 Cattail Rd										
(634)	Cattail Rd	2.40	230	R		From: 20-636 Nash Rd					NA		NA		1996	
(634)	Cattail Rd	1.29	340	R		From: 2.40 M FRM 20-636					NA		NA		1994	
						To: 20-626 Woodpecker Rd										
(635)	Reedy Branch Rd	2.30	260	R		From: 20-602 River Rd					NA		NA		1996	
						To: 20-636 Nash Rd										
(636)	Exter Mill Rd	1.50	210	R		From: Dead End					NA		NA		1996	
						To: 20-602 W; River Rd										
(636)	Nash Rd	0.30	1800	G	96%	0%	3%	0%	1%	0%	F	190	G	1800	G	2001
						From: 20-634 Cattail Rd										
(636)	Nash Rd	3.60	1700	G	96%	0%	3%	0%	1%	0%	C	180	G	1700	G	2001
						From: 20-626 W; Woodpecker Rd										
						To: 20-626 E; Woodpecker Rd										
(636)	Nash Rd	3.32	4900	G	96%	0%	3%	0%	1%	0%	F	520	G	4900	G	2001
						To: 20-655 Beach Rd										
(637)	Hopkins Rd	0.38	2800	G	98%	0%	1%	0%	0%	0%	F	320	G	2900	G	2001
						From: SR 145 Centralia Rd										
(637)	Hopkins Rd	0.81	5900	G	98%	0%	1%	0%	0%	0%	F	620	G	6200	G	2001
						From: 20-2001 Old La										
(637)	Hopkins Rd	0.52	6000	G	98%	0%	1%	0%	0%	0%	C	650	G	6300	G	2001
						From: 20-1452 Thurston										
(637)	Hopkins Rd	0.68	7900	G	98%	0%	1%	0%	0%	0%	F	900	G	8400	G	2001
						From: 20-611 Kingsland Rd										
(637)	Hopkins Rd	0.93	8500	G	98%	0%	1%	0%	0%	0%	F	990	G	8900	G	2001
						From: 20-640 Conifer Rd										
(637)	Hopkins Rd	0.73	14000	G	99%	0%	1%	0%	0%	0%	C	1600	G	15000	G	2001
						From: 20-641 Beulah Rd										
(637)	Hopkins Rd	0.49	25000	G	99%	0%	1%	0%	0%	0%	F	2800	G	26000	G	2001
						From: 20-639 Little Creek La										
(637)	Hopkins Rd	0.50	7200	G	97%	0%	1%	0%	1%	0%	F	760	G	7500	G	2001
						From: SR 150 Chippenham Pkwy										
						To: 20-2183 Monza Dr										
(637)	Hopkins Rd	1.17	4900	G	97%	0%	1%	0%	1%	0%	C	530	G	5200	G	2001
						From: 20-2183 Monza La										
						To: SCL Richmond										
(638)	Cogbill Rd	2.36	1700	G	96%	1%	2%	1%	1%	0%	F	200	G	1800	G	2001
						From: 20-651 Belmont Rd										
(638)	Cogbill Rd	0.82	3200	G	96%	1%	2%	1%	1%	0%	C	380	G	3400	G	2001
						From: 20-742 Canasta Dr										
(638)	Cogbill Rd	1.01	5000	G	97%	1%	2%	1%	0%	0%	F	590	G	5300	G	2001
						From: SR 10 Iron Bridge Rd										
						To: 20-805 W; Benika										

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(638) Cogbill Rd	0.06	4800	G	97%	1%	2%	1%	0%	0%	F	540	G	5100	G	2001
				From: 20-805 W; Benika											
(638) Cogbill Rd	0.16	200	G	97%	1%	1%	0%	0%	0%	F	40	G	210	G	2001
				From: 20-770 Chesterwood Dr											
				To: Dead End; Gap Terminus											
(638) Cogbill Rd	1.18	5300	G	97%	1%	2%	1%	0%	0%	C	580	G	5600	G	2001
				From: 20-637 Hopkins Rd											
(638) Cogbill Rd	0.74	3900	G	97%	1%	2%	1%	0%	0%	F	400	G	4100	G	2001
				From: 20-1628 Castlewood Rd											
				To: US 1 Jefferson Davis Hwy											
(639) Howell Dr	1.08	1200	R								NA		NA		1996
				From: 20-638 Cogbill Rd											
				To: 20-637 Hopkins Rd											
(640) Old Hopkins Rd;Conif	0.42	200	G	96%	0%	3%	1%	0%	0%	F	30	G	210	G	2001
				From: 20-637 Hopkins Rd											
(640) Conifer Rd	0.63	260	G	95%	0%	3%	2%	0%	0%	C	30	G	270	G	2001
				From: 20-710 Bellbrook Dr											
(640) Conifer Rd	0.16	360	G	96%	0%	3%	1%	0%	0%	F	46	G	380	G	2001
				From: 20-1602 Bluffside Dr											
				To: 20-641 Beulah Rd											
(641) Beulah Rd	1.85	3700	G	98%	0%	2%	0%	0%	0%	C	400	G	3900	G	2001
				From: 20-611 Kingsland Rd											
(641) Beulah Rd	0.30	8900	G	98%	0%	2%	0%	0%	0%	F	980	G	9400	G	2001
				From: 20-4020 Crest Dr											
				To: 20-637 Hopkins											
(641) Beulah Rd	1.42	5000	G	97%	0%	2%	1%	0%	0%	C	570	G	5200	G	2001
				From: 20-637 Hopkins Rd											
(641) Dundas Rd	0.92	6800	G	97%	0%	2%	1%	0%	0%	F	660	G	7100	G	2001
				From: 20-770 Meadowdale Blvd											
				To: US 1 Jefferson Davis Hwy											
(642) Salem Oaks Dr	0.33	520	G	97%	1%	1%	1%	0%	0%	F	60	G	550	G	2001
				From: Cul-de-Sac											
(642) Salem Church Rd	1.06	7000	G	97%	1%	1%	1%	0%	0%	C	750	G	7400	G	2001
				From: SR 145 Centralia Rd											
(642) Salem Church Rd	1.14	6100	G	97%	1%	1%	1%	0%	0%	F	690	G	6400	G	2001
				From: 20-2750 Sara Kay Dr											
(642) Salem Church Rd	0.82	3700	G	97%	1%	1%	1%	0%	0%	F	440	G	3900	G	2001
				From: 20-611 Kingsland Rd											
				To: 20-641 Beulah Rd											
(643) Turner Rd & Jessup	1.34	5200	G	98%	0%	1%	0%	0%	0%	C	590	G	5400	G	2001
				From: 20-651 Belmont Rd											
(643) Jessup Rd	0.69	5000	G	98%	0%	1%	0%	0%	0%	F	500	G	5300	G	2001
				From: 20-2389 Meadoway Rd											
				To: SR 10 Iron Bridge Rd											
(643)	0.38	840	R								NA		NA		1996
				From: SR 10											
				To: 20-2266											
(644) Cloverleaf Dr	0.62	3700	R								NA		NA		1996
				From: 20-650 Turner Rd											
				To: 20-687 Starview Lane											
(645) Branchway Rd	0.23	270	R								NA		NA		1996
				From: Dead End											
(645) Branchway Rd	0.42	1700	R								NA		NA		1996
				From: 20-1789 Southlake Blvd											
				To: US 60 Midlothian Tpke											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
646 Cedar Creek Rd	0.07	10	R			From: Dead End					NA		NA		09/14/2000
646 Cedar Creek Rd	1.03	300	R			From: 0.08 MN Dead End					NA		NA		09/14/2000
646 Taylor Rd	3.70	320	R			From: 20-602 E; River Rd 20-602 W; River Rd					NA		NA		1994
647 Reams Rd	1.24	11000	G	98%	0%	From: 20-653 Courthouse Rd To: 20-672 E; Arch Rd				F	1100	G	11000	G	2001
647 Reams Rd	1.06	12000	G	98%	0%	From: 20-678 Providence Rd To: 20-678 Providence				F	1300	G	13000	G	2001
647 Hicks Rd	1.42	11000	G	98%	0%	From: 20-678 Providence To: US 360 Hull St Rd				C	1300	G	11000	G	2001
647 Walmsley Blvd	1.56	14000	G	96%	1%	From: 20-650 Turner Rd To: WCL Richmond				C	1400	G	15000	G	2001
647 Walmsley Blvd	0.88	8900	G	96%	1%	From: WCL Richmond To: US 360 Hull St Rd				F	960	G	9400	G	2001
648 Lockhart Rd	0.40	790	R			From: US 360 Hull St Rd To: 20-647 Hicks Rd					NA		NA		09/20/2000
649 Newbys Bridge Rd	3.07	3100	G	97%	1%	From: 20-651 Belmont Rd To: Richmond Urban Boundary				C	380	G	3200	G	2001
649 Newbys Bridge Rd	1.48	5000	G	97%	1%	From: Richmond Urban Boundary To: 20-647 Walmsley Blvd				F	630	G	5200	G	2001
649 Newbys jBridge Rd	0.12	2300	R			From: 20-647 Walmsley Blvd & Newbys Bridge Rd To: Dead End					NA		NA		09/20/2000
650 Turner Rd	1.13	11000	G	96%	1%	From: 20-651 Belmont Rd To: 20-647 Walmsley Blvd				C	1100	G	11000	G	2001
650 Turner Rd	0.39	13000	G	96%	1%	From: 20-647 Walmsley Blvd To: US 360 Hull St Rd				F	1400	G	14000	G	2001
650 Turner Rd	1.04	12000	G	98%	0%	From: US 360 Hull St Rd To: 20-663 Elkhardt Rd				C	1200	G	13000	G	2001
650 Turner Rd	0.95	12000	G	98%	0%	From: 20-663 Elkhardt Rd To: US 60 Midlothian Tpke				F	1300	G	13000	G	2001
651 Bailey Bridge Rd N	1.12	9700	G	94%	2%	From: US 360 Hull Street Rd To: 20-653 Bailey Bridge Rd				F	1000	G	10000	G	2001
651 Claypoint Rd	1.57	3400	G	94%	2%	From: 20-654 Bailey Bridge Rd To: 20-653 Qualla Rd				C	430	G	3600	G	2001
651 Newbys Bridge Rd	1.68	3500	G	94%	2%	From: 20-653 Qualla Rd To: 20-604 S; Courthouse Rd				F	490	G	3600	G	2001
651 Belmont Rd	2.03	3000	G	97%	0%	From: 20-604 N; Courthouse Rd To: 20-638 Cogbill Rd				F	330	G	3200	G	2001
651 Belmont Rd	2.10	5100	G	97%	0%	From: 20-638 Cogbill Rd To: Richmond Urban Boundary				C	650	G	5400	G	2001
651 Belmont Rd	1.01	5400	G	97%	0%	From: Richmond Urban Boundary To: 20-650 Turner Rd				F	680	G	5700	G	2001

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(651) Belmont Rd	1.12	11000	G	97%	0%	1%	1%	1%	0%	F	1200	G	11000	G	2001
				From:	20-650 Turner Rd										
				To:	SCL Richmond										
(652) Old Hundred Rd	0.20	180	R								NA		NA		1994
				From:	SR 76 Powhite Pkwy										
(652) Old Hundred Rd	2.04	4900	G	97%	0%	1%	1%	1%	0%	C	600	G	4900	G	2001
				From:	20-1921 Brandermill Pkwy										
(652) Old Hundred Rd	2.63	4700	G	97%	0%	1%	1%	1%	0%	F	580	G	4700	G	2001
				From:	20-667 Otterdale Rd										
				To:	US 60 Midlothian Tpke										
(653) Second Branch Rd	1.90	40	R								NA		NA		09/14/2000
				From:	Dead End										
(653) Second Branch Rd	2.19	1100	G	92%	2%	4%	1%	1%	0%	C	130	G	1200	G	2001
				From:	20-602 River Rd										
				To:	20-655 W; Beach Rd										
(653) Qualla Rd	1.98	2000	G	92%	2%	5%	1%	1%	0%	F	230	G	2100	G	2001
				From:	20-655 E; Beach Rd										
(653) Qualla Rd	0.47	3500	G	92%	2%	4%	1%	1%	0%	F	400	G	3700	G	2001
				From:	20-1282 Beaverwood Dr										
(653) Qualla Rd	0.18	6200	G	97%	0%	1%	1%	1%	0%	C	730	G	6600	G	2001
				From:	20-654 Spring Run Rd										
(653) Qualla Rd	1.52	6400	G	97%	0%	1%	1%	1%	0%	F	750	G	6700	G	2001
				From:	20-745 Belcherwood Rd										
(653) Qualla Rd	1.77	4300	G	97%	0%	1%	1%	1%	0%	F	420	G	4500	G	2001
				From:	20-651 Newbys Bridge Rd										
				To:	20-604 S; Courthouse Rd										
(653) Courthouse Rd	0.55	15000	G	93%	0%	1%	2%	3%	0%	C	1300	G	16000	G	2001
				From:	20-604 N; Genito Rd										
(653) Courthouse Rd	0.63	16000	G	93%	0%	1%	2%	3%	0%	F	1700	G	17000	G	2001
				From:	20-3584 Harley Dr										
(653) Courthouse Rd	1.34	33000	G	93%	1%	2%	2%	4%	0%	C	3200	G	35000	G	2001
				From:	US 360 Hull St Rd										
(653) Courthouse Rd	0.23	32000	G	93%	1%	2%	2%	4%	0%	F	3200	G	34000	G	2001
				From:	20-678 Providence Rd										
				To:	20-678 Providence Rd										
(653) Courthouse Rd	0.71	37000	G	95%	0%	1%	1%	2%	0%	F	3600	G	39000	G	2001
				From:	SR 76 Powhite Pkwy										
(653) Courthouse Rd	1.20	31000	G	95%	0%	1%	1%	2%	0%	F	3000	G	33000	G	2001
				From:	20-720 Lucks La										
(653) Courthouse Rd	0.92	36000	G	95%	0%	1%	1%	2%	0%	C	3500	G	38000	G	2001
				From:	20-647 Reams Rd										
(653) Courthouse Rd	0.37	28000	G	95%	0%	1%	1%	2%	0%	F	2600	G	29000	G	2001
				From:	20-1789 Southlake Blvd										
				To:	US 60 Midlothian Tpke										
(654) Bundle Rd	3.20	1300	R								NA		NA		1994
				From:	20-602 River Rd										
(654) Bundle Rd	0.50	2200	G	93%	1%	5%	0%	1%	0%	F	230	G	2200	G	2001
				From:	20-626 Woodpecker Rd										
				To:	20-655 W; Beach Rd										
(654) Spring Run Rd;	2.20	1800	R								NA		NA		1994
				From:	20-655 E; Beach Rd										
(654) Spring Run Rd;	1.50	2800	G	93%	1%	3%	1%	1%	0%	C	370	G	3000	G	2001
				From:	20-653 Qualla Rd										
				To:	20-659 Hensley Rd										

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(654) Spring Run Rd;	1.00	3400	G	93%	1%	3%	1%	1%	0%	F	420	G	3600	G	2001
				From:	20-659 Hensley Rd										
				To:	20-662 Spring Run Rd										
(654) Bailey Bridge Rd & S	2.18	4600	G	93%	1%	3%	1%	1%	0%	F	870	G	4800	G	2001
				From:	20-817 Quailwood Rd										
				To:	20-817 Quailwood Rd										
(654) Bailey Bridge Rd	1.26	7900	G	93%	1%	3%	1%	1%	0%	F	1100	G	8300	G	2001
				From:	20-651 Claypoint Rd										
				To:	20-603 Beaver Bridge Rd										
(655) Beach Rd	2.51	490	G	94%	1%	3%	1%	1%	0%	F	60	G	480	G	2001
				From:	20-664 Coalboro Rd										
				To:	20-621 Winterpock Rd										
(655) Beach Rd	1.35	970	G	94%	1%	3%	1%	1%	0%	F	100	G	960	G	2001
				From:	20-654 W; Bundle Rd										
				To:	20-654 E; Spring Run Rd										
(655) Beach Rd	5.03	2300	G	94%	1%	3%	1%	1%	0%	C	260	G	2300	G	2001
				From:	20-654 E Spring Run Rd										
				To:	Pocahontas St Pk										
(655) Beach Rd	0.08	4700	G	94%	1%	3%	1%	1%	0%	F	490	G	4600	G	2001
				From:	20-654 E Spring Run Rd										
				To:	Pocahontas St Pk										
(655) Beach Rd	1.41	3800	G	94%	1%	3%	1%	1%	0%	F	460	G	4000	G	2001
				From:	20-654 E Spring Run Rd										
				To:	Pocahontas St Pk										
(655) Beach Rd	0.78	3900	G	95%	1%	4%	0%	0%	0%	C	470	G	4200	G	2001
				From:	20-2887 Oakton Rd										
				To:	20-2885 Carlow Rd										
(655) Beach Rd	0.22	4300	G	95%	1%	4%	0%	0%	0%	F	470	G	4500	G	2001
				From:	20-2885 Carlow Rd										
				To:	20-3670 Woodland Pond Pkwy										
(655) Beach Rd	0.26	4100	G	95%	1%	4%	0%	0%	0%	F	490	G	4300	G	2001
				From:	20-3670 Woodland Pond Pkwy										
				To:	20-995 Nestor Rd										
(655) Beach Rd	0.71	6000	G	95%	1%	4%	0%	0%	0%	F	650	G	6300	G	2001
				From:	20-995 Nestor Rd										
				To:	20-682 W; Old Beach Rd										
(655) Beach Rd	1.10	6000	G	96%	1%	3%	1%	0%	0%	C	670	G	6300	G	2001
				From:	20-682 W; Old Beach Rd										
				To:	20-636, Nash Rd										
(655) Beach Rd	0.07	11000	G	96%	1%	3%	1%	0%	0%	F	1200	G	12000	G	2001
				From:	20-636, Nash Rd										
				To:	20-682, Old Beach Rd										
(655) Beach Rd	0.99	11000	G	96%	1%	3%	1%	0%	0%	F	1200	G	11000	G	2001
				From:	20-636 Nash Rd										
				To:	20-682, Old Beach Rd										
(655) Lori Rd	0.66	5800	R								NA		NA		1996
				From:	SR 10 E; Iron Bridge Rd										
				To:	SR 10 W; Iron Bridge Rd										
(656) Bellwood Dr	1.59	3700	R								NA		NA		1996
				From:	US 1 Jefferson Davis Hwy										
				To:	Dead End										
(657) Ivey Mill Rd	3.80	260	R								NA		NA		1996
				From:	20-602 W; River Rd										
				To:	20-602 E; River Rd										
(658) Walkes Quarter Rd	0.50	120	R								NA		NA		09/14/2000
				From:	20-602 River Rd										
				To:	20-659 Riverway Rd										
(659) Riverway Rd	0.80	560	R								NA		NA		1996
				From:	20-602 River Rd										
				To:	20-658 Walkes Quarter Rd										
(659) Riverway Rd	1.80	1500	R								NA		NA		1996
				From:	20-658 Walkes Quarter Rd										
				To:	20-655 E; Beach Rd										
(659) Hensley Rd	2.80	750	R								NA		NA		1996
				From:	20-655 W; Beach Rd										
				To:	20-654 Spring Run Rd										

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(660) Adventure Hill La	0.60	100	R								NA		NA		09/14/2000
(661) Bethia Rd	0.60	70	R								NA		NA		1996
(661) Bethia Rd	0.85	48	R								NA		NA		1996
(662) Spring Run Rd	1.50	2400	R								NA		NA		1994
(663) Elkhardt Rd	0.99	4300	G	96%	2%	1%	1%	1%	0%	C	500	G	4500	G	2001
(663) Elkhardt Rd	0.86	840	R								NA		NA		1994
(663) Elkhardt Rd	0.35	1100	G	96%	2%	1%	1%	1%	0%	F	180	G	1200	G	2001
(664) Coalboro Rd	1.70	180	R								NA		NA		1997
(664) Coalboro Rd	0.60	200	G	92%	5%	0%	2%	2%	0%	F	20	G	210	G	2001
(664) Coalboro Rd	2.10	280	R								NA		NA		1994
(665) Pear Orchard Rd	4.40	380	R								NA		NA		1996
(666) Sappony Rd	1.40	60	R								NA		NA		1996
(667) Otterdale Rd	0.68	NA									NA		NA		
(667) Otterdale Rd	1.30	930	R								NA		NA		1994
(667) Otterdale Rd	0.70	940	G	94%	1%	3%	0%	0%	0%	F	120	G	990	G	2001
(667) Otterdale Rd	2.50	900	G	94%	1%	4%	0%	0%	0%	F	110	G	950	G	2001
(667) Otterdale Rd	2.40	880	G	94%	1%	4%	0%	0%	0%	C	120	G	930	G	2001
(667) Otterdale Rd	2.80	1100	G	95%	1%	3%	0%	0%	0%	F	140	G	1200	G	2001
(668) Duval Rd	3.80	230	R								NA		NA		1996
(668) Woolridge Rd	2.70	460	R								NA		NA		1994
(669) Chesdin Rd	0.90	500	R								NA		NA		1996

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(669) Church Rd	2.60	570	G	91%	1%	4%	2%	3%	0%	C	60	G	600	G	2001
				From:	SR 36 River Rd; 20-602										
				To:	20-628 E; Hickory Rd										
(669) Sandy Ford Rd	0.70	1200	G	91%	1%	4%	2%	3%	0%	F	120	G	1200	G	2001
				From:	20-628 W; Hickory Rd										
				To:	20-631 Rhodes La										
(669) Sandy Ford Rd	1.20	1300	G	91%	1%	4%	2%	3%	0%	F	130	G	1300	G	2001
				From:	20-626 Woodpecker Rd										
				To:	Dead End										
(670) Scottswood Rd	0.50	60	R								NA		NA		11/13/2000
				From:	Dead End										
				To:	20-652 Old Hundred Rd										
(671) Mt Herman Rd	1.85	310	R								NA		NA		1996
				From:	20-606 S; Mt Herman Rd										
				To:	20-606 N; County Line Rd										
(671) County Line Rd	0.65	710	R								NA		NA		1996
				From:	20-606 NORTH										
				To:	US 60; Powhatan County Line										
(672) Adkins Rd	0.71	1800	G	93%	1%	3%	2%	2%	0%	C	210	G	1800	G	2001
				From:	20-678 Providence Rd										
				To:	20-688 Dakins Dr										
(672) Adkins Rd	0.15	1300	G	93%	1%	3%	2%	2%	0%	F	150	G	1300	G	2001
				From:	20-900 Wycliff Rd										
				To:	20-2588 Rosegill Rd										
(672) Adkins Rd	0.35	1300	G	99%	0%	0%	0%	0%	0%	F	150	G	1400	G	2001
				From:	20-647 W; Reams Rd										
				To:	20-647 E; Reams Rd										
(672) S Arch Rd	1.04	12000	G	99%	0%	0%	0%	0%	0%	C	1400	G	13000	G	2001
				From:	US 60 Midlothian Tpke										
				To:	20-1223 Framar Dr										
(673) Old Gun Rd	0.26	1300	R								NA		NA		1996
				From:	20-711 Robious Rd										
(673) Old Gun Rd	0.14	1900	R								NA		NA		1996
				From:	20-802 Silbyrd Dr										
(673) Old Gun Rd	2.59	1700	R								NA		NA		1996
				From:	20-704 Cherokee Rd										
(673) Old Gun Rd	0.57	2300	R								NA		NA		1996
				From:	WCL RICHMOND										
(674) Cranbeck Rd	0.37	4800	R								NA		NA		1994
				From:	20-675 Robious										
				To:	SR 147 Huguenot Rd										
(675) Robious Rd	0.54	16000	G	96%	1%	1%	0%	2%	0%	F	1700	G	17000	G	2001
				From:	SR 147 Huguenot Rd										
				To:	20-905 Old Farm Rd										
(675) Robious Rd	0.76	17000	G	96%	1%	1%	0%	2%	0%	C	1800	G	18000	G	2001
				From:	20-1775 Early Settlers Rd										
				To:	US 60 Midlothian Tpke										
(676) Vest Rd	0.60	70	R								NA		NA		1996
				From:	Dead End										
				To:	20-602 River Rd										
(677) Old Buckingham Rd	1.09	8900	G	98%	0%	1%	0%	1%	0%	C	990	G	9400	G	2001
				From:	US 60 Midlothian Trnprk										
				To:	20-1482 Black Heath Rd										

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(677) Old Buckingham Rd	0.55	7900	G	98%	0%	1%	0%	1%	0%	F	870	G	8300	G	2001
				From: 20-1482 Black Heath Rd											
(677) Old Buckingham Rd	0.20	11000	G	98%	0%	1%	0%	1%	0%	F	1100	G	11000	G	2001
				From: 20-727 Alverser Dr											
				To: SR 147 Huguenot Rd											
(678) Providence Rd	0.83	800	R								NA		NA		1996
				From: 20-4681											
(678) Providence Rd	0.97	6700	G	97%	0%	1%	1%	0%	0%	F	710	G	7000	G	2001
				From: 20-653 Courthouse Rd											
				To: 20-762 Adkins Rd											
(678) Providence Rd	0.97	6700	G	97%	0%	1%	1%	0%	0%	C	740	G	7000	G	2001
				From: 20-672 Adkins Rd											
(678) Providence Rd	0.98	13000	G	97%	0%	1%	1%	0%	0%	F	1800	G	14000	G	2001
				From: 20-647 Reams & Hicks Rds											
(678) Providence Rd	1.05	9600	G	97%	0%	1%	1%	0%	0%	F	990	G	10000	G	2001
				From: 20-663 Elkhardt Rd											
(678) Providence Road N &	1.05	7700	G	97%	0%	1%	1%	1%	0%	F	780	G	8100	G	2001
				From: US 60 Midlothian Tpke											
(678) Buford Rd	0.54	12000	G	97%	0%	1%	1%	1%	0%	F	1300	G	13000	G	2001
				From: 20-755 Pinetta Dr											
(678) Buford Rd	1.27	14000	G	97%	0%	1%	1%	1%	0%	C	1300	G	14000	G	2001
				From: 20-686 Jahnke Rd											
(678) Buford Rd	0.20	10000	G	97%	0%	1%	1%	1%	0%	F	950	G	11000	G	2001
				From: 20-683 Forest Hill Ave											
				To: SR 147 Huguenot Rd											
(679) Old Courthouse Rd	0.35	400	R								NA		NA		1996
				From: 20-653 Courthouse Rd											
				To: 20-653 Courthouse Rd											
(680)	0.19	30	R								NA		NA		1996
				From: Dead End											
				To: 20-618 Old Bermuda Hundred Rd											
(681) Branders Bridge Rd	0.13	5600	G	97%	0%	2%	1%	0%	0%	F	640	G	5900	G	2001
				From: SR 10 W; Iron Bridge Rd											
(681) Branders Bridge Rd	0.11	5100	G	97%	0%	2%	1%	0%	0%	C	580	G	5400	G	2001
				From: 20-708 Carver Heights Dr											
(681) Hundred Rd W	0.69	1400	R								NA		NA		1996
				From: 20-625 Branders Bridge Rd											
				To: SR 10 E; Iron Bridge Rd											
(682) Old Beach Rd	0.15	30	R								NA		NA		1996
				From: 20-655 Beach Rd											
				To: 20-655 Beach Rd											
(683) Forest Hill Ave	0.21	16000	G	97%	0%	2%	1%	0%	0%	F	1400	G	17000	G	2001
				From: SR 147 Huguenot Rd											
(683) Forest Hill Ave	0.84	15000	G	97%	0%	2%	1%	0%	0%	C	1400	G	16000	G	2001
				From: 20-678 Buford Rd											
				To: WCL Richmond											
(684) Mount Herman Rd	1.15	340	R								NA		NA		1996
				From: 20-671 Mt Herman Rd											
				To: 20-652 Old Hundred Rd											
(685) Dry Bridge Rd	0.17	200	R								NA		NA		11/13/2000
				From: 20-652 Old Hundred Rd											
(685) Dry Bridge Rd	0.75	210	R								NA		NA		11/13/2000
				From: 0.17 MN 20-652											
				To: US 60 Midlothian Tpke											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(686) Brown Summitt Rd	0.35	600	R			From: 20-1964 Winslow Rd					NA		NA		1996
(686) Jahnke Rd	1.00	13000	G	97%	0%	To: 20-678 Buford Rd				C	1400	G	13000	G	2001
(686) Jahnke Rd	0.58	14000	G	97%	0%	From: 20-1756 Spring Lake Rd				F	1600	G	15000	G	2001
						To: WCL Richmond									
(687) Starview La	0.19	320	R			From: 20-3419					NA		NA		1996
(687) Starview Ln	0.40	1900	R			To: 20-2231					NA		NA		1996
(687)	0.29	80	R			From: 20-644					NA		NA		1996
						To: Dead End									
(688) Dakins Dr	0.84	1700	R			From: 20-653 Courthouse Rd					NA		NA		1996
						To: 20-672 Adkins Rd									
(689) County Line Rd West	0.43	80	R			From: Powhatan County Line					NA		NA		1996
						To: 20-671 County Line Rd									
(690) Cosby Rd	0.90	180	R			From: 10-667 Otterdale Rd					NA		NA		1996
						To: US 360 Hull Street Rd									
(691)	0.63	1000	R			From: Dead End					NA		NA		1996
(691)	0.26	2900	R			To: 20-726					NA		NA		1996
(691)	0.74	700	R			From: SR 10 SOUTH					NA		NA		1996
						To: SR 10 NORTH									
(691)						To: Dead End									
(692) Reedy Branch Rd	1.78	620	R			From: 20-634 Cattail Rd					NA		NA		1994
						To: 20-626 Woodpecker Rd									
(693) Deer Range Rd	1.50	70	R			From: Dead End					NA		NA		1996
						To: US 360 Hull Street Rd									
(694)	0.10	110	R			From: 20-664					NA		NA		1996
						To: 20-655									
(695) Garnett Ln	0.18	120	R			From: Dead End					NA		NA		1996
						To: 20-707									
(696) Fox Dr	0.14	130	R			From: 20-746					NA		NA		1996
						To: Dead End									
(697) Bermuda Hundred R	1.79	950	R			From: 20-618					NA		NA		1996
(697) Bermuda Hundred R	1.61	2600	G	87%	0%	To: 20-746				C	440	G	2700	G	2001
						To: 20-827									
(698) State Av	0.80	310	R			From: Dead End					NA		NA		1996
						To: 20-746									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(699) Hanover St	0.17	310	R			From: 20-2406 To: 20-904					NA		NA		1996
(700) Shawonodasee Rd	0.21	190	R			From: Dead End To: 20-604					NA		NA		1996
(701) Whitepine Rd	1.02	3600	R			From: 20-651 Belmont Rd To: 20-737 Reycan Rd					NA		NA		1994
(701) Whitepine Rd	1.20	4800	G	90%	2%	3%	1%	5%	0%	C	540	G	5100	G	2001
(701) Whitepine Rd	0.80	2700	R			From: SR 10 Iron Bridge Rd To: Dead End					NA		NA		11/13/2000
(702) McEnnally Rd	0.20	290	R			From: 20-621 Winterpock Rd To: 20-662 Spring Run Rd					NA		NA		09/14/2000
(702) Spring Run Rd	0.45	850	R			From: 20-662; McEnnally Rd To: US 360 Hull Street Rd					NA		NA		1994
(703) Northwood Dr	0.50	220	R			From: 20-602 To: Dead End					NA		NA		10/27/2000
(704) Cherokee Rd	0.42	920	R			From: 20-673 To: WCL RICHMOND					NA		NA		1994
(705) Elokomin Av	0.07	210	R			From: 20-616 To: 20-1538					NA		NA		05/23/2000
(705) Elokomin Av	0.06	130	R			From: 20-1544 To: 20-1544					NA		NA		05/13/2000
(706) Tarris Ln	0.35	480	R			From: SR 144 To: 20-619					NA		NA		1994
(707) LE Gordon Dr	0.50	3000	R			From: 20-695 To: US 60 Midlothain Tpk					NA		NA		1997
(708) Carver Heights Dr	1.00	780	R			From: Dead End To: 20-681					NA		NA		1994
(709) Le Master Rd	0.51	160	R			From: Cul-de-Sac To: 20-630					NA		NA		10/27/2000
(710) Bellbrook Dr	0.43	620	R			From: 20-637 To: 20-640					NA		NA		10/26/2000
(711) Robious Rd	2.20	8600	G	95%	1%	2%	1%	2%	0%	F	1100	G	9000	G	2001
(711) Robious Rd	1.72	21000	G	95%	1%	2%	1%	2%	0%	C	2000	G	22000	G	2001
(712) Gresham Av	0.20	90	R			From: 20-713 To: 20-656					NA		NA		09/25/2000
(713) Cross St	0.10	50	R			From: Dead End To: 20-712					NA		NA		09/25/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(713) Cross St	0.05	50	R								NA		NA		09/25/2000
(714) Winterfield Rd	1.41	8000	G	98%	0%	1%	1%	0%	0%	C	720	G	8400	G	2001
(714) Winterfield Rd	2.00	2500	G	98%	0%	1%	1%	0%	0%	F	280	G	2600	G	2001
(715) Barretta Ln	0.31	60	R								NA		NA		10/27/2000
(716) Haven Av	0.20	90	R								NA		NA		09/25/2000
(717) Centralia Rd	0.50	3600	R								NA		NA		05/23/2000
(717) Centralia Rd	0.17	4400	R								NA		NA		1994
(718) Old Bon Air Rd	1.63	7900	R								NA		NA		08/23/2000
(718) Old Bon Air Rd/Rock	0.37	9400	G	97%	0%	1%	1%	1%	0%	F	1100	G	9900	G	2001
(718) Rockaway Rd	0.08	370	R								NA		NA		08/23/2000
(718) Rockaway Rd	0.05	10	R								NA		NA		08/23/2000
(719) Bixby Ln	0.28	360	R								NA		NA		10/12/2000
(720) Miners Tr/Lucks La	0.99	3100	G	93%	1%	2%	2%	2%	0%	F	390	G	3300	G	2001
(720) Lucks Lane	2.84	8000	G	93%	1%	2%	2%	2%	0%	C	970	G	8400	G	2001
(721) Penmar Dr	0.30	170	R								NA		NA		10/27/2000
(722) Halloway Ave	1.33	1300	R								NA		NA		1994
(722) Halloway Ave	0.45	1300	G	94%	2%	2%	1%	1%	0%	F	140	G	1300	G	2001
(723)	0.32	200	R								NA		NA		09/25/2000
(723)	0.35	220	R								NA		NA		09/25/2000
(724) Spruce Av	0.74	800	R								NA		NA		05/23/2000
(724) Spruce Av	0.67	260	R								NA		NA		05/23/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(725) Quinnsford Bl	0.20	1300	R			From: 20-723 SOUTH					NA		NA		05/23/2000
(725) Quinnsford Bl	0.36	260	R			From: 20-613					NA		NA		05/23/2000
						To: Dead End									
(726) Rivermont Rd	0.28	220	R			From: 20-2488					NA		NA		10/24/2000
(726) Rivermont Rd	0.38	190	R			From: 20-691					NA		NA		10/24/2000
						To: 20-724									
(727)	0.13	1000	R			From: 20-868					NA		NA		08/21/2000
(727)	0.17	1300	R			From: 20-866					NA		NA		08/21/2000
(727)	0.51	6200	R			From: US 60 Midlothian Tpke					NA		NA		1994
(727)	0.39	6300	R			From: SR 147 Huguenot Rd					NA		NA		08/23/2000
						To: 20-819									
(728) Corner Rock Rd	0.55	120	R			From: Cul-de-Sac					NA		NA		10/26/2000
(728) Corner Rock Rd	0.27	1200	R			From: 20-1223; 20-4170					NA		NA		10/26/2000
						To: 20-711									
(729) Ahern Rd	0.67	40	R			From: 20-605 S; Moseley Rd					NA		NA		1996
(729) Lacy Farm Rd	0.70	60	R			From: 0.67 MN 20-605					NA		NA		09/14/2000
						To: 20-605 N; Moseley Rd									
(730) Baldwin Creek Rd	1.29	790	R			From: 20-655 Beach Rd					NA		NA		1996
						To: US 360 Hull Street Rd									
(731) Russwood Rd	0.50	110	R			From: Dead End					NA		NA		10/12/2000
						To: 20-628									
(732) Old Stage Rd	0.80	1400	R			From: 20-618 Old Bermuda Hundred Rd					NA		NA		1994
						To: SR 10; West Hundred Rd									
(732) Old Stage Rd	1.96	4100	G	81%	1%	2%	10%	6%	0%	C	520	G	4300	G	2001
						To: 20-615 Coxendale Rd									
(733)	1.05	2800	G	96%	1%	2%	1%	1%	0%	C	380	G	3000	G	2001
						From: US 360									
(733) Pocoshock Blvd	0.23	3600	G	96%	1%	2%	1%	1%	0%	F	440	G	3800	G	2001
						To: 20-2137									
(733) Ruthers Rd	1.00	4700	G	96%	1%	2%	1%	1%	0%	F	550	G	4900	G	2001
						From: 20-663 Elkhardt Rd									
						To: US 60									
(735) Winfree Av	0.48	830	R			From: SR 36					NA		NA		1994
						To: 20-1366									
(736) Summit Rd	0.60	120	R			From: Dead End					NA		NA		1996
						To: 20-655 Beach Rd									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(737)	0.30	6	R			From: 20-604					NA		NA		09/12/2000
(737)	0.30	190	R			From: Dead End; Gap Teminus					NA		NA		09/12/2000
(738) Briggs Rd	0.06	10	R			To: 20-701									
(738) Briggs Rd	0.17	20	R			From: Dead End					NA		NA		05/17/2000
(738) Briggs Rd	0.17	20	R			From: 20-1500					NA		NA		05/17/2000
(738) Briggs Rd	0.17	20	R			To: Dead End									
(739) Omo Rd	0.64	860	R			From: Cul-de-Sac					NA		NA		10/02/2000
(739) Omo Rd	0.61	1300	R			To: 20-739; 20-742									
(739) Omo Rd	0.61	1300	R			From: 20-742					NA		NA		10/02/2000
(739) Omo Rd	0.61	1300	R			To: SR 10; 20-3025									
(740) Berrand Rd	0.35	190	R			From: Dead End					NA		NA		08/21/2000
(740) Berrand Rd	0.35	190	R			To: 20-653									
(741)	0.40	NA				From: Dead End					NA		NA		
(741)	0.40	NA				To: 20-627									
(742)	0.18	1300	R			From: SR 10					NA		NA		1996
(742)	0.18	1700	R			To: 20-765									
(742)	0.18	1700	R			From: 20-765					NA		NA		1996
(742)	0.14	1600	R			To: 20-739									
(742)	0.14	1600	R			From: 20-739					NA		NA		1994
(742)	0.14	1600	R			To: 20-638									
(743)	0.45	120	R			From: Dead End					NA		NA		1996
(743)	0.45	120	R			To: 20-604									
(743)	1.35	740	R			From: 20-604					NA		NA		1996
(743)	1.35	740	R			To: 20-649									
(744)	0.29	210	R			From: US 360									
(744)	0.29	210	R			To: Dead End					NA		NA		09/20/2000
(745) Belcherwood Rd	1.20	80	R			From: 20-653					NA		NA		08/30/2000
(745) Belcherwood Rd	1.20	80	R			To: Dead End									
(746) Indian Hills Rd	0.37	500	R			From: US 1, US 301 Jefferson Davis Hwy					NA		NA		1996
(746) Indian Hills Rd	0.37	500	R			To: 0.37 ME US 1									
(746) Indian Hills Rd	0.18	1200	R			From: 0.37 ME US 1					NA		NA		09/20/2000
(746) Indian Hills Rd	0.03	2000	R			To: I-95									
(746) Indian Hills Rd	0.03	2000	R			From: I-95					NA		NA		1996
(746) Ruffin Mill Rd	3.23	1700	G	97%	0%	20-620 WEST									
(746) Ruffin Mill Rd	3.23	1700	G	97%	0%	20-620 EAST									
(746) Ruffin Mill Rd	3.23	1700	G	97%	0%	2%	0%	0%	0%	C	210	G	1800	G	2001
(746) Enon Church Rd	1.09	3100	G	97%	0%	20-617 Ramblewood Rd									
(746) Enon Church Rd	1.09	3100	G	97%	0%	2%	0%	0%	0%	F	350	G	3300	G	2001
(746) Enon Church Rd	0.99	3000	G	97%	0%	20-904 Point de Rock Rd									
(746) Enon Church Rd	0.99	3000	G	97%	0%	2%	0%	0%	0%	F	330	G	3100	G	2001
(746) Enon Church Rd	0.99	3000	G	97%	0%	SR 10 Hundred Rd East									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(746) Enon Church Rd	0.73	4300	G	91%	0%	1%	1%	6%	0%	C	600	G	4500	G	2001
(746) Enon Church Rd	1.04	1500	G	91%	0%	2%	1%	5%	0%	F	180	G	1600	G	2001
(746) Enon Church Rd	1.04	250	G	91%	0%	2%	1%	6%	0%	F	30	G	270	G	2001
(746) Enon Church Rd	0.01	30	R								NA		NA		05/17/2000
(746) Enon Church Rd	0.44	30	R								NA		NA		05/17/2000
(747) Hembrick Rd	0.20	30	R								NA		NA		10/27/2000
(748) Clover Hill Rd	0.35	5	R								NA		NA		09/14/2000
(749) Womack Rd	0.11	100	R								NA		NA		1996
(750) Shiloh Dr	0.70	1800	R								NA		NA		1996
(751) Troywood Rd	0.43	30	R								NA		NA		09/14/2000
(752) Warren Av	0.65	760	R								NA		NA		1996
(753) Henrico St	0.13	80	R								NA		NA		1996
(753) Henrico St	0.08	170	R								NA		NA		1996
(754)	0.04	4100	R								NA		NA		1994
(754)	0.14	4000	R								NA		NA		1996
(754) Old Hundred Rd	2.35	8600	G	95%	1%	2%	1%	1%	0%	C	850	G	9000	G	2001
(754) Coalfield Rd	0.78	17000	G	91%	0%	1%	1%	6%	0%	F	1700	G	18000	G	2001
(754) Coalfield Rd	3.33	15000	G	97%	0%	1%	1%	1%	0%	C	1300	G	NA		2001
(755) Arboretum Pl	0.42	9400	R								NA		NA		1996
(755) Pinetta Dr	0.41	9000	R								NA		NA		1994
(755) Pinetta Dr	0.82	5100	G	96%	0%	0%	0%	3%	0%	F	600	G	5300	G	2001

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(756) Family Ln	0.18	60	R			From: Dead End					NA		NA		09/20/2000
(756) Family Ln	0.43	1100	R			From: 20-2790					NA		NA		09/20/2000
						To: Dead End									
(757) Dowd Ln	0.25	150	R			From: 20-647					NA		NA		10/21/2000
						To: Dead End									
(758)	0.14	50	R			From: 20-651					NA		NA		10/02/2000
						To: Dead End									
(759) Stigall Dr	0.24	850	R			From: 20-2036					NA		NA		09/20/2000
(759) Stigall Dr	0.63	2100	R			From: 20-917					NA		NA		09/20/2000
						To: 20-604									
(760) Elko Rd	0.92	170	R			From: 20-626					NA		NA		1996
						To: Dead End									
(761)	0.13	520	R			From: 20-1175					NA		NA		10/12/2000
(761)	0.10	70	R			From: SR 36					NA		NA		10/12/2000
(761)	0.10	60	R			From: 0.10 MN SR 36					NA		NA		10/12/2000
						To: 20-628									
(762) Sunset Av	0.15	100	R			From: 20-619					NA		NA		05/11/2000
						To: Dead End									
(763) Fordham Rd	1.09	2400	R			From: 20-882					NA		NA		09/20/2000
(763) Fordham Rd	0.37	4700	R			From: 20-912					NA		NA		09/20/2000
						To: US 360									
(764) Paulhill Rd	0.30	480	R			From: 20-912 SOUTH					NA		NA		09/20/2000
(764) Paulhill Rd	0.40	390	R			From: 20-763					NA		NA		09/20/2000
						To: Cul-de-Sac									
(765) Hill Rd	0.35	170	R			From: Dead End					NA		NA		1997
						To: 20-742									
(766) Onnies Dr	0.20	190	R			From: 20-604					NA		NA		09/20/2000
						To: Dead End									
(767) Academy Dr	0.24	420	R			From: Dead End					NA		NA		10/24/2000
						To: 20-653									
(768)	0.28	80	R			From: Dead End					NA		NA		09/20/2000
(768)	0.18	320	R			From: 20-2088					NA		NA		09/20/2000
						To: 20-654									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(769) Sunset Bl	0.31	170	R			From: 20-618 To: Dead End					NA		NA		05/23/2000
(770)	0.31	5100	G	98%	0%	1%	1%	0%	0%	C	550	G	5300	G	2001
(770)	0.53	8500	R			From: 20-637 To: 20-1601					NA		NA		1996
(770)	0.61	5300	R			From: 20-1601 To: 20-641					NA		NA		1996
(771) Broadmoor Rd	0.32	180	R			From: Cul-de-Sac To: 20-667					NA		NA		1996
(772) Research Rd	0.11	5200	R			From: 20-1789 To: 20-1774					NA		NA		08/21/2000
(772) Research Rd	0.35	5600	R			From: 20-1774 To: US 60					NA		NA		08/21/2000
(773) Pasture Hill Rd	0.48	460	R			From: 20-654 To: 20-1292					NA		NA		09/14/2000
(774) Tucker Rd	0.20	100	R			From: SR 10 To: Cul-de-Sac					NA		NA		10/02/2000
(775) Clintwood Rd	0.07	370	R			From: US 360 To: 20-2010					NA		NA		09/20/2000
(775) Clintwood Rd	0.50	390	R			From: 20-2010 To: 20-604; 20-2601					NA		NA		09/20/2000
(777) Johnston Willis Dr	0.47	8900	R			From: 20-887; 20-1774 To: US 60 Midlothian Tpk					NA		NA		08/23/2000
(777) Johnston Willis Dr	0.44	7800	R			From: US 60 Midlothian Tpk To: 20-1775 Early Settlers Rd					NA		NA		08/21/2000
(780)	6.92	640	R			From: 20-626 To: 6.92 MN 20-626					NA		NA		1994
(780)	2.00	40	R			From: 6.92 MN 20-626 To: 8.92 MN 20-626					NA		NA		1986
(780)	0.64	30	R			From: 8.92 MN 20-626 To: 9.57 MN 20-626					NA		NA		1986
(780)	0.71	20	R			From: 9.57 MN 20-626 To: Dead End					NA		NA		1986
(781) Granite Spring Rd	0.30	2200	R			From: Dead End To: US 60					NA		NA		08/30/2000
(782) Vietor St	0.09	220	R			From: 20-678 To: 20-1732					NA		NA		08/30/2000
(783) Doss Rd	0.89	260	R			From: Dead End To: US 360					NA		NA		09/14/2000
(784) Bailey Farm Rd	0.85	70	R			From: Dead End To: 20-604					NA		NA		09/14/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(785) Bermuda Triangle Rd	0.32	220	R			From: SR 10					NA	NA			11/13/2000
						To: 20-975									
(786) Baldwin Rd	0.70	290	R			From: 20-616					NA	NA			05/11/2000
						To: Dead End									
(788) Telstar Dr	0.45	360	R			From: SR 145					NA	NA			05/25/2000
						To: 20-1905									
(789)	0.17	320	R			From: 20-1968					NA	NA			08/30/2000
						To: 20-686									
(789)	0.34	2100	R			From: 20-1752					NA	NA			08/30/2000
						To: Dead End									
(789)	0.40	1100	R			From: 20-672 SOUTH					NA	NA			08/21/2000
						To: 20-672 NORTH									
(790)	0.09	100	R			From: 20-4224					NA	NA			08/21/2000
						To: 20-4222									
(790)	0.06	100	R			From: 20-4222					NA	NA			08/21/2000
						To: 20-4225									
(791) Ladino Ln	0.26	60	R			From: US 360					NA	NA			09/20/2000
						To: US 360									
(792) Mason Av	0.34	530	R			From: Dead End					NA	NA			10/24/2000
						To: SR 10									
(793) Kedleston Av	0.34	680	R			From: 20-638					NA	NA			10/02/2000
						To: 20-2188									
(794) Stanley Dr	0.32	180	R			From: Dead End					NA	NA			10/02/2000
						To: 20-2266									
(794) Stanley Dr	0.20	1200	R			From: 20-805 EAST					NA	NA			10/02/2000
						To: US 360 Hull Street Rd									
(795) Ledo Rd	1.00	190	R			From: Dead End					NA	NA			09/14/2000
						To: US 360									
(796)	0.10	30	R			From: Dead End					NA	NA			09/14/2000
						To: Cul-de-Sac									
(797) White Bark Tr	0.19	510	R			From: 20-701					NA	NA			09/20/2000
						To: 20-770 SOUTH									
(798)	0.34	80	R			From: Dead End					NA	NA			09/20/2000
						To: Dead End									
(799) Inge Rd	0.12	70	R			From: Dead End					NA	NA			05/23/2000
						To: SR 10									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(800) Perdue Av	0.25	260	R			From: SR 36					NA		NA		10/12/2000
						To: Dead End									
(801) Southland Dr	0.22	510	R			From: US 1					NA		NA		05/17/2000
						To: Cul-de-Sac									
(802) Silbyrd Dr	0.15	70	R			From: 20-673					NA		NA		08/23/2000
						To: Dead End; Gap Terminus									
(802) Silbyrd Dr	0.04	10	R			From: 20-1432					NA		NA		08/23/2000
						To: Dead End									
(802) Silbyrd Dr	0.08	40	R			From: Dead End					NA		NA		08/23/2000
						To: 20-619									
(803) Marobrith Rd	0.40	140	R			From: SR 10					NA		NA		05/17/2000
						To: Dead End									
(804) Rock Hill Rd	0.20	910	R			From: 20-638 WEST					NA		NA		10/26/2000
						To: 20-638 E; 20-2185									
(805)	0.43	1100	R			From: 20-890					NA		NA		10/24/2000
						To: US 360									
(806)	0.12	470	R			From: 20-616 NORTH					NA		NA		10/24/2000
						To: 20-875 WEST									
(807)	0.25	350	R			From: Dead End; Gap Terminus					NA		NA		10/24/2000
						To: 20-616 SOUTH									
(807)	0.42	360	R			From: 20-739					NA		NA		10/24/2000
						To: Dead End									
(807)	0.17	130	R			From: 20-1319					NA		NA		10/12/2000
						To: SR 36									
(809) Beverley St	0.34	420	R			From: Dead End					NA		NA		10/12/2000
						To: 20-1562									
(810) Parker Ln	0.41	240	R			From: 20-604					NA		NA		09/20/2000
						To: Dead End									
(810) Parker Ln	0.40	2100	R			From: 20-628					NA		NA		10/12/2000
						To: 20-627									
(811) Yatesdale Dr	0.17	60	R			From: 20-814					NA		NA		09/27/2000
						To: 20-641									
(812) Southlawn Av	0.32	710	R			From: 20-641					NA		NA		10/26/2000
						To: 20-1601									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(815) Big Oak Ln	0.36	380	R								NA		NA		11/13/2000
(816)	0.10	4	R								NA		NA		08/30/2000
(817) Quailwood Rd	0.57	140	R								NA		NA		09/20/2000
(818) Lawing Dr	0.55	1400	R								NA		NA		1997
(819) Mall Dr	0.41	8800	R								NA		NA		08/23/2000
(820) Mall Ct	0.07	1100	R								NA		NA		10/26/2000
(821) Sycamore St	0.14	560	R								NA		NA		10/24/2000
(822)	0.13	880	R								NA		NA		1996
(823) Central Av	0.24	210	R								NA		NA		1996
(823) Central Av	0.43	350	R								NA		NA		1996
(824)	0.18	220	R								NA		NA		1996
(824)	0.43	270	R								NA		NA		1996
(825)	0.04	80	R								NA		NA		1996
(826) Lyndale Dr	0.37	160	R								NA		NA		1996
(826) Lyndale Dr	0.35	270	R								NA		NA		1996
(827) Allied Rd	1.75	3000	G	88%	0%	2%	2%	7%	0%	C	510	G	3200	G	2001
(827)	0.75	8400	G								1200	G	NA		2001
(827)	0.88	130	G								20	G	NA		2001
(828) Bermuda Orchard Ln	0.95	3200	R								NA		NA		1996
(829)	0.16	20	R								NA		NA		11/13/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(830) Waters Mill Dr	0.04	670	R			From: 20-718					NA	NA			1996
						To: Dead End									
(831) Hillandale Dr	0.11	80	R			From: 20-711					NA	NA			1996
						To: Cul-de-Sac									
(832) Robious Crossing Dr	1.18	4700	R			From: 20-711					NA	NA			1996
						To: 20-4077									
(833) Hackberry Rd	0.14	6	R			From: 20-698					NA	NA			1996
						To: Dead End									
(834) Cobbs Av	0.10	120	R			From: 20-698					NA	NA			10/24/2000
						To: 20-2488									
(834) Cobbs Av	0.08	170	R			From: 20-2488					NA	NA			10/24/2000
						To: 20-2489									
(834) Cobbs Av	0.03	30	R			From: 20-2489					NA	NA			10/24/2000
						To: Dead End									
(835) Terminal Av	0.07	30	R			From: 20-698					NA	NA			1996
						To: Dead End									
(836)	0.51	300	R			From: Dead End					NA	NA			1996
						To: 20-615									
(837)	0.18	400	R			From: Dead End					NA	NA			1996
						To: 20-2222									
(837)	0.22	2800	R			From: 20-2222					NA	NA			1996
						To: 20-2228									
						From: 20-2286									
(837)	0.26	4200	R			From: 20-2286					NA	NA			1996
						To: 20-650									
(837)	0.21	430	R			From: 20-650					NA	NA			1996
						To: 20-2290									
(839) Larkin Ln	0.25	470	R			From: 20-3122; 20-3128					NA	NA			10/24/2000
						To: 20-908									
(842)	0.12	NA				From: 20-746					NA	NA			
						To: Cul-de-Sac									
(843) Cowan Rd	0.37	650	R			From: Dead End					NA	NA			1996
						To: 20-789									
(844) Whitworth Rd	0.14	120	R			From: 20-843					NA	NA			1996
						To: 20-845									
(844) Whitworth Rd	0.08	80	R			From: 20-845					NA	NA			1996
						To: Dead End									
(845) Kennerly Rd	0.12	240	R			From: 20-844					NA	NA			1996
						To: 20-789									
(846) Arundel Av	0.23	390	R			From: 20-793					NA	NA			10/02/2000
						To: 20-2266									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(847) Livingstone Av	0.23	440	R			From: 20-638					NA	NA			10/02/2000
						To: 20-2119									
(848) Center View Dr	0.16	6700	R			From: 20-849					NA	NA			08/23/2000
						To: 20-777									
(849) Koger Center Blvd	0.23	6800	R			From: US 60					NA	NA			10/26/2000
						To: 20-848									
(850) Pams Av	0.06	20	R			From: 20-1626; 20-1679					NA	NA			10/26/2000
						To: Dead End									
(851) Metro Ct	0.11	600	R			From: 20-1626					NA	NA			10/26/2000
						To: Cul-de-Sac									
(852) Boyd St	0.46	600	R			From: 20-616					NA	NA			10/24/2000
						To: 20-1599									
(853) Middle Lp	0.21	330	R			From: 20-2596					NA	NA			08/30/2000
						To: 20-854									
(854) Twilight Ln	0.26	400	R			From: Dead End					NA	NA			08/30/2000
						To: 20-853									
(854) Twilight Ln	0.17	570	R			From: 20-663					NA	NA			08/30/2000
						To: Dead End									
(855) Hilda Av	0.18	200	R			From: 20-1495					NA	NA			10/26/2000
						To: Dead End									
(856) Zion Hill Church Rd	0.15	130	R			From: 20-643					NA	NA			10/02/2000
						To: Dead End									
(857) Morrisett Rd	0.14	160	R			From: 0.14 ME Dead End					NA	NA			08/30/2000
						To: 20-636									
(858) Magnolia Av	0.35	120	R			From: Dead End					NA	NA			10/12/2000
						To: SR 36									
(859) Forest Lake Rd	0.45	130	R			From: Dead End					NA	NA			1994
						To: US 1									
(860) Ponce De Leon Rd	0.19	470	R			From: Dead End					NA	NA			1994
						To: 20-710									
(861) Wannee Wy	0.06	370	R			From: 20-860					NA	NA			10/26/2000
						To: 20-862									
(861) Wannee Wy	0.06	250	R			From: 20-863					NA	NA			10/26/2000
						To: Dead End									
(862) Port Leon Rd	0.11	90	R			From: Dead End					NA	NA			08/30/2000
						To: 20-861									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(863) Flagler Rd	0.15	110	R			From: Dead End					NA	NA			08/30/2000
						To: 20-861									
(864) Middle Cr	0.03	150	R			From: 20-2696					NA	NA			1994
						To: Cul-de-Sac									
(865) Treely Rd	0.32	120	R			From: 20-625					NA	NA			1994
						To: Dead End									
(866) Murray Olds Ct	0.06	120	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-727									
(867)	0.51	240	R			From: 20-691					NA	NA			1994
						To: END LOOP									
(868) Grove Rd	0.36	1700	R			From: Dead End					NA	NA			1994
						To: US 60									
(869) Busy St	0.18	210	R			From: Dead End					NA	NA			1994
						To: 20-653									
(870) Summit Acres Dr	0.18	160	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-678									
(871)	0.10	NA				From: 20-718					NA	NA			
						To: 20-1709									
(872)	0.12	150	R			From: SR 10					NA	NA			1994
						To: Dead End									
(873) Dogwood Av	0.13	140	R			From: Dead End					NA	NA			1994
						To: 20-1181									
(873) Dogwood Av	0.21	1100	R			From: 20-1181					NA	NA			1994
						To: SR 144									
(874) Saromont Av	0.15	220	R			From: Dead End					NA	NA			10/24/2000
						To: 20-873									
(875) Banbury Rd	0.08	160	R			From: 20-807					NA	NA			10/24/2000
						To: 20-807									
(876) Twinridge Ln	0.03	480	R			From: Dead End					NA	NA			1994
						To: 20-678									
(877)	0.32	280	R			From: 20-1964					NA	NA			1994
						To: 20-678									
(877)	0.21	NA				From: Cul-de-Sac					NA	NA			
						To: Cul-de-Sac									
(878) Cherry St	0.13	90	R			From: Dead End					NA	NA			05/11/2000
						To: 20-821									
(878) Cherry St	0.13	40	R			From: 20-821					NA	NA			05/11/2000
						To: 20-706									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(879) Swan Dr	0.28	350	R			From: 20-651					NA	NA			1994
						To: 20-2256									
(880) Swan Ct	0.02	50	R			From: 20-879					NA	NA			10/26/2000
						To: Dead End									
(881) Jalee Dr	0.18	80	R			From: 20-879					NA	NA			10/26/2000
						To: 20-2271									
(881) Jalee Dr	0.05	90	R			From: 20-2256					NA	NA			10/26/2000
						To: 20-2256									
(882) Jacobs Rd	0.40	2200	R			From: Dead End					NA	NA			1994
						To: 20-649									
(883)	0.79	130	R			From: 20-673					NA	NA			1994
						To: 20-704									
(884) Post Oak Rd	0.12	120	R			From: 20-678					NA	NA			08/30/2000
						To: Dead End									
(885) Lynaire Dr	0.20	80	R			From: Dead End					NA	NA			10/24/2000
						To: 20-826									
(886) Mount Blanco Rd	0.29	360	R			From: 20-746					NA	NA			05/22/2000
						To: 20-909									
(886) Mount Blanco Rd	0.09	230	R			From: 20-2495					NA	NA			05/22/2000
						To: Dead End									
(886) Mount Blanco Rd	0.04	90	R			From: 20-777; 20-1774					NA	NA			05/22/2000
						To: Cul-de-Sac									
(887)	0.10	800	R			From: 20-756					NA	NA			08/21/2000
						To: 20-3528									
(888) Alberta Rd	0.60	600	R			From: 20-4129					NA	NA			1994
						To: Cul-de-Sac									
(888) Alberta Rd	0.06	200	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-888									
(888) Alberta Rd	0.05	150	R			From: 20-912					NA	NA			1994
						To: 20-3525									
(889)	0.07	170	R			From: 20-888					NA	NA			1994
						To: 20-911									
(889)	0.20	130	R			From: 20-806					NA	NA			09/20/2000
						To: 20-764									
(890) Randolph Rd	0.15	90	R			From: 20-746					NA	NA			09/20/2000
						To: 20-911									
(890) Randolph Rd	0.15	140	R			From: 20-806					NA	NA			09/20/2000
						To: 20-764									
(890) Randolph Rd	0.12	110	R			From: 20-746					NA	NA			09/20/2000
						To: 20-764									
(891)	0.55	270	R			From: 20-746					NA	NA			05/22/2000
						To: 20-1086									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Chesterfield County																
(891)	0.13	100	R	From: 20-1086							NA		NA		05/22/2000	
				To: Dead End												
(893) Wilmoth Dr	0.32	290	R	From: SR 10							NA		NA		10/26/2000	
				To: 20-742												
(894) Starlight Ln	0.38	980	R	From: 20-663							NA		NA		1994	
				To: Dead End												
(897) Pine St	0.11	60	R	From: Dead End							NA		NA		05/11/2000	
				To: 20-821												
(897) Pine St	0.05	30	R	From: Dead End; Gap Terminus							NA		NA		05/11/2000	
				To: 20-706												
(898) Ware Bottom Springs	0.49	2100	R	From: Dead End							NA		NA		05/17/2000	
				To: 20-617												
(898) Ware Bottom Spring	0.42	1400	R	From: 20-617							NA		NA		05/17/2000	
				To: SR 10 EAST												
(899) O'Bisque Dr	0.09	320	R	From: 20-2124							NA		NA		09/20/2000	
				To: 20-2122												
(899) O'Bisque Dr	0.39	450	R	From: 20-2122							NA		NA		09/20/2000	
				To: 20-651												
(900) Wycliff Rd	0.04	190	R	From: Dead End							NA		NA		1994	
				To: 20-1454 WEST												
(900) Wycliff Rd	0.42	190	R	From: 20-1454 EAST							NA		NA		1994	
				To: 20-672												
(901) Arkay Dr	0.32	300	R	From: 20-688							NA		NA		1994	
				To: 20-1457												
(902) Salisbury Dr	1.03	1100	G	From: 20-3905 Christendom Dr	93%	1%	1%	1%	4%	0%	F	150	G	1100	G	2001
				To: 20-714 Winterfield Rd												
(902) Salisbury Dr	1.55	6500	G	From: 20-714 Winterfield Dr	93%	1%	1%	1%	4%	0%	F	700	G	6800	G	2001
				To: 20-4170 Framar Dr												
(902) Salisbury Dr	0.65	6200	G	From: 20-4170 Framar Dr	93%	1%	1%	1%	4%	0%	C	630	G	6600	G	2001
				To: 20-711 Robious Rd												
(903) Krause Rd	0.26	2800	R	From: 20-655							NA		NA		1996	
				To: SR 10												
(903) Krause Rd	0.51	4300	R	From: SR 10							NA		NA		1994	
				To: 20-2013												
(903) Krause Rd	0.44	4700	R	From: 20-2013							NA		NA		1994	
				To: 20-2099; 20-9472												
(904) Point De Rock Rd	1.84	1500	G	From: 20-746 Enon Church Rd	97%	0%	2%	0%	0%	0%	C	170	G	1600	G	2001
				To: SR 10 Hundred Road East												
(905) Old Farm Rd	0.21	110	R	From: 20-1669							NA		NA		1994	
				To: 20-675												

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(906)	0.80	160	R			From: 20-604; 20-4130					NA		NA		1994
						To: US 360 PRICE CLUB BLVD SUNCREST DR									
(906)	0.23	160	R			From: US 360					NA		NA		1994
						To: Dead End									
(907)	0.14	70	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3123									
(907)	0.58	1800	R			From: 20-3123					NA		NA		1994
						To: US 360									
(907)	1.46	2500	R			From: US 360					NA		NA		1994
						To: 20-604									
(908) Brookview Dr	0.12	340	R			From: 20-907					NA		NA		09/20/2000
						To: 20-839									
(908) Brookview Dr	0.03	30	R			From: 20-839					NA		NA		09/20/2000
						To: Dead End									
(909)	0.19	80	R			From: 20-886					NA		NA		05/23/2000
						To: Cul-de-Sac									
						To: Dead End									
(910) Lynchester Dr	0.10	45	R			From: Dead End					NA		NA		1996
						To: 20-4430									
(910) Lynchester Dr	0.09	40	R			From: 20-4430					NA		NA		1996
						To: 20-2086									
(910) Lynchester Dr	0.12	400	R			From: 20-2086					NA		NA		1996
						To: 20-2079									
(910) Lynchester Dr	0.09	410	R			From: 20-2079					NA		NA		1996
						To: 0.09 MN 20-2079									
(910) Lynchester Dr	0.09	600	R			From: 0.09 MN 20-2079					NA		NA		1996
						To: 20-912									
(910) Lynchester Dr	0.05	410	R			From: 20-912					NA		NA		1996
						To: 20-913									
(910) Lynchester Dr	0.15	420	R			From: 20-913					NA		NA		1996
						To: 20-911									
(910) Lynchester Dr	0.13	600	R			From: 20-911					NA		NA		1996
						To: 20-916									
(910) Lynchester Dr	0.10	1400	R			From: 20-916					NA		NA		1996
						To: US 360									
						To: 20-915									
(911) Weisiger Rd	0.06	160	R			From: 20-915					NA		NA		1996
						To: 20-910									
(911) Weisiger Rd	0.11	180	R			From: 20-910					NA		NA		1996
						To: 20-890									
						To: 20-910									
(912) Gregory Dr	0.42	500	R			From: 20-910					NA		NA		1996
						To: 20-763									
(912) Gregory Dr	0.38	50	R			From: 20-763					NA		NA		1996
						To: Dead End									
						To: 20-915									
(913) Calais Rd	0.09	49	R			From: 20-915					NA		NA		1996
						To: 20-910									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
914	Hagood Ln	0.25	47	R			From: 20-649				NA	NA			09/20/2000
							To: Dead End								
915	Sheringham Rd	0.12	70	R			From: 20-913				NA	NA			1996
915	Sheringham Rd	0.12	80	R			From: 20-911				NA	NA			1996
							To: 20-916								
916	Paulett Rd	0.03	10	R			From: Dead End				NA	NA			1996
916	Paulett Rd	0.07	80	R			From: 20-915				NA	NA			1996
							To: 20-910								
917		0.05	60	R			From: Cul-de-Sac				NA	NA			1996
917		0.31	750	R			From: 20-759				NA	NA			1996
							To: 20-919								
918	Tazewell Av	0.10	49	R			From: Cul-de-Sac				NA	NA			1996
							To: 20-746								
919	Overlea Dr	0.20	210	R			From: Dead End				NA	NA			1996
919	Overlea Dr	0.09	270	R			From: 20-2036				NA	NA			1996
919	Overlea Dr	0.10	400	R			From: 20-924				NA	NA			1996
							To: 20-917								
920	Discovery Dr	0.52	1500	R			From: 20-697				NA	NA			1996
							To: Dead End								
921	Stigall Ct	0.10	90	R			From: 20-759				NA	NA			1996
							To: Cul-de-Sac								
922	Sunfield Ct	0.05	50	R			From: Cul-de-Sac				NA	NA			1996
922	Sunfield Ct	0.07	160	R			From: 20-923				NA	NA			1996
							To: 20-2036								
923	Sunfield Pl	0.05	60	R			From: 20-922				NA	NA			1996
							To: Cul-de-Sac								
924	Alanthus Rd	0.10	90	R			From: Cul-de-Sac				NA	NA			1996
							To: 20-919								
925	Landfill Dr	0.18	200	R			From: Dead End				NA	NA			05/25/2000
							To: SR 10								
926	Continental Bl	0.06	1300	R			From: Cul-de-Sac				NA	NA			1996
926	Continental Bl	0.24	1500	R			From: 20-927				NA	NA			1996
							To: 20-746								

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
927	Touchstone Rd	0.51	100	R			From: 20-926				NA		NA		1996
							To: Cul-de-Sac								
928	Oldbern Rd	0.02	400	R			From: 20-3158				NA		NA		1996
							To: Dead End 20-3916?								
929	Chesterfield Meadow	0.18	3900	R			From: SR 10				NA		NA		05/25/2000
929	Chesterfield Meadow	0.44	530	R			From: 20-933				NA		NA		05/25/2000
							To: 20-4880 SOUTH								
930		0.16	180	R			From: 20-663				NA		NA		1986
							To: Dead End								
933	Memory Ln	0.15	2200	R			From: 20-929				NA		NA		05/25/2000
							To: SR 145								
935	Krause Rd	0.13	3600	R			From: 20-655				NA		NA		08/30/2000
							To: Dead End								
938		0.48	NA				From: 20-00614(B)/				NA		NA		
							To: Cul-de-Sac/								
940	Stable Gate Rd	0.12	540	R			From: 20-655				NA		NA		1994
							To: Cul-de-Sac								
941		0.29	46	R			From: 20-669				NA		NA		09/14/2000
							To: Dead End								
942	Pine Orchard Dr	0.13	1000	R			From: 20-655				NA		NA		08/30/2000
							To: Cul-de-Sac								
943		0.06	NA				From: Dead End/				NA		NA		
							To: 20-00891(B)/								
944		0.16	230	R			From: Dead End				NA		NA		1994
							To: 20-604								
945	Old Bon Air Pl	0.18	10	R			From: Cul-de-Sac				NA		NA		1994
							To: 20-718								
949		0.26	6800	R			From: 20-647				NA		NA		09/14/2000
							To: 20-678								
950	Charter Colony Py	0.20	14000	R			From: 20-952				NA		NA		09/14/2000
							To: 20-9453 SCHOOL								
950	Charter Colony Py	0.84	1900	R			From: 20-9453				NA		NA		1997
							To: US 60; 20-1004								
951	Village Mill Dr	0.24	1300	R			From: Dead End				NA		NA		1997
							To: US 60								
952	North Shore Dr	0.31	12000	R			From: 20-950				NA		NA		09/20/2000
							To: 20-754								

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(955) Arboretum Pl	0.06	2500	R			From: ARBORETUM PLACE					NA	NA			1994
(955) Arboretum Pl	0.38	2600	R			To: 20-755					NA	NA			1994
(958) Cedar Springs Rd	0.18	180	R			To: 20-672					NA	NA			09/20/2000
(960) Oak Lawn St	0.31	90	R			From: Dead End					NA	NA			09/25/2000
(961) Walmart Wy	0.26	1100	R			To: TO BE ADDED; FR-1026					NA	NA			10/26/2000
(965) Castle Rock Rd	0.11	200	R			From: Cul-de-Sac					NA	NA			10/24/2000
(970)	0.22	5500	R			To: US 360					NA	NA			10/18/2000
(970)	0.06	2300	R			From: US 60; 20-667					NA	NA			10/18/2000
(970)	0.06	NA				To: 20-971					NA	NA			
(971) Wylderose Dr	0.31	300	R			From: 20-976					NA	NA			
(972) Sommerville Ct	0.29	340	R			To: Dead End					NA	NA			1996
(973) Justice Rd	0.27	1600	R			From: US 60					NA	NA			10/18/2000
(974)	0.06	380	R			To: Dead End					NA	NA			10/18/2000
(974)	0.04	240	R			From: 20-970					NA	NA			10/18/2000
(975) Battery Dantzler Rd	0.15	360	R			To: Cul-de-Sac					NA	NA			10/18/2000
(976) Michaux Bluff Dr	0.15	490	R			From: 20-974					NA	NA			10/18/2000
(977) Michaux View Wy	0.20	830	R			To: 20-785					NA	NA			10/18/2000
(977) Michaux View Wy	0.14	150	R			From: 20-970					NA	NA			10/18/2000
(978) Michaux Creek Pl	0.07	60	R			To: 20-977					NA	NA			10/18/2000
(979) Michaux Ridge Ct	0.06	70	R			From: Cul-de-Sac					NA	NA			10/18/2000
						To: 20-977					NA	NA			10/18/2000
						From: 20-977					NA	NA			10/18/2000
						To: Cul-de-Sac					NA	NA			10/18/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
980 Virginia Pine Ct	0.21	240	R			From: Cul-de-Sac					NA		NA		09/20/2000
						To: 20-701									
981 Michaux Branch Tr	0.11	90	R			From: 20-976					NA		NA		10/18/2000
						To: Cul-de-Sac									
982	0.14	NA				From: Cul-de-Sac					NA		NA		
						To: 20-976; 20-981									
983	0.14	NA				From: 20-982					NA		NA		
						To: Cul-de-Sac									
984 Walkers Cove Dr	0.17	320	R			From: NCL COLONIAL HEIGHTS					NA		NA		10/24/2000
						To: Dead End									
985	0.13	330	R			From: 20-1107					NA		NA		10/24/2000
						To: 20-1121									
986	0.11	420	R			From: 20-1101					NA		NA		10/24/2000
						To: 20-627									
987	0.10	NA				From: Cul-de-Sac					NA		NA		
						To: 20-983									
990	0.46	90	R			From: 20-604					NA		NA		1996
						To: 20-720									
991 Genito Pl	0.67	310	R			From: 20-604					NA		NA		1994
						To: 20-720									
995 Nestor Rd	0.31	90	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-655									
999 Ironbridge Pl	0.17	240	R			From: 20-632					NA		NA		1994
						To: 20-1559									
1001 Railroad Av	0.40	140	R			From: Dead End					NA		NA		1997
						To: 20-1002									
1002 Westfield Rd	0.55	1700	R			From: 20-714					NA		NA		1997
						To: 20-1001									
1002 Westfield Rd	0.05	2200	R			From: 20-1098					NA		NA		1997
						To: 20-1003									
1002 Westfield Rd	0.19	870	R			From: Dead End					NA		NA		1997
						To: 20-1075									
1003	0.53	510	R			From: 20-1075					NA		NA		08/28/2000
						To: 20-1006									
1003	0.14	1100	R			From: 20-1006					NA		NA		08/28/2000
						To: US 60									
1003	0.25	890	R			From: 20-714					NA		NA		1994
						To: US 60									
1004 Winterfield Ln	0.28	110	R			From: 20-714					NA		NA		08/28/2000
						To: US 60; 20-950									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1005 Crowder Dr	0.20	5100	R			From: US 60					NA	NA			1994
						To: 20-1002									
1006	0.52	1300	R			From: 20-1003					NA	NA			1994
						To: US 60									
1007 Salisbury Dr	0.40	30	R			From: 20-1003; 20-1075					NA	NA			08/28/2000
						To: Dead End									
1008 Stonegate Rd	0.13	520	R			From: 20-1064					NA	NA			1994
						To: 20-902									
1009 Radstock Rd	0.38	190	R			From: 20-1010					NA	NA			1986
						To: 20-1008									
1010 Kings Lynn Rd	0.52	800	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-902									
1010 Kings Lynn Rd	0.10	260	R			From: 20-1009					NA	NA			1994
						To: 20-1009									
1011 Starcross Rd	0.60	160	R			From: 20-902					NA	NA			08/28/2000
						To: 20-1010									
1012 Kentford Rd	0.13	1400	R			From: 20-902					NA	NA			1994
						To: 20-1013									
1013 Kentford Rd	0.43	1300	R			From: 20-1014					NA	NA			1994
						To: 20-1012									
1014	0.25	180	R			From: Dead End					NA	NA			1997
						To: 20-714									
1014	0.28	950	R			From: 20-714					NA	NA			1997
						To: 0.28 M FRM 20-714									
1014	0.72	930	R			From: 20-1013					NA	NA			1994
						To: 20-1013									
1014	0.90	1500	R			From: 20-1237					NA	NA			1994
						To: 20-1237									
1014	0.42	1500	R			From: 20-711					NA	NA			1994
						To: 20-711									
1015 Carriage Ln	0.22	140	R			From: 20-1017					NA	NA			08/28/2000
						To: 20-754									
1016 Carriage Ln	0.21	140	R			From: 20-1017					NA	NA			08/28/2000
						To: 20-754									
1017 Bluegrass Rd	0.05	20	R			From: Dead End					NA	NA			05/01/2000
						To: 20-1016									
1017 Bluegrass Rd	0.06	70	R			From: 20-1018					NA	NA			05/01/2000
						To: 20-1018									
1017 Bluegrass Rd	0.05	110	R			From: 20-1015					NA	NA			05/01/2000
						To: 20-1015									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1018) Lalee Rd	0.06	8	R			From: Dead End					NA	NA			05/01/2000
						To: 20-1017									
(1019) Kingsmill Rd	0.09	1700	R			From: 20-902					NA	NA			08/28/2000
						To: 20-1025									
(1019) Kingsmill Rd	0.24	550	R			From: 20-1025					NA	NA			08/28/2000
						To: 20-1344									
(1019) Kingsmill Rd	0.33	400	R			From: 20-1344					NA	NA			08/28/2000
						To: 20-1342									
(1019) Kingsmill Rd	0.16	480	R			From: 20-1342					NA	NA			08/28/2000
						To: 20-1010									
						From: 20-673									
(1020) Young Manor Dr	0.09	540	R			To: 20-1021					NA	NA			1994
						From: 20-1021									
(1020) Young Manor Dr	0.32	220	R			To: 20-1023					NA	NA			1986
						From: 20-1023									
(1020) Young Manor Dr	0.12	80	R			To: 20-1024					NA	NA			1986
						From: 20-1024									
(1020) Young Manor Dr	0.06	40	R			To: Dead End					NA	NA			1986
						From: 20-1020									
(1021) Musket Dr	0.42	80	R			To: Dead End					NA	NA			1986
						From: 20-1020									
						From: Dead End									
(1022) Wadebridge Rd	0.30	180	R			To: 20-902					NA	NA			08/28/2000
						From: 20-1020									
(1023) Breezewood Ct	0.11	70	R			To: Dead End					NA	NA			08/28/2000
						From: 20-1020									
(1024) Boswell Rd	0.10	40	R			To: Dead End					NA	NA			08/28/2000
						From: 20-1019									
(1025) Castlebridge Rd	0.13	1300	R			To: 20-1026 WEST					NA	NA			1994
						From: 20-1026 WEST									
(1025) Castlebridge Rd	1.23	520	R			To: 20-1026 EAST					NA	NA			1994
						From: 20-1025									
(1026) Oakengate Ln	0.63	830	R			To: 20-1028					NA	NA			08/28/2000
						From: 20-1028									
(1026) Oakengate Ln	0.27	580	R			To: 20-1025					NA	NA			08/28/2000
						From: 20-1025									
(1026) Oakengate Ln	0.12	510	R			To: 20-1341					NA	NA			08/28/2000
						From: 20-1341									
(1026) Oakengate Ln	0.07	380	R			To: Cul-de-Sac					NA	NA			08/28/2000
						From: 20-1025									
(1027) Engerston Rd	0.11	140	R			To: 20-1026					NA	NA			10/28/2000
						From: 20-714									
(1028) Elmstead Rd	0.29	1200	R			To: 20-1044					NA	NA			1994
						From: 20-1044									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1028) Elmstead Rd	0.26	1000	R			From: 20-1044					NA	NA			1994
(1028) Elmstead Rd	0.14	520	R			To: 20-1025					NA	NA			1994
(1029) Thorngate Rd	0.15	60	R			To: 20-1026					NA	NA			08/28/2000
(1029) Thorngate Rd	0.11	50	R			From: 20-1028					NA	NA			08/28/2000
(1029) Thorngate Rd	0.11	50	R			From: 20-1040					NA	NA			08/28/2000
(1029) Thorngate Rd	0.11	50	R			To: 20-1025					NA	NA			08/28/2000
(1030) Paddington Dr	0.14	50	R			From: Cul-de-Sac					NA	NA			08/28/2000
(1030) Paddington Dr	0.14	50	R			To: 20-667					NA	NA			08/28/2000
(1031) Westbury Dr	0.15	40	R			From: Dead End					NA	NA			08/28/2000
(1031) Westbury Dr	0.15	40	R			To: 20-667					NA	NA			08/28/2000
(1032) Gainsborough Ct	0.09	30	R			From: 20-667					NA	NA			1996
(1032) Gainsborough Ct	0.09	30	R			To: Cul-de-Sac					NA	NA			1996
(1033) Edenhurst Ct	0.09	30	R			From: 20-667					NA	NA			1996
(1033) Edenhurst Ct	0.09	30	R			To: Cul-de-Sac					NA	NA			1996
(1034) Hailsham Cr	0.42	180	R			From: 20-1026					NA	NA			08/28/2000
(1034) Hailsham Cr	0.42	180	R			To: 20-1026					NA	NA			08/28/2000
(1035) Tamhaven Ln	0.08	450	R			From: 20-1036					NA	NA			1994
(1035) Tamhaven Ln	0.08	450	R			To: 20-1013					NA	NA			1994
(1036) Arrandell Rd	0.31	260	R			From: 20-1037					NA	NA			08/23/2000
(1036) Arrandell Rd	0.31	260	R			To: 20-1035					NA	NA			08/23/2000
(1036) Arrandell Rd	0.09	40	R			From: 20-1035					NA	NA			08/23/2000
(1036) Arrandell Rd	0.09	40	R			To: Dead End					NA	NA			08/23/2000
(1037) Helmsley Rd	0.06	490	R			From: 20-714; 20-3796					NA	NA			08/28/2000
(1037) Helmsley Rd	0.06	490	R			To: 20-3809					NA	NA			08/28/2000
(1037) Helmsley Rd	0.07	460	R			From: 20-3809					NA	NA			08/28/2000
(1037) Helmsley Rd	0.07	460	R			To: 20-3808 Gap Terminus					NA	NA			08/28/2000
(1037) Helmsley Rd	0.13	470	R			From: 20-1038 Gap Terminus					NA	NA			08/28/2000
(1037) Helmsley Rd	0.13	470	R			To: 20-1014					NA	NA			08/28/2000
(1038) Queenswood Rd	0.16	290	R			From: 20-1037					NA	NA			08/28/2000
(1038) Queenswood Rd	0.16	290	R			To: 20-1039					NA	NA			08/28/2000
(1038) Queenswood Rd	0.13	250	R			From: 20-1039					NA	NA			08/28/2000
(1038) Queenswood Rd	0.13	250	R			To: 20-1014					NA	NA			08/28/2000
(1038) Queenswood Rd	0.17	120	R			From: 20-1014					NA	NA			08/28/2000
(1038) Queenswood Rd	0.17	120	R			To: Dead End					NA	NA			08/28/2000
(1039)	0.19	70	R			From: Cul-de-Sac					NA	NA			1996
(1039)	0.19	70	R			To: 20-1038					NA	NA			1996
(1040) Brancaster Ct	0.05	20	R			From: 20-1029					NA	NA			08/28/2000
(1040) Brancaster Ct	0.05	20	R			To: Cul-de-Sac					NA	NA			08/28/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1041) Victoria Ln	0.07	30	R			From: Dead End					NA	NA			1996
(1041) Victoria Ln	0.20	70	R			To: 20-1042					NA	NA			1996
(1042) Victoria Cr	0.05	30	R			From: 20-1041					NA	NA			1996
(1043) Darby Cr	0.04	40	R			To: Cul-de-Sac					NA	NA			1996
(1044) Albion Rd	0.74	610	R			From: 20-1028					NA	NA			1996
(1045) Chartridge Ln	0.16	80	R			To: Dead End					NA	NA			1996
(1046) Whitechapel Rd	0.06	270	R			From: 20-1014 WEST					NA	NA			1996
(1046) Whitechapel Rd	0.18	500	R			To: 20-1046 E LEG					NA	NA			1996
(1046) Whitechapel Rd	0.06	250	R			From: 20-1047					NA	NA			1996
(1047) Vistapoint Rd	0.16	130	R			To: 20-1014 EAST					NA	NA			1996
(1047) Vistapoint Rd	0.23	200	R			From: 20-1046					NA	NA			1996
(1048) Mount Hill Dr	0.07	320	R			To: Dead End					NA	NA			1996
(1048) Mount Hill Dr	0.14	190	R			From: 20-1014 WEST					NA	NA			1996
(1048) Mount Hill Dr	0.18	1000	R			To: 20-1233					NA	NA			1996
(1048) Mount Hill Dr	0.22	310	R			From: 20-1063					NA	NA			1996
(1049) London Park Dr	0.40	180	R			To: 20-1062					NA	NA			1996
(1050) River Oaks Dr	0.10	550	R			From: 20-1014 EAST					NA	NA			1996
(1050) River Oaks Dr	0.04	360	R			To: 20-711					NA	NA			1996
(1050) River Oaks Dr	0.16	170	R			From: Cul-de-Sac					NA	NA			1996
(1051) Southbridge Dr	0.10	47	R			To: 20-1051					NA	NA			1996
(1052) Easthampton Dr	0.07	60	R			From: 20-1052					NA	NA			1996
(1052) Easthampton Dr						To: Cul-de-Sac					NA	NA			1996
(1052) Easthampton Dr						From: 20-1050					NA	NA			1996
(1052) Easthampton Dr						To: 20-1053					NA	NA			1996

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1052 Easthampton Dr	0.06	170	R			From: 20-1053					NA	NA			1996
						To: 20-1050									
1053 Earlswood Rd	0.13	80	R			From: 20-1052					NA	NA			1996
						To: Cul-de-Sac									
1054 Aldengate Rd	0.04	1400	R			From: 20-667					NA	NA			08/28/2000
						To: 20-1055									
1054 Aldengate Rd	0.25	1300	R			From: 20-1055					NA	NA			08/28/2000
						To: 20-1057									
1054 Aldengate Rd	0.14	680	R			From: 20-1057					NA	NA			08/28/2000
						To: 20-1060									
1054 Aldengate Rd	0.09	440	R			From: 20-1060					NA	NA			08/28/2000
						To: 20-1061									
1054 Aldengate Rd	0.09	250	R			From: 20-1061					NA	NA			08/28/2000
						To: 20-3386									
1054 Aldengate Rd	0.04	20	R			From: 20-3386					NA	NA			08/28/2000
						To: Dead End									
						From: Dead End									
1055 Charlemagne Rd	0.04	20	R			From: 20-1055					NA	NA			1996
						To: 20-1056									
1055 Charlemagne Rd	0.15	160	R			From: 20-1056					NA	NA			1996
						To: 20-1054									
						From: 20-1055									
1056 Charlemagne Ct	0.06	50	R			From: 20-1055					NA	NA			1996
						To: Cul-de-Sac									
						From: Dead End									
1057 Wallingham Dr	0.10	80	R			From: 20-1057					NA	NA			1997
						To: 20-1058									
1057 Wallingham Dr	0.07	270	R			From: 20-1058					NA	NA			1997
						To: 20-1054									
1057 Wallingham Dr	0.15	90	R			From: 20-1054					NA	NA			1997
						To: Dead End									
						From: 20-1059									
1058 Wallingham Ct	0.08	150	R			From: 20-1059					NA	NA			1997
						To: 20-1057									
						From: Dead End									
1059 Thynne Rd	0.10	100	R			From: 20-1059					NA	NA			1997
						To: 20-1058									
						From: Dead End									
1060 Aldengate Ct	0.04	60	R			From: Dead End					NA	NA			1997
						To: 20-1054									
						From: Dead End									
1061 Kevinmeade Dr	0.15	140	R			From: Dead End					NA	NA			1997
						To: 20-1054									
						From: 20-1048									
1062 Mount Hill Ct	0.08	40	R			From: 20-1048					NA	NA			08/28/2000
						To: Cul-de-Sac									
						From: Cul-de-Sac									
1063 Mount Hill Cr	0.06	47	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-1048									
						From: 20-1008									
1064 Gryphon Rd	0.10	290	R			From: 20-1008					NA	NA			10/26/2000
						To: 20-1068									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1065) Springcreek Dr	0.33	570	R			From: 20-673					NA		NA		10/26/2000
(1065) Springcreek Dr	0.17	460	R			To: 20-1067					NA		NA		10/26/2000
(1065) Springcreek Dr	0.09	120	R			From: 20-3396					NA		NA		10/26/2000
(1065) Springcreek Dr	0.04	30	R			To: 20-4256					NA		NA		10/26/2000
						From: Cul-de-Sac									
(1066) Springcreek Ct	0.05	60	R			To: 20-1065					NA		NA		08/23/2000
						From: Cul-de-Sac									
(1067) Waterton Dr	0.33	280	R			To: Dead End					NA		NA		08/29/2000
						From: 20-1065									
(1068) Glendower Rd	0.23	1200	R			From: 20-4166					NA		NA		10/26/2000
(1068) Glendower Rd	0.11	270	R			To: 20-4165					NA		NA		10/26/2000
(1068) Glendower Rd	0.25	520	R			From: 20-1237					NA		NA		10/26/2000
(1068) Glendower Rd	0.06	270	R			To: 20-1064					NA		NA		10/26/2000
						From: 20-1085									
(1069) Chalkwell Dr	0.24	100	R			To: Cul-de-Sac					NA		NA		10/26/2000
						From: 20-1019									
(1070) Glengate Rd	0.04	80	R			To: Cul-de-Sac					NA		NA		1997
(1070) Glengate Rd	0.17	260	R			From: 20-624					NA		NA		1997
						To: 20-3116									
(1071)	0.05	90	R			From: Cul-de-Sac					NA		NA		1997
(1071)	0.06	80	R			To: 20-624					NA		NA		1997
						From: Dead End									
(1072)	0.06	100	R			To: Cul-de-Sac					NA		NA		1997
(1072)	0.04	90	R			From: 20-624					NA		NA		1997
						To: Dead End									
(1073) Ashtree Rd	0.05	100	R			From: Cul-de-Sac					NA		NA		1997
(1073) Ashtree Rd	0.13	220	R			To: 20-624					NA		NA		1997
(1073) Ashtree Rd	0.06	260	R			From: 20-3116					NA		NA		1997
(1073) Ashtree Rd	0.05	250	R			To: 20-3117					NA		NA		1997
						From: 20-1084									
(1074) Glenmeadow Rd	0.13	1300	R			To: 20-3109					NA		NA		1997
						From: 20-3519									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1074) Glenmeadow Rd	0.08	1500	R			From: 20-3519					NA	NA			1997
(1074) Glenmeadow Rd	0.09	1700	R			To: 20-3516					NA	NA			1997
(1074) Glenmeadow Rd	0.06	1100	R			From: 20-1083					NA	NA			1997
(1074) Glenmeadow Rd	0.03	1700	R			To: 20-1079					NA	NA			1997
						From: 20-624									
(1075) Headwaters Rd	0.07	580	R			From: 20-1003; 20-1007					NA	NA			1997
(1075) Headwaters Rd	0.05	420	R			To: 20-1076					NA	NA			1997
(1075) Headwaters Rd	0.09	380	R			From: 20-1077					NA	NA			1997
(1075) Headwaters Rd	0.06	180	R			To: 20-1003					NA	NA			1997
(1075) Headwaters Rd	0.04	60	R			From: 20-1078					NA	NA			1997
						To: Cul-de-Sac									
(1076) Colehollow Dr	0.14	220	R			From: 20-1075					NA	NA			08/28/2000
						To: Cul-de-Sac									
(1077) Headwaters Pl	0.04	46	R			From: Cul-de-Sac					NA	NA			08/28/2000
						To: 20-1075									
(1078) Headwaters Ct	0.04	40	R			From: 20-1075					NA	NA			08/28/2000
						To: Cul-de-Sac									
(1079) Glenmeadow Ct	0.04	60	R			From: Cul-de-Sac					NA	NA			1997
(1079) Glenmeadow Ct	0.11	620	R			To: 20-3109					NA	NA			1997
						From: 20-1074									
(1080) Trilithon Rd	0.09	100	R			From: Cul-de-Sac					NA	NA			1997
(1080) Trilithon Rd	0.02	130	R			To: 20-1081 WEST					NA	NA			1997
(1080) Trilithon Rd	0.16	210	R			From: 20-1081 EAST					NA	NA			1997
						To: 20-1014									
(1081) Sarsen Ct	0.11	60	R			From: 20-1080 WEST					NA	NA			1997
						To: 20-1080 EAST									
(1082) Banstead Rd	0.38	470	R			From: 20-1044					NA	NA			1997
						To: 20-902									
(1083) Glenmeadow Tr	0.16	200	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-1074									
(1084)	0.05	70	R			From: Dead End					NA	NA			1997
						To: 20-3510									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1084)	0.07	100	R			From: 20-3510					NA		NA		1997
(1084)	0.07	340	R			To: 20-3509					NA		NA		1997
(1084)	0.06	460	R			From: 20-3508					NA		NA		1997
(1084)	0.05	2900	R			To: 20-1385					NA		NA		1997
(1084)	0.06	2800	R			From: 20-3505					NA		NA		1997
(1084)	0.25	2800	R			To: 20-1097					NA		NA		1997
(1084)	0.05	520	R			From: 20-624					NA		NA		1997
(1084)	0.07	420	R			To: 20-1073					NA		NA		1997
(1084)	0.11	90	R			From: 20-1095					NA		NA		1997
(1084)	0.08	100	R			To: 20-4150					NA		NA		1997
(1084)	0.08	100	R			From: 20-4140					NA		NA		1997
(1084)						To: Cul-de-Sac									
(1085)	0.16	30	R			From: SR 144					NA		NA		11/16/2000
(1085)						To: Dead End									
(1086)	Green Forest Dr	0.07	30	R		From: Dead End					NA		NA		05/22/2000
(1086)	Green Forest Dr	0.09	150	R		To: 20-1087					NA		NA		05/22/2000
(1086)	Green Forest Dr	0.08	120	R		From: 20-891					NA		NA		05/22/2000
(1086)	Green Forest Dr	0.08	60	R		To: 20-1089					NA		NA		05/22/2000
(1086)	Green Forest Dr					From: Cul-de-Sac									
(1087)	Pine Cone Ln	0.02	30	R		To: Dead End					NA		NA		05/22/2000
(1087)	Pine Cone Ln	0.09	130	R		From: 20-1088					NA		NA		05/22/2000
(1087)	Pine Cone Ln					To: 20-1086									
(1088)	Amy Ct	0.11	80	R		From: Dead End					NA		NA		05/22/2000
(1088)	Amy Ct					To: 20-1087									
(1089)	Quarterpath Ln	0.10	100	R		From: Dead End					NA		NA		05/22/2000
(1089)	Quarterpath Ln	0.13	260	R		To: 20-1086					NA		NA		05/22/2000
(1089)	Quarterpath Ln					From: 20-1090									
(1090)	Walthall Dr	0.02	10	R		To: Dead End					NA		NA		05/22/2000
(1090)	Walthall Dr	0.12	270	R		From: 20-1089					NA		NA		05/22/2000
(1090)	Walthall Dr	0.22	310	R		To: 20-1091					NA		NA		05/22/2000
(1090)	Walthall Dr					From: 20-1092									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1090) Walthall Dr	0.13	320	R			From: 20-1092					NA		NA		05/22/2000
						To: 20-1093									
(1091) Quail Crossing	0.10	80	R			From: Cul-de-Sac					NA		NA		05/22/2000
(1091) Quail Crossing	0.05	8	R			From: 20-1090					NA		NA		05/22/2000
						To: Dead End									
(1092) Dove Path Ln	0.11	10	R			From: Cul-de-Sac					NA		NA		05/23/2000
(1092) Dove Path Ln	0.07	210	R			From: 20-4059					NA		NA		05/23/2000
(1092) Dove Path Ln	0.04	7	R			From: 20-1090					NA		NA		05/23/2000
						To: Dead End									
(1093) Rebel Ridge Rd	0.23	210	R			From: Cul-de-Sac					NA		NA		05/23/2000
(1093) Rebel Ridge Rd	0.15	1300	R			From: 20-1090					NA		NA		05/23/2000
						To: 20-617									
(1095)	0.05	50	R			From: Dead End					NA		NA		08/21/2000
(1095)	0.05	60	R			From: 20-1084					NA		NA		08/21/2000
						To: Dead End									
(1096) Overcliff Ct	0.12	230	R			From: Cul-de-Sac					NA		NA		08/21/2000
						To: 20-624									
(1097)	0.05	80	R			From: 20-1084					NA		NA		08/21/2000
						To: Cul-de-Sac									
(1098) Sycamore Square Dr	0.21	2200	R			From: US 60					NA		NA		1994
(1098) Sycamore Square Dr	0.27	1000	R			From: 20-1002					NA		NA		1994
						To: Dead End									
(1099) Kirkham Dr	0.13	320	R			From: 20-1028					NA		NA		10/27/2000
						To: 20-1044									
(1100) Temple Av	0.05	1300	R			From: 20-627					NA		NA		10/16/2000
(1100) Temple Av	0.06	820	R			From: 20-1377					NA		NA		10/16/2000
(1100) Temple Av	0.13	840	R			From: 20-1376					NA		NA		10/16/2000
(1100) Temple Av	0.13	1100	R			From: 20-1190					NA		NA		10/16/2000
(1100) Temple Av	0.33	4200	R			From: 20-1189					NA		NA		10/16/2000
						To: 20-625									
(1101) Laurel Rd	0.13	3700	R			From: Dead End					NA		NA		1994
						To: 20-986									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1101) Laurel Rd	0.54	1100	R			From: 20-986 To: 20-1106					NA		NA		1994
(1102) Williams St	0.13	580	R			From: 20-1107 To: 20-1160					NA		NA		1994
(1103) Loyal Av	0.15	640	R			From: 20-1107 To: Dead End Gap Terminus					NA		NA		1994
(1103) Loyal Av	0.23	640	R			From: 20-1162 Gap Terminus To: 20-1106					NA		NA		1994
(1104) Paine St	0.03	8	R			From: Dead End To: 20-1124					NA		NA		10/12/2000
(1104) Paine St	0.06	440	R			From: 20-1145 To: 20-1145					NA		NA		10/12/2000
(1104) Paine St	0.06	560	R			From: SR 36 To: SR 36					NA		NA		10/12/2000
(1105) Piedmont Av	0.46	1100	R			From: 20-1106 To: 20-1123					NA		NA		10/16/2000
(1105) Piedmont Av	0.04	1400	R			From: WCL Colonial Heights To: WCL Colonial Heights					NA		NA		10/16/2000
(1106) Dupuy Rd	0.67	1400	G	93%	1%	2%	3%	2%	0%	C	150	G	1500	G	2001
(1106) Dupuy Rd	0.53	1400	G	93%	1%	2%	3%	2%	0%	F	130	G	1400	G	2001
(1107) River Rd	0.80	9300	G	97%	0%	1%	0%	1%	0%	C	840	G	9800	G	2001
(1108) James St	0.15	4400	R			From: SR 36; 20-9939 To: 20-1107					NA		NA		1994
(1109) Watson St	0.07	220	R			From: 20-1111 To: 20-1112					NA		NA		10/16/2000
(1110) Second Av	0.02	720	R			From: Dead End To: 20-1113					NA		NA		10/16/2000
(1110) Second Av	0.34	490	R			From: 20-1108 To: 20-1108					NA		NA		10/16/2000
(1111) Third Av	0.27	420	R			From: SR 327 To: 20-1109					NA		NA		10/24/2000
(1111) Third Av	0.08	420	R			From: 20-1107 To: 20-1107					NA		NA		10/24/2000
(1112) Fourth Av	0.06	940	R			From: 20-1109 To: 20-1107					NA		NA		1994
(1113)	0.06	370	R			From: 20-1145 To: SR 36					NA		NA		10/16/2000
(1113)	0.07	3600	R			From: 20-1110 To: 20-1110					NA		NA		10/16/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1114) Lee St	0.04	1800	R								NA	NA			10/16/2000
(1115) Totty St	0.30	80	R								NA	NA			10/16/2000
(1115) Totty St	0.09	320	R								NA	NA			10/16/2000
(1115) Totty St	0.06	430	R								NA	NA			10/16/2000
(1115) Totty St	0.13	700	R								NA	NA			10/16/2000
(1116) Light St	0.14	390	R								NA	NA			10/12/2000
(1117) Pannil St	0.10	260	R								NA	NA			10/16/2000
(1117) Pannil St	0.06	240	R								NA	NA			10/16/2000
(1118) Court St	0.14	170	R								NA	NA			10/16/2000
(1119) Jackson St	0.10	210	R								NA	NA			10/12/2000
(1119) Jackson St	0.18	190	R								NA	NA			10/12/2000
(1120) Main St	0.18	10	R								NA	NA			10/16/2000
(1120) Main St	0.20	340	R								NA	NA			10/16/2000
(1120) Main St	0.15	980	R								NA	NA			10/16/2000
(1121) Granger St	0.09	7000	G	97%	1%	1%	1%	1%	0%	C	640	G	7300	G	2001
(1121) Granger St	0.06	620	R								NA	NA			10/12/2000
(1122) Heritage Dr	0.40	140	R								NA	NA			05/11/2000
(1123)	0.10	30	R								NA	NA			10/16/2000
(1124) Rutledge Av	0.03	250	R								NA	NA			1996
(1124) Rutledge Av	0.05	400	R								NA	NA			1996
(1124) Rutledge Av	0.03	380	R								NA	NA			1996

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1125) Greenwood Dr	0.15	110	R			From: Dead End To: 20-1124					NA		NA		1996
(1126) Thelma Av	0.17	60	R			From: 20-1106 To: Dead End					NA		NA		1996
(1127)	0.08	100	R			From: 20-627 SOUTH To: 20-1151 SOUTH					NA		NA		1996
(1127)	0.15	80	R			From: 20-1151 SOUTH To: 20-1153					NA		NA		1996
(1127)	0.22	100	R			From: 20-1153 To: 20-1151 NORTH					NA		NA		1996
(1127)	0.08	150	R			From: 20-1151 NORTH To: 20-627 NORTH					NA		NA		1996
(1128) Kelmarbi Rd	0.80	110	R			From: Dead End To: 20-625					NA		NA		10/16/2000
(1129) Whitehouse Rd	1.24	410	G	93%	3%	1%	2%	1%	0%	C	50	G	430	G	2001
(1130) Beechwood Av	0.53	1300	R			From: 20-1129 To: SR 144					NA		NA		1996
(1131) Pineland Av	0.20	90	R			From: Dead End To: SR 144; FR-890					NA		NA		1996
(1132) Ida Av	0.17	140	R			From: 20-1148 To: 20-1249					NA		NA		1996
(1133)	0.38	46	R			From: US 1 To: Dead End					NA		NA		1996
(1134) South St (Ettrick)	0.10	200	R			From: 20-1121 To: 20-1139					NA		NA		1996
(1134) South St (Ettrick)	0.15	510	R			From: 20-1139 To: 20-1102					NA		NA		1996
(1135) Milhorn Rd	0.42	2500	G	97%	0%	1%	1%	1%	0%	C	260	G	2600	G	2001
(1136) North St	0.18	320	R			From: SR 144 To: 20-1140					NA		NA		1996
(1137)	0.21	180	R			From: Dead End To: 20-620					NA		NA		1996
(1138) Oakland Av	0.30	230	R			From: 20-1106 To: 20-1156					NA		NA		1996
(1139) James St	0.07	360	R			From: 20-1107 To: 20-1134					NA		NA		1996
(1140)	0.14	170	R			From: 20-1253 To: 20-1141					NA		NA		1996

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Chesterfield County																
(1140)	0.23	310	R			From: 20-1141					NA		NA		1996	
(1140)	0.20	260	R			To: 20-1150					NA		NA		1996	
(1140)	0.33	300	R			From: 20-1136					NA		NA		1996	
						To: Dead End										
(1141) South St	0.63	2600	G	95%	1%	3%		2%	1%	0%	C	290	G	2700	G	2001
						To: 20-1135 Millhorn										
(1142) Pauline Av	0.20	120	R			From: Dead End					NA		NA		1996	
						To: 20-1141										
(1143) Aldridge Av	0.20	290	R			From: US 1					NA		NA		1996	
						To: Dead End										
(1144) Pine Forest Dr	0.43	2300	R			From: US 1					NA		NA		1994	
						To: 20-3390										
(1145) Orange Hill Av	0.08	160	R			From: 20-1104					NA		NA		10/16/2000	
(1145) Orange Hill Av	0.08	460	R			To: 20-1146					NA		NA		10/16/2000	
						To: 20-1113										
(1146) Hopkins St	0.06	420	R			From: 20-1124					NA		NA		10/12/2000	
(1146) Hopkins St	0.06	440	R			To: 20-1145					NA		NA		10/12/2000	
						To: SR 36										
(1147) Louise Dr	0.20	210	R			From: SR 144					NA		NA		05/11/2000	
						To: Dead End										
(1148) Lucia Dr	0.04	40	R			From: Dead End					NA		NA		10/16/2000	
(1148) Lucia Dr	0.08	170	R			To: 20-1132					NA		NA		10/16/2000	
(1148) Lucia Dr	0.12	590	R			From: 20-1248					NA		NA		10/16/2000	
						To: 20-1141										
(1149) Edgewood Dr	0.14	160	R			From: Dead End					NA		NA		10/16/2000	
(1149) Edgewood Dr	0.22	310	R			To: 20-1141					NA		NA		10/16/2000	
						To: 20-1150										
(1150)	0.08	130	R			From: 20-1140					NA		NA		10/16/2000	
						To: 20-1149										
(1151) Andrews Dr	0.12	60	R			From: 20-1127 SOUTH					NA		NA		10/16/2000	
(1151) Andrews Dr	0.07	60	R			To: 20-1127 NORTH					NA		NA		10/16/2000	
						To: Dead End										
(1152) Treely Rd	0.01	510	R			From: Dead End					NA		NA		05/11/2000	
						To: 20-1199										

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1152) Treely Rd	0.17	620	R			From: 20-1199					NA	NA			05/11/2000
(1152) Treely Rd	0.23	680	R			To: 20-1235					NA	NA			05/11/2000
(1152) Treely Rd	0.30	660	R			From: 20-1165					NA	NA			05/11/2000
(1152) Treely Rd	0.55	1900	R			To: 20-1166					NA	NA			05/11/2000
						To: SR 144; FR-887									
(1153) Alpine Rd	0.06	10	R			From: 20-1127					NA	NA			10/16/2000
						To: Dead End									
(1154) Sheffield Pl	0.24	480	R			From: 20-1107					NA	NA			10/16/2000
						To: 20-1162									
(1155) Gary Av	0.15	220	R			From: Dead End					NA	NA			10/16/2000
(1155) Gary Av	0.38	310	R			To: 20-1141					NA	NA			10/16/2000
						To: Dead End									
(1156) Plumtree St	0.03	120	R			From: 20-1157					NA	NA			10/16/2000
						To: 20-1138									
(1157) Roosevelt Av	0.21	150	R			From: 20-1106					NA	NA			10/16/2000
						To: 20-1156									
(1158) Weldon St	0.20	110	R			From: 20-625					NA	NA			10/16/2000
(1158) Weldon St	0.05	30	R			To: 20-1159					NA	NA			10/16/2000
						To: Dead End									
(1159) Pine Grove Av	0.24	47	R			From: 20-1158					NA	NA			10/16/2000
						To: Dead End									
(1160) North St	0.06	60	R			From: Dead End					NA	NA			10/16/2000
						To: 20-1102									
(1161) Foster Av	0.07	420	R			From: 20-1103					NA	NA			10/16/2000
(1161) Foster Av	0.04	320	R			To: 20-1162					NA	NA			10/16/2000
						To: 20-1163									
(1162) Gandy Av	0.03	20	R			From: Dead End					NA	NA			10/16/2000
(1162) Gandy Av	0.07	420	R			To: 20-1103					NA	NA			10/16/2000
(1162) Gandy Av	0.08	500	R			To: 20-1154					NA	NA			10/16/2000
						To: 20-1161									
(1163) College Park Av	0.14	60	R			From: Dead End					NA	NA			10/16/2000
(1163) College Park Av	0.06	360	R			To: 20-1161					NA	NA			10/16/2000
						To: 20-1106									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1164) Jarrett Cr	0.03	40	R			From: Dead End					NA	NA			10/16/2000
						To: 20-1106									
(1165) Carmel Dr	0.15	50	R			From: 20-1152					NA	NA			05/11/2000
						To: 20-1166									
(1166)	0.05	NA				From: Dead End					NA	NA			
						To: 20-4396									
(1166)	0.07	200	R			From: 20-4395					NA	NA			05/11/2000
						To: 20-1199									
(1166)	0.06	440	R			From: 20-1199					NA	NA			05/11/2000
						To: 20-1152									
(1166)	0.54	1000	R			From: 20-1166					NA	NA			05/11/2000
						To: 20-1168									
(1167) Horseshoe Bend Dr	0.09	230	R			From: 20-1168					NA	NA			05/11/2000
						To: ACCESS RD									
(1168) Whitebirch Dr	0.07	350	R			From: 20-1167					NA	NA			05/11/2000
						To: ACCESS RD									
(1169) Ravensbourne Dr	0.21	330	R			From: 20-1171					NA	NA			10/12/2000
						To: 20-1170									
(1169) Ravensbourne Dr	0.07	420	R			From: 20-1170					NA	NA			10/12/2000
						To: 20-628									
(1170) Winterbourne Dr	0.07	190	R			From: 20-1169					NA	NA			10/12/2000
						To: 20-1172									
(1170) Winterbourne Dr	0.11	360	R			From: 20-1172					NA	NA			10/12/2000
						To: 20-1171									
(1171) Willowdale Dr	0.03	20	R			From: Dead End					NA	NA			10/12/2000
						To: 20-1169									
(1171) Willowdale Dr	0.05	250	R			From: 20-1169					NA	NA			10/12/2000
						To: 20-1187									
(1171) Willowdale Dr	0.10	630	R			From: 20-1187					NA	NA			10/12/2000
						To: 20-1170									
(1171) Willowdale Dr	0.05	950	R			From: 20-1170					NA	NA			10/12/2000
						To: 20-628									
(1172) Winterbourne Ct	0.03	80	R			From: Cul-de-Sac					NA	NA			10/12/2000
						To: 20-1170									
(1173) Brickhouse Dr	0.05	550	R			From: SR 36					NA	NA			10/12/2000
						To: 20-1174									
(1173) Brickhouse Dr	0.04	500	R			From: 20-1174					NA	NA			10/12/2000
						To: 20-1392									
(1173) Brickhouse Dr	0.16	180	R			From: 20-1392					NA	NA			10/12/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1174) Brickhouse Ct	0.06	110	R			From: Cul-de-Sac					NA		NA		10/12/2000
						To: 20-1173									
(1175) Truth Dr	0.15	170	R			From: SR 36					NA		NA		10/12/2000
						To: 20-761									
(1175) Truth Dr	0.10	170	R			From: 20-761					NA		NA		10/16/2000
						To: Dead End									
(1176)	0.33	180	R			From: 20-1177					NA		NA		10/16/2000
						To: SR 144									
(1177)	0.44	NA				From: Dead End					NA		NA		
						To: SR 144									
(1178) Flintlock Dr	0.09	90	R			From: NCL COLONIAL HGTS					NA		NA		05/11/2000
						To: Cul-de-Sac									
(1179) Angarde Dr	0.15	80	R			From: SR 144					NA		NA		1986
						To: Cul-de-Sac									
(1180) Somerlane Rd	0.10	1400	R			From: 20-1181					NA		NA		1994
						To: SR 144									
(1181)	0.24	200	R			From: Cul-de-Sac					NA		NA		10/16/2000
						To: 20-3460 SOUTH									
(1181)	0.06	340	R			From: 20-3460					NA		NA		10/16/2000
						To: 20-1185									
(1181)	0.14	220	R			From: 20-1185					NA		NA		10/16/2000
						To: 20-1186									
(1181)	0.07	220	R			From: 20-1186					NA		NA		10/16/2000
						To: 20-1182									
(1181)	0.11	630	R			From: 20-1182					NA		NA		10/16/2000
						To: 20-1180									
(1181)	0.08	740	R			From: 20-1180					NA		NA		10/16/2000
						To: 20-1184									
(1181)	0.34	650	R			From: 20-1184					NA		NA		10/16/2000
						To: 20-1185									
(1181)	0.07	560	R			From: 20-1185					NA		NA		10/16/2000
						To: 20-873									
(1181)	0.05	360	R			From: 20-873					NA		NA		10/16/2000
						To: 20-3466									
(1181)	0.14	NA				From: Dead End					NA		NA		
						To: 20-1177									
(1182) Santana St	0.07	90	R			From: Cul-de-Sac					NA		NA		10/16/2000
						To: 20-1183									
(1182) Santana St	0.05	230	R			From: 20-1183					NA		NA		10/16/2000
						To: 20-1181									
(1183) Seasigh Ct	0.10	130	R			From: 20-1182					NA		NA		10/16/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1184) Stardown Ct	0.07	90	R			From: 20-1181					NA	NA			10/16/2000
						To: Cul-de-Sac									
(1185) Windcry Dr	0.19	180	R			From: 20-1181					NA	NA			10/16/2000
						To: 20-1181									
(1186) Somer Lane Cr	0.03	30	R			From: Cul-de-Sac					NA	NA			10/16/2000
						To: 20-1181									
(1187) Willowdale Ct	0.07	140	R			From: Cul-de-Sac					NA	NA			10/12/2000
						To: 20-1171									
(1188) Hickory Ct	0.06	170	R			From: Cul-de-Sac					NA	NA			10/12/2000
						To: 20-628									
(1189) Colonnade Dr	0.17	840	R			From: 20-1100					NA	NA			10/16/2000
						To: 20-1197									
(1189) Colonnade Dr	0.19	120	R			From: 20-1197					NA	NA			10/16/2000
						To: Dead End									
(1190) Varanda Ln	0.07	250	R			From: 20-1196					NA	NA			10/16/2000
						To: 20-1100									
(1190) Varanda Ln	0.24	180	R			From: 20-1100					NA	NA			10/16/2000
						To: Cul-de-Sac									
(1191) Tinsberry Dr	0.05	70	R			From: Cul-de-Sac					NA	NA			05/17/2000
						To: 20-1273									
(1191) Tinsberry Dr	0.05	560	R			From: 20-1273					NA	NA			05/17/2000
						To: 20-1263									
(1191) Tinsberry Dr	0.01	520	R			From: 20-1263					NA	NA			05/17/2000
						To: 0.02 ME 20-1263									
(1191) Tinsberry Dr	0.04	420	R			From: 0.02 ME 20-1263					NA	NA			05/17/2000
						To: 20-1193									
(1191) Tinsberry Dr	0.05	840	R			From: 20-1193					NA	NA			05/17/2000
						To: 20-1192									
(1191) Tinsberry Dr	0.15	920	R			From: 20-1192					NA	NA			05/17/2000
						To: US 1									
(1192) Timberline Dr	0.07	190	R			From: 20-1195					NA	NA			05/17/2000
						To: 20-1191									
(1192) Timberline Dr	0.07	280	R			From: 20-1191					NA	NA			05/17/2000
						To: 20-1194									
(1192) Timberline Dr	0.05	320	R			From: 20-1194					NA	NA			05/17/2000
						To: 20-1273									
(1193) Tinsberry Pl	0.09	120	R			From: 20-1195					NA	NA			05/17/2000
						To: 20-1191									
(1193) Tinsberry Pl	0.03	50	R			From: 20-1191					NA	NA			05/17/2000
						To: Cul-de-Sac									
(1194) Timberline Ct	0.06	120	R			From: 20-1192					NA	NA			05/17/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1195) Tins Ln	0.04	60	R			From: Cul-de-Sac					NA		NA		05/17/2000
(1195) Tins Ln	0.06	170	R			To: 20-1193					NA		NA		05/17/2000
(1195) Tins Ln	0.05	80	R			From: 20-1192					NA		NA		05/17/2000
						To: Dead End									
(1196) Julep Dr	0.13	250	R			From: Cul-de-Sac					NA		NA		1996
(1196) Julep Dr	0.14	220	R			To: 20-1197					NA		NA		1996
(1196) Julep Dr	0.30	200	R			From: 20-1378					NA		NA		1996
(1196) Julep Dr	0.10	190	R			To: 20-1375					NA		NA		1996
(1196) Julep Dr	0.16	370	R			From: 20-1197					NA		NA		1996
(1196) Julep Dr	0.07	560	R			To: 20-1198					NA		NA		1996
(1196) Julep Dr	0.03	20	R			From: 20-1190					NA		NA		1996
						To: Dead End									
(1197) Foxbrook Dr	0.04	49	R			From: Cul-de-Sac					NA		NA		1996
(1197) Foxbrook Dr	0.20	190	R			To: 20-1196 SOUTH					NA		NA		1996
(1197) Foxbrook Dr	0.07	1000	R			From: 20-1196 NORTH					NA		NA		1996
						To: 20-1189									
(1198) Walker Av	0.36	490	R			From: 20-1106					NA		NA		1996
						To: 20-1196									
(1199) Override Dr	0.07	170	R			From: 20-1152					NA		NA		1996
(1199) Override Dr	0.09	100	R			To: 20-1234					NA		NA		1996
(1199) Override Dr	0.12	90	R			From: 20-1166					NA		NA		1996
						To: Dead End									
(1200) Featherstone Ct	0.16	140	R			From: 20-1206					NA		NA		1996
						To: Cul-de-Sac									
(1201) Kilrenny Rd	0.09	440	R			From: 20-1482					NA		NA		1996
(1201) Kilrenny Rd	0.05	280	R			To: 20-1208					NA		NA		1996
(1201) Kilrenny Rd	0.07	150	R			From: 20-1202 WEST					NA		NA		1996
(1201) Kilrenny Rd	0.21	170	R			To: 20-1203					NA		NA		1996
(1201) Kilrenny Rd	0.08	480	R			From: 20-1202 EAST					NA		NA		1996
						To: 20-1206									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1202)	0.12	260	R			From: 20-1201 EAST					NA	NA			1996
(1202)	0.07	200	R			To: 20-1205					NA	NA			1996
(1202)	0.11	190	R			From: 20-1201 WEST					NA	NA			1996
(1202)	0.04	190	R			To: 20-1204					NA	NA			1996
(1202)	0.04	370	R			From: 20-1203					NA	NA			1996
(1202)	0.38	770	R			To: 20-1231					NA	NA			1996
(1202)						From: 20-1206									
(1203) Stalbridge Rd	0.07	60	R			From: 20-1202					NA	NA			1996
(1203) Stalbridge Rd						To: 20-1201									
(1204) Heathmere Ct	0.07	70	R			From: Dead End					NA	NA			1996
(1204) Heathmere Ct						To: 20-1202									
(1205) Winfore Ct	0.03	60	R			From: 20-1202					NA	NA			1996
(1205) Winfore Ct						To: Dead End									
(1206) Featherstone Dr	0.15	310	R			From: 20-1210					NA	NA			1996
(1206) Featherstone Dr						To: 20-1208									
(1206) Featherstone Dr	0.04	380	R			From: 20-1201					NA	NA			1996
(1206) Featherstone Dr	0.06	900	R			From: 20-1202					NA	NA			1996
(1206) Featherstone Dr	0.03	1900	R			From: 20-1202					NA	NA			1996
(1206) Featherstone Dr						To: 20-1207									
(1206) Featherstone Dr	0.12	2100	R			From: 20-1200					NA	NA			1996
(1206) Featherstone Dr	0.13	4200	R			From: SR 147					NA	NA			1996
(1206) Featherstone Dr						To: 20-1206									
(1207) Warminster Dr	0.18	160	R			From: 20-1482					NA	NA			1996
(1207) Warminster Dr						To: 20-1218									
(1207) Warminster Dr	0.06	440	R			From: 20-1218					NA	NA			1996
(1207) Warminster Dr						To: 20-1216									
(1207) Warminster Dr	0.09	480	R			From: 20-1216					NA	NA			1996
(1207) Warminster Dr						To: 20-1215									
(1207) Warminster Dr	0.08	790	R			From: 20-1215					NA	NA			1996
(1207) Warminster Dr						To: 20-1214									
(1207) Warminster Dr	0.15	3600	R			From: 20-1214					NA	NA			1996
(1207) Warminster Dr						To: 20-1210									
(1207) Warminster Dr	0.15	450	R			From: 20-1210					NA	NA			1996
(1207) Warminster Dr						To: 20-1209									
(1207) Warminster Dr	0.06	330	R			From: 20-1209					NA	NA			1996
(1207) Warminster Dr						To: 20-1208									
(1207) Warminster Dr	0.12	540	R			From: 20-1208					NA	NA			1996
(1207) Warminster Dr						To: 20-1206									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1208)	0.04	300	R			From: 20-1201					NA		NA		1997
(1208)	0.18	220	R			To: 20-1210					NA		NA		1997
(1208)	0.06	150	R			From: 20-1206					NA		NA		1997
(1208)	0.08	270	R			To: 20-1212					NA		NA		1997
(1208)	0.30	580	R			From: 20-1207					NA		NA		1997
(1208)						To: 20-1210									
(1209) Sainsbury Dr	0.07	340	R			From: 20-1210					NA		NA		1997
(1209) Sainsbury Dr	0.13	200	R			To: 20-1211					NA		NA		1997
(1209) Sainsbury Dr						From: 20-1207									
(1210) Olde Coach Dr	0.08	260	R			From: 20-1208 WEST					NA		NA		1997
(1210) Olde Coach Dr	0.14	310	R			To: 20-1213					NA		NA		1997
(1210) Olde Coach Dr	0.07	570	R			From: 20-1206					NA		NA		1997
(1210) Olde Coach Dr	0.05	700	R			To: 20-1212					NA		NA		1997
(1210) Olde Coach Dr	0.13	1000	R			From: 20-1207					NA		NA		1997
(1210) Olde Coach Dr	0.06	2200	R			To: 20-1209					NA		NA		1997
(1210) Olde Coach Dr	0.08	2300	R			From: 20-1208 EAST					NA		NA		1997
(1210) Olde Coach Dr						To: SR 147									
(1211) Sainsbury Ct	0.03	60	R			From: Cul-de-Sac					NA		NA		1997
(1211) Sainsbury Ct						To: 20-1209									
(1212) Charrington Dr	0.18	280	R			From: 20-1210					NA		NA		1997
(1212) Charrington Dr						To: 20-1208									
(1213) Haversham Dr	0.13	160	R			From: 20-1210					NA		NA		1997
(1213) Haversham Dr						To: 20-1206									
(1214) Corianna Ln	0.25	420	R			From: 20-1482					NA		NA		1997
(1214) Corianna Ln						To: 20-1207									
(1215) Duckbill Dr	0.06	130	R			From: 20-1482					NA		NA		1997
(1215) Duckbill Dr	0.16	190	R			To: 20-1217					NA		NA		1997
(1215) Duckbill Dr						From: 20-1207									
(1216) Warminster Ct	0.04	46	R			From: Cul-de-Sac					NA		NA		1997
(1216) Warminster Ct						To: 20-1207									
(1217) Duckbill Ct	0.06	80	R			From: Cul-de-Sac					NA		NA		1997
(1217) Duckbill Ct						To: 20-1215									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1218)	0.02	20	R			From: Dead End					NA	NA			1997
(1218)	0.08	70	R			From: 20-1482					NA	NA			1997
(1218)	0.05	140	R			From: 20-1219					NA	NA			1997
(1218)	0.03	20	R			From: 20-1207					NA	NA			1997
(1218)						To: Dead End									
(1219) Petty Ct	0.03	20	R			From: Cul-de-Sac					NA	NA			1997
(1219)						To: 20-1218									
(1220) Conte Dr	0.34	690	R			From: 20-1224					NA	NA			1997
(1220)						To: 20-711									
(1221)	0.03	90	R			From: Dead End					NA	NA			1997
(1221)	0.09	310	R			From: 20-1220					NA	NA			1997
(1221)	0.16	600	R			From: 20-1222					NA	NA			1997
(1221)						To: 20-711									
(1222) Keith Ln	0.20	190	R			From: 20-1220					NA	NA			1997
(1222)						To: 20-1221									
(1223) Pine Bark Ln	0.17	320	R			From: 20-728					NA	NA			08/23/2000
(1223) Pine Bark Ln	0.06	450	R			From: 0.07 ME 20-3137					NA	NA			08/23/2000
(1223) Pine Bark Ln	0.15	440	R			From: 20-1227 WEST					NA	NA			08/23/2000
(1223) Pine Bark Ln	0.03	3	R			From: 20-1227 EAST					NA	NA			08/23/2000
(1223) Pine Bark Ln	0.05	50	R			From: Dead End; Gap Terminus Cul-de-Sac; Gap Terminus					NA	NA			08/23/2000
(1223) Pine Bark Ln	0.08	460	R			From: 20-1225					NA	NA			08/23/2000
(1223) Pine Bark Ln						To: 20-1220									
(1224) Murray Hill Dr	0.09	100	R			From: Cul-de-Sac					NA	NA			08/23/2000
(1224) Murray Hill Dr	0.08	360	R			From: 20-3415					NA	NA			08/23/2000
(1224) Murray Hill Dr	0.10	480	R			From: 20-1225					NA	NA			08/23/2000
(1224) Murray Hill Dr	0.08	60	R			From: 20-1220					NA	NA			08/23/2000
(1224) Murray Hill Dr						To: Dead End									
(1225) Leovey Ln	0.23	260	R			From: 20-1224					NA	NA			08/23/2000
(1225)						To: 20-1223									
(1226) Wiesinger Ln	0.05	100	R			From: Cul-de-Sac					NA	NA			08/23/2000
(1226)						To: 20-673									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1226) Wiesinger Ln	0.13	47	R	From: 20-673							NA	NA			08/23/2000
				To: Dead End											
(1227) Carbon Hill Dr	0.08	250	R	From: 20-1223							NA	NA			08/23/2000
(1227) Carbon Hill Dr	0.27	160	R	From: 20-1228 WEST							NA	NA			08/23/2000
(1227) Carbon Hill Dr	0.09	200	R	From: 20-1229							NA	NA			08/23/2000
(1227) Carbon Hill Dr	0.09	380	R	From: 20-1228 EAST							NA	NA			08/23/2000
(1228) Diamond Hill Dr	0.15	260	R	From: 20-1227							NA	NA			08/23/2000
(1229) Carbon Hill Ct	0.06	40	R	From: Cul-de-Sac							NA	NA			08/23/2000
(1230) Fairlington Ln	0.04	60	R	From: Dead End							NA	NA			08/23/2000
(1230) Fairlington Ln	0.13	280	R	From: 20-1432							NA	NA			08/23/2000
(1230)	0.08	30	R	From: 20-1431							NA	NA			08/23/2000
(1231) Medbury Dr	0.06	520	R	From: 20-1232							NA	NA			1994
(1232)	0.11	530	R	From: 20-677							NA	NA			08/28/2000
(1232)	0.08	560	R	From: 20-1356							NA	NA			08/28/2000
(1232)	0.07	600	R	From: 20-1357							NA	NA			08/28/2000
(1232)	0.08	590	R	From: 20-1358							NA	NA			08/28/2000
(1232)	0.12	590	R	From: 20-1268							NA	NA			08/28/2000
(1232)	0.13	580	R	From: 20-1359							NA	NA			08/28/2000
(1232)	0.06	560	R	From: 20-1258							NA	NA			08/28/2000
(1232)	0.06	620	R	From: 20-1265							NA	NA			08/28/2000
(1232)	0.28	630	R	From: 20-1259							NA	NA			08/28/2000
(1232)	0.07	40	R	From: 20-1231							NA	NA			08/28/2000
(1233) Soltice Close	0.27	160	R	From: 20-1048							NA	NA			08/28/2000
				To: Cul-de-Sac											

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1234) Dunkirk Dr	0.16	130	R			From: 20-1199					NA		NA		05/11/2000
						To: 20-1235									
(1235) Windward Dr	0.07	40	R			From: 20-1152					NA		NA		05/11/2000
						To: 20-1234									
(1235) Windward Dr	0.09	100	R			From: 20-1166					NA		NA		05/11/2000
						To: 20-1166									
(1236) Greenbriar Ct	0.04	40	R			From: 20-1166					NA		NA		05/11/2000
						To: Dead End									
(1237) Ellesmere Dr	0.13	300	R			From: 20-1014					NA		NA		1994
						To: 20-3356									
(1237) Ellesmere Dr	0.24	210	R			From: 20-3355					NA		NA		1994
						To: 20-3355									
(1237) Ellesmere Dr	0.13	430	R			From: 20-1068					NA		NA		1994
						To: 20-4166									
(1237) Ellesmere Dr	0.36	980	R			From: 20-711					NA		NA		1994
						To: Dead End									
(1238) Stonegate Rd	0.16	40	R			From: 20-1244					NA		NA		08/28/2000
						To: Dead End									
(1238) Stonegate Rd	0.08	190	R			From: 20-1239					NA		NA		08/28/2000
						To: 20-1014									
(1239) Lintel Ln	0.18	120	R			From: Cul-de-Sac					NA		NA		08/28/2000
						To: 20-1238									
(1240)	0.12	200	R			From: 20-667					NA		NA		09/14/2000
						To: 20-1241									
(1240)	0.06	40	R			From: Dead End					NA		NA		09/14/2000
						To: Dead End									
(1241) Kylee Ln	0.15	80	R			From: Dead End					NA		NA		09/14/2000
						To: 20-1240									
(1242) Inchcape Rd	0.12	690	R			From: 20-667					NA		NA		09/14/2000
						To: 20-1243									
(1242) Inchcape Rd	0.31	660	R			From: Rt 1243					NA		NA		09/14/2000
						To: 20-1242									
(1243)	0.53	690	R			From: 20-1242					NA		NA		08/28/2000
						To: Cul-de-Sac									
(1244) Barrow Pl	0.14	330	R			From: 20-1014					NA		NA		08/28/2000
						To: 20-1247									
(1244)	0.39	160	R			From: Dead End					NA		NA		08/28/2000
						To: Dead End									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1245) Allecingie Py	0.14	700	R			From: SR 147					NA	NA			08/23/2000
						To: Cul-de-Sac									
(1246) Green Spring Rd	0.16	920	R			From: SR 147					NA	NA			1994
						To: Dead End									
(1247) Grey Friars Ln	0.21	290	R			From: Cul-de-Sac					NA	NA			08/28/2000
						To: 20-1244									
(1248) Mimi Av	0.10	70	R			From: 20-1148					NA	NA			10/24/2000
						To: 20-1249									
(1249) Roland Dr	0.07	120	R			From: 20-1248					NA	NA			10/24/2000
						To: 20-1132									
(1250) Millhouse Dr	0.17	780	R			From: 20-654					NA	NA			08/30/2000
						To: 20-1251									
(1250) Millhouse Dr	0.24	650	R			From: 20-3498					NA	NA			08/30/2000
						To: 20-3498									
(1251)	0.04	30	R			From: Cul-de-Sac					NA	NA			08/30/2000
						To: 20-1252									
(1251)	0.06	80	R			From: 20-1250					NA	NA			08/30/2000
						To: 20-1250									
(1252)	0.08	40	R			From: Cul-de-Sac					NA	NA			08/30/2000
						To: 20-1251									
(1253) Mistora Rd	0.10	110	R			From: 20-1140					NA	NA			10/16/2000
						To: 20-1254									
(1253) Mistora Rd	0.11	370	R			From: 20-1141					NA	NA			10/16/2000
						To: 20-1141									
(1254) Celanco Ct	0.03	48	R			From: 20-1253					NA	NA			10/16/2000
						To: Cul-de-Sac									
(1255) Oak Glade Dr	0.09	380	R			From: 20-673					NA	NA			1996
						To: 20-1256									
(1256) Middlewood Rd	0.01	30	R			From: Dead End					NA	NA			08/23/2000
						To: 20-4251									
(1256) Middlewood Rd	0.13	70	R			From: 20-4250					NA	NA			08/23/2000
						To: 20-4250									
(1256) Middlewood Rd	0.07	200	R			From: 20-1255					NA	NA			08/23/2000
						To: 20-1255									
(1256) Middlewood Rd	0.09	190	R			From: 20-1257					NA	NA			08/23/2000
						To: 20-1257									
(1257)	0.04	50	R			From: Dead End					NA	NA			1996
						To: 20-1256									
(1257)	0.11	40	R			From: Cul-de-Sac					NA	NA			1996
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1258) Tremelo TI	0.08	90	R			From: Cul-de-Sac					NA	NA			10/26/2000
						To: 20-1232									
(1259) Drifting Cr	0.03	40	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1232									
(1260) Trailwood Dr	0.13	390	R			From: 20-653					NA	NA			08/30/2000
						To: 20-1261									
(1260) Trailwood Dr	0.12	310	R			From: 20-1262					NA	NA			08/30/2000
						To: 20-1278									
(1261) Eaglenest Dr	0.12	40	R			From: Dead End					NA	NA			08/30/2000
						To: 20-1260									
(1261) Eaglenest Dr	0.12	60	R			From: Dead End					NA	NA			08/30/2000
						To: 20-1260									
(1262) Stillwood Ct	0.12	70	R			From: 20-1260					NA	NA			08/30/2000
						To: Cul-de-Sac									
(1263) Tinsberry Ct	0.05	30	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1191									
(1264) Silvertree Ln	0.03	490	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1273									
(1264) Silvertree Ln	0.02	430	R			From: 0.02 MN 20-1273					NA	NA			1996
						To: 20-3234									
(1264) Silvertree Ln	0.10	440	R			From: Dead End					NA	NA			1996
						To: 20-677									
(1265) Olde Coalmine Rd	0.08	1300	R			From: 20-1266					NA	NA			1996
						To: 20-1268									
(1265) Olde Coalmine Rd	0.20	840	R			From: 20-1269					NA	NA			1996
						To: 20-1232									
(1265) Olde Coalmine Rd	0.09	680	R			From: Dead End					NA	NA			1996
						To: 20-1267									
(1266) Little Pond Ln	0.11	420	R			From: 20-1265					NA	NA			1996
						To: 20-1266									
(1267) Wagonwheel Rd	0.06	370	R			From: 20-1270					NA	NA			1996
						To: 20-1268									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1268) Sandbag Rd	0.12	80	R			From: 20-1232					NA	NA			1996
(1268) Sandbag Rd	0.03	210	R			To: 20-3553					NA	NA			1996
(1268) Sandbag Rd	0.06	30	R			From: 20-3554					NA	NA			1996
(1268) Sandbag Rd	0.05	150	R			To: 20-1267					NA	NA			1996
						From: 20-1265									
(1269) Olde Coalmine Ct	0.05	70	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1265									
(1270) Wagonwheel Ct	0.03	30	R			From: 20-1267					NA	NA			1996
						To: Cul-de-Sac									
(1271) Clearwood Rd	0.17	220	R			From: Cul-de-Sac					NA	NA			1996
(1271) Clearwood Rd	0.11	260	R			To: 20-1272					NA	NA			1996
						From: 20-654									
(1272) Clearwood Ct	0.10	60	R			From: Dead End					NA	NA			1996
						To: 20-1271									
(1273) Tinstree Dr	0.07	450	R			From: 20-1264					NA	NA			05/17/2000
(1273) Tinstree Dr	0.17	510	R			To: 20-1191					NA	NA			05/17/2000
(1273) Tinstree Dr	0.10	620	R			From: 20-1192					NA	NA			05/17/2000
						To: 20-619									
(1274) Donegal Pl	0.18	120	R			From: 20-1275					NA	NA			1996
						To: Cul-de-Sac									
(1275) Donegal Dr	0.05	100	R			From: Cul-de-Sac					NA	NA			1996
(1275) Donegal Dr	0.06	480	R			To: 20-2494					NA	NA			1996
(1275) Donegal Dr	0.15	600	R			From: 20-3492					NA	NA			1996
(1275) Donegal Dr	0.25	500	R			To: 20-3491					NA	NA			1996
(1275) Donegal Dr	0.28	700	R			From: 20-1274					NA	NA			1996
(1275) Donegal Dr	0.20	1500	R			To: 20-1276					NA	NA			1996
						From: 20-653									
(1276) Donegal Ct	0.06	46	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1275									
(1277) Clearpoint Dr	0.24	300	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-653									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1278) Thoreau Dr	0.19	90	R			From: Dead End					NA	NA			1996
(1278) Thoreau Dr	0.29	290	R			To: 20-1260					NA	NA			1996
(1278) Thoreau Dr	0.10	380	R			From: 20-1279					NA	NA			1996
						To: 20-653									
(1279) Thoreau Ct	0.09	90	R			From: 20-1278					NA	NA			1996
						To: Cul-de-Sac									
(1280) Ridgegreen Dr	0.12	70	R			From: Dead End					NA	NA			1996
(1280) Ridgegreen Dr	0.06	30	R			To: 20-1284					NA	NA			1996
						From: Dead End									
(1281) Chesmount Dr	0.24	230	R			From: 20-1284					NA	NA			1996
						To: 20-653									
(1282) Beaver Wood Dr	0.24	100	R			From: 20-653					NA	NA			1996
(1282) Beaver Wood Dr	0.06	9	R			To: 20-1284					NA	NA			1996
						From: Dead End									
(1283) Birchlake Cr	0.12	70	R			From: 20-653					NA	NA			1996
						To: Cul-de-Sac									
(1284) Manordale Rd	0.04	20	R			From: Cul-de-Sac					NA	NA			1996
(1284) Manordale Rd	0.12	80	R			To: 20-1282					NA	NA			1996
(1284) Manordale Rd	0.12	150	R			From: 20-1281					NA	NA			1996
(1284) Manordale Rd	0.06	30	R			To: 20-1280					NA	NA			1996
						From: Dead End									
(1285) Latane Wood Rd	0.03	30	R			From: Cul-de-Sac					NA	NA			1996
(1285) Latane Wood Rd	0.18	110	R			To: 20-1286					NA	NA			1996
						From: 20-626									
(1286) Latane Wood Ct	0.09	40	R			From: 20-1285					NA	NA			1996
						To: Cul-de-Sac									
(1287) Poly Pl	0.06	20	R			From: 20-1297					NA	NA			09/14/2000
						To: Cul-de-Sac									
(1288) Gumfork Pl	0.05	40	R			From: Dead End					NA	NA			09/14/2000
(1288) Gumfork Pl	0.05	20	R			To: 20-1289					NA	NA			09/14/2000
						From: Dead End									
(1289) Gumfork Rd	0.14	110	R			From: 20-1297					NA	NA			09/14/2000
						To: 20-1288									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1290) Penny Ln	0.10	90	R			From: 20-773					NA	NA			09/14/2000
(1290) Penny Ln	0.16	60	R			From: 20-1291					NA	NA			09/14/2000
						To: Dead End									
(1291) Morley Rd	0.20	90	R			From: 20-1290					NA	NA			09/14/2000
(1291) Morley Rd	0.11	420	R			From: 20-1292					NA	NA			09/14/2000
(1291) Morley Rd	0.12	80	R			From: 20-1297					NA	NA			09/14/2000
						To: Dead End									
(1292)	0.37	30	R			From: Dead End					NA	NA			09/14/2000
(1292) Singer Rd	0.14	320	R			From: 20-773					NA	NA			09/14/2000
(1292) Singer Rd	0.13	380	R			From: 20-1291					NA	NA			09/14/2000
(1292) Singer Rd	0.09	330	R			From: 20-1293					NA	NA			09/14/2000
(1292) Singer Rd	0.09	120	R			From: 20-1298					NA	NA			09/14/2000
						To: 20-1295									
(1293)	0.11	640	R			From: 20-654					NA	NA			09/14/2000
(1293)	0.17	690	R			From: 20-1294					NA	NA			09/14/2000
(1293)	0.20	540	R			From: 20-1290					NA	NA			09/14/2000
						To: 20-1292									
(1294) Cone Ln	0.07	320	R			From: 20-1293					NA	NA			09/14/2000
						To: Dead End									
(1295)	0.16	90	R			From: 20-1296					NA	NA			09/14/2000
						To: 20-1292									
(1296) Old Chestnut Cr	0.04	46	R			From: Cul-de-Sac					NA	NA			09/14/2000
						To: 20-1295									
(1297) Deerpark Dr	0.06	20	R			From: Dead End					NA	NA			09/14/2000
(1297) Deerpark Dr	0.14	130	R			From: 20-1287					NA	NA			09/14/2000
(1297) Deerpark Dr	0.10	230	R			From: 20-1289					NA	NA			09/14/2000
(1297) Deerpark Dr	0.14	180	R			From: 20-1291					NA	NA			09/14/2000
(1297) Deerpark Dr	0.11	180	R			From: 20-1299					NA	NA			09/14/2000
						To: 20-1298									
(1298) Trails End Rd	0.10	240	R			From: 20-1292					NA	NA			09/24/2000
						To: 20-1297									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1298) Trails End Rd	0.11	100	R			From: 20-1297					NA	NA			09/24/2000
						To: Cul-de-Sac									
(1299) Deerpark Ct	0.11	80	R			From: 20-1297					NA	NA			09/24/2000
						To: Cul-de-Sac									
(1300) Buford Rd	0.20	9800	R			From: US 60 Midlothian Tpke					NA	NA			10/24/2000
						To: 20-678 Providence Rd N									
(1301) Franklin Av	0.25	140	R			From: SR 36					NA	NA			10/12/2000
						To: 20-1314									
(1302) Wells St	0.20	120	R			From: SR 36					NA	NA			10/12/2000
						To: 0.20 MN SR 36									
(1302) Wells St	0.20	90	R			From: Dead End					NA	NA			10/12/2000
						To: Cul-de-Sac									
(1303) Memorial Av	0.37	40	R			From: 0.37 MN Cul-de-Sac					NA	NA			10/12/2000
						To: SR 36									
(1304)	0.05	180	R			From: Dead End					NA	NA			10/12/2000
						To: 20-1306									
(1304)	0.03	310	R			From: 20-1312					NA	NA			10/12/2000
						To: SR 36									
(1304)	0.06	120	R			From: Dead End					NA	NA			10/12/2000
						To: 20-1306									
(1305) Hill St	0.10	90	R			From: 20-1311					NA	NA			10/12/2000
						To: 20-1313									
(1306) Mahone St	0.02	160	R			From: 20-600					NA	NA			10/12/2000
						To: 20-1305									
(1306) Mahone St	0.04	180	R			From: 20-1305					NA	NA			10/12/2000
						To: 20-1304									
(1306) Mahone St	0.07	180	R			From: 20-1309					NA	NA			10/12/2000
						To: 20-1308									
(1306) Mahone St	0.03	110	R			From: SR 36					NA	NA			10/12/2000
						To: 20-1310									
(1307) Stuart Av	0.12	140	R			From: 20-1310					NA	NA			10/12/2000
						To: 20-1307									
(1307) Stuart Av	0.10	360	R			From: 20-1310					NA	NA			10/12/2000
						To: 20-1307									
(1308) Jackson St	0.14	120	R			From: Dead End					NA	NA			10/12/2000
						To: 20-1309									
(1309) Johnston St	0.14	130	R			From: 20-1309					NA	NA			10/12/2000
						To: 20-1309									
(1310) Lee St	0.10	30	R			From: Dead End					NA	NA			10/12/2000
						To: 20-1309									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1310) Lee St	0.07	240	R			From: 20-1309					NA	NA			10/12/2000
(1310) Lee St	0.03	190	R			To: 20-1317					NA	NA			10/12/2000
(1310) Lee St	0.13	320	R			From: 20-1308					NA	NA			10/12/2000
						To: SR 36									
(1311) Ferndale Av	0.12	60	R			From: Dead End					NA	NA			10/12/2000
(1311) Ferndale Av	0.20	140	R			To: 20-600					NA	NA			10/12/2000
(1311) Ferndale Av	0.02	210	R			From: 20-1318					NA	NA			10/12/2000
(1311) Ferndale Av	0.13	260	R			To: 20-1306					NA	NA			10/12/2000
						From: SR 36									
(1312) Fitzhugh St	0.07	300	R			From: 20-600					NA	NA			10/12/2000
						To: 20-1304									
(1313) Hillview St	0.10	100	R			From: Dead End					NA	NA			10/12/2000
						To: 20-1306									
(1314) Madison St	0.12	120	R			From: 20-1301					NA	NA			10/12/2000
(1314) Madison St	0.05	260	R			To: 20-600 Matoaca Rd					NA	NA			10/12/2000
(1314) Madison St	0.05	180	R			From: 20-3148					NA	NA			10/12/2000
						To: 20-3149									
(1315) Hampton Av	0.14	740	R			From: SR 36					NA	NA			10/12/2000
(1315) Hampton Av	0.33	60	R			To: 20-1322					NA	NA			10/12/2000
						From: Dead End									
(1316) Hudson St	0.27	350	R			From: 20-1319					NA	NA			10/12/2000
						To: SR 36									
(1317) Virginia Av	0.10	60	R			From: Dead End					NA	NA			10/12/2000
						To: 20-1310									
(1318) Hagood St	0.14	80	R			From: Dead End					NA	NA			10/12/2000
						To: 20-1311									
(1319) Roane St	0.17	110	R			From: 20-1316					NA	NA			10/12/2000
						To: 20-809									
(1320) Jefferson St	0.03	70	R			From: SR 36					NA	NA			10/12/2000
						To: Dead End									
(1321) Robertson Av	0.25	360	R			From: SR 36					NA	NA			10/12/2000
						To: Dead End									
(1322)	0.11	570	R			From: 20-722					NA	NA			1996
						To: 20-1328									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1322)	0.06	300	R			From: 20-1328					NA	NA			1996
(1322)	0.29	270	R			From: 20-1315					NA	NA			1996
						To: Dead End									
(1323)	0.07	70	R			From: 20-678					NA	NA			10/24/2000
						To: Cul-de-Sac									
(1324) Pickhurst Ct	0.07	80	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-601									
(1325) Tangier Cr	0.13	460	R			From: 20-601					NA	NA			1996
(1325) Tangier Cr	0.07	190	R			From: 20-1327					NA	NA			1996
(1325) Tangier Cr	0.08	90	R			From: 20-1326					NA	NA			1996
						To: Cul-de-Sac									
(1326) Tynemouth Ct	0.03	20	R			From: Dead End					NA	NA			1996
						To: 20-1325									
(1327) Tangier Ct	0.03	70	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1325									
(1328) Warrior Dr	0.09	190	R			From: Dead End					NA	NA			1996
(1328) Warrior Dr	0.18	240	R			From: 20-1322					NA	NA			1996
(1328) Warrior Dr	0.13	170	R			From: 20-1329					NA	NA			1996
						To: Dead End									
(1329)	0.06	160	R			From: 20-1328					NA	NA			1996
						To: 20-1315									
(1330) Trojan Dr	0.09	860	R			From: SR 36					NA	NA			1996
(1330) Trojan Dr	0.06	280	R			From: 20-1331					NA	NA			1996
(1330) Trojan Dr	0.06	260	R			From: 20-1332					NA	NA			1996
(1330) Trojan Dr	0.06	290	R			From: 20-1333					NA	NA			1996
						To: 20-1334									
(1331) Sparta Dr	0.24	130	R			From: 20-1330					NA	NA			1996
						To: 20-1334									
(1332) Hero Ct	0.03	70	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1330									
(1333) Helena Cr	0.05	60	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1330									
(1334) Wooden Horse Ln	0.09	30	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1330									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1334	Wooden Horse Ln	0.07	210	R							NA	NA			1996
						From: 20-1330									
						To: 20-1331									
1335	Bollinger Dr	0.06	80	R							NA	NA			1996
						From: Cul-de-Sac									
1335	Bollinger Dr	0.08	180	R							NA	NA			1996
						From: 20-1336									
1335	Bollinger Dr	0.05	560	R							NA	NA			1996
						From: 20-1337									
						To: 20-627									
1336	Starr Ct	0.04	60	R							NA	NA			1996
						From: Cul-de-Sac									
						To: 20-1335									
1337	Bollinger Ct	0.07	80	R							NA	NA			1996
						From: Cul-de-Sac									
						To: 20-1335									
1338	Chepstow Rd	0.22	890	R							NA	NA			08/28/2000
						From: 20-902									
1338	Chepstow Rd	0.08	1000	R							NA	NA			08/28/2000
						From: 20-3384									
1338	Chepstow Rd	0.11	900	R							NA	NA			08/28/2000
						From: 20-3382									
1338	Chepstow Rd	0.11	860	R							NA	NA			08/28/2000
						From: 20-3381									
1338	Chepstow Rd	0.09	2300	R							NA	NA			08/28/2000
						From: 20-3380									
1338	Chepstow Rd	0.09	120	R							NA	NA			08/28/2000
						From: 20-714									
1338	Chepstow Rd	0.10	40	R							NA	NA			08/28/2000
						From: 20-1044									
						To: Cul-de-Sac									
1339	Clovertree Ct	0.18	540	R							NA	NA			1994
						From: 20-678									
1339	Clovertree Ct	0.14	100	R							NA	NA			1994
						From: 20-2128									
						To: Cul-de-Sac									
1340	Chinook Dr	0.33	290	R							NA	NA			10/27/2000
						From: Cul-de-Sac									
						To: 20-628									
1341	Glamorgan Ln	0.05	49	R							NA	NA			1997
						From: Dead End									
1341	Glamorgan Ln	0.17	390	R							NA	NA			1997
						From: 20-1373									
						To: 20-1026									
1342	Baronsmeade Rd	0.11	180	R							NA	NA			1997
						From: 20-1343									
						To: 20-1019									
1343	Torrington Dr	0.16	110	R							NA	NA			1997
						From: Dead End									
1343	Torrington Dr	0.03	40	R							NA	NA			1997
						From: 20-1342									
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1344) Bream Dr	0.08	50	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-1019									
(1345) Vernetta Ln	0.30	430	R			From: SR 36					NA	NA			09/14/2000
						To: 20-1346									
(1345) Vernetta Ln	0.12	260	R			From: 20-1346					NA	NA			09/14/2000
						To: 20-1347									
(1345) Vernetta Ln	0.07	20	R			From: 20-1347					NA	NA			09/14/2000
						To: Cul-de-Sac									
(1346) Serena Ln	0.13	90	R			From: Dead End					NA	NA			09/14/2000
						To: 20-1345									
(1346) Serena Ln	0.10	60	R			From: 20-1345					NA	NA			09/14/2000
						To: Dead End									
(1347) Edwin Ln	0.11	50	R			From: Dead End					NA	NA			09/14/2000
						To: 20-1345									
(1347) Edwin Ln	0.07	100	R			From: 20-1345					NA	NA			09/14/2000
						To: Dead End									
(1348) Cranborne Rd	0.15	50	R			From: Cul-de-Sac					NA	NA			08/28/2000
						To: 20-2019									
(1349) Winter Ridge Ln	0.19	60	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-714									
(1350) Saddlebrook Rd	0.09	45	R			From: Dead End					NA	NA			1996
						To: 20-1352									
(1350) Saddlebrook Rd	0.42	240	R			From: 20-1352					NA	NA			1996
						To: 20-1351									
(1350) Saddlebrook Rd	0.08	430	R			From: 20-1351					NA	NA			1996
						To: 20-602									
(1351) Twin Poplar Cr	0.03	20	R			From: 20-1350					NA	NA			1996
						To: Cul-de-Sac									
(1352) Wild Turkey Run	0.07	120	R			From: 20-1350					NA	NA			1996
						To: 20-636									
(1353) Braebrook Dr	0.19	260	R			From: Cul-de-Sac					NA	NA			10/16/2000
						To: 20-1354									
(1353) Braebrook Dr	0.24	660	R			From: 20-1354					NA	NA			10/16/2000
						To: 20-625									
(1354) Braebrook Ct	0.05	50	R			From: Cul-de-Sac					NA	NA			10/16/2000
						To: 20-1353									
(1356) Musical Ln	0.07	100	R			From: 20-1355					NA	NA			1997
						To: Cul-de-Sac									
(1357) Little Pond Ln	0.09	80	R			From: 20-1355					NA	NA			1997
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1358) Whispering Wy	0.06	100	R			From: 20-1232					NA		NA		1997
						To: Cul-de-Sac									
(1359) Mandolin Dr	0.06	90	R			From: Cul-de-Sac					NA		NA		10/16/2000
						To: 20-1232									
(1360) Oldbury Rd	0.20	230	R			From: 20-677					NA		NA		1994
						To: Dead End; Gap Terminus					NA		NA		
(1360) Oldbury Rd	0.06	NA				From: 20-3658					NA		NA		
						To: Cul-de-Sac									
(1361) Letchworth Ln	0.08	120	R			From: Cul-de-Sac					NA		NA		08/28/2000
						To: 20-677									
(1362) Southwick Bl	0.12	1100	R			From: 20-677					NA		NA		08/28/2000
						To: 20-3520					NA		NA		08/28/2000
(1362) Southwick Bl	0.04	920	R			From: 20-3521					NA		NA		08/29/2000
						To: 20-3522					NA		NA		08/28/2000
(1362) Southwick Bl	0.04	720	R			From: 20-3523					NA		NA		08/28/2000
						To: 20-1360					NA		NA		08/28/2000
(1363) White Fawn Dr	0.29	270	R			From: 20-620					NA		NA		1994
						To: Cul-de-Sac									
(1364) Oak River Dr	0.17	40	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4784					NA		NA		1994
(1364) Oak River Dr	0.19	250	R			From: 20-4783					NA		NA		1994
						To: 20-4781					NA		NA		1994
(1364) Oak River Dr	0.13	210	R			From: 20-4780					NA		NA		1994
						To: 20-602									
(1365) Kitchawam Ct	0.11	170	R			From: 20-2235					NA		NA		10/24/2000
						To: Cul-de-Sac									
(1366) Butler Ln	0.14	500	R			From: 20-735					NA		NA		10/12/2000
						To: 20-1367					NA		NA		10/12/2000
(1366) Butler Ln	0.08	310	R			From: 20-1368					NA		NA		10/12/2000
						To: Dead End									
(1367) Butler Ct	0.07	160	R			From: 20-1366					NA		NA		10/12/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1368) Ramada Ln	0.07	90	R			From: 20-1366					NA	NA			10/12/2000
						To: Cul-de-Sac									
(1369) Providence Forest Ct	0.23	320	R			From: 20-678					NA	NA			1994
						To: Cul-de-Sac									
(1370) Bridle Path Dr	0.27	170	R			From: SR 36					NA	NA			10/12/2000
						To: Cul-de-Sac									
(1371) Chestertowne Rd	0.03	320	R			From: 20-1505					NA	NA			10/12/2000
						To: SR 10									
(1372)	0.03	210	R			From: Powhatan County Line					NA	NA			10/12/2000
						To: 20-607									
(1373) Behetra Dr	0.24	240	R			From: 20-1341					NA	NA			1994
						To: 20-1374									
(1374) Ducatus Dr	0.05	30	R			From: Dead End					NA	NA			1994
						To: 20-1373									
(1374) Ducatus Dr	0.06	70	R			From: 20-1373					NA	NA			1994
						To: Cul-de-Sac									
(1375) Julep Ct	0.04	100	R			From: 20-1196					NA	NA			10/16/2000
						To: Cul-de-Sac									
(1376) Temple Pl	0.06	110	R			From: 20-1100					NA	NA			10/16/2000
						To: Cul-de-Sac									
(1377) Temple Ct	0.05	50	R			From: 20-1100					NA	NA			10/16/2000
						To: Cul-de-Sac									
(1378) Julep Cr	0.17	220	R			From: 20-1196					NA	NA			10/16/2000
						To: Cul-de-Sac									
(1380) Prince William Dr	0.10	270	R			From: 20-720					NA	NA			1994
						To: 20-1388									
(1380) Prince William Dr	0.20	160	R			From: 20-1388					NA	NA			1994
						To: 20-1381									
(1381) Paigewood Rd	0.07	40	R			From: 20-1388 WEST					NA	NA			1994
						To: 20-3512									
(1381) Paigewood Rd	0.06	70	R			From: 20-3512					NA	NA			1994
						To: 20-1380									
(1381) Paigewood Rd	0.08	60	R			From: 20-1380					NA	NA			1994
						To: 30-1388 EAST									
(1382) Castle Hollow Ct	0.06	50	R			From: 20-1389					NA	NA			05/01/2000
						To: Cul-de-Sac									
(1383) Castle Hollow Tr	0.10	90	R			From: 20-1389					NA	NA			05/01/2000
						To: Cul-de-Sac									
(1384) Kingscross Ct	0.09	90	R			From: Cul-de-Sac					NA	NA			05/01/2000
						To: 20-1388									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1385) Queensgate Rd	0.21	1600	R			From: 20-754					NA		NA		05/01/2000
(1385) Queensgate Rd	0.13	1400	R			To: 20-1386					NA		NA		05/01/2000
(1385) Queensgate Rd	0.18	1400	R			From: 20-1387					NA		NA		05/01/2000
(1385) Queensgate Rd	0.11	1600	R			To: 20-1388					NA		NA		05/01/2000
(1385) Queensgate Rd	0.26	1700	R			From: 20-1389					NA		NA		05/01/2000
(1385) Queensgate Rd	0.26	1700	R			To: 20-1390					NA		NA		10/27/2000
(1385) Queensgate Rd	0.10	1300	R			From: 20-3135					NA		NA		10/27/2000
(1385) Queensgate Rd	0.09	1200	R			To: 20-1084					NA		NA		10/27/2000
(1385) Queensgate Rd	0.18	2700	R			From: 20-4160					NA		NA		10/27/2000
(1385) Queensgate Rd	0.20	710	R			To: 20-624					NA		NA		10/27/2000
(1385) Queensgate Rd	0.16	620	R			From: 20-4157					NA		NA		10/27/2000
(1385) Queensgate Rd	0.06	630	R			To: 20-4158					NA		NA		10/27/2000
(1385) Queensgate Rd	0.03	90	R			From: 20-4159					NA		NA		10/27/2000
(1385) Queensgate Rd						To: Dead End									
(1386) Queensgate Ct	0.12	90	R			From: Cul-de-Sac					NA		NA		05/01/2000
(1386) Queensgate Ct						To: 20-1385									
(1387) Royal Ridge Rd	0.15	110	R			From: Cul-de-Sac					NA		NA		05/01/2000
(1387) Royal Ridge Rd						To: 20-1385									
(1388)	0.12	120	R			From: Dead End					NA		NA		05/01/2000
(1388)	0.08	220	R			To: 20-1381 WEST					NA		NA		05/01/2000
(1388)	0.21	540	R			From: 20-3511					NA		NA		05/01/2000
(1388)	0.16	750	R			To: 20-1380					NA		NA		05/01/2000
(1388)	0.11	740	R			From: 20-3880					NA		NA		05/01/2000
(1388)	0.11	720	R			To: 20-3881					NA		NA		05/01/2000
(1388)	0.18	620	R			From: 20-1381 EAST					NA		NA		05/01/2000
(1388)	0.20	1800	R			To: 20-3500					NA		NA		05/01/2000
(1388)	0.08	420	R			From: 20-1385					NA		NA		05/01/2000
(1388)						To: 20-1384									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1388)	0.08	330	R			From: 20-1384					NA	NA			05/01/2000
(1388)	0.03	20	R			To: 20-3502					NA	NA			05/01/2000
(1389)	Castle Hollow Rd	0.16	180	R		To: Dead End					NA	NA			05/01/2000
(1389)	Castle Hollow Rd	0.17	350	R		From: 20-1385					NA	NA			05/01/2000
(1389)	Castle Hollow Rd	0.14	210	R		To: 20-1382					NA	NA			05/01/2000
(1389)	Castle Hollow Rd	0.05	20	R		From: 20-1383					NA	NA			05/01/2000
(1390)	Dawnwood Rd	0.09	370	R		To: Dead End					NA	NA			1996
(1390)	Dawnwood Rd	0.08	130	R		From: 20-1391					NA	NA			1996
(1390)	Dawnwood Rd	0.06	100	R		To: 20-3134					NA	NA			1996
(1391)	Dawnwood Ct	0.12	120	R		From: Cul-de-Sac					NA	NA			1996
(1392)	Sacks Ln	0.03	30	R		To: Dead End					NA	NA			1996
(1392)	Sacks Ln	0.09	200	R		From: 20-1394					NA	NA			1996
(1392)	Sacks Ln	0.05	380	R		To: 20-1393					NA	NA			1996
(1393)	Sasha Ct	0.10	220	R		From: 20-1173					NA	NA			1996
(1393)	Sasha Ct	0.06	70	R		To: 20-1392					NA	NA			1996
(1394)	Shaker Dr	0.04	30	R		From: 20-1394					NA	NA			1996
(1394)	Shaker Dr	0.13	160	R		To: 20-1392					NA	NA			1996
(1395)	Sadberge Dr	0.10	40	R		From: Cul-de-Sac					NA	NA			10/27/2000
(1395)	Sadberge Dr	0.10	210	R		To: 20-630					NA	NA			10/27/2000
(1396)	Kathleen Dr	0.09	120	R		From: 20-1399					NA	NA			10/27/2000
(1396)	Kathleen Dr	0.11	140	R		To: 20-1398					NA	NA			10/27/2000
(1396)	Kathleen Dr	0.13	120	R		From: 20-1397					NA	NA			10/27/2000
						To: 20-1395									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1397) Gretchen Dr	0.08	30	R			From: Cul-de-Sac					NA		NA		10/27/2000
						To: 20-1396									
(1398) Kathleen Ct	0.08	40	R			From: Cul-de-Sac					NA		NA		10/27/2000
						To: 20-1396									
(1399) Chemin Rd	0.17	100	R			From: Dead End					NA		NA		10/27/2000
						To: 20-1396									
(1399) Chemin Rd	0.08	190	R			From: 20-1396					NA		NA		10/27/2000
						To: 20-630									
(1400) Arcadia Ct	0.05	70	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-1538									
(1401) Elokomín Av	0.13	340	R			From: 20-1405					NA		NA		1996
						To: 20-1404									
(1401) Elokomín Av	0.16	210	R			From: 20-1404					NA		NA		1996
						To: 20-1402									
(1401) Elokomín Av	0.10	80	R			From: 20-1402					NA		NA		1996
						To: Dead End									
(1402) Wonderview Dr	0.06	400	R			From: US 1					NA		NA		1996
						To: 20-1401									
(1402) Wonderview Dr	0.06	150	R			From: 20-1401					NA		NA		1996
						To: 20-1403									
(1402) Wonderview Dr	0.16	40	R			From: 20-1403					NA		NA		1996
						To: Dead End									
(1403) Ramona Av	0.17	270	R			From: 20-4790					NA		NA		1996
						To: 20-1405 Gap Terminus									
(1403) Ramona Av	0.18	270	R			From: 20-1404					NA		NA		1996
						To: 20-1402									
(1404) Pinehurst St	0.06	270	R			From: US 1					NA		NA		1996
						To: 20-1401									
(1404) Pinehurst St	0.06	140	R			From: 20-1401					NA		NA		1996
						To: 20-1403									
(1405) Melba St	0.06	470	R			From: US 1					NA		NA		1996
						To: 20-1401									
(1405) Melba St	0.11	240	R			From: 20-1401					NA		NA		1996
						To: 20-1420									
(1406)	0.10	20	R			From: US 1					NA		NA		1996
						To: Dead End									
(1407) Brightwood Av	0.07	90	R			From: Dead End					NA		NA		1997
						To: 20-1581									
(1407) Brightwood Av	0.12	210	R			From: 20-1581					NA		NA		1997
						To: 20-1412									
(1407) Brightwood Av	0.13	290	R			From: 20-1412					NA		NA		1997
						To: 20-608									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1408) Brandywine Av	0.12	110	R			From: 20-1581					NA	NA			1997
(1408) Brandywine Av	0.14	290	R			To: 20-1412					NA	NA			1997
(1408) Brandywine Av	0.22	590	R			From: 20-608					NA	NA			1997
(1408) Brandywine Av	0.08	940	R			To: 20-1416					NA	NA			1997
(1408) Brandywine Av	0.18	870	R			From: 20-1443					NA	NA			1997
(1408) Brandywine Av						To: 20-1495									
(1409) Beaumont Av	0.12	120	R			From: Dead End					NA	NA			1997
(1409) Beaumont Av	0.13	290	R			To: 20-1412					NA	NA			1997
(1409) Beaumont Av						From: 20-608									
(1410) Friend Av	0.15	80	R			From: Dead End					NA	NA			1997
(1410) Friend Av						To: 20-608									
(1411) Woodfin Dr	0.11	390	R			From: 20-1418					NA	NA			1997
(1411) Woodfin Dr						To: US 1									
(1412) Velda Rd	0.07	200	R			From: 20-1409					NA	NA			1997
(1412) Velda Rd	0.07	310	R			To: 20-1408					NA	NA			1997
(1412) Velda Rd	0.22	530	R			From: 20-1407					NA	NA			1997
(1412) Velda Rd						To: US 1									
(1413) Bensley Rd	0.22	240	R			From: 20-1607					NA	NA			09/27/2000
(1413) Bensley Rd						To: 20-1609									
(1414) Pat Ln	0.06	60	R			From: Dead End					NA	NA			09/27/2000
(1414) Pat Ln	0.10	130	R			To: 20-2267					NA	NA			09/27/2000
(1414) Pat Ln						From: 20-1634									
(1415) Remuda Dr	0.06	720	R			From: 20-1634					NA	NA			09/27/2000
(1415) Remuda Dr						To: 20-638									
(1416) Perlock Rd	0.03	20	R			From: Dead End					NA	NA			1997
(1416) Perlock Rd	0.14	660	R			To: 20-1466					NA	NA			1997
(1416) Perlock Rd	0.03	1400	R			From: 20-1462					NA	NA			1997
(1416) Perlock Rd	0.15	1500	R			To: 20-1444					NA	NA			1997
(1416) Perlock Rd	0.09	1900	R			From: 20-1465					NA	NA			1997
(1416) Perlock Rd	0.26	1800	R			To: 20-1408					NA	NA			1997
(1416) Perlock Rd						From: US 1									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1417) Egee Dr	0.11	1100	R			From: 20-1418					NA	NA			1997
						To: US 1									
(1418) Quailoaks Av	0.09	250	R			From: 20-1411					NA	NA			1997
						To: 20-1417									
(1419)	0.25	370	R			From: 20-608					NA	NA			1997
						To: Dead End									
(1420) Seminole Av	0.16	110	R			From: Dead End					NA	NA			09/27/2000
						To: 20-1405									
(1421) Clearlake Rd	0.24	360	R			From: 20-1440					NA	NA			1997
						To: 20-1456									
(1421) Clearlake Rd	0.09	760	R			From: 20-1436					NA	NA			1997
						To: 20-3271									
(1421) Clearlake Rd	0.06	610	R			From: 20-3273					NA	NA			1997
						To: 20-1825									
(1422) Marthaven Dr	0.12	840	R			From: 20-894					NA	NA			1994
						To: 20-733									
(1423) Allerton St	0.07	700	R			From: 20-641					NA	NA			09/27/2000
						To: 20-1604									
(1423) Allerton St	0.08	710	R			From: 20-1425					NA	NA			09/27/2000
						To: 20-1426									
(1423) Allerton St	0.08	280	R			From: 20-1424					NA	NA			09/27/2000
						To: 20-1485									
(1424) Grinton Rd	0.11	80	R			From: 20-1427					NA	NA			09/27/2000
						To: 20-1423									
(1425) Stanwix Ln	0.07	420	R			From: 20-1423					NA	NA			09/27/2000
						To: 20-1426									
(1425) Stanwix Ln	0.18	110	R			From: Dead End					NA	NA			09/27/2000
						To: 20-1607									
(1426)	0.12	820	R			From: 20-1423					NA	NA			09/27/2000
						To: 20-1427									
(1426)	0.07	680	R			From: 20-1485					NA	NA			09/27/2000
						To: 20-1425									
(1426)	0.07	550	R			From: 20-1425					NA	NA			09/27/2000
						To: 20-1425									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1427) Beckwith Rd	0.07	380	R			From: 20-1426					NA	NA			09/27/2000
(1427) Beckwith Rd	0.07	260	R			To: 20-1424					NA	NA			09/27/2000
(1427) Beckwith Rd	0.06	170	R			From: 20-1485					NA	NA			09/27/2000
						To: 20-1486									
(1428) Pitman Ln	0.10	160	R			From: 20-1429					NA	NA			10/26/2000
						To: 20-672									
(1429)	0.07	220	R			From: 20-1450					NA	NA			10/26/2000
(1429)	0.19	130	R			To: 20-1430					NA	NA			10/26/2000
(1429)	0.15	100	R			From: 20-1428					NA	NA			10/26/2000
						To: 20-1451									
(1430) Heppel Rd	0.09	620	R			From: 20-647					NA	NA			10/26/2000
(1430) Heppel Rd	0.20	490	R			To: 20-1429					NA	NA			10/26/2000
						To: 20-1451									
(1431) Wildercroft Rd	0.16	220	R			From: 20-711					NA	NA			1994
						To: 20-1230									
(1432) Hillanne Dr	0.32	480	R			From: 20-711					NA	NA			1994
						To: 20-802									
(1433) Colchester Ln	0.11	140	R			From: 20-1432					NA	NA			08/23/2000
						To: 20-1431									
(1434) Hinshaw Dr	0.23	110	R			From: 20-673					NA	NA			08/23/2000
						To: 20-883									
(1435) Fort Darling Rd	0.49	270	R			From: 20-656					NA	NA			1994
						To: Dead End									
(1436) Clearlake Ct	0.20	140	R			From: 20-1421					NA	NA			08/21/2000
						To: Cul-de-Sac									
(1437) Sandhurst Ln	0.21	80	R			From: 20-711					NA	NA			08/23/2000
						To: Cul-de-Sac									
(1438) Abingdon Rd	0.04	30	R			From: Dead End					NA	NA			08/21/2000
(1438) Abingdon Rd	0.10	250	R			To: 20-2732					NA	NA			08/21/2000
(1438) Abingdon Rd	0.06	200	R			From: 20-1471					NA	NA			08/21/2000
(1438) Abingdon Rd	0.16	280	R			To: 20-2731					NA	NA			08/21/2000
						To: 20-720									
(1439) Botone Av	0.07	100	R			From: 20-1449					NA	NA			09/25/2000
						To: 20-1448									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1439) Botone Av	0.06	90	R			From: 20-1448					NA	NA			09/25/2000
						To: Dead End									
(1439) Botone Av	0.05	40	R			From: Dead End; Gap Terminus					NA	NA			09/25/2000
						To: 20-1615									
(1440) Bluefield Rd	0.09	200	R			From: 20-688					NA	NA			08/21/2000
						To: 20-1441									
(1440) Bluefield Rd	0.07	130	R			From: 20-1421					NA	NA			08/21/2000
						To: 20-1442									
(1440) Bluefield Rd	0.07	190	R			From: 20-1442					NA	NA			08/21/2000
						To: 20-1442									
(1441) Cottonwood Rd	0.13	150	R			From: 20-1440					NA	NA			08/21/2000
						To: 20-1456									
(1441) Cottonwood Rd	0.33	200	R			From: Dead End					NA	NA			08/21/2000
						To: 20-1817									
(1442) Hybla Rd	0.03	4	R			From: 20-1815					NA	NA			08/21/2000
						To: 20-688									
(1442) Hybla Rd	0.07	290	R			From: 20-688					NA	NA			08/21/2000
						To: 20-1441									
(1442) Hybla Rd	0.10	420	R			From: 20-1441					NA	NA			08/21/2000
						To: 20-1440									
(1442) Hybla Rd	0.07	320	R			From: 20-1440					NA	NA			08/21/2000
						To: Dead End									
(1442) Hybla Rd	0.10	200	R			From: Dead End					NA	NA			08/21/2000
						To: 20-1440									
(1442) Hybla Rd	0.18	140	R			From: 20-1440					NA	NA			08/21/2000
						To: Dead End									
(1443) Galena Av	0.04	40	R			From: Dead End					NA	NA			09/25/2000
						To: 20-1458									
(1443) Galena Av	0.09	480	R			From: 20-1444					NA	NA			09/25/2000
						To: 20-1445									
(1443) Galena Av	0.17	1100	R			From: 20-1445					NA	NA			09/25/2000
						To: 20-1408									
(1443) Galena Av	0.08	1300	R			From: 20-1408					NA	NA			09/25/2000
						To: US 1									
(1444) Proctors Rd	0.06	660	R			From: 20-1416					NA	NA			09/25/2000
						To: 20-1445									
(1444) Proctors Rd	0.06	600	R			From: 20-1459					NA	NA			09/25/2000
						To: 20-1443									
(1444) Proctors Rd	0.06	480	R			From: 20-1443					NA	NA			09/25/2000
						To: 20-1466									
(1445)	0.07	390	R			From: 20-1466					NA	NA			09/25/2000
						To: 20-1458									
(1445)	0.10	380	R			From: 20-1458					NA	NA			09/25/2000
						To: 20-1444									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1445)	0.25	710	R			From: 20-1444					NA	NA			09/25/2000
(1445)	0.03	40	R			To: 20-1443					NA	NA			09/25/2000
						To: Dead End									
(1446) Rushton Rd	0.15	320	R			From: 20-1466					NA	NA			09/25/2000
						To: 20-1462									
(1447) Rycliff Av	0.09	80	R			From: 20-1449					NA	NA			09/25/2000
(1447) Rycliff Av	0.18	160	R			From: 20-1448					NA	NA			09/25/2000
						To: 20-1616									
(1448) Pioneer St	0.10	60	R			From: 20-1439					NA	NA			09/25/2000
						To: 20-1447									
(1449) Senate St	0.06	240	R			From: 20-1614					NA	NA			08/25/2000
(1449) Senate St	0.30	20	R			From: 20-1439					NA	NA			08/21/2000
						To: 20-1613									
(1450) Ironwood Rd	0.19	120	R			From: 20-1429					NA	NA			08/21/2000
						To: 20-1451									
(1451) Castleburg Dr	0.10	120	R			From: 20-1450					NA	NA			08/21/2000
(1451) Castleburg Dr	0.11	330	R			From: 20-1430					NA	NA			08/21/2000
(1451) Castleburg Dr	0.15	410	R			From: 20-1429					NA	NA			08/21/2000
						To: 20-672									
(1452) Thurston Rd	0.72	430	R			From: 20-637					NA	NA			1994
						To: 20-1620									
(1453) Francill Dr	0.07	340	R			From: 20-900					NA	NA			08/21/2000
(1453) Francill Dr	0.09	350	R			From: 20-1455					NA	NA			08/21/2000
(1453) Francill Dr	0.08	280	R			From: 20-1456					NA	NA			08/21/2000
(1453) Francill Dr	0.12	300	R			From: 20-1457					NA	NA			08/21/2000
						To: 20-4771									
(1454) Vickilee Rd	0.06	520	R			From: 20-688					NA	NA			1996
(1454) Vickilee Rd	0.04	260	R			From: 20-900 EAST					NA	NA			1996
(1454) Vickilee Rd	0.08	340	R			From: 20-900 WEST					NA	NA			1996
(1454) Vickilee Rd	0.08	300	R			From: 20-1455					NA	NA			1996
(1454) Vickilee Rd	0.05	240	R			From: 20-1456					NA	NA			1996
						To: 20-1457									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1455) Kayvee Rd	0.15	140	R			From: 20-1454					NA	NA			1996
						To: 20-1453									
(1456) Cherylann Rd	0.09	3000	R			From: 20-653					NA	NA			1996
(1456) Cherylann Rd	0.08	1300	R			From: 20-1441					NA	NA			1996
(1456) Cherylann Rd	0.17	1100	R			From: 20-1421					NA	NA			1996
(1456) Cherylann Rd	0.06	1200	R			From: 20-3274					NA	NA			1996
(1456) Cherylann Rd	0.21	190	R			From: 20-1454					NA	NA			1996
						To: 20-1453									
(1457) Ronaldton Rd	0.23	850	R			From: 20-1454					NA	NA			1996
(1457) Ronaldton Rd	0.09	1400	R			From: 20-1453					NA	NA			1996
(1457) Ronaldton Rd	0.04	3100	R			From: 20-901					NA	NA			1996
						To: 20-672									
(1458) Dawnshire Rd	0.06	300	R			From: 20-1445					NA	NA			1996
(1458) Dawnshire Rd	0.09	380	R			From: 20-1459; 20-9895					NA	NA			1996
						To: 20-1443									
(1459) Cresswell Rd	0.09	550	R			From: 20-1458; 20-9895					NA	NA			1996
						To: 20-1444									
(1460) Southwood Rd	0.20	140	R			From: Dead End					NA	NA			1996
						To: 20-613									
(1461) Reykin Dr	0.32	460	R			From: 20-647					NA	NA			1994
						To: 20-1477									
(1462) Proctors Rd	0.08	70	R			From: Dead End					NA	NA			1996
(1462) Proctors Rd	0.08	420	R			From: 20-1466					NA	NA			1996
(1462) Proctors Rd	0.06	600	R			From: 20-1446					NA	NA			1996
(1462) Proctors Rd	0.06	2100	R			From: 20-1463					NA	NA			1996
						To: 20-1416									
(1463) Gaffney Rd	0.15	380	R			From: 20-1466					NA	NA			1996
(1463) Gaffney Rd	0.11	250	R			From: 20-1462					NA	NA			1996
(1463) Gaffney Rd	0.05	200	R			From: 20-1464					NA	NA			1996
						To: 20-1465									
(1464) Gaffney Ct	0.07	170	R			From: Dead End					NA	NA			1996
						To: 20-1463									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1465) Kerwin Rd	0.06	490	R			From: 20-1463					NA	NA			1996
						To: 20-1416									
(1466)	0.19	510	R			From: 20-1462					NA	NA			1996
(1466)	0.07	390	R			From: 20-1446					NA	NA			1996
(1466)	0.07	450	R			From: 20-1463					NA	NA			1996
(1466)	0.07	470	R			From: 20-1416					NA	NA			1996
(1466)	0.04	400	R			From: 20-1445					NA	NA			1996
						To: Dead End									
(1467) Jean Dr	0.24	140	R			From: 20-608					NA	NA			1996
						To: Dead End									
(1468) Crooker Dr	0.15	210	R			From: 20-674					NA	NA			1997
						To: 20-1469									
(1469) Ermavdo Dr	0.07	60	R			From: Dead End					NA	NA			1997
(1469) Ermavdo Dr	0.07	50	R			From: 20-1468					NA	NA			1997
						To: Dead End									
(1470)	0.67	3100	R			From: Dead End					NA	NA			1994
						To: 0.32 MN 20-613									
(1471) Pennway Dr	0.06	40	R			From: Dead End					NA	NA			08/21/2000
(1471) Pennway Dr	0.17	410	R			From: 20-1438					NA	NA			08/21/2000
(1471) Pennway Dr	0.08	520	R			From: 20-1473					NA	NA			08/21/2000
(1471) Pennway Dr	0.08	640	R			From: 20-1472					NA	NA			08/21/2000
						To: 20-653									
(1472) Burlington Rd	0.11	100	R			From: 20-1471					NA	NA			1997
						To: Cul-de-Sac									
(1473) Northborough Ln	0.03	70	R			From: Cul-de-Sac					NA	NA			1997
(1473) Northborough Ln	0.06	170	R			From: 20-1474					NA	NA			1997
						To: 20-1471									
(1474) Northborough Ct	0.03	46	R			From: 20-1473					NA	NA			1997
						To: Cul-de-Sac									
(1475) Camborne Ct	0.05	40	R			From: Cul-de-Sac					NA	NA			10/24/2000
						To: 20-1480									
(1476) Taw St	0.04	100	R			From: Dead End					NA	NA			09/25/2000
						To: 20-1613									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1477) Haverford Ln	0.22	350	R			From: 20-1793					NA		NA		08/21/2000
(1477) Haverford Ln	0.12	90	R			To: 20-1461					NA		NA		08/21/2000
(1477) Haverford Ln	0.04	3	R			From: 20-2890					NA		NA		08/21/2000
						To: Cul-de-Sac									
(1478) Evelake Rd	0.35	70	R			From: 20-637					NA		NA		09/25/2000
						To: Dead End									
(1479) Station Rd	0.33	1800	R			From: US 1					NA		NA		1994
						To: Cul-de-Sac									
(1480)	0.24	160	R			From: 20-1493 NORTH					NA		NA		08/21/2000
(1480)	0.27	100	R			To: 20-1483 NORTH					NA		NA		08/21/2000
(1480)	0.08	210	R			From: 20-1475					NA		NA		08/21/2000
(1480)	0.06	330	R			To: 20-1483 SOUTH					NA		NA		08/21/2000
(1480)	0.17	360	R			From: 20-1481					NA		NA		08/21/2000
(1480)	0.10	410	R			To: 20-1493 SOUTH					NA		NA		08/21/2000
(1481) Sharpstead Rd	0.12	460	R			From: 20-1480					NA		NA		1994
						To: 20-678									
(1482) Black Heath Rd	0.04	20	R			From: Dead End					NA		NA		1997
(1482) Black Heath Rd	0.11	110	R			To: 20-1207					NA		NA		1997
(1482) Black Heath Rd	0.14	300	R			From: 20-1218					NA		NA		1997
(1482) Black Heath Rd	0.07	320	R			To: 20-1215					NA		NA		1997
(1482) Black Heath Rd	0.28	630	R			From: 20-1214					NA		NA		1997
(1482) Black Heath Rd	0.26	210	R			To: 20-1201					NA		NA		1997
						To: 20-1232									
(1483) Henson Rd	0.09	100	R			From: 20-1480					NA		NA		08/21/2000
(1483) Henson Rd	0.10	160	R			To: 20-1484					NA		NA		08/21/2000
						To: 20-1480									
(1484) Lindell Rd	0.23	120	R			From: 20-1483					NA		NA		08/21/2000
						To: 20-1493									
(1485)	0.20	460	R			From: 20-1426					NA		NA		09/27/2000
						To: 20-1427									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1485)	0.12	160	R			From: 20-1427					NA	NA			09/27/2000
						To: 20-1423									
(1486) Hudswell Ln	0.04	70	R			From: Dead End					NA	NA			09/27/2000
(1486) Hudswell Ln	0.10	110	R			From: 20-1427					NA	NA			09/27/2000
						To: Dead End									
(1487)	0.06	460	R			From: 20-653					NA	NA			10/24/2000
(1487)	0.06	210	R			From: 20-1490					NA	NA			10/24/2000
(1487)	0.18	190	R			From: 20-1489					NA	NA			10/24/2000
(1487)	0.08	130	R			From: 20-1488					NA	NA			10/24/2000
						To: 20-2769									
(1488) Bark Tr	0.02	60	R			From: 20-1487					NA	NA			10/24/2000
						To: Dead End									
(1489) Arrow Point Tr	0.07	580	R			From: 20-678					NA	NA			10/24/2000
(1489) Arrow Point Tr	0.18	360	R			From: 20-1487					NA	NA			10/24/2000
(1489) Arrow Point Tr	0.05	110	R			From: 20-2769					NA	NA			10/24/2000
						To: Cul-de-Sac									
(1490) Cadillac TI	0.18	260	R			From: 20-1487					NA	NA			08/21/2000
(1490) Cadillac TI	0.07	10	R			From: 20-2769					NA	NA			08/21/2000
						To: Cul-de-Sac									
(1491)	0.06	5	R			From: Dead End					NA	NA			08/21/2000
(1491)	0.10	90	R			From: 20-1492					NA	NA			08/21/2000
(1491)	0.25	200	R			From: 20-1494					NA	NA			08/21/2000
(1491)	0.10	480	R			From: 20-1493					NA	NA			08/21/2000
						To: 20-647									
(1492) Bracken Rd	0.22	110	R			From: 20-1491					NA	NA			08/21/2000
						To: 20-1493									
(1493) Rockdale Rd	0.05	280	R			From: 20-1480 SOUTH					NA	NA			08/21/2000
(1493) Rockdale Rd	0.07	260	R			From: 20-1484					NA	NA			08/21/2000
(1493) Rockdale Rd	0.09	290	R			From: 20-1480 NORTH					NA	NA			08/21/2000
(1493) Rockdale Rd	0.10	190	R			From: 20-1491					NA	NA			08/21/2000
						To: 20-1492									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1493) Rockdale Rd	0.05	20	R	From: 20-1492							NA	NA			08/21/2000
				To: Dead End											
(1494) Walkerton Ct	0.08	40	R	From: Cul-de-Sac							NA	NA			08/21/2000
				To: 20-1491											
(1495) Kingsdale Rd	0.86	1800	R	From: SR 145							NA	NA			1994
				To: US 1											
(1496) Clovis St	0.10	270	R	From: Dead End							NA	NA			09/25/2000
				To: 20-1624											
(1497) Park Rd	0.11	1100	R	From: 20-1498							NA	NA			09/25/2000
				To: SR 145											
(1498) Howlett Rd	0.06	30	R	From: Dead End							NA	NA			09/25/2000
				To: 20-1497											
(1498) Howlett Rd	0.09	40	R	From: 20-1497							NA	NA			09/25/2000
				To: Cul-de-Sac											
(1499) Stroud Ln	0.30	220	R	From: Dead End							NA	NA			08/21/2000
				To: 20-672											
(1500) Weir Rd	0.14	480	R	From: US 1							NA	NA			10/24/2000
				To: 20-738											
(1501) Gill St	0.05	140	R	From: Dead End							NA	NA			10/24/2000
				To: 0.05 MN Dead End											
(1501) Gill St	0.16	160	R	From: 0.05 MN Dead End							NA	NA			10/24/2000
				To: SR 10											
(1502)	1.64	3100	R	From: 20-632							NA	NA			05/22/2000
				To: SR 10 WEST											
(1502)	0.12	120	R	From: SR 10 EAST							NA	NA			05/22/2000
				To: 20-1507											
(1502)	0.12	50	R	From: 20-1507							NA	NA			05/22/2000
				To: Dead End											
(1503) De Laval St	0.56	290	R	From: 20-1502							NA	NA			1994
				To: 20-1521; 20-1666											
(1504) Lee St	0.07	90	R	From: Dead End							NA	NA			05/22/2000
				To: 20-1503											
(1504) Lee St	0.24	860	R	From: 20-1503							NA	NA			05/22/2000
				To: SR 10; 20-1505											
(1505) Old Hundred Rd	0.24	1000	R	From: 20-1523							NA	NA			1994
				To: SR 10											
(1506) Buckingham St	0.34	1000	R	From: SR 144							NA	NA			1994
				To: SR 10											
(1507) Shop St	0.55	680	R	From: Dead End							NA	NA			1994
				To: SR 144; 20-1508											

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1508) School St	0.12	710	R			From: SR 144; 20-1507 To: 20-1510					NA	NA			1994
(1509)	0.20	150	R			From: SR 144 To: 20-1510					NA	NA			05/17/2000
(1509)	0.08	160	R			From: 20-1510 To: 20-1511					NA	NA			05/17/2000
(1509)	0.22	150	R			From: 20-1511 To: 20-1512					NA	NA			05/17/2000
(1509)	0.09	250	R			From: 20-1512 To: 20-616					NA	NA			05/17/2000
(1510) Percival St	0.05	70	R			From: Dead End To: 20-1546					NA	NA			05/17/2000
(1510) Percival St	0.16	260	R			From: 20-1546 To: 20-1547					NA	NA			05/17/2000
(1510) Percival St	0.07	410	R			From: 20-1547 To: 20-1530					NA	NA			05/17/2000
(1510) Percival St	0.15	530	R			From: 20-1530 To: 20-1529					NA	NA			05/17/2000
(1510) Percival St	0.30	410	R			From: 20-1529 To: 20-616					NA	NA			05/17/2000
(1510) Percival St	0.41	530	R			From: 20-616 To: 20-1505					NA	NA			05/17/2000
(1511) Richmond St	1.30	990	R			From: Dead End To: 20-1505					NA	NA			1994
(1512)	0.11	60	R			From: Dead End To: 20-1510					NA	NA			05/17/2000
(1512) Gill St	0.08	40	R			From: 20-1510 To: 20-1511					NA	NA			05/17/2000
(1512)	0.08	40	R			From: 20-1511 To: 20-1509 Gap Terminus Dead End: Gap Terminus					NA	NA			05/17/2000
(1512)	0.01	20	R			From: 20-1509 Gap Terminus Dead End: Gap Terminus To: 0.01 MN Dead End					NA	NA			05/17/2000
(1512)	0.06	9	R			From: 0.01 MN Dead End To: 20-1515					NA	NA			1986
(1512)	0.07	90	R			From: 20-1515 To: 20-1518					NA	NA			05/17/2000
(1513) Centre St	0.16	2500	R			From: SR 10 To: Cul-de-Sac					NA	NA			1994
(1514) West St	0.18	580	R			From: 20-1511 To: 20-1515					NA	NA			1986
(1514) West St	0.09	210	R			From: 20-1515 To: 20-1522					NA	NA			1986
(1515) Winfree St	0.23	170	R			From: 20-1546 To: 20-1530					NA	NA			1996

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1515) Winfree St	0.15	510	R			From: 20-1530					NA		NA		1996
(1515) Winfree St	0.15	700	R			To: 20-1529					NA		NA		1996
(1515) Winfree St	0.16	1200	R			From: 20-1514					NA		NA		1996
(1515) Winfree St	0.36	1600	R			To: 20-616					NA		NA		1996
(1515) Winfree St	0.01	20	R			From: SR 10; SR 144 GT SR 144 Gap Terminus					NA		NA		1996
(1515) Winfree St	0.17	30	R			From: 0.01 MNW SR 144					NA		NA		05/17/2000
(1515) Winfree St						To: Dead End									
(1516) Dodomeade St	0.10	40	R			From: 20-1515					NA		NA		1996
(1516) Dodomeade St	0.05	2	R			To: 20-1518					NA		NA		1996
(1516) Dodomeade St						To: Dead End									
(1517)	0.11	90	R			From: 20-616					NA		NA		05/17/2000
(1517)						To: SR 10									
(1518) Petersburg St	0.15	110	R			From: 20-1512					NA		NA		1996
(1518) Petersburg St	0.04	120	R			To: 20-1516					NA		NA		1996
(1518) Petersburg St						To: SR 10									
(1519) Dale Ln	0.10	70	R			From: SR 10					NA		NA		1996
(1519) Dale Ln						To: Dead End									
(1520)	0.18	1300	G	95%	2%	2%	0%	1%	0%	C	140	G	1400	G	2001
(1520)						From: SR 144									
(1520)						To: 20-616									
(1521) Womack Rd	0.29	240	R			From: Dead End					NA		NA		1996
(1521) Womack Rd	0.06	240	R			To: 20-1665					NA		NA		1996
(1521) Womack Rd	0.49	470	R			From: 20-1503; 20-1666					NA		NA		1996
(1521) Womack Rd						To: 20-3118									
(1522) Petersburg St	0.08	49	R			From: Cul-de-Sac					NA		NA		1996
(1522) Petersburg St	0.10	130	R			To: 20-1546					NA		NA		1996
(1522) Petersburg St	0.13	350	R			From: 20-1536 EAST					NA		NA		1996
(1522) Petersburg St	0.06	380	R			To: 20-1530					NA		NA		1996
(1522) Petersburg St	0.09	420	R			From: 20-1536 WEST					NA		NA		1996
(1522) Petersburg St	0.15	670	R			To: 20-1529					NA		NA		1996
(1522) Petersburg St						From: 20-1514									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1522) Petersburg St	0.15	680	R			From: 20-1514					NA	NA			1996
						To: 20-616									
(1523) Werth St	0.10	3200	R			From: SR 144; 20-1507					NA	NA			1996
						To: 20-1505									
(1524) Perdue St	0.17	130	R			From: 20-1525					NA	NA			1996
						To: 20-1506									
(1525) Windsor Rd	0.08	130	R			From: 20-1543					NA	NA			1996
						To: 20-1524									
(1525) Windsor Rd	0.10	160	R			From: 20-1507					NA	NA			1996
						To: 20-1507									
(1526) Holly Hill Rd	0.13	740	R			From: 20-616					NA	NA			1996
						To: 20-1527									
(1527)	0.22	240	R			From: Dead End					NA	NA			1996
						To: 20-616									
(1527)	0.23	250	R			From: 20-616					NA	NA			1996
						To: 20-852									
(1527)	0.06	300	R			From: 20-852					NA	NA			1996
						To: 20-1554									
(1527)	0.04	130	R			From: 20-1554					NA	NA			1996
						To: 20-1526									
(1527)	0.08	90	R			From: 20-1526					NA	NA			1996
						To: 20-1532									
(1528)	0.03	1300	R			From: 20-616					NA	NA			1996
						To: 20-1590									
(1528)	0.12	1200	R			From: 20-1590					NA	NA			1996
						To: 20-1531									
(1528)	0.11	1100	R			From: 20-1531					NA	NA			1996
						To: 20-1575 SOUTH									
(1528)	0.30	400	R			From: 20-1575 SOUTH					NA	NA			1996
						To: 20-1575 NORTH									
(1529) Snead St	0.07	60	R			From: 20-1510					NA	NA			1996
						To: 20-1511 Gap Terminus									
(1529) Snead St	0.10	100	R			From: 20-1515 Gap Terminus					NA	NA			1996
						To: 20-1522									
(1530) Stebbins St	0.07	60	R			From: 20-1510					NA	NA			05/17/2000
						To: 20-1511 Gap Terminus									
(1530) Stebbins St	0.09	100	R			From: 20-1515 Gap Terminus					NA	NA			05/17/2000
						To: 20-1522									
(1530) Stebbins St	0.11	40	R			From: 20-1522					NA	NA			05/17/2000
						To: 20-1536									
(1531) Banbury Rd	0.05	130	R			From: 20-807					NA	NA			05/23/2000
						To: 20-1540									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1531) Banbury Rd	0.06	150	R			From: 20-1540					NA	NA			05/23/2000
						To: 20-1528									
(1532) Shady Ln	0.13	140	R			From: 20-616					NA	NA			05/23/2000
						To: 20-1527									
(1532) Shady Ln	0.17	50	R			From: Dead End					NA	NA			05/23/2000
						To: Dead End									
(1533) Mountclair Rd	0.50	520	R			From: SR 10					NA	NA			05/23/2000
						To: Dead End									
(1534) Spring Av	0.08	130	R			From: 20-1535					NA	NA			1997
						To: 20-792									
(1535) Grove Pl	0.06	49	R			From: Dead End					NA	NA			1997
						To: 20-1534									
(1535) Grove Pl	0.04	60	R			From: Dead End					NA	NA			1997
						To: Dead End									
(1536) Brook Ln	0.13	110	R			From: 20-1522					NA	NA			05/17/2000
						To: 20-1530									
(1536) Brook Ln	0.24	100	R			From: 20-1522					NA	NA			05/17/2000
						To: 20-1522									
(1537) Rio Vista St	0.45	1300	R			From: US 1					NA	NA			1997
						To: 20-615									
(1538) Arcadia Av	0.08	610	R			From: US 1					NA	NA			1997
						To: 20-705									
(1538) Arcadia Av	0.15	240	R			From: 20-1539					NA	NA			1997
						To: 20-1539									
(1538) Arcadia Av	0.16	140	R			From: 20-1537					NA	NA			1997
						To: 20-1537									
(1538) Arcadia Av	0.06	90	R			From: 20-1400					NA	NA			1997
						To: 20-1400									
(1539) Glendale St	0.02	9	R			From: Dead End					NA	NA			1997
						To: 20-1551									
(1539) Glendale St	0.06	120	R			From: 20-1544					NA	NA			1997
						To: 20-1544									
(1539) Glendale St	0.06	190	R			From: 20-1538					NA	NA			1997
						To: 20-1538									
(1539) Glendale St	0.06	270	R			From: 20-615					NA	NA			1997
						To: 20-615									
(1540) Rolling Brook Rd	0.30	110	R			From: 20-1531					NA	NA			05/25/2000
						To: 20-1575									
(1541) Booker Bl E	0.20	160	R			From: 20-708					NA	NA			05/25/2000
						To: SR 10									
(1542) Booker Bl W	0.24	120	R			From: 20-708					NA	NA			05/25/2000
						To: SR 10									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1543) Bruce Rd	0.07	310	R			From: 20-1560					NA	NA			1997
(1543) Bruce Rd	0.07	500	R			To: 20-1545					NA	NA			1997
(1543) Bruce Rd	0.21	490	R			From: 20-1525					NA	NA			1997
						To: 20-1506									
(1544) Buena Vista Bl	0.10	200	R			From: 20-705					NA	NA			1997
						To: 20-1539									
(1544) Buena Vista Bl	0.15	140	R			From: 20-1537					NA	NA			1997
						To: 20-1560									
(1545) Cool Spring Dr	0.22	140	R			From: 20-1547					NA	NA			1997
						To: 20-1543									
(1546) Daniels St	0.19	130	R			From: 20-1510					NA	NA			05/17/2000
						To: 20-1511 Gap Terminus					NA	NA			05/17/2000
(1546) Daniels St	0.07	60	R			From: 20-1515 Gap Terminus					NA	NA			05/17/2000
						To: 20-1522									
(1547) Gayle Rd	0.01	8	R			From: Dead End					NA	NA			05/17/2000
						To: 20-1546									
(1547) Gayle Rd	0.15	100	R			From: 20-1510					NA	NA			05/17/2000
						To: SR 144									
(1548) Dudley Dr	0.11	300	R			From: 20-1549					NA	NA			1994
						To: Dead End									
(1549) Hollis Rd	0.11	70	R			From: 20-1548					NA	NA			05/11/2000
						To: 20-1556									
(1549) Hollis Rd	0.04	200	R			From: 20-1550					NA	NA			05/11/2000
						To: Dead End									
(1549) Hollis Rd	0.11	190	R			From: Dead End					NA	NA			05/11/2000
						To: 20-1549									
(1550) Grantshire Rd	0.04	20	R			From: Dead End					NA	NA			05/11/2000
						To: 20-1549									
(1550) Grantshire Rd	0.15	100	R			From: Dead End					NA	NA			05/11/2000
						To: 20-1539									
(1551) Seminole Av	0.15	40	R			From: 20-1537					NA	NA			05/22/2000
						To: Cul-de-Sac									
(1551) Seminole Av	0.06	40	R			From: Cul-de-Sac					NA	NA			05/22/2000
						To: Cul-de-Sac									
(1552) Castlebury Dr	0.05	90	R			From: 20-1553 WEST					NA	NA			10/24/2000
						To: 20-1553 EAST									
(1552) Castlebury Dr	0.08	290	R			From: 20-1553 EAST					NA	NA			10/24/2000
						To: 20-1553 EAST									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1552) Castlebury Dr	0.07	220	R			From: 20-1553 EAST					NA	NA			10/24/2000
(1552) Castlebury Dr	0.07	930	R			To: 20-609					NA	NA			10/24/2000
(1552) Castlebury Dr	0.07	620	R			From: 20-1588					NA	NA			10/24/2000
(1552) Castlebury Dr	0.08	520	R			To: 20-1658					NA	NA			10/24/2000
(1552) Castlebury Dr	0.19	420	R			From: 20-1659					NA	NA			10/24/2000
(1552) Castlebury Dr	0.51	340	R			To: 20-3280					NA	NA			10/24/2000
(1552) Castlebury Dr						From: Dead End									
(1553) Randall Dr	0.17	300	R			From: 20-1552 WEST					NA	NA			05/17/2000
(1553) Randall Dr						To: 20-1552 EAST									
(1554) Holly Hill Rd	0.26	720	R			From: 20-1527					NA	NA			1994
(1554) Holly Hill Rd						To: 20-1587									
(1555) Holly Hill Ct	0.04	20	R			From: 20-1554					NA	NA			05/23/2000
(1555) Holly Hill Ct						To: Cul-de-Sac									
(1556) Milsmith Rd	0.13	100	R			From: 20-1549					NA	NA			05/11/2000
(1556) Milsmith Rd						To: Dead End									
(1557) Erlene Dr	0.23	340	R			From: SR 144					NA	NA			05/11/2000
(1557) Erlene Dr						To: Dead End									
(1558) Erlene Ct	0.08	60	R			From: Dead End					NA	NA			05/11/2000
(1558) Erlene Ct						To: 20-616									
(1559) Wraywood Av	0.05	50	R			From: Cul-de-Sac					NA	NA			05/11/2000
(1559) Wraywood Av	0.04	340	R			To: 20-4962					NA	NA			05/11/2000
(1559) Wraywood Av	0.11	420	R			From: 20-4961					NA	NA			05/11/2000
(1559) Wraywood Av	0.47	840	R			To: 20-4960					NA	NA			05/11/2000
(1559) Wraywood Av						From: SR 144									
(1560) Morehead Dr	0.10	140	R			To: Dead End					NA	NA			05/22/2000
(1560) Morehead Dr	0.12	80	R			From: 20-1543					NA	NA			05/22/2000
(1560) Morehead Dr						To: 20-1545									
(1561) Elm St	0.12	60	R			From: Dead End					NA	NA			05/11/2000
(1561) Elm St						To: 20-706									
(1562) Blithe Dr	0.08	1100	R			From: 20-810					NA	NA			05/17/2000
(1562) Blithe Dr	0.08	960	R			To: 20-1563					NA	NA			05/17/2000
(1562) Blithe Dr						From: 20-1564									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1562) Blithe Dr	0.07	930	R			From: 20-1564					NA	NA			05/17/2000
(1562) Blithe Dr	0.08	360	R			To: 20-1573					NA	NA			05/17/2000
(1562) Blithe Dr	0.08	230	R			From: 20-1655					NA	NA			05/17/2000
(1562) Blithe Dr	0.10	50	R			To: 20-3569					NA	NA			05/17/2000
						From: Cul-de-Sac									
(1563) Easy St	0.04	30	R			To: Dead End					NA	NA			05/17/2000
(1563) Easy St	0.12	150	R			From: 20-1564					NA	NA			05/17/2000
						To: 20-1562									
(1564) Euphoria Rd	0.18	90	R			From: 20-1563					NA	NA			05/11/2000
						To: 20-1562									
(1565) Nile Rd	0.19	370	R			From: 20-859					NA	NA			10/24/2000
						To: 20-1566									
(1566) Cicero Py	0.21	320	R			From: Dead End					NA	NA			05/17/2000
(1566) Cicero Py	0.11	320	R			To: 20-1567					NA	NA			05/17/2000
(1566) Cicero Py	0.07	50	R			From: 20-1565					NA	NA			05/17/2000
						To: Dead End									
(1567) Evelyn Dr	0.14	340	R			From: Dead End					NA	NA			05/17/2000
(1567) Evelyn Dr	0.16	100	R			To: 20-1566					NA	NA			05/17/2000
(1567) Evelyn Dr	0.06	70	R			From: 20-3570					NA	NA			05/17/2000
						To: Dead End									
(1568) Aspen Av	0.10	120	R			From: Cul-de-Sac					NA	NA			05/22/2000
						To: 20-1537									
(1569)	0.17	40	R			From: Dead End					NA	NA			05/22/2000
(1569)	0.10	70	R			To: 20-1570					NA	NA			05/25/2000
(1569)	0.05	2000	R			From: SR 10 EAST					NA	NA			05/25/2000
(1569)	0.69	1600	R			To: 20-999					NA	NA			05/25/2000
(1569)	0.05	1500	R			From: 20-4814					NA	NA			05/25/2000
(1569)	0.33	1500	R			To: 20-4810					NA	NA			05/25/2000
(1569)	0.48	2000	R			From: 20-4800					NA	NA			05/25/2000
(1569)	0.39	2100	R			To: 20-632					NA	NA			05/25/2000
						From: SR 10 WEST									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1570) Rivington Dr	0.05	8	R			From: 20-1569					NA	NA			05/25/2000
						To: Dead End									
(1571) Oak Rd	0.15	260	R			From: 20-616					NA	NA			05/23/2000
(1571) Oak Rd	0.03	90	R			From: 20-1572					NA	NA			05/23/2000
						To: Dead End									
(1572) Shields Rd	0.03	10	R			From: Dead End					NA	NA			05/23/2000
(1572) Shields Rd	0.09	60	R			From: 20-1571					NA	NA			05/23/2000
						To: US 1									
(1573) Merry Dr	0.21	420	R			From: 20-1656					NA	NA			10/24/2000
						To: 20-1562									
(1574)	0.05	100	R			From: 20-1593					NA	NA			05/11/2000
(1574)	0.25	140	R			From: 20-1594					NA	NA			05/11/2000
						To: SR 144									
(1575) Surry Rd	0.16	1100	R			From: 20-1528					NA	NA			1996
(1575) Surry Rd	0.05	950	R			From: 20-1540					NA	NA			1996
(1575) Surry Rd	0.07	880	R			From: 20-1528					NA	NA			1996
(1575) Surry Rd	0.05	790	R			From: 20-1576					NA	NA			1996
(1575) Surry Rd	0.06	750	R			From: 20-1577					NA	NA			1996
(1575) Surry Rd	0.18	740	R			From: 20-1578					NA	NA			1996
(1575) Surry Rd	0.07	550	R			From: 20-1579					NA	NA			1996
(1575) Surry Rd	0.07	210	R			From: 20-1580					NA	NA			1996
(1575) Surry Rd	0.06	110	R			From: 20-3537					NA	NA			1996
(1575) Surry Rd	0.08	100	R			From: 20-3538					NA	NA			1996
(1575) Surry Rd	0.10	80	R			From: 20-3535					NA	NA			1996
						To: 20-3532									
(1576) Deford Ct	0.09	40	R			From: 20-1575					NA	NA			1996
						To: Cul-de-Sac									
(1577) Surry Ct	0.05	70	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1575									
(1578) Surry Pl	0.05	70	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1575									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1579) Stepney Rd	0.16	530	R			From: 20-1580					NA	NA			1996
						To: 20-1575									
(1580) Weybridge Rd	0.15	120	R			From: Dead End					NA	NA			1996
(1580) Weybridge Rd	0.12	180	R			From: 20-1579					NA	NA			1996
						To: 20-1575									
(1581) Treadwood St	0.07	140	R			From: 20-1408					NA	NA			10/24/2000
						To: 20-1407									
(1582) Ken Dr	0.06	650	R			From: 20-1502					NA	NA			1996
(1582) Ken Dr	0.06	70	R			From: 20-1583					NA	NA			1996
						To: Dead End									
(1583)	0.16	130	R			From: Dead End					NA	NA			1996
(1583)	0.26	670	R			From: 20-1582					NA	NA			1996
(1583)	0.09	140	R			From: 20-1665					NA	NA			1996
(1583)	0.02	20	R			From: 20-1666					NA	NA			1996
						To: Dead End									
(1584) Fortview Dr	0.07	300	R			From: 20-616					NA	NA			1996
(1584) Fortview Dr	0.06	170	R			From: 20-1585					NA	NA			1996
(1584) Fortview Dr	0.11	80	R			From: 20-1586					NA	NA			1996
						To: Dead End									
(1585) Benhill Dr	0.06	50	R			From: Dead End					NA	NA			1996
(1585) Benhill Dr	0.07	70	R			From: 20-1584					NA	NA			1996
						To: Dead End									
(1586) Staten Rd	0.06	60	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1584									
(1587) Wood Dale Rd	0.27	800	R			From: SR 144					NA	NA			1996
(1587) Wood Dale Rd	0.42	1000	R			From: 20-609					NA	NA			1996
(1587) Wood Dale Rd	0.08	1100	R			From: 20-3283					NA	NA			1996
						From: 20-1662									
(1587) Wood Dale Rd	0.12	210	R			From: 20-1554					NA	NA			1996
						To: Dead End									
(1588)	0.03	20	R			From: Dead End					NA	NA			1996
(1588)	0.06	430	R			From: 20-1589					NA	NA			1996
						To: 20-1587									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1588)	0.40	300	R			From: 20-1587					NA	NA			1996
(1588)	0.15	100	R			To: 20-1659					NA	NA			1996
(1589)	Kiefer Rd	0.13	430	R		From: 20-1588					NA	NA			1996
(1589)	Kiefer Rd	0.13	430	R		To: 20-1659					NA	NA			1996
(1590)	Wilton Ct	0.05	49	R		From: Dead End					NA	NA			1996
(1590)	Wilton Ct	0.05	49	R		To: 20-1528					NA	NA			1996
(1591)	Lunswood Rd	0.07	80	R		From: Dead End					NA	NA			1997
(1591)	Lunswood Rd	0.07	170	R		To: 20-1643					NA	NA			1997
(1591)	Lunswood Rd	0.14	280	R		From: 20-1642					NA	NA			1997
(1591)	Lunswood Rd	0.14	230	R		To: 20-1592					NA	NA			1997
(1591)	Lunswood Rd	0.14	230	R		From: 20-1502					NA	NA			1997
(1592)	Elfinwood Rd	0.15	150	R		From: 20-3225					NA	NA			1997
(1592)	Elfinwood Rd	0.05	20	R		To: 20-1591					NA	NA			1997
(1592)	Elfinwood Rd	0.08	540	R		From: Dead End; Gap Terminus 20-1657 Gap Terminus					NA	NA			1997
(1592)	Elfinwood Rd	0.26	500	R		To: 20-3112					NA	NA			1997
(1592)	Elfinwood Rd	0.26	500	R		From: 20-3114					NA	NA			1997
(1593)	Crossgate Rd	0.17	120	R		From: Cul-de-Sac					NA	NA			05/11/2000
(1593)	Crossgate Rd	0.10	420	R		To: 20-4385					NA	NA			05/11/2000
(1593)	Crossgate Rd	0.13	460	R		From: 20-1574					NA	NA			05/11/2000
(1593)	Crossgate Rd	0.13	460	R		To: 20-1695					NA	NA			05/11/2000
(1594)	Hemway Rd	0.14	80	R		From: 20-1574					NA	NA			05/11/2000
(1594)	Hemway Rd	0.14	80	R		To: 20-1695					NA	NA			05/11/2000
(1595)	Hidden Valley Rd	0.07	2100	R		From: 20-616					NA	NA			05/11/2000
(1595)	Hidden Valley Rd	0.13	1000	R		To: 20-1596					NA	NA			05/11/2000
(1595)	Hidden Valley Rd	0.13	620	R		From: 20-1650					NA	NA			05/11/2000
(1595)	Hidden Valley Rd	0.13	620	R		To: 20-1652					NA	NA			05/11/2000
(1596)	Cresthill Rd	0.13	890	R		From: 20-1595					NA	NA			05/11/2000
(1596)	Cresthill Rd	0.06	690	R		To: 20-1597					NA	NA			05/11/2000
(1596)	Cresthill Rd	0.09	700	R		From: 20-1654					NA	NA			05/11/2000
(1596)	Cresthill Rd	0.09	700	R		To: 20-1653					NA	NA			05/11/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1596) Cresthill Rd	0.28	720	R			From: 20-1653					NA		NA		05/11/2000
(1596) Cresthill Rd	0.06	450	R			To: 20-1644					NA		NA		05/11/2000
(1596) Cresthill Rd	0.09	220	R			From: 20-1646					NA		NA		05/11/2000
(1596) Cresthill Rd						To: 20-1671									
(1597) Cresthill Ct	0.03	40	R			From: Dead End					NA		NA		05/11/2000
(1597) Cresthill Ct	0.03	10	R			To: 20-1596					NA		NA		05/11/2000
(1597) Cresthill Ct						From: Dead End									
(1598) Dewberry Ln	0.21	130	R			From: 20-1599					NA		NA		05/23/2000
(1598) Dewberry Ln						To: 20-852									
(1599) Malibu St	0.10	130	R			From: 20-1598					NA		NA		05/23/2000
(1599) Malibu St	0.03	30	R			To: 20-852					NA		NA		05/23/2000
(1599) Malibu St						From: Dead End									
(1600) Sir Scot Tr	0.10	90	R			From: Cul-de-Sac					NA		NA		1994
(1600) Sir Scot Tr	0.12	90	R			To: 20-1671					NA		NA		1994
(1600) Sir Scot Tr						From: Cul-de-Sac									
(1601) Dalebrook Dr	0.50	260	R			From: Dead End					NA		NA		1997
(1601) Dalebrook Dr	0.30	170	R			To: 20-1602					NA		NA		1997
(1601) Dalebrook Dr	0.17	400	R			From: 20-814					NA		NA		1997
(1601) Dalebrook Dr	0.08	2000	R			To: 20-641					NA		NA		1997
(1601) Dalebrook Dr	0.06	2200	R			From: 20-2478					NA		NA		1997
(1601) Dalebrook Dr	0.09	2200	R			To: 20-2477 SOUTH					NA		NA		1997
(1601) Dalebrook Dr	0.04	2200	R			From: 20-2477 NORTH					NA		NA		1997
(1601) Dalebrook Dr	0.05	2200	R			To: 20-2460					NA		NA		1997
(1601) Dalebrook Dr	0.08	2300	R			From: 20-2476					NA		NA		1997
(1601) Dalebrook Dr	0.07	2200	R			To: 20-2475					NA		NA		1997
(1601) Dalebrook Dr	0.19	2000	R			From: 20-2474					NA		NA		1997
(1601) Dalebrook Dr	0.08	2100	R			To: SR 150					NA		NA		1997
(1601) Dalebrook Dr	0.13	1000	R			From: 20-2465					NA		NA		1997
(1601) Dalebrook Dr						To: 20-2466									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1601) Dalebrook Dr	0.10	1100	R			From: 20-2466					NA	NA			1997
(1601) Dalebrook Dr	0.06	1100	R			To: 20-2469					NA	NA			1997
(1601) Dalebrook Dr	0.07	1100	R			From: 20-2490					NA	NA			1997
(1601) Dalebrook Dr	0.06	1200	R			To: 20-2491					NA	NA			1997
						From: 20-638									
(1602)	0.25	150	R			To: 20-640					NA	NA			10/26/2000
(1602)	0.18	90	R			From: 20-1601 Gap Terminus Dead End; Gap Terminus					NA	NA			10/26/2000
(1602)	0.23	370	R			To: 20-2210					NA	NA			10/26/2000
(1602)	0.20	490	R			From: US 1					NA	NA			10/26/2000
						To: Dead End									
(1603)	0.16	1500	R			From: SR 144					NA	NA			1994
						To: 20-616									
(1604) Parkdale Rd	0.09	280	R			From: Dead End					NA	NA			09/27/2000
(1604) Parkdale Rd	0.05	120	R			To: 20-1607 Gap Terminus Dead End; Gap Terminus					NA	NA			09/27/2000
(1604) Parkdale Rd	0.05	130	R			From: 20-1423					NA	NA			09/27/2000
(1604) Parkdale Rd	0.13	80	R			To: Dead End; Gap Terminus 20-1609 Gap Terminus					NA	NA			09/27/2000
(1604) Parkdale Rd	0.13	60	R			From: 20-1611					NA	NA			09/27/2000
(1604) Parkdale Rd	0.01	20	R			To: 20-1605					NA	NA			09/27/2000
						From: Dead End									
(1605) St George St	0.02	20	R			To: 20-1608					NA	NA			10/26/2000
(1605) St George St	0.15	190	R			From: 20-641					NA	NA			10/26/2000
(1605) St George St	0.09	110	R			To: 20-1604					NA	NA			10/26/2000
						From: US 1									
(1606) Aberdeen Rd	0.22	220	R			To: 20-1608					NA	NA			10/26/2000
						From: 20-1609									
(1607) Strathmore Rd	0.89	1800	R			To: SR 150 RAMP					NA	NA			1994
(1608)	0.03	90	R			From: 20-9736					NA	NA			09/25/2000
(1608)	0.11	920	R			To: 20-1607					NA	NA			09/25/2000
						From: 20-1681									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1608)	0.11	660	R			From: 20-1681					NA	NA			09/25/2000
(1608)	0.13	720	R			To: 20-1609					NA	NA			09/25/2000
(1608)	0.12	780	R			From: 20-1611					NA	NA			09/25/2000
(1608)	0.13	860	R			To: 20-1605					NA	NA			09/25/2000
(1608)	0.28	310	R			From: US 1 SOUTH					NA	NA			09/25/2000
(1608)	0.30	240	R			To: 20-1606					NA	NA			09/25/2000
(1609)	Wentworth St	0.19	160	R		From: Dead End					NA	NA			09/25/2000
(1609)	Wentworth St	0.09	760	R		To: 20-1610 EAST					NA	NA			09/25/2000
(1609)	Wentworth St	0.03	380	R		From: 20-1610 WEST					NA	NA			09/25/2000
(1609)	Wentworth St	0.03	380	R		To: 20-1607					NA	NA			09/25/2000
(1609)	Wentworth St	0.17	490	R		From: 20-1687					NA	NA			09/25/2000
(1609)	Wentworth St	0.06	540	R		To: 20-1608					NA	NA			09/25/2000
(1609)	Wentworth St	0.06	340	R		From: 20-1413					NA	NA			09/25/2000
(1609)	Wentworth St	0.06	220	R		To: 20-641					NA	NA			09/25/2000
(1609)	Wentworth St	0.03	30	R		From: 20-1604					NA	NA			09/25/2000
(1610)	Swineford Rd	0.14	90	R		To: Dead End					NA	NA			09/25/2000
(1610)	Swineford Rd	0.05	790	R		From: 20-1609 WEST					NA	NA			09/25/2000
(1610)	Swineford Rd	0.05	820	R		To: 20-1609 EAST					NA	NA			09/25/2000
(1610)	Swineford Rd	0.23	1800	R		From: 20-1611					NA	NA			09/25/2000
(1611)	Westwood St	0.11	130	R		To: US 1					NA	NA			09/25/2000
(1611)	Westwood St	0.14	180	R		From: 20-1610					NA	NA			09/25/2000
(1611)	Westwood St	0.08	70	R		To: 20-1687					NA	NA			09/25/2000
(1611)	Westwood St	0.08	70	R		From: 20-1608 Gap Terminus					NA	NA			09/25/2000
(1611)	Westwood St	0.08	70	R		To: 20-641 Gap Terminus					NA	NA			09/25/2000
(1612)	Elliham Av	0.50	550	R		From: 20-1604					NA	NA			1994
(1613)	Alcott Rd	0.18	180	R		To: US 1					NA	NA			09/25/2000
(1613)	Alcott Rd	0.18	180	R		From: 20-1449					NA	NA			09/25/2000
(1613)	Alcott Rd	0.18	180	R		To: 20-1616					NA	NA			09/25/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1613) Alcott Rd	0.24	580	R			From: 20-1616					NA	NA			09/25/2000
(1613) Alcott Rd	0.08	570	R			To: 20-1476					NA	NA			09/25/2000
(1613) Alcott Rd	0.21	560	R			From: US 1 SOUTH					NA	NA			09/25/2000
(1613) Alcott Rd	0.10	470	R			To: 20-1692					NA	NA			09/25/2000
(1614) Congress Rd	0.03	20	R			From: Dead End					NA	NA			09/25/2000
(1614) Congress Rd	0.25	360	R			To: 20-1449					NA	NA			09/25/2000
(1614) Congress Rd	0.13	480	R			From: 20-1616					NA	NA			09/15/2000
(1614) Congress Rd	0.18	690	R			To: 20-1615					NA	NA			09/15/2000
(1615) Jubra Dr	0.07	140	R			From: 20-1614					NA	NA			09/15/2000
(1615) Jubra Dr	0.13	50	R			To: 20-1439					NA	NA			09/15/2000
(1616) Telbury St	0.13	240	R			From: 20-1614					NA	NA			09/15/2000
(1616) Telbury St	0.06	270	R			To: 20-1447					NA	NA			09/15/2000
(1616) Telbury St	0.10	260	R			From: 20-1697					NA	NA			09/15/2000
(1617)	0.24	90	R			To: 20-1613					NA	NA			09/15/2000
(1618)	0.18	290	R			From: US 1					NA	NA			09/15/2000
(1619)	0.12	1300	R			To: Dead End					NA	NA			1994
(1619)	0.40	1300	R			From: Dead End; Gap Terminus					NA	NA			1994
(1620) Dorsey Rd	0.14	530	R			To: 20-656					NA	NA			09/25/2000
(1620) Dorsey Rd	0.16	760	R			From: 20-1452					NA	NA			09/25/2000
(1620) Dorsey Rd	0.36	920	R			To: 20-1622					NA	NA			09/25/2000
(1621) Hunter Ln	0.30	130	R			From: 20-1621					NA	NA			09/25/2000
(1622) Brinkley Rd	0.18	130	R			To: 20-611					NA	NA			09/25/2000
(1622) Brinkley Rd	0.18	130	R			From: Dead End					NA	NA			09/25/2000
(1622) Brinkley Rd	0.18	130	R			To: 20-1620					NA	NA			09/25/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1622 Brinkley Rd	0.03	1800	R			From: 20-1620					NA	NA			09/25/2000
						To: SR 145									
1623 Carswell St	0.10	170	R			From: Dead End					NA	NA			09/25/2000
						To: 20-1624									
1624 Normandale Av	0.06	720	R			From: SR 145					NA	NA			09/25/2000
						To: 20-1496									
1624 Normandale Av	0.06	1100	R			From: 20-1623					NA	NA			09/25/2000
						To: 20-1673									
1624 Normandale Av	0.06	880	R			From: 20-960					NA	NA			09/25/2000
						To: 20-1625									
1625 Perrymont Rd	0.14	900	R			From: US 1					NA	NA			1996
						To: 20-613									
1625 Perrymont Rd	0.24	2300	R			From: 20-1624					NA	NA			1996
						To: 20-1626									
1625 Perrymont Rd	0.12	2100	R			From: 20-9452 NORTH					NA	NA			1996
						To: SR 145									
						From: 20-1625									
1626	0.03	580	R			To: 20-851					NA	NA			1996
						From: US 1									
1626	0.04	420	R			To: 20-850; 20-1679					NA	NA			1996
						From: 20-613									
1627 Gayland Av	0.10	250	R			From: US 1					NA	NA			1996
						To: Dead End									
1628 Castlewood Rd	0.14	3000	R			From: 20-638					NA	NA			1996
						To: 20-2760									
1628 Castlewood Rd	0.06	2800	R			From: 20-2764					NA	NA			1996
						To: 20-2379									
1629 Huband Av	0.16	180	R			From: 20-1631					NA	NA			1996
						To: 20-2201									
1630 Oriole Av	0.16	380	R			From: 20-1631					NA	NA			1996
						To: 20-2201									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1630) Oriole Av	0.07	300	R			From: 20-2201					NA	NA			1996
(1630) Oriole Av	0.11	320	R			To: 20-2203					NA	NA			1996
(1630) Oriole Av	0.08	390	R			From: 20-2202					NA	NA			1996
(1630) Oriole Av						To: 20-2379									
(1631) Falling Creek Av	0.11	180	R			From: Dead End					NA	NA			1996
(1631) Falling Creek Av	0.08	320	R			To: 20-2205					NA	NA			1996
(1631) Falling Creek Av	0.06	390	R			From: 20-2204					NA	NA			1996
(1631) Falling Creek Av	0.08	880	R			To: 20-1694					NA	NA			1996
(1631) Falling Creek Av	0.10	1200	R			From: 20-1629					NA	NA			1996
(1631) Falling Creek Av	0.10	1300	R			To: 20-1630					NA	NA			1996
(1631) Falling Creek Av						From: US 1									
(1632) Goolsby Av	0.10	110	R			To: Dead End					NA	NA			1996
(1632) Goolsby Av	0.08	150	R			From: 20-1634					NA	NA			1996
(1632) Goolsby Av	0.13	320	R			To: 20-1678					NA	NA			1996
(1632) Goolsby Av	0.03	870	R			From: 20-1635					NA	NA			1996
(1632) Goolsby Av	0.10	1400	R			To: 20-2356					NA	NA			1996
(1632) Goolsby Av	0.05	1500	R			From: 20-1636					NA	NA			1996
(1632) Goolsby Av						To: US 1									
(1633) Freedom Ln	0.10	70	R			From: Dead End					NA	NA			1996
(1634)	0.13	170	R			To: 20-638					NA	NA			1996
(1634)	0.15	140	R			From: 20-632					NA	NA			1996
(1634)	0.09	120	R			To: 20-638					NA	NA			1996
(1634)	0.06	340	R			From: 20-2267					NA	NA			1996
(1634)						To: 20-1414					NA	NA			1996
(1634)						From: 20-1415									
(1635) Pembroke St	0.04	420	R			To: 20-638					NA	NA			09/27/2000
(1635) Pembroke St	0.04	400	R			From: 20-1677					NA	NA			09/27/2000
(1635) Pembroke St						To: 20-1632									
(1636) Tyrone St	0.11	1700	R			From: 20-638					NA	NA			1996
(1636) Tyrone St						To: 20-1632									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1637) Sherri Dr	0.10	320	R			From: 20-619					NA	NA			1996
(1637) Sherri Dr	0.06	260	R			To: 20-1638					NA	NA			1996
(1637) Sherri Dr	0.06	60	R			From: 20-1640					NA	NA			1996
						To: Dead End									
(1638) OakhavenCt	0.02	20	R			From: 20-1637					NA	NA			05/11/2000
						To: Cul-de-Sac									
(1639) Banton St	0.08	180	R			From: 20-2379					NA	NA			10/26/2000
(1639) Banton St	0.03	390	R			To: 20-2179					NA	NA			10/26/2000
(1639) Banton St	0.08	160	R			From: 20-2180					NA	NA			10/26/2000
						To: 20-2362									
(1640) Caronado Dr	0.08	110	R			From: 20-1637					NA	NA			05/11/2000
						To: 20-616									
(1641) Beckinham Dr	0.08	730	R			From: 20-632					NA	NA			1997
						To: 20-1642									
(1642)	0.26	550	R			From: Dead End					NA	NA			1997
(1642)	0.07	560	R			To: 20-1591					NA	NA			1997
(1642)	0.18	190	R			From: 20-1657					NA	NA			1997
						To: Cul-de-Sac									
(1643) Hanbury Dr	0.03	30	R			From: Dead End					NA	NA			1997
						To: 20-1591									
(1644) Buckland Rd	0.07	100	R			From: 20-1596					NA	NA			05/11/2000
(1644) Buckland Rd	0.06	50	R			To: 20-1645					NA	NA			05/11/2000
						To: Dead End									
(1645) Buckland Pl	0.03	20	R			From: Cul-de-Sac					NA	NA			05/11/2000
						To: 20-1644									
(1646) Middlebrook Rd	0.07	310	R			From: 20-1596					NA	NA			05/11/2000
(1646) Middlebrook Rd	0.08	210	R			To: 20-1647					NA	NA			05/11/2000
(1646) Middlebrook Rd	0.07	210	R			From: 20-1648					NA	NA			05/11/2000
(1646) Middlebrook Rd	0.13	130	R			To: 20-1649					NA	NA			05/11/2000
(1646) Middlebrook Rd	0.06	160	R			From: 20-1672					NA	NA			05/11/2000
						To: 20-1671									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1647) Middlebrook Ct	0.03	46	R			From: 20-1646					NA	NA			05/11/2000
						To: Dead End									
(1648) Middlebrook Ct	0.03	30	R			From: 20-1646					NA	NA			05/11/2000
						To: Dead End									
(1649) Woodbridge Ct	0.03	30	R			From: Dead End					NA	NA			05/11/2000
						To: 20-1646									
(1650)	0.10	160	R			From: 20-1595					NA	NA			05/11/2000
						To: 20-1651									
(1650)	0.08	80	R			From: 20-1651					NA	NA			05/11/2000
						To: 20-1652									
(1650)	0.06	20	R			From: 20-1652					NA	NA			05/11/2000
						To: Dead End									
(1651) Belspring Ct	0.03	30	R			From: Cul-de-Sac					NA	NA			05/11/2000
						To: 20-1650									
(1652) Gladehill Rd	0.03	20	R			From: Dead End					NA	NA			05/11/2000
						To: 20-1595									
(1652) Gladehill Rd	0.13	80	R			From: 20-1595					NA	NA			05/11/2000
						To: 20-1650									
(1653) Birchleaf Rd	0.06	110	R			From: 20-1596					NA	NA			05/11/2000
						To: 20-1676									
(1653) Birchleaf Rd	0.06	80	R			From: 20-1676					NA	NA			05/11/2000
						To: 20-1691									
(1653) Birchleaf Rd	0.11	80	R			From: 20-1691					NA	NA			05/11/2000
						To: Dead End									
(1654) Bluemont Rd	0.11	80	R			From: 20-1596					NA	NA			05/11/2000
						To: Dead End									
(1655) Placid Av	0.09	80	R			From: Dead End					NA	NA			05/17/2000
						To: 20-1562									
(1656) Jolly Ln	0.14	40	R			From: Cul-de-Sac					NA	NA			05/17/2000
						To: 20-1573									
(1656) Jolly Ln	0.09	190	R			From: 20-1573					NA	NA			05/17/2000
						To: Dead End									
(1657) Ivywood Rd	0.09	90	R			From: Dead End					NA	NA			05/25/2000
						To: 20-1642									
(1657) Ivywood Rd	0.11	790	R			From: 20-1642					NA	NA			05/25/2000
						To: 20-1592									
(1657) Ivywood Rd	0.11	1300	R			From: 20-1592					NA	NA			05/25/2000
						To: 20-3111									
(1657) Ivywood Rd	0.10	1500	R			From: 20-3111					NA	NA			05/25/2000
						To: 20-1502									
(1657) Ivywood Rd	0.09	640	R			From: 20-1502					NA	NA			05/25/2000
						To: 20-4570									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1657 Ivywood Rd	0.16	330	R			From: 20-4570					NA	NA			05/25/2000
						To: Cul-de-Sac									
1658 Driscoll Rd	0.15	200	R			From: 20-1587					NA	NA			05/23/2000
						To: 20-1552									
1659 Marsden Rd	0.03	20	R			From: Dead End					NA	NA			05/23/2000
1659 Marsden Rd	0.06	80	R			From: 20-1589					NA	NA			05/23/2000
1659 Marsden Rd	0.06	110	R			From: 20-1587					NA	NA			05/23/2000
1659 Marsden Rd	0.08	130	R			From: 20-1660					NA	NA			05/23/2000
1659 Marsden Rd	0.06	160	R			From: 20-1552					NA	NA			05/23/2000
						To: 20-1588									
1660 Ludgate Rd	0.15	170	R			From: 20-1659					NA	NA			05/23/2000
1660 Ludgate Rd	0.08	130	R			From: 20-3281					NA	NA			05/23/2000
1660 Ludgate Rd	0.24	230	R			From: 20-3283					NA	NA			05/23/2000
						To: Cul-de-Sac									
1661	0.13	120	R			From: Dead End					NA	NA			09/25/2000
						To: CARSWELL ST									
1662 Malibu St	0.06	60	R			From: Cul-de-Sac					NA	NA			05/22/2000
						To: 20-1587									
1663	0.31	160	R			From: Dead End					NA	NA			09/25/2000
1663 Firethorne Ln	0.06	430	R			From: 20-3040					NA	NA			09/25/2000
1663 Firethorne Ln	0.06	610	R			From: 20-3039					NA	NA			09/25/2000
1663 Firethorne Ln	0.16	680	R			From: 20-3038					NA	NA			09/25/2000
1663 Firethorne Ln	0.03	40	R			From: 20-1664					NA	NA			09/25/2000
						To: Cul-de-Sac									
1664 Firethorne Ct	0.05	40	R			From: 20-1663					NA	NA			05/17/2000
						To: Cul-de-Sac									
1665 Empire Py	0.05	50	R			From: Cul-de-Sac					NA	NA			05/22/2000
						To: 20-1666									
1665 Empire Py	0.17	90	R			From: 20-1583					NA	NA			05/22/2000
1665 Empire Py	0.17	190	R			From: 20-1521					NA	NA			05/22/2000
						To: 20-1665									
1666 McAllister Dr	0.14	120	R			From: 20-1665					NA	NA			05/22/2000
						To: 20-1583									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1666 McAllister Dr	0.17	140	R			From: 20-1583					NA		NA		05/22/2000
						To: 20-1503; 20-1521									
1667 Millsap Ln	0.12	290	R			From: 20-905					NA		NA		08/23/2000
						To: 20-675									
1668 Goodes Bridge Rd	0.48	3600	R			From: 20-647					NA		NA		1994
						To: 20-2520					NA		NA		1994
						To: US 360; 20-2230									
1669 Larkhill Ln	0.17	430	R			From: 20-905					NA		NA		1994
						To: 20-675									
1670 Strathmore Rd	0.06	590	R			From: SR 150 RAMP					NA		NA		1994
						To: Dead End									
1671 Sir Scot Dr	0.08	60	R			From: Dead End					NA		NA		05/11/2000
						To: 20-1596					NA		NA		05/11/2000
1671 Sir Scot Dr	0.15	240	R			From: 20-1646					NA		NA		05/11/2000
						To: Dead End					NA		NA		05/11/2000
1672 Gloria Ct	0.08	80	R			From: 20-1646					NA		NA		05/11/2000
						To: Cul-de-Sac									
1673 Lawndale St	0.12	460	R			From: Dead End					NA		NA		05/17/2000
						To: 20-1624									
1674 Swiftrun Rd	0.12	320	R			From: Cul-de-Sac					NA		NA		05/17/2000
						To: US 1									
1675 Merriewood Rd	0.20	330	R			From: US 1					NA		NA		09/25/2000
						To: Dead End									
1676 Birchleaf Ct	0.04	20	R			From: Cul-de-Sac					NA		NA		05/11/2000
						To: 20-1653									
1677 Brampton Wy	0.13	180	R			From: 20-1678					NA		NA		09/27/2000
						To: 20-1635					NA		NA		09/27/2000
1677 Brampton Wy	0.14	390	R			From: 20-1636					NA		NA		09/27/2000
						To: 20-638									
1678 Eustace Dr	0.04	260	R			From: 20-1677					NA		NA		09/27/2000
						To: 20-1632					NA		NA		09/27/2000
1679	0.07	110	R			From: 20-850; 20-1626					NA		NA		09/25/2000
						To: Dead End									
1680 Flynn Rd	0.13	90	R			From: 20-663					NA		NA		10/24/2000
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1681 Rothmoor Rd	0.06	280	R			From: 20-1682					NA		NA		09/27/2000
						To: 20-1608									
1682 Brentwood Cr	0.13	280	R			From: 20-1607					NA		NA		09/27/2000
						To: 20-1681									
1682 Brentwood Cr	0.22	200	R			From: 20-1607					NA		NA		09/27/2000
						To: 20-1607									
1683 Strathmore Ct	0.07	90	R			From: Dead End					NA		NA		09/27/2000
						To: 20-1687									
1683 Strathmore Ct	0.04	70	R			From: 20-1687					NA		NA		09/27/2000
						To: Dead End									
1684 Germont Av	0.22	240	R			From: 20-613					NA		NA		09/25/2000
						To: Dead End									
1685 Falling Creek Cr	0.13	90	R			From: Dead End					NA		NA		10/26/2000
						To: 20-2327									
1685 Falling Creek Cr	0.07	490	R			From: 20-2327					NA		NA		10/26/2000
						To: SCL RICHMOND									
1686	0.21	180	R			From: 20-2230					NA		NA		1994
						To: 20-663									
1687 Strathmore Rd	0.05	160	R			From: 20-1609					NA		NA		10/26/2000
						To: 20-1683									
1687 Strathmore Rd	0.05	350	R			From: 20-1683					NA		NA		10/26/2000
						To: 20-1611									
1688	0.11	10	R			From: 20-681					NA		NA		05/22/2000
						To: Dead End									
1689	0.07	30	R			From: Dead End					NA		NA		05/25/2000
						To: 20-681									
1690	0.23	49	R			From: SR 10					NA		NA		1986
						To: SR 10									
1691 Millwood Rd	0.26	810	R			From: 20-616					NA		NA		1994
						To: 20-1653									
1692 Troycott Rd	0.06	290	R			From: 20-1699					NA		NA		1996
						To: 20-1613									
1693 Fort Darling Rd	0.25	160	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-656									
1694 Caldwell Av	0.16	520	R			From: 20-1631					NA		NA		1996
						To: 20-2201									
1694 Caldwell Av	0.06	670	R			From: 20-2201					NA		NA		1996
						To: 20-2203									
1694 Caldwell Av	0.04	860	R			From: 20-2203					NA		NA		1996
						To: 20-2379									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1694 Caldwell Av	0.15	760	R			From: 20-2379					NA	NA			1996
						To: SCL RICHMOND									
1695 Lora Lynn Rd	0.02	10	R			From: Dead End					NA	NA			1996
1695 Lora Lynn Rd	0.09	150	R			From: 20-1696					NA	NA			1996
1695 Lora Lynn Rd	0.08	230	R			From: 20-1593					NA	NA			1996
1695 Lora Lynn Rd	0.04	240	R			From: 20-1594					NA	NA			1996
						To: SR 144									
1696 Riderwood Wy	0.06	20	R			From: Cul-de-Sac					NA	NA			1996
1696 Riderwood Wy	0.06	50	R			From: 20-1698					NA	NA			1996
						To: 20-1695									
1697 Libwood Av	0.25	100	R			From: 20-1449					NA	NA			1996
1697 Libwood Av	0.05	30	R			From: 20-1616					NA	NA			1996
						To: Dead End									
1698 Chip Ct	0.06	30	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1696									
1699 Troycott Pl	0.12	260	R			From: Dead End					NA	NA			1996
1699 Troycott Pl	0.11	170	R			From: 20-1692					NA	NA			1996
						To: Cul-de-Sac									
1700 Southlake Ct	0.07	740	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1789									
1701 Burroughs St	0.17	630	R			From: 20-1747					NA	NA			1996
1701 Burroughs St	0.11	1200	R			From: 20-3316					NA	NA			1996
						To: 20-683									
1702 Kenwin Rd	0.09	100	R			From: 20-1703					NA	NA			1996
1702 Kenwin Rd	0.09	470	R			From: 20-678					NA	NA			1996
						To: 20-1705									
1703 McRae Rd	0.76	3900	R			From: 20-718					NA	NA			1996
1703 McRae Rd	0.10	3900	R			From: 20-683					NA	NA			1996
						To: SR 147									
1704 Polk St	0.08	240	R			From: 20-1715					NA	NA			1996
1704 Polk St	0.08	490	R			From: 20-1717					NA	NA			1996
						To: 20-1703									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1704) Polk St	0.08	360	R			From: 20-1703					NA	NA			1996
						To: 20-678									
(1705) Logan St	0.46	410	R			From: 20-718					NA	NA			1996
						To: Cul-de-Sac									
(1706) Gem St	0.24	260	R			From: 20-1745					NA	NA			1996
						To: 20-1712									
(1707) Hazen St	0.09	220	R			From: 20-1703					NA	NA			1996
						To: 20-678									
(1707) Hazen St	0.09	510	R			From: 20-1705					NA	NA			1996
						To: Cul-de-Sac									
(1708) Groundhog Dr	0.40	1100	R			From: 20-718					NA	NA			1996
						To: 20-1712									
(1709) Rockcrest Rd	0.23	4800	R			From: 20-718					NA	NA			1994
						To: Dead End									
(1710) Brookwood Rd	0.33	270	R			From: 20-1716					NA	NA			1997
						To: 20-2044 SOUTH									
(1710) Brookwood Rd	0.06	370	R			From: 20-1795					NA	NA			1997
						To: 20-1795									
(1710) Brookwood Rd	0.08	320	R			From: 20-2044 NORTH					NA	NA			1997
						To: SR 147									
(1710) Brookwood Rd	0.17	580	R			From: 20-1745					NA	NA			1997
						To: 20-2044 NORTH									
(1710) Brookwood Rd	0.05	750	R			From: SR 147					NA	NA			1997
						To: 20-1745									
(1711) Trevillian Rd	0.12	200	R			From: 20-1746					NA	NA			08/30/2000
						To: 20-1746									
(1711) Trevillian Rd	0.28	360	R			From: 20-678					NA	NA			08/30/2000
						To: 20-678									
(1712) Bon View Dr	0.09	150	R			From: 20-1755					NA	NA			1997
						To: 20-1745									
(1712) Bon View Dr	0.08	360	R			From: 20-1709 Gap Terminus					NA	NA			1997
						To: 20-1706 Gap Terminus									
(1712) Bon View Dr	0.09	360	R			From: 20-678 BUFORD					NA	NA			1997
						To: 20-678 BUFORD									
(1712) Bon View Dr	0.09	1500	R			From: 20-1732					NA	NA			1997
						To: 20-1732									
(1712) Bon View Dr	0.14	1100	R			From: 20-1729 WEST					NA	NA			1997
						To: 20-1729 WEST									
(1712) Bon View Dr	0.05	1400	R			From: 20-1729 EAST					NA	NA			1997
						To: 20-1729 EAST									
(1712) Bon View Dr	0.13	830	R			From: 20-1724					NA	NA			1997
						To: 20-1724									
(1712) Bon View Dr	0.12	710	R			From: 20-1713					NA	NA			1997
						To: 20-1713									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1712) Bon View Dr	0.28	640	R			From: 20-1713					NA		NA		1997
(1712) Bon View Dr	0.07	800	R			To: 20-1714					NA		NA		1997
(1712) Bon View Dr	0.13	550	R			From: 20-1783					NA		NA		1997
						To: 20-686 JAHNKE									
(1713) Tudor Ln	0.18	46	R			From: 20-1714					NA		NA		08/30/2000
						To: 20-1712									
(1714) Mount Bella Rd	0.14	230	R			From: 20-1724					NA		NA		08/30/2000
(1714) Mount Bella Rd	0.09	160	R			To: 20-1713					NA		NA		08/30/2000
						To: 20-1712									
(1715) Pulliam St	0.10	160	R			From: 20-1704					NA		NA		08/30/2000
(1715) Pulliam St	0.06	1700	R			To: 20-1716					NA		NA		08/30/2000
						To: Dead End									
(1716) Rattlesnake Rd	0.31	1700	R			From: 20-1710					NA		NA		1994
(1716) Rattlesnake Rd	0.09	2500	R			To: 20-1717					NA		NA		1994
(1716) Rattlesnake Rd	0.08	2300	R			To: 20-1703					NA		NA		1997
						To: 20-678 BUFORD									
(1717) Lancraft Rd	0.10	140	R			From: 20-1704					NA		NA		08/30/2000
						To: 20-1716 Gap Terminus									
(1717) Lancraft Rd	0.11	220	R			From: 20-1725 Gap Terminus					NA		NA		08/30/2000
						To: 20-1726									
(1718) Bannon Rd	0.07	690	R			From: 20-678 BUFORD					NA		NA		1997
(1718) Bannon Rd	0.07	660	R			To: 20-1722					NA		NA		1997
(1718) Bannon Rd	0.05	420	R			To: 20-1719					NA		NA		1997
						To: 20-1720									
(1719) Jeffers Dr	0.12	160	R			From: 20-1721					NA		NA		08/30/2000
						To: 20-1718									
(1720) McCaw Dr	0.07	660	R			From: SR 147					NA		NA		08/30/2000
(1720) McCaw Dr	0.13	420	R			To: 20-1718					NA		NA		08/30/2000
(1720) McCaw Dr	0.15	340	R			To: 20-1721					NA		NA		08/30/2000
(1720) McCaw Dr	0.05	290	R			To: 20-1980					NA		NA		08/30/2000
						To: 20-1759									
(1721) McCaw Dr	0.06	560	R			From: 20-1722					NA		NA		08/30/2000
						To: 20-1719									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1721) McCaw Dr	0.07	540	R			From: 20-1719					NA	NA			08/30/2000
						To: 20-1720									
(1722) Tinsley Dr	0.05	2100	R			From: 20-683					NA	NA			08/30/2000
						To: 20-1721									
(1722) Tinsley Dr	0.10	410	R			From: 20-1718					NA	NA			08/30/2000
						To: 20-1718									
(1723) Choctaw Rd	0.11	3700	R			From: 20-678					NA	NA			08/30/2000
						To: 20-683									
(1723) Choctaw Rd	0.19	220	R			From: 20-1759					NA	NA			08/30/2000
						To: 20-1759									
(1724) Mount Bella Rd	0.19	300	R			From: 20-1714					NA	NA			08/30/2000
						To: 20-1712									
(1725) Bullington Rd	0.09	100	R			From: Dead End					NA	NA			08/30/2000
						To: 20-1717									
(1725) Bullington Rd	0.09	200	R			From: 20-1703					NA	NA			08/30/2000
						To: 20-1703									
(1726) Western Rd	0.08	130	R			From: 20-1717					NA	NA			08/30/2000
						To: 20-1703									
(1727) Quaker Ln	0.25	440	R			From: Dead End					NA	NA			08/30/2000
						To: 20-718									
(1728) Jimmy Winters Rd	0.20	130	R			From: Dead End					NA	NA			08/30/2000
						To: 20-1716									
(1728) Jimmy Winters Rd	0.32	910	R			From: SR 147					NA	NA			08/30/2000
						To: SR 147									
(1729)	0.11	210	R			From: 20-1712					NA	NA			08/30/2000
						To: 20-1744									
(1729)	0.49	300	R			From: 20-1730					NA	NA			08/30/2000
						To: 20-1730									
(1729)	0.06	260	R			From: 20-1733					NA	NA			08/30/2000
						To: 20-1733									
(1729)	0.30	660	R			From: 20-1712					NA	NA			08/30/2000
						To: 20-1712									
(1730) Montauban Dr	0.09	70	R			From: 20-1729					NA	NA			08/30/2000
						To: Dead End									
(1731) Sykes Rd	0.23	150	R			From: Cul-de-Sac					NA	NA			08/30/2000
						To: 20-843									
(1732) Logan St	0.18	810	R			From: 20-686 JAHNKE					NA	NA			08/30/2000
						To: 20-782									
(1732) Logan St	0.10	270	R			From: 20-1712					NA	NA			08/30/2000
						To: 20-1712									
(1732) Logan St	0.11	360	R			From: 20-1744					NA	NA			08/30/2000
						To: 20-1744									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1733) Whittington Dr	0.13	640	R			From: 20-1729					NA	NA			08/30/2000
(1733) Whittington Dr	0.14	550	R			To: 20-1734					NA	NA			08/30/2000
(1733) Whittington Dr	0.08	620	R			From: 20-1783					NA	NA			08/30/2000
(1733) Whittington Dr	0.16	700	R			To: 20-1741					NA	NA			08/30/2000
(1733) Whittington Dr	0.22	500	R			From: 20-1962					NA	NA			08/30/2000
						To: Dead End									
(1734) Montaigne Dr	0.18	180	R			From: 20-1733					NA	NA			08/30/2000
						To: Dead End									
(1735) Inspiration Dr	0.06	660	R			From: 20-2645					NA	NA			10/26/2000
(1735) Inspiration Dr	0.12	290	R			To: 20-1736					NA	NA			10/26/2000
(1735) Inspiration Dr	0.08	420	R			From: 20-1737					NA	NA			10/26/2000
						To: 20-1760									
(1736) Thornloe Ct	0.04	20	R			From: 20-1735					NA	NA			10/26/2000
						To: Cul-de-Sac									
(1737) Edgebrook Ct	0.07	110	R			From: 20-1735					NA	NA			10/26/2000
						To: Cul-de-Sac									
(1738) Delores Ln	0.06	220	R			From: 20-1775					NA	NA			10/26/2000
						To: 20-1760									
(1739) Looking Glass Rd	0.03	80	R			From: Cul-de-Sac					NA	NA			10/26/2000
(1739) Looking Glass Rd	0.04	270	R			To: 20-2788					NA	NA			10/26/2000
(1739) Looking Glass Rd	0.05	260	R			From: 20-1960					NA	NA			10/26/2000
(1739) Looking Glass Rd	0.06	390	R			To: 20-1775					NA	NA			10/26/2000
(1739) Looking Glass Rd	0.08	370	R			From: 20-1760 NORTH					NA	NA			10/26/2000
(1739) Looking Glass Rd	0.17	490	R			To: LOCKNESS RD					NA	NA			10/26/2000
(1739) Looking Glass Rd	0.10	460	R			From: 20-1840					NA	NA			10/26/2000
						To: 20-1760 SOUTH									
(1740) Antwerp Rd	0.09	90	R			From: 20-1760					NA	NA			10/26/2000
						To: Cul-de-Sac									
(1741) Bloomfield Rd	0.12	1400	R			From: 20-686 JAHNKE					NA	NA			10/24/2000
(1741) Bloomfield Rd	0.28	1100	R			To: 20-1742					NA	NA			10/24/2000
						To: 20-1733									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1741) Bloomfield Rd	0.26	730	R			From: 20-1733					NA	NA			10/24/2000
						To: 20-1961									
(1742) Yarmouth Dr	0.16	360	R			From: 20-1741					NA	NA			10/24/2000
(1742) Yarmouth Dr	0.06	60	R			From: 20-1743					NA	NA			10/24/2000
						To: Dead End									
(1743) Yarmouth Cr	0.22	160	R			From: 20-1742					NA	NA			10/24/2000
						To: Dead End									
(1744) Larkspur Rd	0.16	4400	R			From: 20-1709					NA	NA			08/30/2000
						To: 20-678 Gap Terminus									
(1744) Larkspur Rd	0.14	240	R			From: 20-1732 Gap Terminus					NA	NA			08/30/2000
						To: 20-1729									
(1745)	0.09	220	R			From: 20-1711					NA	NA			08/30/2000
						To: 20-1755									
(1745)	0.06	260	R			From: 20-1746					NA	NA			08/30/2000
						To: 20-1706									
(1745)	0.02	280	R			From: 20-1712					NA	NA			08/30/2000
						To: Dead End									
(1746) Pulliam St	0.04	120	R			From: 20-2028					NA	NA			08/30/2000
						To: Dead End; Gap Terminus									
(1746) Pulliam St	0.04	90	R			From: Dead End					NA	NA			08/30/2000
						To: 20-686									
(1746) Pulliam St	0.11	490	R			From: 20-1963					NA	NA			08/30/2000
						To: 20-1711									
(1746) Pulliam St	0.07	340	R			From: 20-1745					NA	NA			08/30/2000
						To: 20-1705									
(1747) Ben Nevis Dr	0.12	830	R			From: 20-1701					NA	NA			10/24/2000
						To: 20-1748 NORTH									
(1747) Ben Nevis Dr	0.14	570	R			From: 20-1748 SOUTH					NA	NA			10/24/2000
						To: Dead End									
(1748) Robert Bruce Dr	0.05	30	R			From: 20-1749 WEST					NA	NA			10/24/2000
						To: 20-1747 WEST									
(1748) Robert Bruce Dr	0.09	620	R			From: 20-1750					NA	NA			10/24/2000
						To: 20-1750									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1748) Robert Bruce Dr	0.10	490	R			From: 20-1750					NA		NA		10/24/2000
(1748) Robert Bruce Dr	0.06	580	R			To: 20-1747 EAST					NA		NA		10/24/2000
(1748) Robert Bruce Dr	0.11	670	R			From: 20-1749 EAST					NA		NA		10/24/2000
(1748) Robert Bruce Dr	0.06	540	R			To: 20-1975					NA		NA		10/24/2000
						From: WCL RICHMOND									
(1749) Greenock Dr	0.29	320	R			To: 20-1748					NA		NA		10/24/2000
						From: 20-1748									
(1750) Halidan Dr	0.07	60	R			To: Dead End					NA		NA		10/24/2000
(1750) Halidan Dr	0.07	200	R			From: 20-1751					NA		NA		10/24/2000
						To: 20-1748									
(1751) Flodden Cr	0.06	20	R			From: Dead End					NA		NA		1996
						To: 20-1750									
(1752)	0.26	180	R			From: 20-1753					NA		NA		1996
(1752)	0.30	380	R			To: 20-789					NA		NA		1996
						From: Dead End									
(1753) Stiles Rd	0.06	80	R			To: 20-1790					NA		NA		1996
(1753) Stiles Rd	0.13	180	R			From: 20-843					NA		NA		1996
(1753) Stiles Rd	0.14	50	R			To: 20-1752					NA		NA		1996
						From: 20-789									
(1754) Raynor Dr	0.15	380	R			To: Dead End					NA		NA		1996
						From: 20-1745									
(1755) Chatsworth Av	0.08	140	R			To: 20-1712					NA		NA		1996
(1755) Chatsworth Av	0.04	70	R			From: Dead End					NA		NA		1996
						To: 20-686									
(1756) Spring Lake Rd	0.20	45	R			From: Dead End					NA		NA		1996
						To: 20-686									
(1757)	0.26	80	R			From: Dead End					NA		NA		1996
						To: 20-789									
(1758) Southam Dr	0.15	1000	R			To: 20-1969					NA		NA		1996
(1758) Southam Dr	0.07	860	R			From: 20-2532					NA		NA		1996
(1758) Southam Dr	0.12	1100	R			To: 20-1984					NA		NA		1996

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1758) Southam Dr	0.13	1300	R			From: 20-1984					NA		NA		1996
(1758) Southam Dr	0.08	1600	R			To: 20-1983					NA		NA		1996
						From: 20-686									
(1759)	0.09	680	R			From: 20-683					NA		NA		1996
(1759)	0.06	580	R			To: 20-1766					NA		NA		1996
(1759)	0.11	600	R			From: 20-1723					NA		NA		1996
(1759)	0.05	650	R			To: 20-1720					NA		NA		1996
(1759)	0.18	460	R			From: 20-1981					NA		NA		1996
(1759)	0.10	490	R			To: 20-1893					NA		NA		1996
						From: WCL RICHMOND									
(1760)	0.24	90	R			From: 20-2323					NA		NA		1996
(1760)	0.07	1100	R			To: 20-675 WEST					NA		NA		1996
						From: 20-675 EAST									
(1760)	0.07	900	R			From: 20-1763					NA		NA		1996
(1760)	0.23	900	R			To: 20-1762					NA		NA		1996
(1760)	0.04	850	R			From: 20-1738					NA		NA		1996
(1760)	0.06	740	R			To: 20-1735					NA		NA		1996
(1760)	0.06	420	R			From: 20-1739 SOUTH					NA		NA		1996
(1760)	0.05	230	R			To: 20-1740					NA		NA		1996
						From: 20-1739 NORTH									
(1761) Robindale Rd	0.09	1600	R			From: 20-675					NA		NA		1996
(1761) Robindale Rd	0.08	1800	R			To: 20-1763					NA		NA		1996
(1761) Robindale Rd	0.07	1400	R			From: 20-1762					NA		NA		1996
(1761) Robindale Rd	0.05	1300	R			To: 20-2645					NA		NA		1996
(1761) Robindale Rd	0.07	170	R			From: 20-2646					NA		NA		1996
(1761) Robindale Rd	0.18	1000	R			To: 20-2647 SOUTH					NA		NA		1996
(1761) Robindale Rd	0.12	1000	R			From: 20-2643					NA		NA		1996
(1761) Robindale Rd	0.07	1000	R			To: 20-2644					NA		NA		1996
						From: 20-2647 NORTH									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1761) Robindale Rd	0.06	1200	R			From: 20-2647 NORTH					NA		NA		1996
(1761) Robindale Rd	0.16	1200	R			To: 20-2631					NA		NA		1996
(1761) Robindale Rd	0.19	1400	R			From: 20-2651					NA		NA		1996
						To: 20-2652									
(1762) Huntersdell Ln	0.11	180	R			From: 20-1760					NA		NA		10/26/2000
(1762) Huntersdell Ln	0.03	20	R			To: Dead End; Gap Terminus					NA		NA		10/26/2000
(1762) Huntersdell Ln	0.03	20	R			From: Dead End; Gap Terminus					NA		NA		10/26/2000
(1762) Huntersdell Ln	0.03	20	R			To: 20-2646					NA		NA		10/26/2000
(1762) Huntersdell Ln						To: Dead End									
(1763) Ryecove Ln	0.10	90	R			From: 20-1760					NA		NA		1997
						To: 20-1761									
(1764)	0.31	420	R			From: 20-678					NA		NA		10/24/2000
(1764)	0.45	300	R			To: 20-2129					NA		NA		10/24/2000
(1764)						To: Dead End									
(1765)	0.09	330	R			From: 20-683					NA		NA		10/24/2000
(1765)	0.26	320	R			To: 20-1766					NA		NA		10/24/2000
(1765)	0.11	190	R			From: 20-1772					NA		NA		10/24/2000
(1765)						To: 20-1778									
(1766) Chelmsford Rd	0.07	110	R			From: 20-1759					NA		NA		10/24/2000
(1766) Chelmsford Rd	0.07	140	R			To: 20-1765					NA		NA		10/24/2000
(1766) Chelmsford Rd	0.23	160	R			From: 20-1772					NA		NA		10/24/2000
(1766) Chelmsford Rd						To: 20-1773									
(1767) Penrose Dr	0.02	20	R			From: Dead End					NA		NA		08/23/2000
(1767) Penrose Dr	0.15	260	R			To: 20-1770					NA		NA		08/23/2000
(1767) Penrose Dr	0.08	360	R			From: 20-1965					NA		NA		08/23/2000
(1767) Penrose Dr	0.21	400	R			To: 20-1769					NA		NA		08/23/2000
(1767) Penrose Dr	0.08	490	R			From: 20-1768					NA		NA		08/23/2000
(1767) Penrose Dr						To: SR 147									
(1768) Ashburn Rd	0.19	360	R			From: 20-1989					NA		NA		08/23/2000
(1768) Ashburn Rd	0.24	250	R			To: 20-2056					NA		NA		08/23/2000
(1768) Ashburn Rd						To: 20-1781									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1768) Ashburn Rd	0.08	380	R			From: 20-1781					NA	NA			08/23/2000
(1768) Ashburn Rd	0.08	300	R			To: 20-1770					NA	NA			08/23/2000
						To: 20-1767									
(1769) Starmont Rd	0.11	180	R			From: 20-1771					NA	NA			08/23/2000
						To: 20-1767 Gap Terminus									
(1769) Starmont Rd	0.08	100	R			From: 20-1784 Gap Terminus					NA	NA			08/23/2000
						To: 20-1977									
(1770)	0.13	100	R			From: 20-1767					NA	NA			1997
						To: 20-1965									
(1770)	0.21	260	R			From: 20-2324					NA	NA			1997
						To: 20-1771									
(1770)	0.22	220	R			From: 20-1768					NA	NA			1997
						To: 20-1965									
(1771) Driftwood Rd	0.09	140	R			From: 20-1769					NA	NA			1997
						To: 20-1770									
(1771) Driftwood Rd	0.06	150	R			From: 20-683					NA	NA			10/24/2000
						To: 20-1766									
(1772) Anwell Dr	0.23	340	R			From: 20-1765					NA	NA			10/24/2000
						To: 20-1773									
(1772) Anwell Dr	0.09	290	R			From: Cul-de-Sac					NA	NA			10/24/2000
						To: 20-683									
(1773)	0.11	1100	R			From: 20-1766					NA	NA			10/24/2000
						To: 20-1778									
(1773)	0.08	1100	R			From: 20-1772					NA	NA			10/24/2000
						To: 20-1893									
(1773)	0.12	470	R			From: Dead End					NA	NA			1994
						To: 20-1789									
(1774) Trade Rd	0.34	4900	R			From: 20-1789 SOUTHLAKE BLVD & TRADE RD					NA	NA			1994
						To: 20-777; 20-887									
(1775) Early Settlers Rd	0.45	6400	R			From: 20-777 Johnston Willis Dr					NA	NA			08/23/2000
						To: 20-675 Robius Rd									
(1775) Early Settlers Rd	0.17	6400	N			From: 20-1955					NA	NA			08/23/2000
						To: 20-1955									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1775) Early Settlers Rd	0.06	1400	R			From: 20-1955					NA	NA			08/23/2000
(1775) Early Settlers Rd	0.06	1000	R			To: 20-1954					NA	NA			08/23/2000
(1775) Early Settlers Rd	0.06	890	R			From: 20-2540					NA	NA			08/23/2000
(1775) Early Settlers Rd	0.06	790	R			To: 20-1738					NA	NA			08/23/2000
(1775) Early Settlers Rd	0.17	520	R			From: 20-1959					NA	NA			08/23/2000
(1775)	0.06	190	R			To: 20-1739					NA	NA			08/23/2000
(1775) Early Settlers Rd	0.11	160	R			From: 20-3816					NA	NA			08/23/2000
(1776) Sealing Wax Wy	0.11	180	R			To: Cul-de-Sac					NA	NA			08/23/2000
(1777) Red Queen Ct	0.07	160	R			From: Cul-de-Sac					NA	NA			08/23/2000
(1778) Candigan Cr	0.08	80	R			To: 20-1775					NA	NA			08/23/2000
(1778) Candigan Cr	0.03	360	R			From: Cul-de-Sac					NA	NA			08/23/2000
(1779) Woodcroft Rd	0.16	160	R			To: 20-1791					NA	NA			10/24/2000
(1780) Evon Av	0.21	230	R			From: Dead End					NA	NA			08/23/2000
(1781) Shoreham Dr	0.16	360	R			To: 20-1773					NA	NA			10/26/2000
(1781) Shoreham Dr	0.06	580	R			From: 20-789					NA	NA			10/26/2000
(1781) Shoreham Dr	0.07	820	R			To: Dead End					NA	NA			10/26/2000
(1781) Shoreham Dr	0.10	990	R			From: 20-2323					NA	NA			10/26/2000
(1781) Shoreham Dr	0.08	1100	R			To: 20-675					NA	NA			10/26/2000
(1781) Shoreham Dr	0.08	860	R			From: 20-2366					NA	NA			10/26/2000
(1782) Cedar Crest Ct	0.08	60	R			To: 20-1987					NA	NA			10/26/2000
(1783) Creek Side Rd	0.07	170	R			From: 20-2324					NA	NA			10/24/2000
(1783) Creek Side Rd	0.22	140	R			To: 20-2369					NA	NA			10/24/2000
(1783) Creek Side Rd						From: 20-1986					NA	NA			10/24/2000
(1783) Creek Side Rd						To: 20-1768					NA	NA			10/24/2000
(1783) Creek Side Rd						From: SR 147					NA	NA			10/24/2000
(1783) Creek Side Rd						To: 20-1795					NA	NA			10/26/2000
(1783) Creek Side Rd						From: Cul-de-Sac					NA	NA			10/26/2000
(1783) Creek Side Rd						To: 20-1712					NA	NA			10/24/2000
(1783) Creek Side Rd						From: 20-2172					NA	NA			10/24/2000
(1783) Creek Side Rd						To: 20-1733					NA	NA			10/24/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Chesterfield County																
(1784) Scarsborough Dr	0.12	120	R			From: Dead End					NA		NA		08/23/2000	
(1784) Scarsborough Dr	0.10	500	R			From: 20-1965					NA		NA		08/23/2000	
(1784) Scarsborough Dr	0.10	650	R			From: 20-1769					NA		NA		08/23/2000	
(1784) Scarsborough Dr	0.16	1100	R			From: 20-1978					NA		NA		08/23/2000	
						To: SR 147										
(1785) Laumic Dr	0.17	270	R			From: 20-678					NA		NA		10/24/2000	
						To: 20-1786										
(1786) Holly Grove Ln	0.05	50	R			From: Cul-de-Sac					NA		NA		10/24/2000	
(1786) Holly Grove Ln	0.14	260	R			From: 20-1787					NA		NA		10/24/2000	
						To: 20-1785										
(1787) Sheldeb Dr	0.07	580	R			From: 20-678					NA		NA		10/24/2000	
(1787) Sheldeb Dr	0.10	210	R			From: 20-1788					NA		NA		10/24/2000	
						To: 20-1786										
(1788) Sheldeb Ct	0.04	40	R			From: Cul-de-Sac					NA		NA		10/24/2000	
						To: 20-1787										
(1789) Southlake Blvd	0.37	7700	R			From: 20-653 Courthouse Rd					NA		NA		1994	
(1789) Southlake Blvd	0.72	5900	G		97%	0%	1%	1%	1%	0%	F	680	G	6200	G	2001
						To: US 60 Midlothian Tpke										
(1790) Stiles Ct	0.06	60	R			From: Cul-de-Sac					NA		NA		10/24/2000	
						To: 20-1753										
(1791) Red Queen Rd	0.06	290	R			From: 20-1956					NA		NA		10/26/2000	
(1791) Red Queen Rd	0.06	180	R			From: 20-1777					NA		NA		10/26/2000	
						To: 20-1775										
(1792) Keithwood Py	0.11	2200	R			From: 20-653 COURTHOUSE					NA		NA		08/04/2000	
(1792) Keithwood Py	0.18	1200	R			From: 20-1793					NA		NA		08/04/2000	
(1792) Keithwood Py	0.05	1100	R			From: 20-1794					NA		NA		08/04/2000	
(1792) Keithwood Py	0.11	1100	R			From: 20-2841					NA		NA		08/04/2000	
(1792) Keithwood Py	0.09	430	R			From: 20-2890					NA		NA		08/04/2000	
(1792) Keithwood Py	0.17	210	R			From: 20-2897					NA		NA		08/04/2000	
						To: Dead End										
(1793) Ravenscroft Dr	0.09	240	R			From: 20-1477					NA		NA		08/04/2000	
						To: 20-1792										

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1793) Ravenscroft Dr	0.22	160	R								NA	NA			08/04/2000
(1794) Oakcliff Av	0.06	30	R								NA	NA			08/04/2000
(1794) Oakcliff Av	0.15	260	R								NA	NA			08/04/2000
(1795) Cedar Crest Rd	0.15	160	R								NA	NA			10/26/2000
(1795) Cedar Crest Rd	0.02	480	R								NA	NA			10/26/2000
(1795) Cedar Crest Rd	0.04	600	R								NA	NA			08/23/2000
(1795) Cedar Crest Rd	0.18	790	R								NA	NA			08/23/2000
(1796) Beckham Dr	0.22	210	R								NA	NA			08/23/2000
(1797) Iredell Rd	0.20	260	R								NA	NA			08/23/2000
(1797) Iredell Rd	0.03	310	R								NA	NA			08/23/2000
(1797) Iredell Rd	0.09	390	R								NA	NA			08/23/2000
(1797) Iredell Rd	0.07	490	R								NA	NA			08/23/2000
(1798)	0.09	160	R								NA	NA			08/23/2000
(1798)	0.07	360	R								NA	NA			08/23/2000
(1798)	0.24	420	R								NA	NA			08/23/2000
(1798)	0.06	500	R								NA	NA			08/23/2000
(1798)	0.08	500	R								NA	NA			08/23/2000
(1798)	0.10	210	R								NA	NA			08/23/2000
(1798)	0.11	200	R								NA	NA			08/23/2000
(1799) Haverford Cr	0.08	180	R								NA	NA			08/23/2000
(1800) Three Bridges Rd	0.25	340	R								NA	NA			08/23/2000
(1801) Pineville Rd	0.02	3	R								NA	NA			1996

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1801) Pineville Rd	0.06	140	R			From: 20-1810					NA		NA		1996
(1801) Pineville Rd	0.06	180	R			To: 20-1809					NA		NA		1996
(1801) Pineville Rd	0.06	340	R			From: 20-1808					NA		NA		1996
(1801) Pineville Rd	0.18	590	R			To: 20-2588					NA		NA		1996
(1801) Pineville Rd	0.06	350	R			From: 20-1802					NA		NA		1996
						To: 20-672									
(1802) Whiffletree Rd	0.06	170	R			From: 20-2588					NA		NA		1996
(1802) Whiffletree Rd	0.09	260	R			To: 20-1803					NA		NA		1996
(1802) Whiffletree Rd	0.06	80	R			From: 20-1801					NA		NA		1996
						To: Dead End									
(1803) Whiffletree Ct	0.03	40	R			From: 20-1802					NA		NA		1996
						To: Dead End									
(1804) Kennesaw Rd	0.04	30	R			From: Dead End					NA		NA		1996
(1804) Kennesaw Rd	0.06	230	R			To: 20-1813					NA		NA		1996
(1804) Kennesaw Rd	0.07	610	R			From: 20-1811					NA		NA		1996
(1804) Kennesaw Rd	0.18	430	R			To: 20-2588					NA		NA		1996
(1804) Kennesaw Rd	0.05	300	R			From: 20-1805					NA		NA		1996
(1804) Kennesaw Rd	0.11	310	R			To: 20-2734					NA		NA		1996
						From: 20-1806									
(1805) Windrift Rd	0.10	290	R			From: 20-1804					NA		NA		1996
(1805) Windrift Rd	0.02	20	R			To: 20-1806					NA		NA		1996
						From: Dead End									
(1806) Kendrick Rd	0.03	10	R			From: Dead End					NA		NA		1996
(1806) Kendrick Rd	0.10	360	R			To: 20-1811					NA		NA		1996
(1806) Kendrick Rd	0.07	510	R			From: 20-2588					NA		NA		1996
(1806) Kendrick Rd	0.10	290	R			To: 20-1807					NA		NA		1996
(1806) Kendrick Rd	0.13	260	R			From: 20-1805					NA		NA		1996
(1806) Kendrick Rd	0.05	690	R			To: 20-1804					NA		NA		1996
						From: 20-2733									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1806) Kendrick Rd	0.03	700	R			From: 20-2733					NA	NA			1996
						To: 20-672									
(1807) Wolfberry Rd	0.09	110	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1806									
(1808) Pineville Ct	0.03	60	R			From: 20-1801					NA	NA			1996
						To: Cul-de-Sac									
(1809) Robmont Dr	0.18	220	R			From: 20-1801					NA	NA			1996
						To: 20-2588									
(1810) Kentberry Rd	0.05	50	R			From: Dead End					NA	NA			1996
						To: 20-1801									
(1811) Vantage Pl	0.07	280	R			From: 20-1804					NA	NA			1996
						To: 20-1812									
(1811) Vantage Pl	0.06	370	R			From: 20-1806					NA	NA			1996
						To: 20-1806									
(1812) Vantage Ct	0.04	40	R			From: 20-1811					NA	NA			1996
						To: Cul-de-Sac									
(1813) Kimwood Rd	0.06	30	R			From: 20-1804					NA	NA			1996
						To: Dead End									
(1814) Walkers Ferry Rd	0.07	80	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1819									
(1814) Walkers Ferry Rd	0.18	360	R			From: 20-1921					NA	NA			1996
						To: 20-1921									
(1815) Princess Margaret Pl	0.10	90	R			From: 20-1442					NA	NA			1996
						To: 20-1816									
(1815) Princess Margaret Pl	0.10	120	R			From: 20-3309					NA	NA			1996
						To: Cul-de-Sac									
(1815) Princess Margaret Pl	0.05	60	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1815									
(1816) Princess Margaret Ct	0.07	60	R			From: Dead End					NA	NA			1996
						To: 20-1815									
(1817) Melissa Mill Rd	0.06	40	R			From: 20-1442					NA	NA			10/24/2000
						To: 20-1442									
(1817) Melissa Mill Rd	0.21	280	R			From: 20-1818					NA	NA			10/24/2000
						To: 20-1818									
(1818) Queen Elizabeth Av	0.02	3	R			From: Dead End					NA	NA			10/24/2000
						To: 20-1817									
(1818) Queen Elizabeth Av	0.05	40	R			From: Dead End					NA	NA			10/24/2000
						To: Dead End									
(1819) Walkers Ferry Ct	0.12	130	R			From: 20-1814					NA	NA			1997
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1820) Riverbirch Trace Rd	0.17	170	R			From: Cul-de-Sac					NA		NA		1997
(1820) Riverbirch Trace Rd	0.04	230	R			To: 20-1821					NA		NA		1997
(1821) Riverbirch Trace Ct	0.04	60	R			From: Cul-de-Sac					NA		NA		1997
(1822) McTyres Cove Pl	0.10	130	R			To: 20-1820					NA		NA		1997
(1822) McTyres Cove Pl	0.10	130	R			From: 20-1928					NA		NA		1997
(1823) McTyres Cove Ln	0.05	60	R			To: Cul-de-Sac					NA		NA		1997
(1823) McTyres Cove Ln	0.06	260	R			From: 20-1824					NA		NA		1997
(1823) McTyres Cove Ln	0.06	260	R			To: 20-1928					NA		NA		1997
(1824) McTyres Cove Ct	0.11	180	R			From: Cul-de-Sac					NA		NA		1997
(1824) McTyres Cove Ct	0.11	180	R			To: 20-1823					NA		NA		1997
(1825)	0.17	210	R			From: Dead End					NA		NA		08/21/2000
(1825) Marbleridge Rd	0.09	840	R			To: 20-1421					NA		NA		08/21/2000
(1825) Marbleridge Rd	0.18	930	R			From: 20-3047					NA		NA		08/21/2000
(1825) Marbleridge Rd	0.07	1400	R			To: 20-1847					NA		NA		08/21/2000
(1825) Marbleridge Rd	0.13	1500	R			From: 20-1826 SOUTH					NA		NA		08/21/2000
(1825) Marbleridge Rd	0.09	2300	R			To: 20-1826 NORTH					NA		NA		08/21/2000
(1825) Marbleridge Rd	0.09	2300	R			From: 20-647					NA		NA		08/21/2000
(1826)	0.17	320	R			To: 20-1825 SOUTH					NA		NA		1997
(1826)	0.13	200	R			From: 20-1827					NA		NA		1997
(1826)	0.09	110	R			To: 20-1825 NORTH					NA		NA		1997
(1826)	0.09	110	R			From: Cul-de-Sac					NA		NA		1997
(1827) Brickland Ct	0.04	50	R			From: Cul-de-Sac					NA		NA		1997
(1827) Brickland Ct	0.04	50	R			To: 20-1826					NA		NA		1997
(1828) McTyres Cove Tr	0.09	110	R			From: 20-1928					NA		NA		1997
(1828) McTyres Cove Tr	0.09	110	R			To: 20-1928					NA		NA		1997
(1829) Reams Ct	0.18	320	R			From: 20-647					NA		NA		1997
(1829) Reams Ct	0.18	320	R			To: Dead End					NA		NA		1997
(1830) Wenatchee Rd	0.06	920	R			From: 20-647					NA		NA		08/21/2000
(1830) Wenatchee Rd	0.06	920	R			To: 20-1831					NA		NA		08/21/2000
(1830) Wenatchee Rd	0.07	510	R			From: 20-1832					NA		NA		08/21/2000
(1830) Wenatchee Rd	0.07	510	R			To: 20-1832					NA		NA		08/21/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1830) Wenatchee Rd	0.05	410	R			From: 20-1832					NA	NA			08/21/2000
						To: 20-1833									
(1831)	0.09	120	R			From: Dead End					NA	NA			1997
(1831)	0.06	80	R			From: 20-1830					NA	NA			1997
						To: Dead End									
(1832)	0.06	80	R			From: Dead End					NA	NA			1997
						To: 20-1830									
(1833) Mosswood Rd	0.12	280	R			From: 20-1835					NA	NA			1997
(1833) Mosswood Rd	0.07	410	R			From: 20-1830					NA	NA			1997
(1833) Mosswood Rd	0.15	230	R			From: 20-1834					NA	NA			1997
						To: Cul-de-Sac									
(1834) Mosswood Ct	0.09	130	R			From: Cul-de-Sac					NA	NA			08/21/2000
						To: 20-1833									
(1835) Mistywood Rd	0.07	490	R			From: 20-647					NA	NA			08/21/2000
(1835) Mistywood Rd	0.09	300	R			From: 20-1833					NA	NA			08/21/2000
(1835) Mistywood Rd	0.03	20	R			From: 20-1836					NA	NA			08/21/2000
						To: Dead End									
(1836) Silverleaf Tr	0.11	170	R			From: 20-1835					NA	NA			08/21/2000
(1836) Silverleaf Tr	0.05	80	R			From: 20-1837					NA	NA			08/21/2000
						To: Cul-de-Sac									
(1837) Silverleaf Ct	0.04	60	R			From: 20-1836					NA	NA			08/21/2000
						To: Cul-de-Sac									
(1838) Heritage Woods Ln	0.04	160	R			From: 20-1939					NA	NA			09/20/2000
(1838) Heritage Woods Ln	0.04	100	R			From: T INTERSECTION					NA	NA			09/20/2000
(1838) Heritage Woods Ln	0.05	80	R			From: Dead End; Gap Terminus					NA	NA			09/20/2000
						To: T INTERSECTION									
(1839) Heritage Woods Ridg	0.04	70	R			From: Cul-de-Sac					NA	NA			09/20/2000
						To: 20-1939									
(1840) Crumpets Ln	0.05	90	R			From: Cul-de-Sac					NA	NA			08/23/2000
						To: 20-1739									
(1841) Heritage Woods Rd	0.06	290	R			From: 20-1939					NA	NA			09/20/2000
(1841) Heritage Woods Rd	0.05	140	R			From: 20-1842					NA	NA			09/20/2000
						To: 20-1843									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1841) Heritage Woods Rd	0.05	90	R			From: 20-1843					NA	NA			09/20/2000
						To: Cul-de-Sac									
(1842)	0.04	70	R			From: Dead End					NA	NA			09/20/2000
(1842)	0.07	90	R			From: 20-1841					NA	NA			09/20/2000
						To: Dead End									
(1843) Heritage Woods Pl	0.04	80	R			From: Cul-de-Sac					NA	NA			09/20/2000
						To: 20-1841									
(1844) Heritage Woods Tl	0.04	60	R			From: Cul-de-Sac					NA	NA			09/20/2000
						To: 20-1939									
(1845)	0.15	1500	R			From: 20-1972					NA	NA			10/02/2000
(1845)	0.15	630	R			From: 20-641					NA	NA			10/02/2000
(1845)	0.06	530	R			From: 20-3053					NA	NA			10/02/2000
(1845)	0.06	410	R			From: 20-3054					NA	NA			10/02/2000
(1845)	0.06	290	R			From: 20-3075					NA	NA			10/02/2000
(1845)	0.07	120	R			From: 20-3373					NA	NA			10/02/2000
						To: Cul-de-Sac									
(1846) Summerleaf Ct	0.05	120	R			From: Cul-de-Sac					NA	NA			10/02/2000
						To: 20-1845									
(1847) Stroud Ln	0.06	290	R			From: 20-1825					NA	NA			08/21/2000
(1847) Stroud Ln	0.09	80	R			From: 20-1848					NA	NA			08/21/2000
						To: Dead End									
(1848) Marblethorpe Rd	0.04	20	R			From: Dead End					NA	NA			08/21/2000
(1848) Marblethorpe Rd	0.08	60	R			From: 20-3059					NA	NA			08/21/2000
(1848) Marblethorpe Rd	0.16	290	R			From: 20-3047					NA	NA			08/21/2000
						To: 20-1847									
(1849) Monath Rd	0.17	310	R			From: Dead End					NA	NA			08/21/2000
						To: 20-647									
(1850) Westgate Dr	0.05	1300	R			From: 20-1798					NA	NA			1994
						To: SR 147									
(1851) Robert Earl Cr	0.04	50	R			From: 20-1798					NA	NA			08/21/2000
						To: Cul-de-Sac									
(1852) Farr Ln	0.18	100	R			From: 20-1798					NA	NA			10/26/2000
						To: 20-1798									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1853 Fox Harbor Ct	0.04	80	R			From: Cul-de-Sac					NA	NA			10/26/2000
						To: 20-1798									
1854 Professional Rd	0.14	160	R			From: 20-683					NA	NA			10/24/2000
						To: Cul-de-Sac									
1855 Old Well Tr	0.03	120	R			From: 20-1939					NA	NA			09/20/2000
						To: 20-1856									
1855 Old Well Tr	0.05	50	R			From: 20-1856					NA	NA			09/20/2000
						To: Cul-de-Sac									
1856 Old Well Ln	0.07	80	R			From: 20-1855					NA	NA			09/20/2000
						To: Cul-de-Sac									
1857 Seven Oaks Rd	0.08	430	R			From: 20-1921					NA	NA			10/24/2000
						To: 20-1859									
1857 Seven Oaks Rd	0.05	360	R			From: 20-1859					NA	NA			10/24/2000
						To: BEGIN LOOP									
1857 Seven Oaks Rd	0.18	160	R			From: BEGIN LOOP					NA	NA			10/24/2000
						To: 20-1858									
1857 Seven Oaks Rd	0.10	120	R			From: 20-1858					NA	NA			10/24/2000
						To: END LOOP									
1858 Seven Oaks Tr	0.03	30	R			From: Cul-de-Sac					NA	NA			10/24/2000
						To: 20-1857									
1859 Seven Oaks Ct	0.04	50	R			From: Cul-de-Sac					NA	NA			10/24/2000
						To: 20-1857									
1860 Quail Meadows Ct	0.06	60	R			From: 20-1951					NA	NA			09/20/2000
						To: Cul-de-Sac									
1861 Quail Meadows Pl	0.08	100	R			From: Cul-de-Sac					NA	NA			09/20/2000
						To: 20-1951									
1862 Quail Hollow Ln	0.12	120	R			From: Cul-de-Sac					NA	NA			09/20/2000
						To: 20-1863									
1862 Quail Hollow Ln	0.03	300	R			From: 20-1863					NA	NA			09/20/2000
						To: 20-1950									
1863 Quail Hollow Ct	0.10	140	R			From: 20-1862					NA	NA			09/20/2000
						To: Cul-de-Sac									
1864 Quail Hill Ct	0.09	220	R			From: 20-1950					NA	NA			09/20/2000
						To: Cul-de-Sac									
1865 Morning Hill Ln	0.02	550	R			From: 20-1939					NA	NA			09/20/2000
						To: 20-1866									
1865 Morning Hill Ln	0.09	170	R			From: 20-1866					NA	NA			09/20/2000
						To: Cul-de-Sac									
1866 Morning Hill Ct	0.08	160	R			From: 20-1865					NA	NA			09/20/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1867) Court Ridge Rd	0.05	300	R			From: 20-1920					NA	NA			09/20/2000
(1867) Court Ridge Rd	0.03	140	R			To: 20-1868					NA	NA			09/20/2000
(1867) Court Ridge Rd	0.09	110	R			From: 0.03 ME 20-1868					NA	NA			09/20/2000
						To: Cul-de-Sac									
(1868) Court Ridge Tr	0.05	190	R			From: Cul-de-Sac					NA	NA			09/20/2000
						To: 20-1867									
(1869) Fox Chase Rd	0.06	500	R			From: 20-1950					NA	NA			09/20/2000
(1869) Fox Chase Rd	0.05	230	R			To: 20-1871					NA	NA			09/20/2000
(1869) Fox Chase Rd	0.05	70	R			From: 20-1870					NA	NA			09/20/2000
						To: Cul-de-Sac									
(1870) Fox Chase Tr	0.10	190	R			From: Cul-de-Sac					NA	NA			09/14/2000
						To: 20-1869									
(1871) Fox Chase Dr	0.16	370	R			From: 20-1869					NA	NA			1996
(1871) Fox Chase Dr	0.14	420	R			To: 20-1872					NA	NA			1996
(1871) Fox Chase Dr	0.06	1000	R			From: 20-1878					NA	NA			1996
(1871) Fox Chase Dr	0.06	1200	R			To: 20-1950					NA	NA			1996
(1871) Fox Chase Dr	0.06	1300	R			From: 20-1800					NA	NA			1996
(1871) Fox Chase Dr	0.05	1300	R			To: 20-1896					NA	NA			1996
(1871) Fox Chase Dr	0.09	1400	R			From: 20-1897					NA	NA			1996
(1871) Fox Chase Dr	0.09	170	R			To: 20-1899					NA	NA			1996
						To: Cul-de-Sac									
(1872) Fox Chase Ct	0.07	100	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1871									
(1873) Nuttree Woods Dr	0.27	790	R			From: 20-1921					NA	NA			1996
(1873) Nuttree Woods Dr	0.19	570	R			To: BEGIN LOOP					NA	NA			1996
(1873) Nuttree Woods Dr	0.06	450	R			From: 20-1877					NA	NA			1996
(1873) Nuttree Woods Dr	0.04	620	R			To: 20-1878					NA	NA			1996
(1873) Nuttree Woods Dr	0.08	410	R			From: 20-1875					NA	NA			1996
(1873) Nuttree Woods Dr	0.06	560	R			To: 20-1874					NA	NA			1996
						To: END LOOP									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1874 Nuttree Woods Tr	0.04	60	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1873									
1875 Nuttree Woods Pl	0.03	150	R			From: 20-1873					NA	NA			1996
						To: 20-1876									
1875 Nuttree Woods Pl	0.04	80	R			From: 20-1876					NA	NA			1996
						To: Cul-de-Sac									
1876 Nuttree Woods Ln	0.04	70	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1875									
1877 Nuttree Woods Ct	0.04	70	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1873									
1878 Overcreek Ln	0.18	650	R			From: 20-1873					NA	NA			1996
						To: 20-1871									
1879 Northwich Dr	0.11	100	R			From: END LOOP					NA	NA			1996
						To: 20-1880									
1879 Northwich Dr	0.04	220	R			From: 20-1880					NA	NA			1996
						To: BEGIN LOOP									
1879 Northwich Dr	0.13	530	R			From: BEGIN LOOP					NA	NA			1996
						To: 20-1881									
1879 Northwich Dr	0.03	600	R			From: 20-1881					NA	NA			1996
						To: 20-1920									
1880 Northwich Ct	0.08	100	R			From: 20-1879					NA	NA			1996
						To: Cul-de-Sac									
1881 Northwich Rd	0.05	220	R			From: 20-1879					NA	NA			1996
						To: 20-1882									
1881 Northwich Rd	0.03	30	R			From: 20-1882					NA	NA			1996
						To: Cul-de-Sac									
1882 Northwich Tr	0.11	130	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1881									
1883 Timber Ridge Rd	0.23	150	R			From: END LOOP					NA	NA			1996
						To: E LEG INT Gap Terminus									
1883 Timber Ridge Rd	0.04	310	R			From: 20-1920					NA	NA			1996
						To: E LEG INT									
1883 Timber Ridge Rd	0.22	150	R			From: E LEG INT					NA	NA			1996
						To: 20-1884									
1883 Timber Ridge Rd	0.20	180	R			From: 20-1884					NA	NA			1996
						To: 20-1885									
1883 Timber Ridge Rd	0.06	270	R			From: 20-1885					NA	NA			1996
						To: BEGIN LOOP									
1883 Timber Ridge Rd	0.04	390	R			From: BEGIN LOOP					NA	NA			1996
						To: 20-1921									
1884 Timber Ridge Ct	0.05	60	R			From: 20-1883					NA	NA			1996
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1885) Timber Ridge Pl	0.10	90	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-1883									
(1886) Quail Hunt Ct	0.04	110	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-1950									
(1887)	0.11	120	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-1888									
(1887)	0.05	220	R			From: 20-1950 NORTH					NA		NA		1997
						To: 20-1950 SOUTH									
(1887)	0.06	1000	R			From: 20-754					NA		NA		1997
						To: 20-754									
(1888) Hunts Bridge Ct	0.03	60	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-1887									
(1889)	0.04	40	R			From: Dead End					NA		NA		1997
						To: 20-2916									
(1889)	0.02	140	R			From: 20-2917					NA		NA		1997
						To: 20-2917									
(1889)	0.05	210	R			From: 20-2915					NA		NA		1997
						To: 20-2915									
(1889)	0.15	270	R			From: 20-1921					NA		NA		1997
						To: 20-1921									
(1889)	0.03	460	R			From: 20-1890					NA		NA		1997
						To: 20-1890									
(1889)	0.15	310	R			From: 20-1891					NA		NA		1997
						To: 20-1891									
(1889)	0.08	90	R			From: Cul-de-Sac					NA		NA		1997
						To: Cul-de-Sac									
(1890) Stoney Ridge Tl	0.15	130	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-1889									
(1891) Stoney Ridge Ct	0.10	100	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-1889									
(1892) Village Green Dr	0.19	170	R			From: END LOOP					NA		NA		09/20/2000
						To: 20-2914									
(1892) Village Green Dr	0.08	360	R			From: 20-1894					NA		NA		09/20/2000
						To: 20-1894									
(1892) Village Green Dr	0.07	660	R			From: BEGIN LOOP					NA		NA		09/20/2000
						To: 20-1920									
(1893) Scherer Dr	0.12	260	R			From: 20-1773					NA		NA		10/24/2000
						To: 20-1759									
(1893) Scherer Dr	0.14	560	R			From: 20-1979					NA		NA		10/24/2000
						To: 20-1979									
(1893) Scherer Dr	0.07	490	R			From: 20-1982					NA		NA		10/24/2000
						To: 20-1982									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1893 Scherer Dr	0.11	860	R			From: 20-1982					NA	NA			10/24/2000
						To: SR 147									
1894 Thornridge Ln	0.24	130	R			From: Cul-de-Sac					NA	NA			09/20/2000
1894 Thornridge Ln	0.10	560	R			From: 20-1895					NA	NA			09/20/2000
						To: 20-1892									
1895 Thornridge Ct	0.10	110	R			From: Cul-de-Sac					NA	NA			09/20/2000
						To: 20-1894									
1896 Steeple Chase Tr	0.05	80	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-1871									
1897 Steeple Chase Rd	0.05	200	R			From: 20-1871					NA	NA			1997
1897 Steeple Chase Rd	0.05	80	R			From: 20-1898					NA	NA			1997
						To: Cul-de-Sac									
1898 Steeple Chase Ct	0.05	70	R			From: 20-1897					NA	NA			1997
						To: Cul-de-Sac									
1899 Fox Chase Ln	0.12	1400	R			From: 20-1871					NA	NA			1997
1899 Fox Chase Ln	0.08	810	R			From: 20-604					NA	NA			1997
						To: Cul-de-Sac									
1900 Rainwater Rd	0.15	260	R			From: 20-1913					NA	NA			10/02/2000
1900 Rainwater Rd	0.20	180	R			From: 20-2000					NA	NA			10/02/2000
						To: 20-2022									
1901 Antas Ln	0.05	100	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-642									
1902 Baume Cr	0.06	90	R			From: Cul-de-Sac					NA	NA			05/25/2000
						To: 20-642									
1903 Chanson Rd	0.12	200	R			From: 20-3702					NA	NA			1994
						To: 20-642									
1904 Nordic Ln	0.06	90	R			From: Cul-de-Sac					NA	NA			05/25/2000
						To: 20-642									
1905 Old Warson Dr	0.96	1800	R			From: 20-642					NA	NA			1994
						To: 20-750									
1906 Saponen Dr	0.06	40	R			From: Cul-de-Sac					NA	NA			05/25/2000
						To: 20-1905									
1907 Heather Ridge	0.06	160	R			From: Cul-de-Sac					NA	NA			05/25/2000
1907 Heather Ridge	0.18	150	R			From: 20-1910					NA	NA			05/25/2000
						To: 20-1908									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1908)	0.06	520	R			From: 20-1910					NA	NA		05/25/2000	
(1908)	0.05	650	R			To: 20-1907					NA	NA		05/25/2000	
(1908)	0.03	420	R			From: 20-3067					NA	NA		05/25/2000	
(1908)	0.06	280	R			To: 20-2836					NA	NA		05/25/2000	
(1908)	0.06	240	R			From: 20-3066					NA	NA		05/25/2000	
(1908)	0.06	90	R			To: 20-3065					NA	NA		05/25/2000	
(1909)	0.05	60	R			From: Cul-de-Sac					NA	NA		10/02/2000	
(1909)	0.06	50	R			To: 20-1918					NA	NA		10/02/2000	
(1910)	0.06	3200	R			From: SR 145					NA	NA		10/02/2000	
(1910)	0.14	1900	R			To: 20-1911					NA	NA		05/25/2000	
(1910)	0.06	1700	R			From: 20-1912					NA	NA		05/25/2000	
(1910)	0.13	1600	R			To: 20-1907					NA	NA		05/25/2000	
(1910)	0.05	1200	R			From: 20-1908					NA	NA		05/25/2000	
(1910)	0.12	1100	R			To: 20-2835					NA	NA		05/25/2000	
(1910)	0.20	980	R			From: 20-2836					NA	NA		05/25/2000	
(1910)	0.12	210	R			To: 20-3065					NA	NA		05/25/2000	
(1910)	0.07	520	R			From: 0.12 MN 20-3065					NA	NA		05/25/2000	
(1910)	0.23	300	R			To: 20-2848					NA	NA		05/25/2000	
(1911)	0.06	90	R			From: 20-1910					NA	NA		05/25/2000	
(1912)	0.03	40	R			To: Cul-de-Sac					NA	NA		05/25/2000	
(1912)	0.09	90	R			From: Dead End					NA	NA		05/25/2000	
(1912)	0.09	90	R			To: 20-1910					NA	NA		05/25/2000	
(1913)	0.05	2500	R			From: Dead End					NA	NA		10/02/2000	
(1913)	0.05	440	R			To: 20-3654					NA	NA		10/02/2000	
(1913)	0.05	440	R			From: 20-3650					NA	NA		10/02/2000	

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1913 Huntingcreek Dr	0.06	660	R			From: 20-3650					NA	NA			10/02/2000
1913 Huntingcreek Dr	0.10	640	R			To: 20-2832					NA	NA			10/02/2000
1913 Huntingcreek Dr	0.07	730	R			From: 20-2833					NA	NA			10/02/2000
1913 Huntingcreek Dr	0.10	1100	R			To: 20-2022					NA	NA			10/02/2000
1913 Huntingcreek Dr	0.05	1600	R			From: 20-2821					NA	NA			10/02/2000
1913 Huntingcreek Dr	0.06	1700	R			To: 20-2820					NA	NA			10/02/2000
1913 Huntingcreek Dr	0.14	2200	R			From: 20-2815					NA	NA			10/02/2000
1913 Huntingcreek Dr	0.03	2400	R			To: 20-2819					NA	NA			10/02/2000
1913 Huntingcreek Dr	0.06	2600	R			From: 20-2818					NA	NA			10/02/2000
1913 Huntingcreek Dr	0.08	3000	R			To: 20-1900					NA	NA			10/02/2000
1913 Huntingcreek Dr	0.07	3300	R			From: 20-1915					NA	NA			10/02/2000
1913 Huntingcreek Dr	0.07	3300	R			To: 20-1914					NA	NA			10/02/2000
1914 Cloverpatch Tr	0.06	100	R			From: Cul-de-Sac					NA	NA			10/02/2000
1915 Buttermint Dr	0.05	460	R			To: 20-1913					NA	NA			10/02/2000
1915 Buttermint Dr	0.13	390	R			From: 20-1917					NA	NA			10/02/2000
1915 Buttermint Dr	0.08	330	R			To: 20-1918					NA	NA			10/02/2000
1915 Buttermint Dr	0.06	360	R			From: 20-1916					NA	NA			10/02/2000
1916 English Setter Ct	0.10	130	R			To: 20-2022					NA	NA			10/02/2000
1917 Gunshop Ln	0.06	80	R			From: Cul-de-Sac					NA	NA			10/02/2000
1918 Bellmeadows Rd	0.06	710	R			To: 20-1915					NA	NA			10/02/2000
1918 Bellmeadows Rd	0.19	1500	R			From: 20-1919					NA	NA			10/02/2000
1919	0.15	110	R			To: 20-642					NA	NA			10/02/2000
1919 Windingrun Ln	0.10	290	R			From: Dead End					NA	NA			10/02/2000
						To: 20-1918					NA	NA			10/02/2000
						From: 20-2022									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
1919 Windingrun Ln	0.03	60	R			From: 20-2022					NA		NA		10/02/2000
						To: Dead End									
1920 Millridge Py	0.34	6000	R			From: 20-754 OLD 100 RD					NA		NA		1994
						To: 20-2930					NA		NA		1994
1920	1.30	4000	R			From: 20-1921 BRANDERMILL PKWY					NA		NA		1994
						To: 20-754 Old Hundred Rd SE					NA		NA		1994
1921 Brandermill Pkwy	0.88	3400	R			From: 20-1873 Nuttree					NA		NA		1994
						To: 20-604 GENITO					NA		NA		1994
1921 Brandermill Py	0.97	3400	R			From: 20-652 OLD 100 NW					NA		NA		1994
						To: 20-652					NA		NA		
1921	0.32	NA				From: Dead End					NA		NA		
						To: END LOOP									
1922 Poplar Grove Rd	0.20	120	R			From: 20-1923					NA		NA		09/20/2000
						To: 20-1924					NA		NA		09/20/2000
1922 Poplar Grove Rd	0.06	300	R			From: 20-1925					NA		NA		09/20/2000
						To: 20-1926					NA		NA		09/20/2000
1922 Poplar Grove Rd	0.03	220	R			From: BEGIN LOOP					NA		NA		09/20/2000
						To: 20-1920					NA		NA		09/20/2000
1923 Poplar Grove Rd	0.08	400	R			From: 20-1922					NA		NA		09/20/2000
						To: 20-1922					NA		NA		09/20/2000
1924 Poplar Grove Ct	0.05	70	R			From: Cul-de-Sac					NA		NA		09/20/2000
						To: 20-1922					NA		NA		09/20/2000
1925 Poplar Grove Tr	0.03	40	R			From: Cul-de-Sac					NA		NA		09/20/2000
						To: 20-1922					NA		NA		09/20/2000
1926 Poplar Grove Pl	0.08	80	R			From: END LOOP					NA		NA		09/20/2000
						To: 20-1931					NA		NA		09/14/2000
1927 Winterberry Ridge	0.07	440	R			From: 20-1930					NA		NA		09/14/2000
						To: 20-1929					NA		NA		09/14/2000
1927 Winterberry Ridge	0.18	210	R			From: 20-1928					NA		NA		09/14/2000
						To: 20-1928					NA		NA		09/14/2000
1927 Winterberry Ridge	0.14	180	R			From: BEGIN LOOP					NA		NA		09/14/2000
						To: 20-1928					NA		NA		09/14/2000
1927 Winterberry Ridge	0.06	180	R			From: 20-1928					NA		NA		09/14/2000
						To: BEGIN LOOP					NA		NA		09/14/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1927) Winterberry Ridge	0.06	950	R			From: BEGIN LOOP					NA	NA			09/14/2000
						To: 20-1920									
(1928) McTyres Cove Rd	0.14	450	R			From: 20-1927					NA	NA			1996
(1928) McTyres Cove Rd	0.04	400	R			From: 20-1828 SOUTH					NA	NA			1996
(1928) McTyres Cove Rd	0.09	400	R			From: 20-1828 NORTH					NA	NA			1996
(1928) McTyres Cove Rd	0.05	440	R			From: 20-1823					NA	NA			1996
(1928) McTyres Cove Rd	0.12	500	R			From: 20-1822					NA	NA			1996
						To: 20-1921									
(1929) Winterberry Tr	0.06	60	R			From: 20-1927					NA	NA			1996
						To: Cul-de-Sac									
(1930) Winterberry Ct	0.04	40	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1927									
(1931) Hickory Nut Point	0.03	40	R			From: Cul-de-Sac					NA	NA			1996
(1931) Hickory Nut Point	0.10	170	R			From: 20-1933					NA	NA			1996
(1931) Hickory Nut Point	0.10	260	R			From: 20-1932					NA	NA			1996
						To: 20-1927									
(1932) Hickory Nut Pl	0.04	49	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1931									
(1933) Hickory Nut Ct	0.03	40	R			From: 20-1931					NA	NA			1996
						To: Cul-de-Sac									
(1934) Old Fox Tl	0.19	370	R			From: 20-1920					NA	NA			1996
(1934) Old Fox Tl	0.25	110	R			From: BEGIN LOOP					NA	NA			1996
(1934) Old Fox Tl	0.11	120	R			From: 20-1935					NA	NA			1996
(1934) Old Fox Tl	0.04	120	R			From: 20-1936					NA	NA			1996
						To: END LOOP									
(1935) Old Fox Tl	0.05	230	R			From: 20-1920					NA	NA			1996
						To: 20-1934									
(1936) Old Fox Ct	0.04	50	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1934									
(1937) Woodbriar Ct	0.03	60	R			From: Cul-de-Sac					NA	NA			09/20/2000
						To: 20-1938									
(1937) Woodbriar Ct	0.03	180	R			From: 20-1920					NA	NA			09/20/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1938) Woodbriar Ridge	0.06	140	R			From: Cul-de-Sac					NA	NA			09/20/2000
						To: 20-1937									
(1939) Planters Wood Rd	0.05	1000	R			From: 20-1920 SOUTH					NA	NA			1996
						To: 20-1940									
(1939) Planters Wood Rd	0.04	1000	R			From: 20-1940					NA	NA			1996
						To: 20-1941									
(1939) Planters Wood Rd	0.03	1000	R			From: 20-1941					NA	NA			1996
						To: 20-1942									
(1939) Planters Wood Rd	0.04	1000	R			From: 20-1942					NA	NA			1996
						To: 20-1943									
(1939) Planters Wood Rd	0.05	900	R			From: 20-1943					NA	NA			1996
						To: 20-1944									
(1939) Planters Wood Rd	0.06	630	R			From: 20-1944					NA	NA			1996
						To: 20-1945									
(1939) Planters Wood Rd	0.02	510	R			From: 20-1945					NA	NA			1996
						To: 20-1865									
(1939) Planters Wood Rd	0.04	410	R			From: 20-1865					NA	NA			1996
						To: 20-1844									
(1939) Planters Wood Rd	0.03	400	R			From: 20-1844					NA	NA			1996
						To: 20-1855									
(1939) Planters Wood Rd	0.03	400	R			From: 20-1855					NA	NA			1996
						To: 20-1841									
(1939) Planters Wood Rd	0.06	470	R			From: 20-1841					NA	NA			1996
						To: 20-1839									
(1939) Planters Wood Rd	0.03	450	R			From: 20-1839					NA	NA			1996
						To: 20-1838									
(1939) Planters Wood Rd	0.17	920	R			From: 20-1838					NA	NA			1996
						To: 20-1920 NORTH									
(1940) Old Barn Ct	0.03	80	R			From: 20-1939					NA	NA			1996
						To: Cul-de-Sac									
(1941) Painted Post Ln	0.08	130	R			From: 20-1939					NA	NA			1996
						To: Cul-de-Sac									
(1942) Farm Crest Ct	0.07	120	R			From: 20-1939					NA	NA			1996
						To: Cul-de-Sac									
(1943) Peppercorn Pl	0.07	120	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1939									
(1944) Gate Post Ct	0.07	140	R			From: 20-1939					NA	NA			1997
						To: Cul-de-Sac									
(1945) Farm Brook Ct	0.03	80	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-1939									
(1946) Pebble Creek Rd	0.04	490	R			From: 20-1921					NA	NA			1997
						To: 20-1947									
(1946) Pebble Creek Rd	0.13	420	R			From: 20-1947					NA	NA			1997
						To: 20-1948									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1946) Pebble Creek Rd	0.03	280	R			From: 30-1948					NA		NA		1997
(1946) Pebble Creek Rd	0.23	210	R			To: 20-1949					NA		NA		1997
						From: Cul-de-Sac									
(1947) Pebble Creek Ct	0.03	60	R			To: 20-1946					NA		NA		1997
						From: Cul-de-Sac									
(1948) Pebble Creek Ln	0.04	60	R			To: 20-1946					NA		NA		1997
						From: 20-1946									
(1949) Pebble Creek Tr	0.04	70	R			To: Cul-de-Sac					NA		NA		1997
						From: 20-1921									
(1950) Quail Hill Dr	0.03	920	R			To: 20-1951					NA		NA		1997
(1950) Quail Hill Dr	0.04	760	R			To: 20-1862					NA		NA		1997
(1950) Quail Hill Dr	0.04	660	R			To: 20-1864					NA		NA		1997
(1950) Quail Hill Dr	0.19	700	R			To: 20-1869					NA		NA		1997
(1950) Quail Hill Dr	0.16	630	R			To: 20-1887 SOUTH					NA		NA		1997
(1950) Quail Hill Dr	0.05	670	R			To: 20-1887 NORTH					NA		NA		1997
(1950) Quail Hill Dr	0.16	410	R			To: 20-1886					NA		NA		1997
(1950) Quail Hill Dr	0.08	370	R			To: 20-1871					NA		NA		1997
						From: Dead End									
(1951) Quail Meadows Ln	0.07	100	R			To: 20-1861					NA		NA		09/20/2000
(1951) Quail Meadows Ln	0.03	200	R			To: 20-1860					NA		NA		09/20/2000
(1951) Quail Meadows Ln	0.06	240	R			To: 20-1950					NA		NA		09/20/2000
						From: Dead End									
(1952) Red Lion Pl	0.03	20	R			To: 20-2544					NA		NA		08/23/2000
(1952) Red Lion Pl	0.07	240	R			To: 20-2754					NA		NA		08/23/2000
(1952) Red Lion Pl	0.04	260	R			To: 20-2755					NA		NA		08/23/2000
(1952) Red Lion Pl	0.05	340	R			To: 20-2756					NA		NA		08/23/2000
(1952) Red Lion Pl	0.07	390	R			To: 20-1775					NA		NA		08/23/2000
						From: 20-1955									
(1953) Threadneedle St	0.06	110	R			To: 20-1954					NA		NA		1997
(1953) Threadneedle St	0.05	210	R			To: 20-2540					NA		NA		1997

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1954) March Hare Dr	0.10	80	R			From: 20-1953					NA	NA			1997
						To: 20-1775									
(1955) Honey Tree Rd	0.06	160	R			From: 20-1956					NA	NA			1997
(1955) Honey Tree Rd	0.11	230	R			From: 20-1953					NA	NA			1997
						To: 20-1775									
(1956) Wrens Nest Rd	0.09	2700	R			From: 20-675					NA	NA			1997
(1956) Wrens Nest Rd	0.05	1800	R			From: 20-1791					NA	NA			1997
(1956) Wrens Nest Rd	0.09	1700	R			From: 20-1955					NA	NA			1997
(1956) Wrens Nest Rd	0.09	870	R			From: 20-2540					NA	NA			1997
(1956) Wrens Nest Rd	0.05	690	R			From: 20-1957					NA	NA			1997
(1956) Wrens Nest Rd	0.25	400	R			From: 20-1959					NA	NA			1997
						To: Cul-de-Sac									
(1957) Wrens Nest Ct	0.08	320	R			From: 20-1956					NA	NA			08/23/2000
						To: Cul-de-Sac									
(1958) Eureka Dr	0.08	40	R			From: 20-1992					NA	NA			08/23/2000
						To: Dead End									
(1959) Jousting Ln	0.07	340	R			From: 20-1956					NA	NA			08/23/2000
(1959) Jousting Ln	0.05	490	R			From: 20-1960					NA	NA			08/23/2000
						To: 20-1775									
(1960) Quarterstaff Rd	0.09	330	R			From: 20-1959					NA	NA			08/23/2000
(1960) Quarterstaff Rd	0.05	280	R			From: 20-2787					NA	NA			08/23/2000
(1960) Quarterstaff Rd	0.04	300	R			From: 20-2786					NA	NA			08/23/2000
						To: 20-1739									
(1961)	0.17	380	R			From: 20-1741					NA	NA			08/23/2000
(1961)	0.13	160	R			From: 20-1962					NA	NA			08/23/2000
						To: Dead End									
(1962) Stonehenge Dr	0.22	240	R			From: 20-1733					NA	NA			08/23/2000
						To: 20-1961									
(1963) Trent Rd	0.08	260	R			From: 20-1964					NA	NA			08/23/2000
(1963) Trent Rd	0.28	280	R			From: 20-1746					NA	NA			08/23/2000
						To: 20-678									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1964) Winslow Rd	0.03	20	R			From: Dead End					NA	NA		10/24/2000	
(1964) Winslow Rd	0.03	20	R			From: 20-877					NA	NA		10/24/2000	
(1964) Winslow Rd	0.03	20	R			From: Dead End; Gap Terminus					NA	NA		10/24/2000	
(1964) Winslow Rd	0.13	180	R			From: 20-686					NA	NA		10/24/2000	
(1964) Winslow Rd	0.03	130	R			From: 20-1963					NA	NA		10/24/2000	
(1965) Renfro Rd	0.13	250	R			From: Dead End					NA	NA		08/23/2000	
(1965) Renfro Rd	0.07	270	R			From: 20-1770					NA	NA		08/23/2000	
(1965) Renfro Rd	0.05	290	R			From: 20-1771					NA	NA		08/23/2000	
(1966) Beechdale Rd	0.08	150	R			From: Dead End; Gap Terminus					NA	NA		08/23/2000	
(1966) Beechdale Rd	0.06	160	R			From: 20-1784					NA	NA		08/23/2000	
(1966) Beechdale Rd	0.06	160	R			From: 20-2554					NA	NA		08/23/2000	
(1966) Beechdale Rd	0.06	160	R			From: 20-1967					NA	NA		08/23/2000	
(1967) Orangewood Rd	0.10	120	R			From: 20-1985					NA	NA		08/23/2000	
(1968) Beaudet Ln	0.10	120	R			From: 20-2541					NA	NA		08/23/2000	
(1969) Bard Ln	0.06	180	R			From: 20-1966					NA	NA		10/24/2000	
(1970) Chiswick Rd	0.14	320	R			From: Dead End					NA	NA		10/24/2000	
(1970) Chiswick Rd	0.10	150	R			From: 20-789					NA	NA		10/24/2000	
(1971) Orchardhill Dr	0.12	620	R			From: 20-1970					NA	NA		10/02/2000	
(1971) Orchardhill Dr	0.20	290	R			From: 20-1758					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.06	230	R			From: 20-789					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.13	540	R			From: 20-789					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.06	660	R			From: 20-1969					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.05	780	R			From: 20-2532					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.14	190	R			From: 20-641					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.14	190	R			From: 20-1971					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.14	190	R			From: 20-1972					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.14	190	R			From: 20-1973					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.14	190	R			From: 20-1973 WEST					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.14	190	R			From: 20-3298 NORTH					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.14	190	R			From: 20-3297					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.14	190	R			From: 20-3298 SOUTH					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.14	190	R			From: 20-3192					NA	NA		10/02/2000	
(1972) Autumnleaf Dr	0.14	190	R			From: 20-1971					NA	NA		10/02/2000	

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1972) Autumnleaf Dr	0.06	290	R			From: 20-1971					NA	NA			10/02/2000
(1972) Autumnleaf Dr	0.03	420	R			To: 20-2852					NA	NA			10/02/2000
(1972) Autumnleaf Dr	0.05	490	R			From: 20-2851					NA	NA			10/02/2000
(1972) Autumnleaf Dr	0.05	780	R			To: 20-1845					NA	NA			10/02/2000
(1972) Autumnleaf Dr	0.07	460	R			From: 20-2850					NA	NA			10/02/2000
(1973)	0.12	160	R			To: 20-1973 EAST					NA	NA			10/02/2000
(1973)	0.07	250	R			From: 20-1972 WEST					NA	NA			10/02/2000
(1973)	0.06	330	R			To: 20-3192					NA	NA			10/02/2000
(1973)	0.06	330	R			From: 20-1993					NA	NA			10/02/2000
(1973)	0.06	520	R			To: 20-1974					NA	NA			10/02/2000
(1973)	0.07	530	R			From: 20-1971					NA	NA			10/02/2000
(1973)	0.03	40	R			To: 20-1972 EAST					NA	NA			10/02/2000
(1974) Springleaf Ct	0.09	220	R			From: Dead End					NA	NA			10/02/2000
(1975) Tuscora Rd	0.10	140	R			To: Cul-de-Sac					NA	NA			10/24/2000
(1975) Tuscora Rd	0.06	40	R			From: 20-1973					NA	NA			10/24/2000
(1976) Worsham Rd	0.22	160	R			To: 20-1748					NA	NA			11/20/2000
(1977) Cromwell Rd	0.11	270	R			From: 20-755					NA	NA			07/26/2000
(1977) Cromwell Rd	0.07	240	R			To: 20-2057					NA	NA			07/26/2000
(1977) Cromwell Rd	0.05	340	R			From: 20-1978 SOUTH					NA	NA			07/26/2000
(1977) Cromwell Rd	0.11	240	R			To: 20-2017					NA	NA			07/26/2000
(1977) Cromwell Rd	0.13	330	R			From: 20-1769					NA	NA			07/26/2000
(1978) Swathmore Rd	0.28	200	R			To: 20-1978 NORTH					NA	NA			07/26/2000
(1978) Swathmore Rd	0.05	20	R			From: SR 147					NA	NA			07/26/2000
(1978) Swathmore Rd	0.05	20	R			To: 20-1977 SOUTH					NA	NA			07/26/2000
(1978) Swathmore Rd	0.05	20	R			From: 20-1977 NORTH GT					NA	NA			07/26/2000
(1978) Swathmore Rd	0.05	20	R			To: 20-1784 Gap Terminus					NA	NA			07/26/2000
(1978) Swathmore Rd	0.05	20	R			From: Dead End					NA	NA			07/26/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1979) Trabue Rd	0.19	140	R			From: Dead End					NA		NA		11/08/2000
(1979) Trabue Rd	0.12	180	R			From: 20-1981					NA		NA		11/08/2000
						To: 20-1893									
(1980) Halstead Rd	0.15	250	R			From: 20-1720					NA		NA		11/08/2000
(1980) Halstead Rd	0.07	50	R			From: 20-1981					NA		NA		11/08/2000
						To: Dead End									
(1981) Brixham Dr	0.14	190	R			From: 20-1759					NA		NA		11/08/2000
(1981) Brixham Dr	0.07	150	R			From: 20-1980					NA		NA		11/08/2000
						To: 20-1979									
(1982) Sherbrook Ct	0.10	80	R			From: Dead End					NA		NA		11/08/2000
						To: 20-1893									
(1983) Epic Rd	0.05	20	R			From: Dead End					NA		NA		11/08/2000
(1983) Epic Rd	0.07	140	R			From: 20-1984					NA		NA		11/08/2000
						To: 20-1758									
(1984) Apex Rd	0.15	130	R			From: 20-1758					NA		NA		11/08/2000
						To: 20-1983									
(1985) Woodmont Dr	0.06	1600	R			From: 20-675 ROBIUS					NA		NA		1996
(1985) Woodmont Dr	0.06	2200	R			From: 20-2539					NA		NA		1996
(1985) Woodmont Dr	0.06	1900	R			From: 20-1991					NA		NA		1996
(1985) Woodmont Dr	0.10	1400	R			From: 20-2541					NA		NA		1996
(1985) Woodmont Dr	0.05	1200	R			From: 20-1966					NA		NA		1996
(1985) Woodmont Dr	0.06	950	R			From: 20-2540					NA		NA		1996
(1985) Woodmont Dr	0.10	750	R			From: 20-2548					NA		NA		1996
(1985) Woodmont Dr	0.04	440	R			From: 20-2546					NA		NA		1996
(1985) Woodmont Dr	0.17	390	R			From: Dead End; Gap Terminus					NA		NA		1996
(1985) Woodmont Dr	0.10	450	R			From: 20-2324					NA		NA		1996
(1985) Woodmont Dr	0.05	480	R			From: 20-1986					NA		NA		1996
(1985) Woodmont Dr	0.09	1400	R			From: 20-2550					NA		NA		1996
(1985) Woodmont Dr	0.05	1400	R			From: SR 147					NA		NA		1996
						To: 20-3325									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1985) Woodmont Dr	0.16	430	R			From: 20-3325					NA	NA			1996
(1985) Woodmont Dr	0.07	360	R			To: 20-3326					NA	NA			1996
(1986) Jason Rd	0.07	340	R			From: 20-1985					NA	NA			1996
(1986) Jason Rd	0.07	380	R			To: 20-2367					NA	NA			1996
(1986) Jason Rd	0.13	170	R			From: 20-1989					NA	NA			1996
(1986) Jason Rd	0.23	200	R			To: 20-2056					NA	NA			1996
(1987) Saxony Rd	0.08	330	R			From: 20-1781					NA	NA			1996
(1987) Saxony Rd	0.09	400	R			To: 20-1989					NA	NA			1996
(1988) Francine Rd	0.17	100	R			From: 20-1988					NA	NA			1996
(1989) Dolfield Dr	0.16	330	R			To: 20-1781					NA	NA			1996
(1989) Dolfield Dr	0.07	270	R			From: 20-2366					NA	NA			1996
(1989) Dolfield Dr	0.07	500	R			To: 20-1987					NA	NA			1996
(1989) Dolfield Dr	0.08	420	R			From: 20-2366					NA	NA			1996
(1989) Dolfield Dr	0.08	760	R			To: 20-2324					NA	NA			1996
(1989) Dolfield Dr	0.08	660	R			From: 20-2369					NA	NA			1996
(1990) Esquire Rd	0.07	450	R			To: 20-1986					NA	NA			1996
(1990) Esquire Rd	0.06	420	R			From: 20-1768					NA	NA			1996
(1990) Esquire Rd	0.14	340	R			To: SR 147					NA	NA			1996
(1990) Esquire Rd	0.12	290	R			From: 20-2539					NA	NA			1996
(1991) Oakcrest Dr	0.15	270	R			To: 20-1991					NA	NA			1996
(1992) Aldwell Dr	0.21	70	R			From: 20-2541					NA	NA			1996
(1993) Winterleaf Ct	0.15	290	R			To: 20-2540					NA	NA			1996
(1992) Aldwell Dr	0.21	70	R			From: 20-2546					NA	NA			1996
(1993) Winterleaf Ct	0.15	290	R			To: 20-1990					NA	NA			1996
(1992) Aldwell Dr	0.21	70	R			From: Dead End					NA	NA			1986
(1993) Winterleaf Ct	0.15	290	R			To: 20-686					NA	NA			1996
(1993) Winterleaf Ct	0.15	290	R			From: Cul-de-Sac					NA	NA			1996
(1993) Winterleaf Ct	0.15	290	R			To: 20-1973					NA	NA			1996

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(1994) Majorica Dr	0.12	160	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1905									
(1995) Joindre Ct	0.08	130	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1905									
(1996)	0.18	370	R			From: 20-1905					NA	NA			1996
						To: 20-1997									
(1996)	0.05	370	R			From: 20-1997					NA	NA			1996
						To: 20-3042									
(1996)	0.07	300	R			From: 20-3042					NA	NA			1996
						To: Cul-de-Sac									
(1997) Post Horn Dr	0.19	1200	R			From: SR 145					NA	NA			1996
						To: 20-1996									
(1997) Post Horn Dr	0.11	650	R			From: 20-1996					NA	NA			1996
						To: 20-1905									
(1998) Ewell Rd	0.16	310	R			From: 20-755					NA	NA			11/08/2000
						To: 20-1999									
(1999)	0.08	500	R			From: 20-755					NA	NA			11/08/2000
						To: 20-2049									
(1999)	0.08	580	R			From: 20-2049					NA	NA			11/08/2000
						To: 20-2048									
(1999)	0.10	260	R			From: 20-2048					NA	NA			11/08/2000
						To: 20-2075									
(1999)	0.09	260	R			From: 20-2075					NA	NA			11/08/2000
						To: 20-1976									
(1999)	0.08	280	R			From: 20-1976					NA	NA			11/08/2000
						To: 20-1998									
(2000) Rainwater Ct	0.05	80	R			From: 20-1900					NA	NA			1997
						To: Cul-de-Sac									
(2001) Old Ln	0.34	3100	R			From: 20-637					NA	NA			1994
						To: SR 145 OLD LANE									
(2002) Hopkins Rd	0.18	120	R			From: Dead End					NA	NA			09/28/2000
						To: SR 145; 20-637									
(2003) Crossvine Dr	0.10	100	R			From: 20-2004					NA	NA			1997
						To: 20-788									
(2003) Crossvine Dr	0.10	130	R			From: 20-788					NA	NA			1997
						To: 20-750									
(2004) Shamrock Dr	0.27	460	R			From: SR 145					NA	NA			1997
						To: 20-2003									
(2004) Shamrock Dr	0.03	360	R			From: 20-2003					NA	NA			1997
						To: 20-3046									
(2004) Shamrock Dr	0.11	510	R			From: 20-3046					NA	NA			1997
						To: 20-1905									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2005) Centralia Station	0.10	8	R			From: Dead End					NA	NA			09/28/2000
						To: SR 145									
(2006) Deerfield Dr	0.05	20	R			From: Dead End					NA	NA			1997
(2006) Deerfield Dr	0.07	460	R			From: 20-2007					NA	NA			1997
(2006) Deerfield Dr	0.16	470	R			From: 20-2035					NA	NA			1997
(2006) Deerfield Dr	0.09	820	R			From: 20-2008					NA	NA			1997
(2006) Deerfield Dr	0.08	1700	R			From: 20-2069					NA	NA			1997
						To: SR 10									
(2007) Fawndale Dr	0.09	360	R			From: 20-2006					NA	NA			1997
(2007) Fawndale Dr	0.10	330	R			From: 20-2009					NA	NA			1997
(2007) Fawndale Dr	0.09	380	R			From: 20-2066					NA	NA			1997
(2007) Fawndale Dr	0.08	490	R			From: 20-2008					NA	NA			1997
						To: 20-2069									
(2008)	0.16	170	R			From: 20-2068					NA	NA			1997
						To: 20-2067 Gap Terminus									
(2008)	0.07	190	R			From: 20-2007 Gap Terminus					NA	NA			1997
(2008)	0.08	230	R			From: 20-2009					NA	NA			1997
						To: 20-2006									
(2009)	0.17	260	R			From: 20-2007					NA	NA			1997
						To: 20-2008									
(2010) Stamford Rd	0.10	160	R			From: Dead End					NA	NA			05/17/2000
(2010) Stamford Rd	0.15	550	R			From: 20-2011					NA	NA			05/17/2000
						To: 20-775									
(2011) Winterhaven Rd	0.08	410	R			From: 20-2010					NA	NA			05/17/2000
(2011) Winterhaven Rd	0.08	30	R			From: 20-2012					NA	NA			05/17/2000
						To: Dead End									
(2012) Winterhaven Ct	0.05	140	R			From: 20-2025					NA	NA			05/17/2000
(2012) Winterhaven Ct	0.05	70	R			From: 20-2011					NA	NA			05/17/2000
						To: Dead End									
(2013) Gatesgreen Dr	0.06	2300	R			From: 20-903					NA	NA			1997
(2013) Gatesgreen Dr	0.08	2100	R			From: 20-2014					NA	NA			1997
						To: 20-2015									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2013) Gatesgreen Dr	0.12	1700	R			From: 20-2015					NA	NA			1997
(2013) Gatesgreen Dr	0.25	1600	R			From: 20-2037					NA	NA			1997
(2013) Gatesgreen Dr	0.08	2400	R			From: 20-2015; 20-2016					NA	NA			1997
						To: 20-642									
(2014) Precedent Rd	0.13	170	R			From: 20-2013					NA	NA			11/16/2000
						To: Dead End									
(2015) Barrister Rd	0.38	470	R			From: 20-2013					NA	NA			11/16/2000
(2015) Barrister Rd	0.10	430	R			From: 20-2037					NA	NA			11/16/2000
(2015) Barrister Rd	0.11	550	R			From: 20-2046					NA	NA			11/16/2000
						To: 20-2013; 20-2016									
(2016) Statute St	0.33	2300	R			From: 20-903					NA	NA			11/16/2000
(2016) Statute St	0.05	1700	R			From: 20-2037					NA	NA			11/16/2000
(2016) Statute St	0.15	1900	R			From: 20-2089					NA	NA			11/16/2000
						To: 20-2013; 20-2015									
(2017) Chancellor Rd	0.16	230	R			From: 20-1977					NA	NA			07/26/2000
(2017) Chancellor Rd	0.10	80	R			From: 20-2018					NA	NA			07/26/2000
						To: Dead End									
(2018) Chancellor Pl	0.05	45	R			From: Dead End					NA	NA			07/26/2000
						To: 20-2017									
(2019) Patromdale Dr	0.14	100	R			From: Cul-de-Sac					NA	NA			11/08/2000
						To: SR 145									
(2020) Harmac Ct	0.03	30	R			From: Cul-de-Sac					NA	NA			11/08/2000
						To: 20-2075									
(2021) Whitaker Cr	0.02	40	R			From: 20-2076					NA	NA			11/08/2000
						To: Cul-de-Sac									
(2022)	0.05	80	R			From: Cul-de-Sac					NA	NA			09/26/2000
(2022)	0.06	170	R			From: 20-1913					NA	NA			09/26/2000
(2022)	0.11	200	R			From: 20-2824					NA	NA			09/26/2000
(2022)	0.05	180	R			From: 20-2831					NA	NA			09/26/2000
(2022)	0.06	160	R			From: 20-2820					NA	NA			09/26/2000
(2022)	0.14	350	R			From: 20-2815					NA	NA			09/26/2000
						To: 20-1900									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2022)	0.16	380	R			From: 20-1900					NA	NA			09/26/2000
(2022)	0.11	260	R			To: 20-1915					NA	NA			09/26/2000
						From: 20-1919									
(2023)	0.02	3	R			To: Dead End					NA	NA			08/08/2000
(2023)	0.46	4200	R			From: 20-3200					NA	NA			08/08/2000
(2023)	0.31	2100	R			To: US 360					NA	NA			11/27/2000
						From: 20-2024									
(2024) Birdsong Ln	0.09	40	R			From: Cul-de-Sac					NA	NA			11/27/2000
						To: 20-2023									
(2025) Markey Rd	0.23	180	R			From: 20-2012					NA	NA			05/17/2000
(2025) Markey Rd	0.17	270	R			To: 20-2030					NA	NA			05/17/2000
(2025) Markey Rd	0.13	820	R			From: 20-2029					NA	NA			05/17/2000
						To: 20-604									
(2026) Respass Rd	0.17	130	R			From: 20-2030					NA	NA			05/17/2000
						To: 20-2029									
(2027) Pease Rd	0.06	70	R			From: Cul-de-Sac					NA	NA			05/17/2000
(2027) Pease Rd	0.06	100	R			To: 20-2038					NA	NA			05/17/2000
(2027) Pease Rd	0.10	70	R			From: 20-2030					NA	NA			05/17/2000
						To: Dead End									
(2028) Sunview Ln	0.08	110	R			From: Cul-de-Sac					NA	NA			11/08/2000
						To: 20-2979									
(2028) Sunview Ln	0.08	160	R			From: 20-2879					NA	NA			11/08/2000
(2028) Sunview Ln	0.22	270	R			To: 0.09 ME 20-2879					NA	NA			11/08/2000
						From: 20-678									
(2029) Meis Ln	0.04	30	R			To: Dead End					NA	NA			05/17/2000
(2029) Meis Ln	0.07	160	R			From: 20-2026					NA	NA			05/17/2000
(2029) Meis Ln	0.03	20	R			To: 20-2025					NA	NA			05/17/2000
						From: Dead End									
(2030) Dew Ln	0.08	200	R			To: 20-2027					NA	NA			05/17/2000
(2030) Dew Ln	0.09	270	R			From: 20-2026					NA	NA			05/17/2000
						To: 20-2025									
(2031) Wilton Rd	0.33	180	R			From: 20-651					NA	NA			07/10/2000
						To: 20-2033									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
2031 Wilton Rd	0.07	40	R			From: 20-2033					NA	NA			07/10/2000
						To: Dead End									
2032 Rock Run Rd	0.30	200	R			From: 20-651					NA	NA			07/10/2000
2032 Rock Run Rd	0.08	30	R			From: 20-2033					NA	NA			07/10/2000
						To: Dead End									
2033 Walden Rd	0.09	40	R			From: 20-2032					NA	NA			07/10/2000
2033 Walden Rd	0.08	60	R			From: 20-2031					NA	NA			07/10/2000
						To: Dead End									
2034 Sambar Rd	0.04	50	R			From: Dead End					NA	NA			12/06/2000
2034 Sambar Rd	0.29	100	R			From: 20-2035					NA	NA			12/06/2000
						To: 20-604									
2035 Fallow Dr	0.10	160	R			From: 20-2006					NA	NA			1994
2035 Fallow Dr	0.16	340	R			From: 20-2034					NA	NA			1994
						To: 20-604									
2036 Sunfield Dr	0.05	90	R			From: Cul-de-Sac					NA	NA			11/14/2000
2036 Sunfield Dr	0.10	490	R			From: 20-4101 WEST					NA	NA			11/14/2000
						To: 20-4501 EAST									
2036 Sunfield Dr	0.06	950	R			From: 20-4101 EAST					NA	NA			11/14/2000
						To: 20-4100									
2036 Sunfield Dr	0.13	710	R			From: 20-759					NA	NA			11/14/2000
						To: 20-922									
2036 Sunfield Dr	0.14	140	R			From: 20-919					NA	NA			11/14/2000
						To: Dead End									
2037 Riddle Rd	0.06	220	R			From: 20-2016					NA	NA			11/16/2000
						To: 20-2013									
2037 Riddle Rd	0.13	340	R			From: 40-2013					NA	NA			11/16/2000
						To: 20-2041									
2037 Riddle Rd	0.07	180	R			From: 20-2015					NA	NA			11/16/2000
						To: Dead End									
2038 Bigelow Rd	0.03	20	R			From: Dead End					NA	NA			05/17/2000
						To: 20-2027									
2039 Brittonwood Dr	0.08	450	R			From: SR 145; 20-632					NA	NA			11/16/2000
						To: 20-2040									
2039 Brittonwood Dr	0.06	310	R			From: 20-3909					NA	NA			11/16/2000
						To: 20-3909									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
2039 Brittonwood Dr	0.15	200	R	From: 20-3909							NA	NA			11/16/2000
				To: Cul-de-Sac											
2040 Brittonwood Ct	0.07	80	R	From: 20-2039							NA	NA			11/16/2000
				To: Cul-de-Sac											
2041 Riddle Ct	0.07	90	R	From: Cul-de-Sac							NA	NA			11/16/2000
				To: 20-2037											
2042 Dovershire Rd	0.29	420	R	From: 20-2057							NA	NA			1994
				To: SR 147											
2043 Fillmore Cr	0.12	80	R	From: Dead End							NA	NA			1996
				To: 20-1797											
2044 Cherrytree Ln	0.27	260	R	From: 20-1710							NA	NA			1996
				To: 20-1710											
2045 Enderly Ct	0.12	110	R	From: 20-653							NA	NA			1996
				To: Cul-de-Sac											
2046 Snowbird Rd	0.07	260	R	From: 20-2015							NA	NA			1996
				To: 20-2047											
2046 Snowbird Rd	0.06	70	R	From: Dead End							NA	NA			1996
				To: Cul-de-Sac											
2047 Snowbird Ct	0.05	50	R	From: 20-2046							NA	NA			1996
				To: 20-2071											
2048 Williamsdale Dr	0.26	290	R	From: 20-1999							NA	NA			1996
				To: 20-2070											
2049 Bayliss Dr	0.22	100	R	From: 20-1999							NA	NA			1996
				To: 20-789											
2050 Joliette Rd	0.21	200	R	From: 20-789							NA	NA			1996
				To: 20-2532											
2051 Nahant Rd	0.22	860	R	From: 20-604							NA	NA			1996
				To: 20-2113											
2052 Hollyberry Dr	0.03	40	R	From: Dead End							NA	NA			1996
				To: 20-2091											
2052 Hollyberry Dr	0.06	160	R	From: 20-2090							NA	NA			1996
				To: 20-2054											
2052 Hollyberry Dr	0.09	200	R	From: 20-2054							NA	NA			1996
				To: 20-2053											
2052 Hollyberry Dr	0.10	530	R	From: SR 145							NA	NA			1996
				To: Dead End											
2053 Greenfinch Rd	0.02	20	R	From: Dead End							NA	NA			1996
				To: 20-2052											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2054) Greenfinch Rd	0.04	20	R			From: 20-2052					NA	NA			1996
						To: Dead End									
(2055) Commonwealth Cent	0.24	440	R			From: US 360					NA	NA			1996
						To: 20-652									
(2056) Dillon Rd	0.07	150	R			From: 20-2369					NA	NA			11/08/2000
						To: 20-1986									
(2056) Dillon Rd	0.08	210	R			From: 20-1768					NA	NA			11/08/2000
						To: SR 147									
(2056) Dillon Rd	0.08	500	R			From: 20-1768					NA	NA			11/08/2000
						To: SR 147									
(2057) Devenwood Rd	0.10	180	R			From: 20-1797					NA	NA			1996
						To: 20-1977									
(2057) Devenwood Rd	0.11	200	R			From: 20-2042					NA	NA			1996
						To: SR 147									
(2057) Devenwood Rd	0.29	280	R			From: 20-2042					NA	NA			1996
						To: SR 147									
(2058) Bendemeer Rd	0.04	20	R			From: Dead End					NA	NA			1996
						To: 20-1975									
(2059) Darlene St	0.10	140	R			From: Dead End					NA	NA			1996
						To: 20-2063									
(2060) Progress Rd	0.03	10	R			From: 20-2063					NA	NA			1996
						To: Dead End									
(2061) Lair Dr	0.12	60	R			From: 20-642					NA	NA			1996
						To: Cul-de-Sac									
(2062) Jaymont Dr	0.10	80	R			From: Dead End					NA	NA			1996
						To: 20-2063									
(2062) Jaymont Dr	0.08	1300	R			From: 20-637					NA	NA			1996
						To: 20-637									
(2063) Alfaree Rd	0.07	1100	R			From: 20-2062					NA	NA			1997
						To: 20-2064									
(2063) Alfaree Rd	0.07	1100	R			From: 20-2064					NA	NA			1997
						To: 20-2059									
(2063) Alfaree Rd	0.10	1000	R			From: 20-2059					NA	NA			1997
						To: 20-2060									
(2063) Alfaree Rd	0.17	1000	R			From: 20-2060					NA	NA			1997
						To: 20-2065									
(2063) Alfaree Rd	0.09	990	R			From: 20-2065					NA	NA			1997
						To: 20-2072									
(2063) Alfaree Rd	0.37	1100	R			From: 20-2072					NA	NA			1997
						To: 20-637									
(2064) Vestry Rd	0.12	130	R			From: Dead End					NA	NA			1997
						To: 20-2063									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2065) Gurney Ct	0.04	70	R			From: Dead End					NA	NA			1997
(2065) Gurney Ct	0.06	80	R			From: 20-2063					NA	NA			1997
						To: Dead End									
(2066) Gamewell Rd	0.11	360	R			From: 20-2067					NA	NA			1997
						To: 20-2007									
(2067) Amsden Dr	0.08	190	R			From: 20-2068					NA	NA			1997
(2067) Amsden Dr	0.06	110	R			From: 20-2066					NA	NA			1997
(2067) Amsden Dr	0.07	100	R			From: 20-2008					NA	NA			1997
						To: 20-2069									
(2068) Chanelka Ln	0.02	8	R			From: Dead End					NA	NA			1997
(2068) Chanelka Ln	0.08	140	R			From: 20-2067					NA	NA			1997
(2068) Chanelka Ln	0.08	90	R			From: 20-2008					NA	NA			1997
						To: 20-2069									
(2069) Pampas Dr	0.24	440	R			From: 20-2068					NA	NA			1997
(2069) Pampas Dr	0.08	460	R			From: 20-2067					NA	NA			1997
(2069) Pampas Dr	0.10	670	R			From: 20-2007					NA	NA			1997
						To: 20-2006									
(2070)	0.15	170	R			From: Dead End					NA	NA			1997
(2070) Redington Dr	0.07	430	R			From: 20-2598					NA	NA			1997
(2070) Redington Dr	0.07	990	R			From: 20-2075					NA	NA			1997
(2070) Redington Dr	0.12	1000	R			From: 20-2071					NA	NA			1997
(2070) Redington Dr	0.06	1400	R			From: 20-2049					NA	NA			1997
						To: 20-755									
(2071)	0.05	80	R			From: Cul-de-Sac					NA	NA			11/08/2000
(2071)	0.07	180	R			From: 20-3836					NA	NA			11/08/2000
(2071)	0.13	550	R			From: 20-3837					NA	NA			11/08/2000
(2071)	0.07	150	R			From: 20-2598					NA	NA			11/08/2000
(2071)	0.13	260	R			From: 20-2075					NA	NA			11/08/2000
(2071)	0.07	200	R			From: 20-2076					NA	NA			11/08/2000
						To: 20-2048									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2071)	0.06	260	R			From: 20-2048					NA	NA			11/08/2000
						To: 20-2070									
(2072)	Verlinda Dr	0.09	100	R		From: Dead End					NA	NA			08/14/2000
(2072)	Verlinda Dr	0.10	480	R		From: 20-2095					NA	NA			08/14/2000
(2072)	Verlinda Dr	0.08	670	R		From: 20-2096					NA	NA			08/14/2000
(2072)	Verlinda Dr	0.08	970	R		From: 20-2094					NA	NA			08/14/2000
(2072)	Verlinda Dr	0.07	1200	R		From: 20-2093					NA	NA			08/14/2000
(2072)	Verlinda Dr	0.06	240	R		From: 20-2063					NA	NA			08/14/2000
(2072)	Verlinda Dr	0.06	220	R		From: 20-2092					NA	NA			08/14/2000
(2073)	Spoke Ct	0.03	20	R		From: Dead End					NA	NA			05/22/2000
(2073)	Spoke Ct	0.13	160	R		From: 20-2145					NA	NA			05/22/2000
(2074)	Rock Spring Ct	0.06	80	R		From: 20-2145					NA	NA			05/22/2000
(2075)		0.20	200	R		From: 20-2070					NA	NA			11/08/2000
(2075)		0.07	160	R		From: 20-2071					NA	NA			11/08/2000
(2075)		0.11	220	R		From: 20-2020					NA	NA			11/08/2000
(2075)		0.10	300	R		From: 20-2077					NA	NA			11/08/2000
(2075)		0.06	390	R		From: 20-2076					NA	NA			11/08/2000
(2076)	Whitaker Rd	0.08	150	R		From: 20-2071					NA	NA			11/08/2000
(2076)	Whitaker Rd	0.07	140	R		From: 20-2077					NA	NA			11/08/2000
(2076)	Whitaker Rd	0.05	120	R		From: 20-2021					NA	NA			11/08/2000
(2077)	Hedgelawn Dr	0.13	120	R		From: 20-2076					NA	NA			11/08/2000
(2078)	Briarwick Dr	0.11	180	R		From: 20-2086					NA	NA			10/02/2000
(2078)	Briarwick Dr	0.09	80	R		From: 20-2079					NA	NA			10/02/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2079) Colonworth Dr	0.11	270	R			From: 20-2078					NA	NA			10/02/2000
						To: 20-910									
(2080) Oxbridge Rd	0.39	240	R			From: Cul-de-Sac					NA	NA			10/02/2000
(2080) Oxbridge Rd	0.09	490	R			From: 20-2085					NA	NA			10/02/2000
(2080) Oxbridge Rd	0.09	700	R			From: 20-2084					NA	NA			10/02/2000
(2080) Oxbridge Rd	0.13	790	R			From: 20-2082					NA	NA			10/02/2000
(2080) Oxbridge Rd	0.09	890	R			From: 20-2083					NA	NA			10/02/2000
(2080) Oxbridge Rd	0.27	2300	R			From: 20-2081					NA	NA			10/02/2000
						To: US 360									
(2081)	0.29	200	R			From: Dead End					NA	NA			10/02/2000
(2081)	0.07	310	R			From: 20-2085					NA	NA			10/02/2000
(2081)	0.04	770	R			From: 20-2086					NA	NA			10/02/2000
(2081)	0.09	830	R			From: 20-2084					NA	NA			10/02/2000
(2081)	0.22	980	R			From: 20-2082					NA	NA			10/02/2000
(2081)	0.03	20	R			From: 20-2080					NA	NA			10/02/2000
						To: Dead End									
(2082) Glass Rd	0.17	150	R			From: 20-2080					NA	NA			10/02/2000
						To: 20-2081									
(2083) Oxbridge Cr	0.03	30	R			From: Cul-de-Sac					NA	NA			10/02/2000
						To: 20-2080									
(2084) Palmerston Rd	0.20	90	R			From: 20-2080					NA	NA			10/02/2000
						To: 20-2081									
(2085) Trebeck Rd	0.23	160	R			From: 20-2080					NA	NA			10/02/2000
						To: 20-2081									
(2086) Kendelwick Dr	0.07	510	R			From: 20-2081					NA	NA			10/02/2000
(2086) Kendelwick Dr	0.06	400	R			From: 20-2078					NA	NA			10/02/2000
(2086) Kendelwick Dr	0.09	360	R			From: 20-2087					NA	NA			10/02/2000
(2086) Kendelwick Dr	0.14	70	R			From: 20-910					NA	NA			10/02/2000
						To: Cul-de-Sac									
(2087)	0.10	30	R			From: Dead End					NA	NA			10/02/2000
						To: 20-2086									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2088) Tall Pine Rd	0.14	150	R			From: 20-768					NA	NA			11/27/2000
						To: 20-4360									
(2089) Simplicity St	0.13	220	R			From: 20-3567					NA	NA			11/16/2000
						To: 20-3153									
(2089) Simplicity St	0.09	340	R			From: 20-2016					NA	NA			11/16/2000
						To: 20-2016									
(2090) Springwood Rd	0.07	40	R			From: Dead End					NA	NA			1994
						To: 20-642									
(2090) Springwood Rd	0.06	120	R			From: 20-2052					NA	NA			1994
						To: 20-2052									
(2091) Meadowood Ln	0.34	310	R			From: 20-2052					NA	NA			11/16/2000
						To: Cul-de-Sac									
(2092) Tilehurst Ct	0.07	100	R			From: 20-2072					NA	NA			08/14/2000
						To: Cul-de-Sac									
(2093) Verlinda Ct	0.09	130	R			From: Cul-de-Sac					NA	NA			08/14/2000
						To: 20-2072									
(2093) Verlinda Ct	0.08	100	R			From: 20-2072					NA	NA			08/14/2000
						To: Cul-de-Sac									
(2094)	0.09	170	R			From: Cul-de-Sac					NA	NA			08/14/2000
						To: 20-2095									
(2094)	0.28	460	R			From: 20-2095					NA	NA			08/14/2000
						To: 20-2072									
(2094)	0.09	120	R			From: 20-2072					NA	NA			08/14/2000
						To: Dead End									
(2095) Lynette Rd	0.05	100	R			From: Cul-de-Sac					NA	NA			08/14/2000
						To: 20-2072									
(2095) Lynette Rd	0.06	120	R			From: 20-2072					NA	NA			08/14/2000
						To: 20-2094									
(2096) Bearbox Ct	0.09	90	R			From: Cul-de-Sac					NA	NA			08/14/2000
						To: 20-2072									
(2097) Able Pl	0.06	80	R			From: Dead End					NA	NA			05/11/2000
						To: 20-2187									
(2097) Able Pl	0.14	200	R			From: 20-2187					NA	NA			05/11/2000
						To: Dead End									
(2098) Holridge Ct	0.08	130	R			From: 20-2162					NA	NA			05/11/2000
						To: Cul-de-Sac									
(2099) Courthouse Rd	0.18	5000	R			From: 20-604					NA	NA			1994
						To: SR 10 COURTHOUSE RD									
(2099) Courthouse Rd	0.99	5000	R			From: SR 10					NA	NA			1994
						To: 20-903; 20-9472									
(2099) Courthouse Rd	0.29	5000	R			From: 20-903; 20-9472					NA	NA			1994
						To: Dead End									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2100) Redbridge Rd	0.08	2200	R			From: 20-647					NA	NA			1994
(2100) Redbridge Rd	0.10	1500	R			To: 20-2101					NA	NA			1986
(2100) Redbridge Rd	0.20	480	R			From: 20-2890					NA	NA			1994
(2100) Redbridge Rd	0.07	170	R			To: 20-2853					NA	NA			1994
(2100) Redbridge Rd	0.05	40	R			From: 20-2854					NA	NA			1994
						To: Dead End									
(2101) Redbridge Ct	0.06	90	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-2100									
(2102) Folkstone Dr	0.17	40	R			From: Cul-de-Sac					NA	NA			05/22/2000
						To: 20-2130									
(2103) Jamson Rd	0.04	47	R			From: Dead End					NA	NA			07/12/2000
						To: 20-2111									
(2103) Jamson Rd	0.08	90	R			From: 20-2296					NA	NA			07/12/2000
						To: 20-2296									
(2104) Brucewood Dr	0.08	1200	R			From: 20-755					NA	NA			10/26/2000
						To: 20-2106									
(2104) Brucewood Dr	0.11	1100	R			From: 20-2105					NA	NA			10/26/2000
						To: 20-2105									
(2104) Brucewood Dr	0.14	320	R			From: 20-2109					NA	NA			10/26/2000
						To: 20-2109									
(2104) Brucewood Dr	0.12	130	R			From: Cul-de-Sac					NA	NA			10/26/2000
						To: Cul-de-Sac									
(2105)	0.16	510	R			From: 20-2104					NA	NA			1996
						To: 20-2107									
(2105)	0.06	360	R			From: 20-2108					NA	NA			1996
						To: 20-2108									
(2105)	0.26	90	R			From: Cul-de-Sac					NA	NA			1996
						To: Cul-de-Sac									
(2106) Janlar Dr	0.18	170	R			From: 20-2104					NA	NA			1996
						To: 20-2107									
(2107) Anbern Dr	0.08	100	R			From: 20-2105					NA	NA			1996
						To: 20-2106									
(2108) Pantela Dr	0.17	160	R			From: 20-2105					NA	NA			1996
						To: Cul-de-Sac									
(2109) Brucewood Ct	0.03	40	R			From: 20-2104					NA	NA			1996
						To: Cul-de-Sac									
(2110) Crossmill Ct	0.07	70	R			From: 20-2633					NA	NA			1996
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2111) Garthdale Rd	0.14	220	R			From: 20-2103					NA		NA		1996
(2111) Garthdale Rd	0.12	320	R			To: 20-2118 WEST					NA		NA		1996
(2111) Garthdale Rd	0.12	170	R			From: 20-2296					NA		NA		1996
(2111) Garthdale Rd	0.08	30	R			To: 20-2118 EAST					NA		NA		1996
						From: 20-2295									
(2112) Darlington Rd	0.16	60	R			To: 20-2296					NA		NA		1996
						From: Dead End									
(2113) McManaway Dr	0.02	46	R			To: 20-3562					NA		NA		1996
(2113) McManaway Dr	0.08	200	R			From: 20-3560					NA		NA		1996
(2113) McManaway Dr	0.06	260	R			To: 20-3593					NA		NA		1996
(2113) McManaway Dr	0.02	220	R			From: Dead End: Gap Terminus					NA		NA		1996
(2113) McManaway Dr	0.38	210	R			To: 20-2115 Gap Terminus					NA		NA		1996
(2113) McManaway Dr	0.03	300	R			From: 20-2114					NA		NA		1996
(2113) McManaway Dr	0.03	8	R			To: 20-2051					NA		NA		1996
						From: Dead End									
(2114)	0.23	260	R			To: 20-2113					NA		NA		1996
(2114)	0.33	390	R			From: 20-3596					NA		NA		1996
						To: 20-4410									
(2115)	0.04	1200	R			From: 20-604					NA		NA		1996
(2115)	0.26	600	R			To: 20-2125					NA		NA		1996
(2115)	0.08	440	R			From: 20-2116					NA		NA		1996
(2115)	0.07	290	R			To: 20-2150					NA		NA		1996
(2115)	0.09	500	R			From: 20-2113					NA		NA		1996
(2115)	0.52	140	R			To: 20-3596					NA		NA		1996
						From: Dead End									
(2116) Tammaway Dr	0.04	600	R			To: 20-604					NA		NA		1996
(2116) Tammaway Dr	0.06	470	R			From: 20-2125					NA		NA		1996
(2116) Tammaway Dr	0.06	300	R			To: 20-2132					NA		NA		1996
						From: 20-2133									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2116) Tammaway Dr	0.11	200	R			From: 20-2133					NA	NA			1996
						To: 20-2115									
(2117) Gilling Rd	0.13	40	R			From: Cul-de-Sac					NA	NA			1996
(2117) Gilling Rd	0.24	200	R			From: 20-2118					NA	NA			1996
						To: 20-2296									
(2118)	0.07	NA				From: Cul-de-Sac					NA	NA			
(2118) Melbeck Rd	0.05	180	R			From: 20-4559					NA	NA			07/12/2000
(2118) Melbeck Rd	0.05	270	R			From: 20-2861					NA	NA			07/12/2000
(2118) Melbeck Rd	0.10	160	R			From: 20-4560					NA	NA			07/12/2000
(2118) Melbeck Rd	0.08	120	R			From: 20-3946					NA	NA			07/12/2000
(2118) Melbeck Rd	0.13	150	R			From: 20-2117					NA	NA			07/12/2000
(2118) Melbeck Rd	0.13	140	R			From: 20-2111					NA	NA			07/12/2000
(2118) Melbeck Rd	0.16	4	R			From: 20-2296					NA	NA			07/12/2000
						To: 20-2111									
(2119) Twila Ln	0.09	90	R			From: 20-793					NA	NA			1997
(2119) Twila Ln	0.15	390	R			From: 20-847					NA	NA			1997
						To: 20-2266									
(2120) Tuskwillow Dr	0.12	210	R			From: 20-651					NA	NA			11/14/2000
(2120) Tuskwillow Dr	0.18	160	R			From: 20-2121					NA	NA			11/14/2000
(2120) Tuskwillow Dr	0.14	110	R			From: 20-2122					NA	NA			11/14/2000
						To: 20-2124									
(2121) Baron Dr	0.10	90	R			From: Cul-de-Sac					NA	NA			11/14/2000
(2121) Baron Dr	0.16	270	R			From: 20-2124					NA	NA			11/14/2000
(2121) Baron Dr	0.18	100	R			From: 20-2122					NA	NA			11/14/2000
						To: 20-2120									
(2122) Cannock Rd	0.09	450	R			From: 20-651					NA	NA			11/14/2000
(2122) Cannock Rd	0.30	150	R			From: 20-2121					NA	NA			11/14/2000
						To: 20-899									
(2123) Licking Creek Dr	0.14	70	R			From: Cul-de-Sac					NA	NA			11/14/2000
						To: 20-651									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2124) Sanchez Rd	0.11	100	R			From: 20-2121					NA	NA			11/14/2000
(2124) Sanchez Rd	0.09	70	R			To: 20-2120					NA	NA			11/14/2000
(2124) Sanchez Rd	0.16	140	R			From: 20-3181					NA	NA			11/14/2000
						To: 20-899									
(2125) Gardengate Rd	0.10	110	R			From: 20-2116					NA	NA			07/05/2000
(2125) Gardengate Rd	0.06	360	R			To: 20-2115					NA	NA			07/05/2000
(2125) Gardengate Rd	0.15	180	R			From: 20-2131					NA	NA			07/05/2000
						To: Cul-de-Sac									
(2126) Amster Rd	0.06	110	R			From: 20-2284					NA	NA			07/05/2000
(2126) Amster Rd	0.02	20	R			To: 20-2293					NA	NA			07/05/2000
						To: Dead End									
(2127) Provincetown Dr	0.15	1800	R			From: 20-678					NA	NA			1994
(2127) Provincetown Dr	0.26	2100	R			To: 20-2128					NA	NA			1994
						To: 20-733									
(2128) Newstead Dr	0.11	670	R			From: 20-1339					NA	NA			1994
						To: 20-2127									
(2129) Lake Shore Ct	0.02	40	R			From: Dead End					NA	NA			11/16/2000
						To: 20-1764									
(2130) Fairpines Rd	0.13	850	R			From: 20-651; 20-2181					NA	NA			1994
(2130) Fairpines Rd	0.27	830	R			To: 20-2102					NA	NA			1994
(2130) Fairpines Rd	0.05	160	R			From: 20-2301					NA	NA			1994
(2130) Fairpines Rd	0.04	30	R			To: 20-3810					NA	NA			1994
						To: Dead End									
(2131) Hollyglen Ct	0.12	150	R			From: 20-2125					NA	NA			05/17/2000
						To: Cul-de-Sac									
(2132) McKenna Cr	0.05	80	R			From: 20-2116					NA	NA			05/17/2000
						To: Cul-de-Sac									
(2133) McKenna Ct	0.04	80	R			From: 20-2116					NA	NA			05/17/2000
						To: Cul-de-Sac									
(2134) Traway Dr	0.08	380	R			From: 20-2136					NA	NA			08/31/2000
(2134) Traway Dr	0.34	860	R			To: 20-2135					NA	NA			08/31/2000
						To: 20-663									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2135) Traway Ct	0.05	60	R			From: 20-2134					NA	NA			08/31/2000
						To: Cul-de-Sac									
(2136) Queen Scot Dr	0.07	600	R			From: 20-2161					NA	NA			08/31/2000
(2136) Queen Scot Dr	0.11	60	R			From: 20-2134					NA	NA			08/31/2000
						To: Cul-de-Sac									
(2137) Dulles Dr	0.03	230	R			From: Dead End					NA	NA			08/31/2000
(2137) Dulles Dr	0.08	650	R			From: 20-2633					NA	NA			08/31/2000
(2137) Dulles Dr	0.07	960	R			From: 20-2139					NA	NA			08/31/2000
(2137) Dulles Dr	0.07	980	R			From: 20-2138					NA	NA			08/31/2000
						To: 20-733									
(2138) Dulles Ct	0.09	90	R			From: 20-2137					NA	NA			10/04/2000
						To: Cul-de-Sac									
(2139) Rayanne Dr	0.30	370	R			From: 20-2633					NA	NA			08/31/2000
(2139) Rayanne Dr	0.05	48	R			From: 20-2137					NA	NA			08/31/2000
						To: Cul-de-Sac									
(2140) Mayflower Dr	0.17	420	R			From: 20-2141					NA	NA			1994
						To: 20-678									
(2141) Shasta Rd	0.06	490	R			From: 20-2142					NA	NA			11/16/2000
						To: 20-2140									
(2142)	0.11	530	R			From: US 60					NA	NA			11/16/2000
(2142)	0.48	320	R			From: 20-2626					NA	NA			11/16/2000
(2142)	0.03	NA				From: 20-2141					NA	NA			
						To: Cul-de-Sac									
(2143) Turnmill Ct	0.05	150	R			From: 20-2633					NA	NA			12/06/2000
						To: Cul-de-Sac									
(2144)	0.19	1900	R			From: 20-2620					NA	NA			10/26/2000
(2144)	0.12	2200	R			From: 20-733					NA	NA			10/26/2000
(2144)	0.10	2600	R			From: 20-2659					NA	NA			10/26/2000
(2144)	0.10	2000	R			From: 20-2660					NA	NA			10/26/2000
(2144)	0.07	2300	R			From: 20-2354					NA	NA			10/26/2000
(2144)	0.08	1800	R			From: 20-2353					NA	NA			10/26/2000
						To: 20-2655									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2144)	0.12	3300	R			From: 20-2655					NA	NA			10/26/2000
						To: 20-650									
(2145)	0.05	620	R			From: 20-643					NA	NA			05/22/2000
(2145)	0.11	430	R			From: 20-2146					NA	NA			05/22/2000
(2145)	0.17	280	R			From: 20-2074					NA	NA			05/22/2000
						To: 20-2073									
(2146) Pineland Ct	0.11	130	R			From: 20-2145					NA	NA			05/22/2000
						To: Cul-de-Sac									
(2147) Lancers Bl	0.07	1100	R			From: 20-647					NA	NA			07/05/2000
(2147) Lancers Bl	0.08	1100	R			From: 20-2385					NA	NA			07/05/2000
(2147) Lancers Bl	0.06	1300	R			From: 20-2384					NA	NA			07/05/2000
(2147) Lancers Bl	0.08	1300	R			From: 20-2174					NA	NA			07/05/2000
(2147) Lancers Bl	0.07	1300	R			From: 20-2175					NA	NA			07/05/2000
(2147) Lancers Bl	0.16	1300	R			From: 20-2176					NA	NA			07/05/2000
(2147) Lancers Bl	0.14	180	R			From: 20-2520					NA	NA			07/05/2000
(2147) Lancers Bl	0.02	40	R			From: 20-2148					NA	NA			07/05/2000
						To: Dead End									
(2148) Lancers Cr	0.05	9	R			From: 20-2147					NA	NA			07/05/2000
						To: Dead End									
(2149) Bennington Rd	0.08	80	R			From: 20-2284					NA	NA			07/05/2000
						To: Dead End									
(2150) Timbercrest Ct	0.23	210	R			From: 20-2115					NA	NA			05/17/2000
						To: Cul-de-Sac									
(2152)	0.04	340	R			From: Dead End					NA	NA			11/16/2000
(2152)	0.39	3800	R			From: 20-651					NA	NA			11/16/2000
						To: 20-2282									
(2153) Elmart Ct	0.12	120	R			From: 20-2161					NA	NA			08/31/2000
						To: Cul-de-Sac									
(2154) Chainmale Rd	0.09	310	R			From: 20-2161					NA	NA			08/31/2000
						To: 20-2625									
(2155) Trout Ln	0.03	40	R			From: Dead End					NA	NA			11/16/2000
						To: 20-2158									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2155) Trout Ln	0.22	430	R			From: 20-2158					NA	NA			11/16/2000
(2155) Trout Ln	0.07	630	R			To: 20-2157					NA	NA			11/16/2000
						To: 20-678									
(2156) Emerald Ln	0.22	210	R			From: 20-2158					NA	NA			08/11/2000
						To: 20-2157									
(2157) Marble Rd	0.05	240	R			From: 20-2155					NA	NA			08/11/2000
(2157) Marble Rd	0.04	20	R			From: 20-2156					NA	NA			08/11/2000
						To: Dead End									
(2158) Jade Rd	0.06	60	R			From: 20-2661					NA	NA			08/11/2000
(2158) Jade Rd	0.03	40	R			From: 20-2664					NA	NA			08/11/2000
						To: Dead End: Gap Terminus									
(2158) Jade Rd	0.07	160	R			From: 20-2155 Gap Terminus					NA	NA			08/11/2000
						To: 20-2156									
(2158) Jade Rd	0.03	20	R			From: Dead End					NA	NA			08/11/2000
(2159) Barkbridge Rd	0.13	110	R			From: 20-3438					NA	NA			07/10/2000
(2159) Barkbridge Rd	0.06	130	R			From: 20-3435					NA	NA			07/10/2000
(2159) Barkbridge Rd	0.06	150	R			From: 20-3437					NA	NA			07/10/2000
(2159) Barkbridge Rd	0.14	1900	R			From: 20-2855					NA	NA			07/10/2000
(2159) Barkbridge Rd	0.11	1500	R			From: 20-3436					NA	NA			07/10/2000
(2159) Barkbridge Rd	0.13	1300	R			From: 20-2160					NA	NA			07/10/2000
(2159) Barkbridge Rd	0.18	1900	R			From: 20-2181					NA	NA			07/10/2000
						To: 20-651									
(2160) Barkbridge Ct	0.06	40	R			From: 20-2159					NA	NA			05/31/2000
						To: Cul-de-Sac									
(2161) Elmart Ln	0.11	510	R			From: 20-2629					NA	NA			08/31/2000
(2161) Elmart Ln	0.07	430	R			From: 20-2154					NA	NA			08/31/2000
(2161) Elmart Ln	0.13	500	R			From: 20-2153					NA	NA			08/31/2000
(2161) Elmart Ln	0.05	760	R			From: 20-2618					NA	NA			08/31/2000
(2161) Elmart Ln	0.39	830	R			From: 20-2136					NA	NA			08/31/2000
						To: 20-663									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2162) Holridge St	0.07	120	R			From: Cul-de-Sac					NA		NA		09/28/2000
(2162) Holridge St	0.07	760	R			To: 20-2187					NA		NA		09/28/2000
(2162) Holridge St	0.03	950	R			From: 20-2098					NA		NA		09/28/2000
						To: 20-647									
(2163) Lilly Dr	0.03	10	R			From: Dead End					NA		NA		10/26/2000
(2163) Lilly Dr	0.03	20	R			To: 20-2659					NA		NA		10/26/2000
						To: Dead End									
(2164)	0.05	70	R			From: Dead End					NA		NA		05/11/2000
(2164)	0.05	110	R			To: 20-2187					NA		NA		05/11/2000
						To: Dead End									
(2165) Heybridge Dr	0.15	1500	R			From: 20-2169					NA		NA		1996
						To: 20-2173									
(2166) Fitzroy Rd	0.04	40	R			From: Dead End					NA		NA		1996
						To: 20-2360									
(2167) Vauxhall Ct	0.03	60	R			From: Dead End					NA		NA		1996
						To: 20-2360									
(2168) Adelaide Av	0.24	110	R			From: 20-2360					NA		NA		1996
						To: 20-2310									
(2169) Kim Dr	0.05	290	R			From: Dead End					NA		NA		1996
(2169) Kim Dr	0.36	1800	R			To: 20-2165					NA		NA		1996
						To: 20-647									
(2170) Allandale Dr	0.20	1300	R			From: 20-647					NA		NA		1996
						To: 20-2173									
(2171) Able Ct	0.07	100	R			From: Dead End					NA		NA		1996
(2171) Able Ct	0.06	70	R			To: 20-2187					NA		NA		1996
						To: Dead End									
(2172) Creek Side Ct	0.05	40	R			From: 20-1783					NA		NA		1996
						To: Dead End									
(2173) Newington Dr	0.11	20	R			From: Dead End					NA		NA		1996
(2173) Newington Dr	0.06	2200	R			To: 20-647					NA		NA		1996
(2173) Newington Dr	0.20	1900	R			From: 20-2170					NA		NA		1996
(2173) Newington Dr	0.24	880	R			To: 20-2165					NA		NA		1996
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2174) Holborn Rd	0.13	240	R			From: 20-2147					NA		NA		1996
(2174) Holborn Rd	0.06	270	R			To: 20-2177					NA		NA		1996
(2174) Holborn Rd	0.16	320	R			From: 20-2523					NA		NA		1996
						To: 20-2176									
(2175) Hendon Wy	0.13	320	R			From: 20-2147					NA		NA		1996
						To: 20-2177									
(2176) Wimbleton Dr	0.04	100	R			From: Dead End					NA		NA		1996
(2176) Wimbleton Dr	0.07	180	R			To: 20-2384					NA		NA		1996
(2176) Wimbleton Dr	0.17	270	R			From: 20-2174					NA		NA		1996
(2176) Wimbleton Dr	0.10	240	R			To: 20-2523					NA		NA		1996
(2176) Wimbleton Dr	0.11	680	R			From: 20-2177					NA		NA		1996
						To: 20-2147									
(2177)	0.07	120	R			From: 20-2174					NA		NA		1996
(2177)	0.09	140	R			To: 20-2175					NA		NA		1996
(2177)	0.05	200	R			From: 20-2176					NA		NA		1996
(2177)	0.06	20	R			To: 20-2178					NA		NA		1996
						To: Dead End									
(2178) Kipling Ct	0.04	110	R			From: 20-2177					NA		NA		08/03/2000
						To: Cul-de-Sac									
(2179) Hartwell Dr	0.12	100	R			From: 20-2362					NA		NA		1986
						To: 20-1639									
(2180) Banton Ct	0.04	70	R			From: 20-1639					NA		NA		1996
						To: Dead End									
(2181) Drexelbrook Rd	0.96	880	R			From: 20-2159					NA		NA		1996
						To: 20-651; 20-2130									
(2182) Lake Hills Ct	0.12	100	R			From: Dead End					NA		NA		1996
						To: 20-2291									
(2183) Monza Dr	0.41	1100	R			From: 20-637					NA		NA		09/14/2000
(2183) Monza Dr	0.20	500	R			To: 20-2318					NA		NA		09/14/2000
(2183) Monza Dr	0.08	530	R			From: 20-2198					NA		NA		09/14/2000
(2183) Monza Dr	0.07	120	R			To: 20-2320					NA		NA		09/14/2000
						From: 20-2184									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2184) Monza Ct	0.03	30	R			From: Dead End					NA	NA		07/12/2000	
(2184) Monza Ct	0.06	50	R			From: 20-2183					NA	NA		07/12/2000	
(2184) Monza Ct						To: Dead End									
(2185) Cogbill Rd	0.13	90	R			From: 20-638; 20-805					NA	NA		09/14/2000	
(2185) Cogbill Rd						To: Dead End									
(2186) Silliman Tr	0.07	90	R			From: Cul-de-Sac					NA	NA		09/26/2000	
(2186) Silliman Tr						To: 20-2193									
(2187) Able Rd	0.07	240	R			From: 20-2164					NA	NA		05/11/2000	
(2187) Able Rd	0.05	730	R			From: 20-2162					NA	NA		09/28/2000	
(2187) Able Rd	0.09	840	R			From: 20-2171					NA	NA		09/28/2000	
(2187) Able Rd	0.07	1000	R			From: 20-2097					NA	NA		09/28/2000	
(2187) Able Rd						To: 20-2286									
(2188) Marty Bl	0.03	40	R			From: Dead End					NA	NA		09/14/2000	
(2188) Marty Bl	0.19	370	R			From: 20-793					NA	NA		09/14/2000	
(2188) Marty Bl						To: 20-2266									
(2189) Lingle Ln	0.11	70	R			From: Dead End					NA	NA		08/03/2000	
(2189) Lingle Ln	0.09	190	R			From: 20-2191					NA	NA		08/03/2000	
(2189) Lingle Ln	0.09	90	R			From: 20-2380					NA	NA		08/03/2000	
(2189) Lingle Ln						To: 20-2190									
(2190) Cascade St	0.03	9	R			From: Dead End					NA	NA		08/03/2000	
(2190) Cascade St	0.09	100	R			From: 20-2189					NA	NA		08/03/2000	
(2190) Cascade St	0.12	140	R			From: 20-2381					NA	NA		08/03/2000	
(2190) Cascade St						To: 20-2339									
(2191) Lingle Ct	0.03	40	R			From: 20-2189					NA	NA		08/03/2000	
(2191) Lingle Ct						To: Dead End									
(2192) Ghent Ct	0.10	120	R			From: 20-2286					NA	NA		09/26/2000	
(2192) Ghent Ct						To: Cul-de-Sac									
(2193) Silliman Dr	0.06	180	R			From: 20-2759					NA	NA		09/26/2000	
(2193) Silliman Dr	0.09	200	R			From: 20-2186					NA	NA		09/26/2000	
(2193) Silliman Dr						To: Dead End									
(2193) Silliman Dr	0.11	180	R			From: 20-3037 Gap Terminus					NA	NA		09/26/2000	
(2193) Silliman Dr						To: 20-2286									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2194) Laudeen Dr	0.10	270	R			From: 20-2195					NA	NA			08/03/2000
						To: 20-2379									
(2195) Grahamwood Dr	0.03	46	R			From: Dead End					NA	NA			08/03/2000
(2195) Grahamwood Dr	0.11	130	R			From: 20-2194					NA	NA			08/03/2000
						To: Dead End									
(2196) Becket Dr	0.14	100	R			From: 20-2199					NA	NA			09/26/2000
						To: Cul-de-Sac									
(2197) Pierson Dr	0.27	260	R			From: 20-2199					NA	NA			09/26/2000
						To: 20-2286									
(2198) Tyme Rd	0.16	130	R			From: 20-2183					NA	NA			12/06/2000
						To: 20-2320									
(2199) Welch Dr	0.09	100	R			From: Dead End					NA	NA			09/26/2000
(2199) Welch Dr	0.14	210	R			From: 20-2222					NA	NA			09/26/2000
(2199) Welch Dr	0.06	380	R			From: 20-2197					NA	NA			09/26/2000
(2199) Welch Dr	0.09	230	R			From: 20-2286					NA	NA			09/26/2000
(2199) Welch Dr	0.05	50	R			From: 20-2196					NA	NA			09/26/2000
						To: Dead End									
(2200)	0.33	190	R			From: 20-2413					NA	NA			11/27/2000
(2200) Loren Dr	0.12	320	R			From: 20-691					NA	NA			11/27/2000
(2200) Loren Dr	0.12	620	R			From: 20-746					NA	NA			11/27/2000
(2200) Loren Dr	0.06	390	R			From: 20-4379					NA	NA			11/27/2000
(2200) Loren Dr	0.10	170	R			From: 20-4383					NA	NA			11/27/2000
						To: 20-4381									
(2201) Pate Av	0.06	370	R			From: 20-2205					NA	NA			08/03/2000
(2201) Pate Av	0.05	330	R			From: 20-2204					NA	NA			08/03/2000
(2201) Pate Av	0.07	160	R			From: 20-1694					NA	NA			08/03/2000
(2201) Pate Av	0.10	100	R			From: 20-1629					NA	NA			08/03/2000
						To: 20-1630									
(2202) McCarty Av	0.10	250	R			From: 20-2203					NA	NA			09/14/2000
						To: 20-1630									
(2203) Addington Av	0.04	240	R			From: 20-1694					NA	NA			09/14/2000
						To: 20-2202									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2203) Addington Av	0.12	190	R			From: 20-2202					NA		NA		09/14/2000
						To: 20-1630									
(2204) Vayo Av	0.16	150	R			From: 20-1631					NA		NA		09/14/2000
						To: 20-2201									
(2205) Douglas Av	0.18	340	R			From: 20-1631					NA		NA		09/14/2000
(2205) Douglas Av	0.04	360	R			From: 20-2201					NA		NA		09/14/2000
						To: 20-2379									
(2206) Phillips Ln	0.05	440	R			From: Dead End					NA		NA		09/14/2000
(2206) Phillips Ln	0.09	940	R			From: 20-2208					NA		NA		09/14/2000
(2206) Phillips Ln	0.15	1800	R			From: 20-2207					NA		NA		09/14/2000
						To: 20-638									
(2207) Coldstream Dr	0.11	1100	R			From: 20-2206					NA		NA		09/14/2000
						To: 20-2246									
(2208) Brimley Pl	0.06	490	R			From: Cul-de-Sac					NA		NA		09/14/2000
						To: 20-2206									
(2209) Parkway Ln	0.28	110	R			From: Dead End					NA		NA		07/05/2000
						To: 20-663									
(2210) Old Plantation Rd	0.19	60	R			From: 20-1602					NA		NA		12/06/2000
						To: Dead End									
(2211) Seacliff Ln	0.11	630	R			From: 20-653					NA		NA		08/22/2000
						To: 20-2334									
(2211) Seacliff Ln	0.12	340	R			From: 20-2212					NA		NA		08/22/2000
(2211) Seacliff Ln	0.07	270	R			From: 20-2213					NA		NA		08/22/2000
(2211) Seacliff Ln	0.03	140	R			From: 20-2214					NA		NA		08/22/2000
(2211) Seacliff Ln	0.03	40	R			From: Cul-de-Sac					NA		NA		08/22/2000
						To: Cul-de-Sac									
(2212) Seacliff Ct	0.06	70	R			From: Cul-de-Sac					NA		NA		08/22/2000
						To: 20-2211									
(2213) Seacliff Cr	0.04	60	R			From: Cul-de-Sac					NA		NA		08/22/2000
						To: 20-2211									
(2214) Dorel Ln	0.12	130	R			From: 20-2211					NA		NA		08/22/2000
						To: 20-2215									
(2214) Dorel Ln	0.06	160	R			From: 20-2335					NA		NA		08/22/2000
						To: Dead End									
(2215)	0.07	100	R			From: Dead End					NA		NA		08/22/2000
						To: 20-2214									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2215)	0.07	90	R			From: 20-2214					NA	NA			08/22/2000
						To: Dead End									
(2216) Trappers Creek Tl	0.07	510	R			From: 20-3253					NA	NA			05/11/2000
(2216) Trappers Creek Tl	0.13	670	R			From: 20-2219					NA	NA			05/11/2000
						To: 20-649									
(2217) Post Land Ct	0.09	120	R			From: 20-2219					NA	NA			05/11/2000
						To: Cul-de-Sac									
(2218) Outpost Cr	0.08	120	R			From: Dead End					NA	NA			05/11/2000
(2218) Outpost Cr	0.05	70	R			From: 20-2219					NA	NA			05/11/2000
						To: Dead End									
(2219) Post Land Rd	0.04	50	R			From: Cul-de-Sac					NA	NA			05/11/2000
(2219) Post Land Rd	0.05	410	R			From: 20-2216					NA	NA			05/11/2000
(2219) Post Land Rd	0.07	240	R			From: 20-2217					NA	NA			05/11/2000
						To: 20-2218									
(2220) Wake Av	0.15	130	R			From: Dead End					NA	NA			07/05/2000
						To: 20-663									
(2221) Milo Rd	0.10	130	R			From: Dead End					NA	NA			07/05/2000
						To: 20-663									
(2222) Old Creek Rd	0.03	30	R			From: Dead End					NA	NA			10/10/2000
(2222) Old Creek Rd	0.10	100	R			From: 20-3007					NA	NA			10/10/2000
(2222) Old Creek Rd	0.05	240	R			From: 20-3005					NA	NA			10/10/2000
(2222) Old Creek Rd	0.12	2300	R			From: 20-3058					NA	NA			10/10/2000
(2222) Old Creek Rd	0.09	1800	R			From: 20-2199					NA	NA			10/10/2000
(2222) Old Creek Rd	0.11	570	R			From: 20-2223					NA	NA			10/10/2000
(2222) Old Creek Rd	0.06	690	R			From: 20-2224					NA	NA			10/10/2000
(2222) Old Creek Rd	0.06	20	R			From: 20-2225					NA	NA			10/10/2000
						To: 20-2227									
(2223) Manning Rd	0.09	1400	R			From: 20-2759					NA	NA			09/26/2000
(2223) Manning Rd	0.20	1400	R			From: 20-2225					NA	NA			09/26/2000
						To: 20-2222									
(2224) Old Creek Tr	0.09	110	R			From: Dead End					NA	NA			09/26/2000
						To: 20-2222									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2224) Old Creek Tr	0.03	40	R			From: 20-2222					NA	NA			09/26/2000
						To: Dead End									
(2225) Slate Rd	0.07	340	R			From: 20-2223					NA	NA			09/26/2000
						To: 20-2226									
(2225) Slate Rd	0.12	470	R			From: 20-2222					NA	NA			09/26/2000
						To: 20-2222									
(2226) Slate Ct	0.06	100	R			From: Cul-de-Sac					NA	NA			09/26/2000
						To: 20-2225									
(2227) Old Creek Ct	0.05	40	R			From: Cul-de-Sac					NA	NA			09/26/2000
						To: 20-2222									
(2228) Grizzard Dr	0.03	30	R			From: Dead End					NA	NA			05/22/2000
						To: 20-2232									
(2228) Grizzard Dr	0.07	390	R			From: 20-2232					NA	NA			05/22/2000
						To: 20-2233									
(2228) Grizzard Dr	0.09	470	R			From: 20-2233					NA	NA			05/22/2000
						To: 20-837									
(2229) Bronholly Rd	0.17	160	R			From: Dead End					NA	NA			05/22/2000
						To: 20-2232									
(2229) Bronholly Rd	0.09	130	R			From: 20-2232					NA	NA			05/22/2000
						To: Dead End									
(2230) Schloss Rd	0.44	4200	R			From: US 360; 20-1668					NA	NA			1994
						To: 20-663									
(2230) Schloss Rd	0.25	4200	R			From: 20-663					NA	NA			1994
						To: 20-2231									
(2231) Amster Rd	0.30	1800	R			From: 20-687					NA	NA			1994
						To: 20-2230									
(2232) Rollingridge Ln	0.03	50	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2228									
(2232) Rollingridge Ln	0.06	360	R			From: 20-2228					NA	NA			1996
						To: 20-2229									
(2233) Grizzard Ct	0.03	50	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2228									
(2234) Cauthan Ct	0.05	70	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2264									
(2235) Round Hill Dr	0.06	360	R			From: 20-3479					NA	NA			1996
						To: 20-2238									
(2235) Round Hill Dr	0.16	600	R			From: 20-2238					NA	NA			1996
						To: 20-1365									
(2235) Round Hill Dr	0.18	860	R			From: 20-1365					NA	NA			1996
						To: 20-2238									
(2235) Round Hill Dr	0.18	2300	R			From: 20-2238					NA	NA			1996
						To: 20-2237									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2235) Round Hill Dr	0.10	1900	R				From: 20-2237				NA		NA		1996
(2235) Round Hill Dr	0.18	4100	R				From: 20-2236				NA		NA		1996
							To: 20-649								
(2236) Sunswyck Ct	0.06	70	R				From: 20-2235				NA		NA		1996
							To: Cul-de-Sac								
(2237)	0.19	200	R				From: 20-3170				NA		NA		1996
(2237)	0.10	340	R				From: 20-3172				NA		NA		1996
(2237)	0.06	520	R				From: 20-2239				NA		NA		1996
							To: 20-2235								
(2238)	0.04	20	R				From: Dead End				NA		NA		1996
(2238)	0.05	170	R				From: 20-3489				NA		NA		1996
(2238)	0.06	320	R				From: 20-3488				NA		NA		1996
(2238)	0.08	650	R				From: 20-3486				NA		NA		1996
(2238)	0.07	870	R				From: 20-3485				NA		NA		1996
(2238)	0.07	350	R				From: 20-3170				NA		NA		1996
(2238)	0.19	210	R				From: 20-3173				NA		NA		1996
(2238)	0.07	180	R				From: 20-3174				NA		NA		1996
(2238)	0.44	240	R				From: 20-2235				NA		NA		1996
(2238)	0.09	50	R				From: 20-2235				NA		NA		1996
							To: Dead End								
(2239) Llewellyn Ln	0.07	340	R				From: 20-2237				NA		NA		1996
(2239) Llewellyn Ln	0.13	150	R				From: 20-2240				NA		NA		1996
							To: Dead End								
(2240) Lantern Ridge Ct	0.13	210	R				From: Cul-de-Sac				NA		NA		1996
							To: 20-2239								
(2241) Millvale Rd	0.07	350	R				From: 20-649				NA		NA		1996
(2241) Millvale Rd	0.07	450	R				From: 20-2242				NA		NA		1996
(2241) Millvale Rd	0.13	170	R				From: 20-2243				NA		NA		1996
							To: Cul-de-Sac								
(2242) Millvale Ct	0.05	60	R				From: Cul-de-Sac				NA		NA		1996
							To: 20-2241								

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2243) Cordova Ln	0.09	150	R			From: 20-2244					NA	NA			1996
(2243) Cordova Ln	0.04	60	R			To: 20-2241					NA	NA			1996
						From: Cul-de-Sac									
(2244) Wedgemere Rd	0.23	280	R			From: 20-2855					NA	NA			1996
(2244) Wedgemere Rd	0.12	330	R			From: 20-2243					NA	NA			1996
						To: 20-649; 20-2245									
(2245) Boones Trail Rd	0.06	50	R			From: 20-3304					NA	NA			05/01/2000
(2245) Boones Trail Rd	0.05	320	R			From: 20-3303					NA	NA			05/01/2000
(2245) Boones Trail Rd	0.06	460	R			From: 20-3302					NA	NA			05/01/2000
(2245) Boones Trail Rd	0.06	520	R			From: 20-3257					NA	NA			05/01/2000
(2245) Boones Trail Rd	0.05	760	R			From: 20-3255					NA	NA			05/01/2000
(2245) Boones Trail Rd	0.10	1000	R			From: 20-3254					NA	NA			05/01/2000
(2245) Boones Trail Rd	0.05	730	R			From: 20-3253					NA	NA			05/01/2000
(2245) Boones Trail Rd	0.04	930	R			From: 20-3252					NA	NA			05/01/2000
(2245) Boones Trail Rd	0.13	1300	R			From: 20-3250					NA	NA			05/01/2000
						To: 20-649; 20-2244									
(2246) Meadwood Cr	0.10	1100	R			From: 20-639					NA	NA			09/14/2000
(2246) Meadwood Cr	0.05	810	R			From: 20-2249					NA	NA			09/14/2000
(2246) Meadwood Cr	0.05	800	R			From: 20-2248					NA	NA			09/14/2000
(2246) Meadwood Cr	0.03	710	R			From: 20-2247					NA	NA			09/14/2000
(2246) Meadwood Cr	0.06	80	R			From: 20-2207					NA	NA			09/14/2000
						To: Cul-de-Sac									
(2247) Scotlow Cr	0.05	80	R			From: 20-2246					NA	NA			05/15/2000
						To: Cul-de-Sac									
(2248) Cathlow Cr	0.05	90	R			From: 20-2246					NA	NA			05/15/2000
						To: Cul-de-Sac									
(2249) Jonlow Cr	0.05	90	R			From: 20-2246					NA	NA			05/15/2000
						To: Cul-de-Sac									
(2250) Arch Hill Dr	0.17	580	R			From: 20-647					NA	NA			1997
(2250) Arch Hill Dr	0.07	500	R			From: 20-2252					NA	NA			1997
						To: 20-2253									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2250) Arch Hill Dr	0.05	280	R			From: 20-2253					NA		NA		1997
(2250) Arch Hill Dr	0.07	100	R			To: 20-2757					NA		NA		1997
						From: Cul-de-Sac									
(2251) Wadsworth Dr	0.16	1900	R			From: 20-647					NA		NA		1997
(2251) Wadsworth Dr	0.07	860	R			To: 20-2263					NA		NA		1997
(2251) Wadsworth Dr	0.02	750	R			From: 20-2255					NA		NA		1997
(2251) Wadsworth Dr	0.07	680	R			To: 20-2252					NA		NA		1997
(2251) Wadsworth Dr	0.01	390	R			From: 20-2254					NA		NA		1997
(2251) Wadsworth Dr	0.04	90	R			To: 20-2255					NA		NA		1997
(2251) Wadsworth Dr	0.02	3	R			From: 20-2261					NA		NA		1997
						To: Dead End									
(2252) Resaca Rd	0.16	220	R			From: 20-2250					NA		NA		1997
						To: 20-2251									
(2253) Arch Hill Ct	0.04	47	R			From: 20-2250					NA		NA		06/05/2000
						To: Cul-de-Sac									
(2254) Archwind Ct	0.06	100	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-2251									
(2255) Sonnet Hill Dr	0.14	80	R			From: 20-2251					NA		NA		05/24/2000
(2255) Sonnet Hill Dr	0.10	240	R			To: 20-2262					NA		NA		05/24/2000
						From: 20-2251									
(2256) Sherman Rd	0.09	90	R			From: Dead End					NA		NA		05/24/2000
(2256) Sherman Rd	0.08	320	R			To: 20-2260					NA		NA		05/24/2000
(2256) Sherman Rd	0.08	310	R			From: 20-2278					NA		NA		05/24/2000
(2256) Sherman Rd	0.14	220	R			To: 20-879					NA		NA		05/24/2000
(2256) Sherman Rd	0.10	230	R			From: 20-2257					NA		NA		05/24/2000
(2256) Sherman Rd	0.05	310	R			To: 20-881					NA		NA		05/24/2000
(2256) Sherman Rd	0.05	410	R			From: 20-2268					NA		NA		05/24/2000
						To: 20-2270									
(2257) Sherman Ct	0.02	40	R			From: 20-2256					NA		NA		1997
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2258) Fieldstone Ct	0.08	120	R			From: Cul-de-Sac					NA	NA			05/24/2000
(2258) Fieldstone Ct	0.03	150	R			To: 20-2272					NA	NA			05/24/2000
(2259) Whale Rock Rd	0.10	90	R			To: 20-2278					NA	NA			05/24/2000
(2260)	0.06	70	R			From: Dead End					NA	NA			05/24/2000
(2260)	0.10	90	R			To: 20-2256					NA	NA			05/24/2000
(2261) Lyric Ct	0.06	60	R			To: Dead End					NA	NA			06/05/2000
(2262) Sonnet Hill Ct	0.05	70	R			From: Cul-de-Sac					NA	NA			06/05/2000
(2263) Laureate Ln	0.08	530	R			To: 20-2255					NA	NA			11/20/2000
(2263) Laureate Ln	0.09	100	R			To: Cul-de-Sac					NA	NA			06/05/2000
(2264) Pepperidge Rd	0.03	46	R			From: 20-2251					NA	NA			11/20/2000
(2264) Pepperidge Rd	0.06	140	R			To: 20-2264					NA	NA			11/20/2000
(2264) Pepperidge Rd	0.10	360	R			To: Dead End					NA	NA			11/20/2000
(2264) Pepperidge Rd	0.07	240	R			From: Dead End					NA	NA			11/20/2000
(2264) Pepperidge Rd	0.07	80	R			To: 20-2714					NA	NA			11/20/2000
(2265) Cascade St	0.19	1000	R			To: 20-2263					NA	NA			11/20/2000
(2266) Upp St	0.05	1200	R			From: 20-2234					NA	NA			09/14/2000
(2266) Upp St	0.07	1200	R			To: 20-2299					NA	NA			09/14/2000
(2266) Upp St	0.07	1200	R			To: Dead End					NA	NA			09/14/2000
(2266) Upp St	0.40	1300	R			From: SR 10					NA	NA			1994
(2267) Kay Rd	0.16	140	R			To: FR-924; 20-2266					NA	NA			11/16/2000
(2267) Kay Rd	0.06	190	R			From: 20-794					NA	NA			11/16/2000
(2267) Kay Rd	0.06	190	R			To: 20-846					NA	NA			11/16/2000
(2267) Kay Rd	0.06	190	R			From: 20-2119					NA	NA			11/16/2000
(2267) Kay Rd	0.06	190	R			To: 20-2188					NA	NA			11/16/2000
(2267) Kay Rd	0.06	190	R			From: 20-1414					NA	NA			11/16/2000
(2267) Kay Rd	0.06	190	R			To: 20-1634					NA	NA			11/16/2000
(2267) Kay Rd	0.06	190	R			To: 20-638					NA	NA			11/16/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2268) Goldfinch Dr	0.09	350	R			From: 20-2256					NA	NA			05/24/2000
(2268) Goldfinch Dr	0.07	70	R			From: 20-2269					NA	NA			05/24/2000
						To: Dead End									
(2269) Richwine Rd	0.13	180	R			From: Dead End					NA	NA			05/24/2000
						To: 20-2268									
(2270) Simons Dr	0.07	690	R			From: 20-2271					NA	NA			05/24/2000
						To: 20-2256									
(2270) Simons Dr	0.10	130	R			From: 20-2256					NA	NA			05/24/2000
						To: Dead End									
(2271) Sue Jean Dr	0.14	790	R			From: 20-651					NA	NA			05/24/2000
						To: 20-2270									
(2271) Sue Jean Dr	0.08	260	R			From: 20-2270					NA	NA			05/24/2000
						To: 20-881									
(2272) Fieldstone Rd	0.13	110	R			From: 20-2273					NA	NA			05/31/2000
						To: 20-2275									
(2272) Fieldstone Rd	0.07	110	R			From: 20-2275					NA	NA			05/31/2000
						To: 20-2274									
(2272) Fieldstone Rd	0.07	70	R			From: 20-2274					NA	NA			05/31/2000
						To: 20-2258									
(2273) Clairton Rd	0.06	240	R			From: 20-2274					NA	NA			05/31/2000
						To: 20-2276									
(2273) Clairton Rd	0.08	230	R			From: 20-2276					NA	NA			05/31/2000
						To: 20-2272									
(2273) Clairton Rd	0.07	250	R			From: 20-2272					NA	NA			05/31/2000
						To: 20-651; 20-2290									
(2274) Stanbrook Dr	0.07	340	R			From: 20-643					NA	NA			05/31/2000
						To: 20-2273									
(2274) Stanbrook Dr	0.10	190	R			From: 20-2273					NA	NA			05/31/2000
						To: 20-2275									
(2274) Stanbrook Dr	0.07	100	R			From: 20-2275					NA	NA			05/31/2000
						To: 20-2277									
(2274) Stanbrook Dr	0.17	70	R			From: 20-2277					NA	NA			05/31/2000
						To: 20-2272									
(2275) Belmar Dr	0.08	130	R			From: 20-2274					NA	NA			05/31/2000
						To: 20-2276									
(2275) Belmar Dr	0.10	150	R			From: 20-2276					NA	NA			05/31/2000
						To: 20-2272									
(2275) Belmar Dr	0.06	370	R			From: 20-2272					NA	NA			05/31/2000
						To: 20-651									
(2276) Essling Rd	0.06	45	R			From: 20-2273					NA	NA			05/31/2000
						To: 20-2275									
(2277) Knox Ct	0.04	40	R			From: 20-2274					NA	NA			05/31/2000
						To: Dead End									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2278)	0.19	520	R			From: 20-2256					NA	NA			05/24/2000
(2278)	0.10	670	R			To: 20-2259					NA	NA			05/24/2000
(2278)	0.28	950	R			From: 20-2258					NA	NA			05/24/2000
(2278)	0.20	400	R			To: 20-2305					NA	NA			05/24/2000
(2278)						From: 20-2282									
(2279)	Laurelwood Rd	0.06	780	R		To: 20-651					NA	NA			09/26/2000
(2279)	Laurelwood Rd	0.12	470	R		From: 20-2280					NA	NA			09/26/2000
(2279)	Laurelwood Rd	0.06	340	R		To: 20-2305					NA	NA			09/26/2000
(2279)	Laurelwood Rd	0.20	170	R		From: 20-2288					NA	NA			09/26/2000
(2279)						To: 20-2280									
(2280)		0.18	410	R		From: 20-2279					NA	NA			09/26/2000
(2280)		0.10	330	R		To: 20-2305					NA	NA			09/26/2000
(2280)		0.08	160	R		From: 20-2281					NA	NA			09/26/2000
(2280)		0.03	20	R		To: 20-2279					NA	NA			09/26/2000
(2280)						From: Dead End									
(2281)	Woodfield Ct	0.03	47	R		To: Cul-de-Sac					NA	NA			09/26/2000
(2281)						From: 20-2280									
(2282)	Chippendale Dr	0.20	1000	R		To: 20-2305					NA	NA			09/26/2000
(2282)	Chippendale Dr	0.07	150	R		From: 20-2283					NA	NA			09/26/2000
(2282)						To: 20-2278									
(2284)	Kingsport Ln	0.07	680	R		From: 20-663					NA	NA			07/05/2000
(2284)	Kingsport Ln	0.19	440	R		To: 20-2292					NA	NA			07/05/2000
(2284)	Kingsport Ln	0.07	200	R		From: 20-2126					NA	NA			07/05/2000
(2284)	Kingsport Ln	0.06	70	R		To: 20-2149					NA	NA			07/05/2000
(2284)						From: Dead End									
(2285)	Caribbean Ln	0.16	750	R		To: 20-2286					NA	NA			1994
(2285)						From: 20-650									
(2286)	Ghent Dr	0.06	730	R		To: 20-837					NA	NA			09/26/2000
(2286)	Ghent Dr	0.17	520	R		From: 20-2199					NA	NA			09/26/2000
(2286)	Ghent Dr	0.06	280	R		To: 20-2192					NA	NA			09/26/2000
(2286)						From: 20-2197									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2286) Ghent Dr	0.06	230	R			From: 20-2197					NA		NA		09/26/2000
						To: 20-2193 Gap Terminus									
(2286) Ghent Dr	0.04	130	R			From: 20-2287 Gap Terminus					NA		NA		10/10/2000
						To: 20-2285									
(2286) Ghent Dr	0.05	460	R			From: 20-2391					NA		NA		10/10/2000
						To: 20-2392									
(2286) Ghent Dr	0.03	470	R			From: 20-2187					NA		NA		10/10/2000
						To: Dead End									
(2287) Melville Dr	0.08	60	R			From: Dead End					NA		NA		1996
						To: 20-2286									
(2287) Melville Dr	0.06	30	R			From: Dead End					NA		NA		1996
						To: 20-2279									
(2288) Laurelwood Ct	0.03	40	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-650									
(2289) Belfair Dr	0.07	320	R			From: 20-2290					NA		NA		1996
						To: 20-651; 20-2273									
(2290) Belrun Rd	0.05	970	R			From: 20-2800					NA		NA		1996
						To: 20-2801									
(2290) Belrun Rd	0.06	790	R			From: 20-2802					NA		NA		1996
						To: 20-2289									
(2290) Belrun Rd	0.05	590	R			From: 20-837					NA		NA		1996
						To: Dead End									
(2291) Lake Hills Rd	0.28	180	R			From: Dead End					NA		NA		1996
						To: 20-2182									
(2291) Lake Hills Rd	0.03	220	R			From: 20-637					NA		NA		1996
						To: 20-2284									
(2292) Vida Ln	0.07	150	R			From: 20-2293					NA		NA		1996
						To: 20-2292									
(2293) Fairbank Ln	0.16	140	R			From: 20-2126					NA		NA		1996
						To: 20-641									
(2294) Brookshire Dr	0.06	630	R			From: 20-2449					NA		NA		1996
						To: 20-2460									
(2294) Brookshire Dr	0.27	500	R			From: 20-2460					NA		NA		1996

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2294) Brookshire Dr	0.06	650	R			From: 20-2460					NA	NA			1996
(2294) Brookshire Dr	0.10	300	R			From: 20-2378					NA	NA			1996
(2294) Brookshire Dr	0.10	170	R			From: 20-2463					NA	NA			1996
						To: 20-2471									
(2295) Catterick Rd	0.11	230	R			From: 20-2296					NA	NA			1996
(2295) Catterick Rd	0.10	120	R			From: 20-2112					NA	NA			1996
(2295) Catterick Rd	0.06	46	R			From: 20-2111					NA	NA			1996
						To: Dead End									
(2296) Rock Spring Dr	0.04	40	R			From: Dead End					NA	NA			1996
(2296) Rock Spring Dr	0.08	210	R			From: 20-2103 Gap Terminus					NA	NA			1996
						To: 20-2111									
(2296) Rock Spring Dr	0.09	510	R			From: 20-2117					NA	NA			1996
(2296) Rock Spring Dr	0.05	830	R			From: 20-2112					NA	NA			1996
(2296) Rock Spring Dr	0.08	960	R			From: 20-2295					NA	NA			1996
(2296) Rock Spring Dr	0.10	1300	R			From: SR 10					NA	NA			1996
(2297) Dyer Ln	0.38	310	R			From: 20-650					NA	NA			1996
						To: US 360									
(2298) Stella Ct	0.03	49	R			From: Dead End					NA	NA			1996
(2298) Stella Ct	0.05	70	R			From: 20-2305					NA	NA			1996
						To: Dead End									
(2299) Archangle Ct	0.06	60	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2264									
(2300) Koyoto Dr	0.11	NA				From: Dead End					NA	NA			
(2300) Koyoto Dr	0.08	410	R			From: 20-4580					NA	NA			06/28/2000
						To: 20-2435									
(2301) Jessup Rd	0.07	70	R			From: Dead End					NA	NA			1996
(2301) Jessup Rd	0.08	130	R			From: 20-2130					NA	NA			1996
(2301) Jessup Rd	0.05	940	R			From: 20-3811					NA	NA			1996
(2301) Jessup Rd	0.06	460	R			From: 20-3812					NA	NA			1996
						To: 20-3169									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2301) Jessup Rd	0.08	1800	R			From: 20-3169					NA	NA			1996
(2301) Jessup Rd	0.14	1200	R			To: 20-3151					NA	NA			1996
(2301) Jessup Rd	0.50	2600	R			From: 20-3165					NA	NA			1996
						To: 20-643; 20-2358									
(2302) Tandem Dr	0.04	110	R			From: 20-2301					NA	NA			1997
(2302) Tandem Dr	0.06	30	R			To: 20-2303					NA	NA			1997
						To: Cul-de-Sac									
(2303) Tandem Ct	0.04	60	R			From: 20-2302					NA	NA			1997
						To: Cul-de-Sac									
(2304) Elgar Rd	0.08	140	R			From: Dead End					NA	NA			1997
						To: 20-651									
(2305) Stella Rd	0.07	330	R			From: 20-2279					NA	NA			1997
(2305) Stella Rd	0.06	430	R			To: 20-2280					NA	NA			1997
(2305) Stella Rd	0.07	2100	R			From: 20-2278					NA	NA			1997
(2305) Stella Rd	0.20	2400	R			To: 20-2282					NA	NA			1997
(2305) Stella Rd	0.07	1400	R			To: 20-651					NA	NA			1997
						To: 20-2298									
(2306) Gravelbrook Dr	0.33	290	R			From: Dead End					NA	NA			05/22/2000
						To: 20-2307									
(2306) Gravelbrook Dr	0.08	20	R			From: SR 10					NA	NA			05/22/2000
						To: SR 10									
(2307) Chicora Dr	0.10	820	R			From: 20-2306					NA	NA			05/22/2000
						To: 20-2325; 20-9770									
(2308) Melody Rd	0.12	1300	R			From: SR 10					NA	NA			1997
(2308) Melody Rd	0.30	530	R			To: 20-2338					NA	NA			1997
(2308) Melody Rd	0.06	600	R			From: 20-2311					NA	NA			1997
(2308) Melody Rd	0.14	610	R			To: 20-2309					NA	NA			1997
(2308) Melody Rd	0.07	660	R			From: 20-2310					NA	NA			1997
(2308) Melody Rd	0.08	980	R			To: 20-2533					NA	NA			1997
(2308) Melody Rd	0.15	1400	R			From: 20-2317					NA	NA			1997
						To: 20-2360 Gap Terminus									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2308) Melody Rd	0.08	1500	R			From: 20-2534 Gap Terminus					NA		NA		1997
						To: 20-637									
(2309) Shoremeade Ct	0.08	140	R			From: 20-2338					NA		NA		1997
						To: 20-2308									
(2309) Shoremeade Ct	0.08	100	R			From: Dead End					NA		NA		1997
						To: Dead End									
(2310)	0.12	80	R			From: Dead End					NA		NA		1997
						To: 20-2381									
(2310)	0.20	320	R			From: 20-2360					NA		NA		1997
						To: 20-2168									
(2310)	0.08	320	R			From: 20-2338					NA		NA		1997
						To: 20-2308									
(2310)	0.08	120	R			From: 20-2308					NA		NA		1997
						To: 20-2533									
(2310)	0.32	100	R			From: 20-2308					NA		NA		1997
						To: Dead End									
(2311) Downland Rd	0.14	80	R			From: 20-2313					NA		NA		1997
						To: Dead End									
(2312)	0.23	380	R			From: 20-826 WEST					NA		NA		10/04/2000
						To: 20-2315 NORTH									
(2312)	0.07	200	R			From: 20-2315 SOUTH					NA		NA		10/04/2000
						To: 20-826 EAST									
(2312)	0.39	140	R			From: 20-2314					NA		NA		10/04/2000
						To: US 360: 20-648									
(2312)	0.21	240	R			From: 20-824					NA		NA		10/04/2000
						To: 20-2312									
(2312)	0.09	470	R			From: 20-2312					NA		NA		10/04/2000
						To: 20-2586									
(2312)	0.30	980	R			From: 20-2584					NA		NA		10/04/2000
						To: 20-2585									
(2312)	0.07	570	R			From: Dead End					NA		NA		10/04/2000
						To: 20-2312									
(2312)	0.04	40	R			From: 20-2312					NA		NA		10/04/2000
						To: 0.12 ME 20-2312									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2314) Bagette Rd	0.08	290	R			From: 0.12 ME 20-2312 To: 20-826					NA	NA			10/04/2000
(2315) Flintridge Rd	0.16	100	R			From: 20-2312 To: 20-2312					NA	NA			10/04/2000
(2316) Snyder Rd	0.14	260	R			From: 20-826 To: 20-824					NA	NA			10/04/2000
(2317) Melody Ct	0.15	150	R			From: 20-2308 To: Cul-de-Sac					NA	NA			09/14/2000
(2318) Edgemere Bl	0.06	580	R			From: 20-637 To: 20-2319					NA	NA			09/14/2000
(2318) Edgemere Bl	0.10	380	R			From: 20-2320 To: 20-2320					NA	NA			09/14/2000
(2318) Edgemere Bl	0.05	560	R			From: 20-2183 To: 20-2183					NA	NA			09/14/2000
(2319) Falstone Rd	0.37	970	R			From: 20-637 To: 20-2318					NA	NA			07/12/2000
(2319) Falstone Rd	0.10	1100	R			From: 20-2332 To: 20-2332					NA	NA			07/12/2000
(2319) Falstone Rd	0.05	620	R			From: 20-2322 To: 20-2322					NA	NA			07/12/2000
(2319) Falstone Rd	0.08	260	R			From: 20-2320 WEST To: 20-2320 EAST					NA	NA			07/12/2000
(2320)	0.08	280	R			From: 20-2318 To: 20-2322					NA	NA			07/12/2000
(2320)	0.10	230	R			From: 20-2198 To: 20-2319 WEST					NA	NA			07/12/2000
(2320)	0.09	220	R			From: 20-2321 WEST To: 20-2321 WEST					NA	NA			07/12/2000
(2320)	0.07	230	R			From: 20-2345 To: 20-2329					NA	NA			07/12/2000
(2320)	0.44	150	R			From: 20-2321 EAST To: 20-2319 EAST					NA	NA			07/12/2000
(2320)	0.11	190	R			From: 20-2183 To: 20-2332					NA	NA			07/12/2000
(2320)	0.29	430	R			From: 20-2320 WEST To: 20-2329					NA	NA			07/12/2000
(2321) Marquette Rd	0.11	590	R			From: 20-2332 To: 20-2320 WEST					NA	NA			07/12/2000
(2321) Marquette Rd	0.08	400	R			From: 20-2329 To: 20-2329					NA	NA			07/12/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2321) Marquette Rd	0.20	160	R			From: 20-2329					NA		NA		07/12/2000
						To: 20-2320 EAST									
(2322) Grassmere Rd	0.14	170	R			From: 20-2320					NA		NA		07/12/2000
						To: 20-2319									
(2323) Lear Rd	0.09	60	R			From: 20-1780					NA		NA		12/06/2000
						To: 20-1760									
(2324) Medina Rd	0.06	100	R			From: 20-2368					NA		NA		07/26/2000
						To: 20-1985									
(2324) Medina Rd	0.07	200	R			From: 20-1985					NA		NA		07/26/2000
						To: 20-2367									
(2324) Medina Rd	0.06	140	R			From: 20-2367					NA		NA		07/26/2000
						To: 20-1989									
(2324) Medina Rd	0.19	310	R			From: 20-1989					NA		NA		07/26/2000
						To: 20-1781									
(2324) Medina Rd	0.07	400	R			From: 20-1781					NA		NA		07/26/2000
						To: 20-1770									
(2325) Kenton Dr	0.09	1000	R			From: 20-2307; 20-9770					NA		NA		1994
						To: SR 10									
(2326) Hackney Rd	0.05	130	R			From: Dead End					NA		NA		05/22/2000
						To: 20-2328									
(2326) Hackney Rd	0.09	230	R			From: 20-2328					NA		NA		05/22/2000
						To: 20-2301									
(2326) Hackney Rd	0.09	320	R			From: 20-2301					NA		NA		05/22/2000
						To: 20-3180									
(2326) Hackney Rd	0.08	120	R			From: 20-3180					NA		NA		05/22/2000
						To: Cul-de-Sac									
(2327) Falling Creek Cr	0.10	130	R			From: 20-1685					NA		NA		08/03/2000
						To: Dead End									
(2328)	0.03	20	R			From: Dead End					NA		NA		05/22/2000
						To: 20-2326									
(2328)	0.03	40	R			From: 20-2326					NA		NA		05/22/2000
						To: Dead End									
(2329) Burnham Rd	0.28	240	R			From: 20-2321					NA		NA		07/12/2000
						To: 20-2320									
(2330) Niles Rd	0.08	60	R			From: Dead End					NA		NA		05/22/2000
						To: 20-2357									
(2330) Niles Rd	0.18	140	R			From: 20-2357					NA		NA		05/22/2000
						To: 20-2301									
(2331) Sunset Hills Dr	0.08	110	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4290									
(2331) Sunset Hills Dr	0.06	420	R			From: 20-4290					NA		NA		1994
						To: 20-4291									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2331) Sunset Hills Dr	0.52	900	R			From: 20-4291					NA	NA			1994
						To: 20-653									
(2332) Stornoway Dr	0.09	410	R			From: 20-2319					NA	NA			07/12/2000
(2332) Stornoway Dr	0.15	390	R			From: 20-2321					NA	NA			07/12/2000
(2332) Stornoway Dr	0.20	380	R			From: 20-2346					NA	NA			07/12/2000
						To: 20-2345									
(2333) Willtee Ln	0.07	60	R			From: Cul-de-Sac					NA	NA			08/22/2000
(2333) Willtee Ln	0.07	340	R			From: 20-2335					NA	NA			08/22/2000
						To: 20-678									
(2334) Grassy Knoll Ln	0.12	130	R			From: Cul-de-Sac					NA	NA			08/22/2000
(2334) Grassy Knoll Ln	0.06	410	R			From: 20-2211					NA	NA			08/22/2000
(2334) Grassy Knoll Ln	0.13	520	R			From: 20-2335 SOUTH					NA	NA			08/22/2000
(2334) Grassy Knoll Ln	0.07	790	R			From: 20-2335 NORTH					NA	NA			08/22/2000
						To: 20-678									
(2335)	0.06	60	R			From: Dead End					NA	NA			08/22/2000
(2335)	0.08	130	R			From: 20-2337					NA	NA			08/22/2000
(2335)	0.12	130	R			From: 20-2334 NORTH					NA	NA			08/22/2000
(2335)	0.30	280	R			From: 20-2333					NA	NA			08/22/2000
(2335)	0.10	200	R			From: 20-2214					NA	NA			08/22/2000
(2335)	0.08	280	R			From: 20-2336					NA	NA			08/22/2000
						To: 20-2334 SOUTH									
(2336) Sauna Ct	0.06	50	R			From: 20-2335					NA	NA			08/22/2000
						To: Cul-de-Sac									
(2337) Cripple Creek Dr	0.07	47	R			From: Cul-de-Sac					NA	NA			08/22/2000
						To: 20-2335									
(2338) Shoremeade Rd	0.19	830	R			From: 20-2308					NA	NA			09/14/2000
(2338) Shoremeade Rd	0.09	480	R			From: 20-2360					NA	NA			09/14/2000
(2338) Shoremeade Rd	0.16	460	R			From: 20-2309					NA	NA			09/14/2000
						To: 20-2310									
(2339) Prestonwood Av	0.26	1100	R			From: 20-2393					NA	NA			1996
						To: 20-2380									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2339) Prestonwood Av	0.10	390	R			From: 20-2380					NA	NA			1996
(2339) Prestonwood Av	0.09	360	R			To: 20-2190					NA	NA			1996
(2339) Prestonwood Av	0.03	310	R			From: 20-2534					NA	NA			1996
(2339) Prestonwood Av	0.10	460	R			To: 20-3440					NA	NA			1996
						From: 20-637									
(2340) Fuqua Av	0.07	160	R			To: 20-2344					NA	NA			1996
(2340) Fuqua Av	0.08	300	R			From: 20-2341					NA	NA			1996
						To: 20-641; 20-9099									
(2341) Harvette Dr	0.08	230	R			From: 20-2340					NA	NA			1996
(2341) Harvette Dr	0.09	170	R			To: 20-2342					NA	NA			1996
(2341) Harvette Dr	0.09	340	R			From: 20-2343					NA	NA			1996
(2341) Harvette Dr	0.08	330	R			To: 20-2352					NA	NA			1996
(2341) Harvette Dr	0.07	260	R			From: 20-2454					NA	NA			1996
(2341) Harvette Dr	0.12	160	R			To: 20-2383					NA	NA			1996
						From: Dead End									
(2342) Harvette Cr	0.03	30	R			To: 20-2341					NA	NA			1996
						From: Dead End									
(2343) Rodophil Rd	0.09	450	R			To: 20-2422					NA	NA			1996
(2343) Rodophil Rd	0.10	560	R			From: 20-2341					NA	NA			1996
						To: 20-641									
(2344) McHoward Rd	0.07	550	R			From: 20-637					NA	NA			1996
(2344) McHoward Rd	0.06	470	R			To: 20-2420					NA	NA			1996
(2344) McHoward Rd	0.16	380	R			From: 20-2340					NA	NA			1996
						To: 20-2422									
(2345) Edinger Rd	0.07	460	R			From: 20-2332					NA	NA			1996
						To: 20-2320									
(2346) Corbridge Rd	0.07	820	R			From: 20-637; 20-9893					NA	NA			1996
						To: 20-2332									
(2347) Lockshire Dr	0.09	590	R			From: US 360					NA	NA			1996
(2347) Lockshire Dr	0.10	400	R			To: 20-2348					NA	NA			1996
						From: 20-2349									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2347) Lockshire Dr	0.06	350	R			From: 20-2349					NA	NA			1996
(2347) Lockshire Dr	0.03	290	R			To: 20-2350					NA	NA			1996
(2347) Lockshire Dr	0.04	2	R			From: 20-2636					NA	NA			1996
						To: Cul-de-Sac									
(2348) Huntshire Dr	0.05	10	R			From: 20-2347					NA	NA			1996
						To: Dead End									
(2349)	0.05	30	R			From: Dead End					NA	NA			07/05/2000
(2349)	0.16	170	R			To: 20-2347					NA	NA			07/05/2000
(2349)	0.22	330	R			From: 20-2635					NA	NA			07/05/2000
(2349)	0.11	390	R			To: 20-2636					NA	NA			07/05/2000
(2349)	0.05	140	R			From: 20-2682					NA	NA			07/05/2000
(2349)	0.14	90	R			To: BEGIN LOOP					NA	NA			07/05/2000
						From: END LOOP									
(2350) Lockshire Ct	0.04	20	R			To: Dead End					NA	NA			1996
						From: 20-2347									
(2351)	0.10	NA				From: 20-643					NA	NA			
						To: Dead End									
(2352) Harvette Ct	0.04	30	R			From: 20-2341					NA	NA			1996
						To: Cul-de-Sac									
(2353) Druid Dr	0.20	840	R			From: 20-2355					NA	NA			1996
						To: 20-2144									
(2354) McKesson Dr	0.03	2000	R			From: US 360					NA	NA			10/26/2000
						To: 20-2355 WEST									
(2354) McKesson Dr	0.25	960	R			From: 20-2355 EAST					NA	NA			10/26/2000
						To: 20-2144									
(2354) McKesson Dr	0.06	160	R			From: 20-2144					NA	NA			10/26/2000
						To: 20-2658									
(2354) McKesson Dr	0.02	30	R			From: 20-2658					NA	NA			10/26/2000
						To: Dead End									
(2355) Access Road-Hull St.	0.11	610	R			From: US 360; 20-9889					NA	NA			10/26/2000
						To: 20-2354 WEST									
(2355) Access Road-Hull St.	0.10	860	R			From: 20-2354 WEST					NA	NA			10/26/2000
						To: 20-2353									
(2356) Collindale Rd	0.08	160	R			From: 20-1632					NA	NA			11/16/2000
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2357) Bayview Dr	0.09	100	R			From: 20-2330					NA		NA		1996
(2357) Bayview Dr	0.17	130	R			From: 20-2358					NA		NA		1994
						To: 20-643									
(2358) Turner Rd	0.08	60	R			From: 20-2357					NA		NA		05/22/2000
(2358) Turner Rd	0.10	130	R			From: 20-2359					NA		NA		05/22/2000
						To: 20-643; 20-2301									
(2359) Poindexter Rd	0.09	40	R			From: 20-2330					NA		NA		05/22/2000
						To: 20-2358									
(2360)	0.07	420	R			From: 20-2338					NA		NA		09/14/2000
(2360)	0.03	370	R			From: 20-2168					NA		NA		09/14/2000
(2360)	0.21	400	R			From: 20-2166					NA		NA		09/14/2000
(2360)	0.07	410	R			From: 20-2167					NA		NA		09/14/2000
(2360)	0.10	590	R			From: 20-2310					NA		NA		09/14/2000
(2360)	0.14	640	R			From: 20-2533					NA		NA		09/14/2000
(2360)	0.24	620	R			From: 20-2308					NA		NA		09/14/2000
						To: 20-637									
(2361) Willesden Rd	0.26	1000	R			From: 20-2379					NA		NA		1994
						To: SCL RICHMOND									
(2362) Dulwich Dr	0.03	45	R			From: Cul-de-Sac					NA		NA		08/03/2000
(2362) Dulwich Dr	0.12	220	R			From: 20-2179					NA		NA		08/03/2000
(2362) Dulwich Dr	0.11	390	R			From: 20-1639					NA		NA		08/03/2000
						To: 20-2361									
(2363) Rodophil Rd	0.07	190	R			From: 20-710					NA		NA		11/20/2000
(2363) Rodophil Rd	0.06	220	R			From: 20-2365					NA		NA		11/20/2000
						To: 20-2424									
(2364) Cumbermede Rd	0.06	120	R			From: 20-710					NA		NA		11/20/2000
(2364) Cumbermede Rd	0.06	160	R			From: 20-2365					NA		NA		11/20/2000
						To: 20-2424									
(2365) Clodfelter Dr	0.14	100	R			From: 20-2363					NA		NA		11/20/2000
						To: 20-2364									
(2366) Sydelle Dr	0.03	60	R			From: Dead End					NA		NA		07/26/2000
						To: 20-2553									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2366) Sydelle Dr	0.16	180	R			From: 20-2553					NA	NA			07/26/2000
(2366) Sydelle Dr	0.06	220	R			To: 20-2551					NA	NA			07/26/2000
(2366) Sydelle Dr	0.07	220	R			From: 20-2368					NA	NA			07/26/2000
(2366) Sydelle Dr	0.07	240	R			To: 20-1985					NA	NA			07/26/2000
(2366) Sydelle Dr	0.06	280	R			From: 20-2367					NA	NA			07/26/2000
(2366) Sydelle Dr	0.07	260	R			To: 20-1989					NA	NA			07/26/2000
(2366) Sydelle Dr	0.07	310	R			From: 20-1988					NA	NA			07/26/2000
(2367) Schenley Dr	0.19	150	R			To: 20-1781					NA	NA			07/26/2000
(2367) Schenley Dr	0.13	260	R			From: 20-2366					NA	NA			07/26/2000
(2368)	0.14	80	R			To: 20-2324					NA	NA			07/26/2000
(2368)	0.13	200	R			From: 20-2324					NA	NA			07/26/2000
(2369) Gotham Rd	0.09	90	R			To: 20-2550					NA	NA			07/26/2000
(2369) Gotham Rd	0.17	80	R			From: 20-1989					NA	NA			07/26/2000
(2370) Watchrun Dr	0.04	30	R			To: 20-2056					NA	NA			07/26/2000
(2370) Watchrun Dr	0.08	270	R			From: 20-1781					NA	NA			07/26/2000
(2370) Watchrun Dr	0.12	630	R			To: Dead End					NA	NA			09/14/2000
(2370) Watchrun Dr	0.15	820	R			From: 20-2375					NA	NA			09/14/2000
(2370) Watchrun Dr	0.07	1600	R			To: 20-2376					NA	NA			09/14/2000
(2371)	0.11	270	R			From: 20-2372					NA	NA			09/14/2000
(2371)	0.06	430	R			To: 20-2372					NA	NA			09/14/2000
(2371)	0.19	550	R			From: 20-2371					NA	NA			09/14/2000
(2371)	0.07	700	R			To: 20-2374					NA	NA			09/14/2000
(2372) Watchlight Rd	0.03	20	R			From: 20-2370					NA	NA			09/14/2000
						To: 20-637									
						From: 20-2375									
						To: 20-2377									
						From: 20-2372									
						To: 20-2374									
						From: 20-2370									
						To: Dead End									
						From: 20-2371									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2372) Watchlight Rd	0.10	170	R			From: 20-2371					NA		NA		09/14/2000
(2372) Watchlight Rd	0.05	230	R			To: 20-2374					NA		NA		09/14/2000
(2373) Lifsey Ln	0.09	50	R			From: Dead End					NA		NA		1986
(2374) Fieldrun Dr	0.12	160	R			To: 20-2285					NA		NA		09/14/2000
(2374) Fieldrun Dr	0.12	160	R			From: 20-2372					NA		NA		09/14/2000
(2375) Creekrun Dr	0.03	30	R			To: 20-2371					NA		NA		09/14/2000
(2375) Creekrun Dr	0.15	360	R			From: Cul-de-Sac					NA		NA		09/14/2000
(2375) Creekrun Dr	0.15	360	R			To: 20-2370					NA		NA		09/14/2000
(2376) Watchrun Ct	0.09	110	R			From: Cul-de-Sac					NA		NA		09/14/2000
(2376) Watchrun Ct	0.09	110	R			To: 20-2370					NA		NA		09/14/2000
(2377) Watchspring Ct	0.09	150	R			From: 20-2371					NA		NA		09/14/2000
(2377) Watchspring Ct	0.09	150	R			To: Cul-de-Sac					NA		NA		09/14/2000
(2378) Cedardale Ln	0.18	610	R			From: 20-637					NA		NA		1994
(2378) Cedardale Ln	0.18	610	R			To: 20-2294					NA		NA		1994
(2379)	0.05	60	R			From: Dead End					NA		NA		08/03/2000
(2379)	0.06	370	R			To: 20-2194					NA		NA		08/03/2000
(2379)	0.05	620	R			From: 20-1639					NA		NA		08/03/2000
(2379)	0.49	1800	R			To: 20-2361					NA		NA		08/03/2000
(2379)	0.11	2200	R			From: 20-2205					NA		NA		08/03/2000
(2379)	0.15	2200	R			To: 20-1694					NA		NA		08/03/2000
(2379)	0.15	2200	R			From: 20-1630					NA		NA		08/03/2000
(2379)	0.02	2300	R			To: SCL RICHMOND					NA		NA		08/03/2000
(2380) Deertrail Dr	0.07	290	R			From: 20-2189					NA		NA		08/03/2000
(2380) Deertrail Dr	0.07	540	R			To: 20-2381					NA		NA		09/14/2000
(2380) Deertrail Dr	0.13	100	R			From: 20-2339					NA		NA		09/14/2000
(2380) Deertrail Dr	0.13	100	R			To: 20-3440					NA		NA		09/14/2000
(2381)	0.16	100	R			From: Dead End					NA		NA		09/14/2000
(2381)	0.07	430	R			To: 20-2310					NA		NA		08/03/2000
(2381)	0.08	450	R			From: 20-2190					NA		NA		08/03/2000
(2381)	0.08	450	R			To: 20-2380					NA		NA		08/03/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2382) Wayside Dr	0.19	1200	R			From: Dead End					NA	NA			1994
						To: US 360									
(2383) Oakvista Ct	0.04	50	R			From: 20-2341					NA	NA			07/05/2000
						To: Cul-de-Sac									
(2384) Commander Rd	0.18	260	R			From: 20-2147					NA	NA			07/05/2000
						To: 20-2523									
(2384) Commander Rd	0.22	240	R			From: 20-2176					NA	NA			07/05/2000
						To: 20-2176									
(2385) Parliament Rd	0.17	180	R			From: 20-2147					NA	NA			11/20/2000
						To: 20-2523									
(2386) Loch Braemar Dr	0.34	650	R			From: 20-2399					NA	NA			08/22/2000
						To: 20-2390									
(2386) Loch Braemar Dr	0.07	1500	R			From: 20-2388					NA	NA			08/22/2000
						To: 20-2388									
(2386) Loch Braemar Dr	0.16	1700	R			From: 20-2387					NA	NA			08/22/2000
						To: 20-2387									
(2386) Loch Braemar Dr	0.20	1900	R			From: 20-678					NA	NA			08/22/2000
						To: 20-678									
(2387) Buteshire Rd	0.05	60	R			From: 20-2386					NA	NA			08/22/2000
						To: Cul-de-Sac									
(2388) Paisley Ln	0.08	80	R			From: Dead End					NA	NA			08/22/2000
						To: 20-2386									
(2389) Meadoway Rd	0.18	140	R			From: Dead End					NA	NA			08/22/2000
						To: 20-643									
(2390) Stuts Ln	0.03	30	R			From: Dead End					NA	NA			08/22/2000
						To: 20-2399									
(2390) Stuts Ln	0.09	280	R			From: 20-2395					NA	NA			08/22/2000
						To: 20-2395									
(2390) Stuts Ln	0.05	470	R			From: 20-2397					NA	NA			08/22/2000
						To: 20-2397									
(2390) Stuts Ln	0.05	560	R			From: 20-2394					NA	NA			08/22/2000
						To: 20-2394									
(2390) Stuts Ln	0.07	650	R			From: 20-2386					NA	NA			08/22/2000
						To: 20-2386									
(2391) Ghent Cr	0.04	60	R			From: Cul-de-Sac					NA	NA			05/11/2000
						To: 20-2286									
(2392)	0.17	100	R			From: 20-2286					NA	NA			05/11/2000
						To: Cul-de-Sac									
(2393) Bonniebank Rd	0.16	1700	R			From: 20-2339					NA	NA			1994
						To: 20-637									
(2394) Blarney Ln	0.07	90	R			From: Dead End					NA	NA			08/22/2000
						To: 20-2390									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2395) Loch Banif Rd	0.23	190	R			From: Dead End					NA	NA			1994
						To: 20-2390									
(2396) Falkirk Dr	0.12	130	R			From: Cul-de-Sac					NA	NA			08/22/2000
						To: 20-2399									
(2396) Falkirk Dr	0.07	240	R			From: 20-2399					NA	NA			08/22/2000
						To: 20-2398									
(2396) Falkirk Dr	0.05	240	R			From: 20-2398					NA	NA			08/22/2000
						To: 20-2397									
(2396) Falkirk Dr	0.07	270	R			From: 20-2397					NA	NA			08/22/2000
						To: 20-2386									
(2396) Falkirk Dr	0.12	120	R			From: 20-2386					NA	NA			08/22/2000
						To: 20-5070									
(2397) Culpar Ln	0.07	320	R			From: 20-2390					NA	NA			08/22/2000
						To: 20-2396									
(2398) Ashworth Dr	0.14	120	R			From: 20-2396					NA	NA			08/22/2000
						To: 20-2386									
(2399)	0.12	330	R			From: Cul-de-Sac					NA	NA			08/22/2000
						To: 20-2390									
(2399)	0.07	100	R			From: 20-2390					NA	NA			08/22/2000
						To: 20-2396 Gap Terminus									
(2399)	0.21	130	R			From: Dead End; Gap Terminus					NA	NA			08/22/2000
						To: 20-2386									
(2399)	0.03	80	R			From: 20-2386					NA	NA			08/22/2000
						To: Cul-de-Sac									
(2400) Barberry Ct	0.07	60	R			From: 20-2488					NA	NA			1996
						To: Cul-de-Sac									
(2401) Enon Av	0.14	90	R			From: 20-823					NA	NA			1996
						To: 20-698									
(2402) Cole St	0.03	20	R			From: Dead End					NA	NA			1996
						To: 20-2403									
(2402) Cole St	0.08	170	R			From: 20-2403					NA	NA			1996
						To: 20-746									
(2403) Perkinson Dr	0.20	160	R			From: 20-2402					NA	NA			1996
						To: 20-746									
(2404) Richmond St	0.13	190	R			From: 20-2406					NA	NA			1996
						To: 20-2405									
(2404) Richmond St	0.08	320	R			From: 20-2405					NA	NA			1996
						To: 20-904									
(2405) Prince George Av	0.04	20	R			From: Dead End					NA	NA			1996
						To: 20-2418									
(2405) Prince George Av	0.04	20	R			From: 20-2418					NA	NA			1996
						To: Dead End; Gap Terminus									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2405) Prince George Av	0.08	130	R			From: 20-2404 Gap Terminus					NA		NA		1996
						To: 20-753									
(2406) Bermuda Av	0.14	80	R			From: Dead End					NA		NA		06/28/2000
(2406) Bermuda Av	0.08	130	R			From: 20-2404					NA		NA		06/28/2000
(2406) Bermuda Av	0.12	130	R			From: 20-753					NA		NA		06/28/2000
(2406) Bermuda Av	0.20	110	R			From: 20-699					NA		NA		06/28/2000
						To: Dead End									
(2407) Florence Av	0.04	180	R			From: Dead End					NA		NA		1996
(2407) Florence Av	0.09	690	R			From: 20-3221					NA		NA		1996
(2407) Florence Av	0.07	660	R			From: 20-2414					NA		NA		1996
(2407) Florence Av	0.07	720	R			From: 20-2412					NA		NA		1996
(2407) Florence Av	0.08	770	R			From: 20-726					NA		NA		1996
(2407) Florence Av	0.15	960	R			From: 20-2415					NA		NA		1996
						To: SR 10									
(2408) Valley Rd	0.06	60	R			From: 20-724					NA		NA		06/28/2000
						To: Dead End									
(2409) Bolling Av	0.13	100	R			From: 20-2401					NA		NA		1996
						To: 20-2417									
(2410) Bermuda Av	0.20	90	R			From: 20-4381					NA		NA		1996
(2410) Bermuda Av	0.24	170	R			From: 20-4378					NA		NA		1996
						To: 20-2401									
(2411) Sculley Rd	0.12	120	R			From: Dead End					NA		NA		1996
						To: 20-904									
(2412) Sir Peyton Dr	0.08	660	R			From: 20-691					NA		NA		1996
(2412) Sir Peyton Dr	0.13	360	R			From: 20-2413					NA		NA		1996
						To: 20-2407									
(2413) Austin Rd	0.09	100	R			From: Dead End					NA		NA		1996
(2413) Austin Rd	0.06	300	R			From: 20-3232					NA		NA		1996
(2413) Austin Rd	0.11	470	R			From: 20-3231					NA		NA		1996
(2413) Austin Rd	0.03	280	R			From: 20-2416					NA		NA		1996
						To: 20-3221									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2413) Austin Rd	0.08	350	R			From: 20-3221					NA	NA			1996
(2413) Austin Rd	0.03	730	R			To: 20-3220					NA	NA			1996
(2413) Austin Rd	0.07	60	R			From: 20-2414					NA	NA			1996
						To: 20-2412									
(2414) Cornwall Ln	0.16	130	R			From: 20-2413					NA	NA			06/28/2000
						To: 20-2407									
(2415)	0.08	47	R			From: Dead End					NA	NA			06/28/2000
(2415)	0.05	30	R			To: 20-2407					NA	NA			06/28/2000
						From: Cul-de-Sac									
(2416) Tranor Av	0.08	130	R			From: 20-2413					NA	NA			06/28/2000
(2416) Tranor Av	0.25	250	R			To: 20-691					NA	NA			06/28/2000
						To: 20-746									
						From: Cul-de-Sac									
(2417) Cameron Av	0.12	140	R			From: 20-2413					NA	NA			06/28/2000
(2417) Cameron Av	0.12	80	R			To: 20-823					NA	NA			1994
						To: 20-698									
						From: Cul-de-Sac									
(2418) Maranatha Av	0.20	150	R			From: 20-2413					NA	NA			06/28/2000
(2418) Maranatha Av	0.11	240	R			To: 20-2405					NA	NA			06/28/2000
						To: 20-904									
(2419) Pano Ct	0.03	40	R			From: Dead End					NA	NA			05/15/2000
(2419) Pano Ct	0.02	30	R			To: 20-2429					NA	NA			05/15/2000
						To: Dead End									
(2420) Country Ln	0.07	150	R			From: 20-2421					NA	NA			09/18/2000
						To: 20-2344									
(2421) Deanwood Dr	0.17	80	R			From: 20-2420					NA	NA			09/18/2000
						To: 20-2422									
(2422) Saldale Dr	0.06	400	R			From: 20-2424					NA	NA			09/18/2000
(2422) Saldale Dr	0.03	430	R			To: 20-2421					NA	NA			09/18/2000
(2422) Saldale Dr	0.03	670	R			From: 20-2423					NA	NA			09/18/2000
(2422) Saldale Dr	0.04	620	R			To: 20-2344					NA	NA			09/18/2000
(2422) Saldale Dr	0.08	60	R			From: 20-2343					NA	NA			09/18/2000
						To: Dead End									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2423) Walworth Dr	0.15	120	R			From: 20-2422					NA	NA			09/18/2000
						To: Dead End									
(2424) Durette Dr	0.12	90	R			From: Dead End					NA	NA			09/18/2000
(2424) Durette Dr	0.04	310	R			From: 20-2422					NA	NA			09/18/2000
(2424) Durette Dr	0.13	140	R			From: 20-2363					NA	NA			09/18/2000
						To: 20-2364									
(2425) Okehampton Dr	0.02	20	R			From: Dead End					NA	NA			05/15/2000
(2425) Okehampton Dr	0.11	230	R			From: 20-2427					NA	NA			05/15/2000
(2425) Okehampton Dr	0.05	340	R			From: 20-2426					NA	NA			05/15/2000
						To: 20-637									
(2426)	0.10	130	R			From: Cul-de-Sac					NA	NA			05/15/2000
						To: 20-2425									
(2427) Cotfield Rd	0.03	20	R			From: Dead End					NA	NA			05/15/2000
(2427) Cotfield Rd	0.13	40	R			From: 20-2429					NA	NA			05/15/2000
(2427) Cotfield Rd	0.18	110	R			From: 20-2428					NA	NA			05/15/2000
						To: 20-2425									
(2428) Shillcutt Rd	0.04	20	R			From: Cul-de-Sac					NA	NA			05/15/2000
(2428) Shillcutt Rd	0.11	270	R			From: 20-2427					NA	NA			05/15/2000
(2428) Shillcutt Rd	0.10	360	R			From: 20-2429					NA	NA			05/15/2000
						To: 20-637									
(2429) Pano Dr	0.10	240	R			From: 20-2427					NA	NA			05/15/2000
(2429) Pano Dr	0.07	130	R			From: 20-2428					NA	NA			05/15/2000
						To: 20-2419									
(2430) Dawson Dr	0.14	340	R			From: 20-697					NA	NA			06/28/2000
						To: 20-2431									
(2431) Fulcher Ln	0.02	40	R			From: Dead End					NA	NA			06/28/2000
(2431) Fulcher Ln	0.07	140	R			From: 20-2433					NA	NA			06/28/2000
(2431) Fulcher Ln	0.07	160	R			From: 20-2430					NA	NA			06/28/2000
(2431) Fulcher Ln	0.08	47	R			From: 20-2432					NA	NA			06/28/2000
						To: Dead End									
(2432) Mercer Ct	0.09	70	R			From: Cul-de-Sac					NA	NA			06/28/2000
						To: 20-2431									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2433) Wooten Ct	0.07	60	R			From: Cul-de-Sac					NA	NA			06/28/2000
						To: 20-2431									
(2434) Kingston Av	0.22	2900	R			From: 20-2435					NA	NA			06/28/2000
(2434) Kingston Av	0.11	4000	R			From: SR 10					NA	NA			06/28/2000
						To: 20-697									
(2435) Okuma Dr	0.22	480	R			From: 20-828					NA	NA			06/28/2000
(2435) Okuma Dr	0.27	520	R			From: 20-2300					NA	NA			06/28/2000
						To: 20-2434									
(2436) Random Rd	0.01	30	R			From: Dead End					NA	NA			06/28/2000
(2436) Random Rd	0.06	170	R			From: 20-2437					NA	NA			06/28/2000
						To: 20-697									
(2437) Sentinel Ln	0.07	120	R			From: Cul-de-Sac					NA	NA			06/28/2000
						To: 20-2436									
(2438) Sturbridge Ct	0.08	1800	R			From: Dead End					NA	NA			1994
						To: 20-2439									
(2439) Sturbridge Dr	0.38	3100	R			From: 20-2438					NA	NA			1994
(2439) Sturbridge Dr	0.19	NA				From: US 60 Midlothian Tpk					NA	NA			
						To: 20-675 Robius Rd									
(2440) Inca Dr	0.02	4	R			From: Dead End					NA	NA			1986
(2440) Inca Dr	0.08	580	R			From: 20-2441 WEST					NA	NA			08/14/2000
(2440) Inca Dr	0.11	630	R			From: 20-2447					NA	NA			08/14/2000
(2440) Inca Dr	0.06	870	R			From: 20-2443					NA	NA			08/14/2000
(2440) Inca Dr	0.07	1000	R			From: 20-2442					NA	NA			08/14/2000
(2440) Inca Dr	0.14	1000	R			From: 20-2441 EAST					NA	NA			08/14/2000
						To: 20-637									
(2441) Cochise TI	0.20	370	R			From: 20-611					NA	NA			1994
(2441) Cochise TI	0.24	390	R			From: 20-2440					NA	NA			1986
(2441) Cochise TI	0.07	250	R			From: 20-2447					NA	NA			08/14/2000
(2441) Cochise TI	0.21	230	R			From: 20-2444					NA	NA			08/14/2000
(2441) Cochise TI	0.20	270	R			From: 20-2443					NA	NA			08/14/2000
						To: 20-2440									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2442) Inca Ct	0.07	90	R			From: 20-2440					NA	NA			08/14/2000
						To: Dead End									
(2443) Concho Rd	0.03	20	R			From: Dead End					NA	NA			08/14/2000
(2443) Concho Rd	0.05	180	R			From: 20-2440					NA	NA			08/14/2000
(2443) Concho Rd	0.06	190	R			From: 20-2444					NA	NA			08/14/2000
(2443) Concho Rd	0.07	80	R			From: 20-2445					NA	NA			08/14/2000
(2443) Concho Rd	0.03	40	R			From: 20-2441					NA	NA			08/14/2000
						To: Dead End									
(2444) Snowflake Dr	0.23	150	R			From: 20-2441					NA	NA			08/14/2000
						To: 20-2443									
(2445) Nambe Cr	0.10	80	R			From: Cul-de-Sac					NA	NA			08/14/2000
						To: 20-2443									
(2446) Dalebluff Ct	0.06	60	R			From: 20-641					NA	NA			09/18/2000
						To: Cul-de-Sac									
(2447) Indian Springs Rd	0.08	110	R			From: Cul-de-Sac					NA	NA			08/14/2000
(2447) Indian Springs Rd	0.07	290	R			From: 20-3146					NA	NA			08/14/2000
(2447) Indian Springs Rd	0.08	390	R			From: 20-3145					NA	NA			08/14/2000
(2447) Indian Springs Rd	0.19	120	R			From: 20-2440					NA	NA			08/14/2000
(2447) Indian Springs Rd	0.07	80	R			From: 20-2441					NA	NA			08/14/2000
						To: Dead End									
(2448) Battlewood Rd	0.22	200	R			From: 20-2449					NA	NA			09/18/2000
						To: 20-2460									
(2449) Pretty Ln	0.06	310	R			From: 20-2294					NA	NA			09/18/2000
(2449) Pretty Ln	0.08	230	R			From: 20-2472					NA	NA			09/18/2000
(2449) Pretty Ln	0.06	330	R			From: 20-2454					NA	NA			09/18/2000
(2449) Pretty Ln	0.03	30	R			From: 20-2448					NA	NA			09/18/2000
						To: Dead End									
(2450) Lawnwood Dr	0.03	30	R			From: Dead End					NA	NA			09/18/2000
(2450) Lawnwood Dr	0.06	280	R			From: 20-2451					NA	NA			09/18/2000
(2450) Lawnwood Dr	0.06	500	R			From: 20-2452					NA	NA			09/18/2000
						To: 20-2453									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2450) Lawnwood Dr	0.07	460	R			From: 20-2453					NA	NA			09/18/2000
(2450) Lawnwood Dr	0.09	320	R			To: 20-2454					NA	NA			09/18/2000
(2450) Lawnwood Dr	0.03	380	R			From: 20-2457					NA	NA			09/18/2000
(2450) Lawnwood Dr	0.04	780	R			To: 20-2455					NA	NA			09/18/2000
						From: 20-770									
(2451) Restingway Ln	0.19	420	R			To: 20-2450					NA	NA			09/18/2000
						From: 20-770									
(2452) Slumber Ln	0.16	270	R			To: 20-2450					NA	NA			09/18/2000
						From: 20-770									
(2453) Tranquil Ln	0.13	140	R			To: 20-2450					NA	NA			09/18/2000
						From: 20-770									
(2454) Meadowburn Dr	0.03	8	R			To: Dead End					NA	NA			09/18/2000
(2454) Meadowburn Dr	0.09	460	R			From: 20-2341					NA	NA			09/18/2000
(2454) Meadowburn Dr	0.07	1100	R			To: 20-641					NA	NA			09/18/2000
(2454) Meadowburn Dr	0.25	740	R			From: 20-2449					NA	NA			09/18/2000
(2454) Meadowburn Dr	0.09	740	R			To: 20-2460					NA	NA			09/18/2000
(2454) Meadowburn Dr	0.09	980	R			From: 20-2462					NA	NA			09/18/2000
(2454) Meadowburn Dr	0.10	1100	R			To: 20-2463					NA	NA			09/18/2000
(2454) Meadowburn Dr	0.06	1200	R			From: 20-2461					NA	NA			09/18/2000
(2454) Meadowburn Dr	0.07	1200	R			To: 20-2456					NA	NA			09/18/2000
(2454) Meadowburn Dr	0.12	970	R			From: 20-2450					NA	NA			09/18/2000
						To: 20-770									
(2455) Daleshire Dr	0.16	160	R			From: Dead End					NA	NA			09/18/2000
(2455) Daleshire Dr	0.14	390	R			To: 20-2460					NA	NA			09/18/2000
(2455) Daleshire Dr	0.09	530	R			From: 20-2458					NA	NA			09/18/2000
(2455) Daleshire Dr	0.09	440	R			To: 20-2456					NA	NA			09/18/2000
						From: 20-2450									
(2456) Berrybrook Dr	0.10	100	R			To: Dead End					NA	NA			09/18/2000
(2456) Berrybrook Dr	0.09	320	R			From: 20-2470					NA	NA			09/18/2000
						To: 20-2472									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2456) Berrybrook Dr	0.05	550	R			From: 20-2472					NA	NA			09/18/2000
(2456) Berrybrook Dr	0.17	250	R			From: 20-2454					NA	NA			09/18/2000
(2456) Berrybrook Dr	0.02	20	R			From: 20-2455					NA	NA			09/18/2000
						To: Dead End									
(2457) Lawnwood Ct	0.03	40	R			From: Cul-de-Sac					NA	NA			09/18/2000
						To: 20-2450									
(2458) Ruthwin Ln	0.07	180	R			From: 20-2461					NA	NA			1996
						To: 20-2459									
(2458) Ruthwin Ln	0.06	360	R			From: 20-2455					NA	NA			1996
						To: Cul-de-Sac									
(2459) Claudehart Rd	0.16	80	R			From: 20-2460					NA	NA			1996
						To: 20-2458									
(2459) Claudehart Rd	0.17	150	R			From: 20-2294					NA	NA			1996
						To: Q0-2472									
(2460) Bryanwood Rd	0.06	320	R			From: 20-2472					NA	NA			1996
						To: 20-2454									
(2460) Bryanwood Rd	0.05	480	R			From: 20-2448					NA	NA			1996
						To: 20-2462									
(2460) Bryanwood Rd	0.06	450	R			From: 20-2461					NA	NA			1996
						To: 20-2459									
(2460) Bryanwood Rd	0.06	600	R			From: 20-2455					NA	NA			1996
						To: 20-1601									
(2460) Bryanwood Rd	0.14	800	R			From: 20-2460					NA	NA			1996
						To: 20-2464									
(2461) Halrose Ln	0.09	160	R			From: 20-2458					NA	NA			1996
						To: 20-2454									
(2461) Halrose Ln	0.09	250	R			From: 20-2454					NA	NA			1996
						To: 20-2460									
(2461) Halrose Ln	0.06	270	R			From: 20-637					NA	NA			1996
						To: 20-2479									
(2461) Halrose Ln	0.06	270	R			From: 20-2294					NA	NA			1996
						To: 20-2294									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2463) Panola Rd	0.05	500	R			From: 20-2294					NA	NA			1996
(2463) Panola Rd	0.06	370	R			To: 20-2472					NA	NA			1996
(2464)	0.02	40	R			From: Dead End					NA	NA			1996
(2465) Echoway Rd	0.03	10	R			To: 20-2461					NA	NA			1996
(2465) Echoway Rd	0.03	10	R			From: Dead End					NA	NA			1996
(2465) Echoway Rd	0.06	180	R			To: 20-2491					NA	NA			1996
(2465) Echoway Rd	0.06	180	R			From: 20-2491					NA	NA			1996
(2465) Echoway Rd	0.07	360	R			To: 20-2490					NA	NA			1996
(2465) Echoway Rd	0.07	360	R			From: 20-2490					NA	NA			1996
(2465) Echoway Rd	0.06	490	R			To: 20-2469					NA	NA			1996
(2465) Echoway Rd	0.06	490	R			From: 20-2469					NA	NA			1996
(2465) Echoway Rd	0.03	470	R			To: 20-2466					NA	NA			1996
(2465) Echoway Rd	0.03	470	R			From: 20-2466					NA	NA			1996
(2465) Echoway Rd	0.03	600	R			To: 20-2467					NA	NA			1996
(2465) Echoway Rd	0.03	600	R			From: 20-2467					NA	NA			1996
(2465) Echoway Rd	0.03	600	R			To: 20-1601					NA	NA			1996
(2465) Echoway Rd	0.03	600	R			From: 20-1601					NA	NA			1996
(2466) Dunshire Rd	0.16	200	R			From: 20-2465					NA	NA			1996
(2466) Dunshire Rd	0.16	200	R			To: 20-1601					NA	NA			1996
(2467) Frankmont Rd	0.15	90	R			From: Dead End					NA	NA			1996
(2467) Frankmont Rd	0.15	90	R			To: 20-2468					NA	NA			1996
(2467) Frankmont Rd	0.12	470	R			From: 20-2468					NA	NA			1996
(2467) Frankmont Rd	0.12	470	R			To: 20-2465					NA	NA			1996
(2468) Homeward Rd	0.17	150	R			From: Cul-de-Sac					NA	NA			1996
(2468) Homeward Rd	0.17	150	R			To: 20-2467					NA	NA			1996
(2469) Grovewood Rd	0.23	170	R			From: 20-2465					NA	NA			1996
(2469) Grovewood Rd	0.23	170	R			To: 20-1601					NA	NA			1996
(2470) Little Creek Ln	0.16	300	R			From: 20-637					NA	NA			1996
(2470) Little Creek Ln	0.16	300	R			To: 20-2456					NA	NA			1996
(2471) Jackie Ln	0.04	40	R			From: Dead End					NA	NA			09/18/2000
(2471) Jackie Ln	0.04	40	R			To: 20-2479					NA	NA			09/18/2000
(2471) Jackie Ln	0.06	140	R			From: 20-2479					NA	NA			09/18/2000
(2471) Jackie Ln	0.06	140	R			To: 20-2294					NA	NA			09/18/2000
(2471) Jackie Ln	0.07	150	R			From: 20-2294					NA	NA			09/18/2000
(2471) Jackie Ln	0.07	150	R			To: 20-2472					NA	NA			09/18/2000
(2472) Philbrook Rd	0.27	410	R			From: 20-2449					NA	NA			09/18/2000
(2472) Philbrook Rd	0.27	410	R			To: 20-2460					NA	NA			09/18/2000
(2472) Philbrook Rd	0.16	440	R			From: 20-2460					NA	NA			09/18/2000
(2472) Philbrook Rd	0.16	440	R			To: 20-2463					NA	NA			09/18/2000
(2472) Philbrook Rd	0.10	240	R			From: 20-2463					NA	NA			09/18/2000
(2472) Philbrook Rd	0.10	240	R			To: 20-2471					NA	NA			09/18/2000
(2472) Philbrook Rd	0.05	360	R			From: 20-2471					NA	NA			09/18/2000
(2472) Philbrook Rd	0.05	360	R			To: 20-2456					NA	NA			09/18/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2473) Hokie Ct	0.04	140	R	From: 20-770							NA	NA			1997
				To: Dead End											
(2474) Berrybrook Dr	0.03	70	R	From: 20-1601							NA	NA			1997
				To: Cul-de-Sac											
(2475) Lunar Ct	0.03	60	R	From: 20-1601							NA	NA			1997
				To: Dead End											
(2476) Global Ct	0.03	70	R	From: 20-1601							NA	NA			1997
				To: Dead End											
(2477) Moon Ln	0.15	230	R	From: 20-1601							NA	NA			09/18/2000
				To: 20-1601											
(2478) Astral Ct	0.04	80	R	From: 20-1601							NA	NA			1997
				To: Cul-de-Sac											
(2479) Lythgoe Av	0.07	210	R	From: 20-2463							NA	NA			09/18/2000
				To: 20-2471											
(2480)	0.17	510	R	From: 20-604							NA	NA			1997
				To: 20-2481											
(2480)	0.27	370	R	From: 20-2483							NA	NA			1997
				To: Dead End											
(2481) Carteret Rd	0.04	60	R	From: Dead End							NA	NA			1997
				To: 20-2482											
(2481) Carteret Rd	0.19	170	R	From: 20-2480							NA	NA			1997
				To: Dead End											
(2481) Carteret Rd	0.04	20	R	From: Dead End							NA	NA			1997
				To: Dead End											
(2482) Vescova Rd	0.07	20	R	From: Cul-de-Sac							NA	NA			1997
				To: 20-2481											
(2483) Spelman Rd	0.03	20	R	From: Dead End							NA	NA			1997
				To: 20-2480											
(2483) Spelman Rd	0.08	40	R	From: Dead End							NA	NA			1997
				To: Dead End											
(2484) Unicorn Ln	0.09	130	R	From: 20-2540							NA	NA			10/10/2000
				To: 20-2557											
(2485) Lanter Ln	0.05	40	R	From: Cul-de-Sac							NA	NA			1997
				To: 20-2486											
(2485) Lanter Ln	0.15	370	R	From: 20-732							NA	NA			1997
				To: 20-2485											
(2486) Bermuda Place Dr	0.16	300	R	From: 20-2485							NA	NA			1997
				To: Dead End											

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2488)	0.03	20	R			From: Dead End					NA		NA		1997
(2488)	0.04	150	R			From: 20-2400					NA		NA		1997
(2488)	0.15	700	R			From: 20-726					NA		NA		1997
(2488)	0.16	300	R			From: 20-834					NA		NA		1997
						To: 20-833									
(2489)	0.05	70	R			From: 20-834					NA		NA		1997
						To: Dead End									
(2490) Cliffwood Rd	0.14	420	R			From: 20-2465					NA		NA		08/03/2000
(2490) Cliffwood Rd	0.13	150	R			From: 20-2492					NA		NA		08/03/2000
						To: 20-1601									
(2491) Applewood Rd	0.19	200	R			From: 20-2465					NA		NA		08/03/2000
(2491) Applewood Rd	0.14	200	R			From: 20-2492					NA		NA		08/03/2000
						To: 20-1601									
(2492) Ballwood Rd	0.06	300	R			From: 20-2490					NA		NA		08/03/2000
(2492) Ballwood Rd	0.06	470	R			From: 20-2491					NA		NA		08/03/2000
						To: 20-638									
(2493) Luckylee Crescent	0.18	210	R			From: 20-770					NA		NA		1994
						To: 20-770									
(2494) Keydet Ct	0.04	130	R			From: 20-770					NA		NA		09/18/2000
						To: Cul-de-Sac									
(2495) Henry Ln	0.05	20	R			From: Cul-de-Sac					NA		NA		06/28/2000
						To: 20-886									
(2496) Leslie Ln	0.09	140	R			From: 20-746					NA		NA		06/28/2000
						To: 20-2497									
(2497) Sloan Dr	0.05	40	R			From: Dead End					NA		NA		06/28/2000
(2497) Sloan Dr	0.09	30	R			From: 20-2496					NA		NA		06/28/2000
						To: Dead End									
(2498) Saffron Ln	0.06	310	R			From: 20-746					NA		NA		1994
(2498) Saffron Ln	0.09	40	R			From: 20-2499					NA		NA		1994
						To: 20-4590									
(2499)	0.19	170	R			From: 20-2498					NA		NA		09/05/2000
						To: Cul-de-Sac									
(2500) Chessington Rd	0.24	300	R			From: 20-2510					NA		NA		09/05/2000
						To: 20-2579									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2500) Chessington Rd	0.16	320	R			From: 20-2579					NA		NA		09/05/2000
						To: 20-2503									
(2501) Tuxford Rd	0.04	50	R			From: Dead End					NA		NA		09/05/2000
(2501) Tuxford Rd	0.20	190	R			From: 20-2526					NA		NA		09/05/2000
(2501) Tuxford Rd	0.08	450	R			From: 20-2527					NA		NA		09/05/2000
(2501) Tuxford Rd	0.07	700	R			From: 20-2525					NA		NA		09/05/2000
(2501) Tuxford Rd	0.08	930	R			From: 20-2516					NA		NA		09/05/2000
(2501) Tuxford Rd	0.11	1100	R			From: 20-2509					NA		NA		09/05/2000
(2501) Tuxford Rd	0.11	1400	R			From: 20-2502					NA		NA		09/05/2000
(2501) Tuxford Rd	0.15	1500	R			From: 20-2503					NA		NA		09/05/2000
						To: US 60									
(2502) Stanmore Rd	0.08	280	R			From: 20-2510					NA		NA		09/05/2000
(2502) Stanmore Rd	0.11	330	R			From: 20-2508					NA		NA		09/05/2000
(2502) Stanmore Rd	0.05	360	R			From: 20-2507					NA		NA		09/05/2000
(2502) Stanmore Rd	0.10	210	R			From: 20-2504					NA		NA		09/05/2000
(2502) Stanmore Rd	0.07	460	R			From: 20-2506					NA		NA		09/05/2000
(2502) Stanmore Rd	0.07	450	R			From: 20-2505					NA		NA		09/05/2000
						To: 20-2501									
(2503) Knightsbridge Rd	0.03	20	R			From: Dead End					NA		NA		09/05/2000
(2503) Knightsbridge Rd	0.08	610	R			From: 20-2501					NA		NA		09/05/2000
(2503) Knightsbridge Rd	0.06	870	R			From: 20-2504					NA		NA		09/05/2000
(2503) Knightsbridge Rd	0.07	1400	R			From: 20-2500					NA		NA		09/05/2000
						To: 20-672									
(2504) Swanage Rd	0.09	380	R			From: 20-2502					NA		NA		09/05/2000
(2504) Swanage Rd	0.11	220	R			From: 20-2579					NA		NA		09/05/2000
(2504) Swanage Rd	0.06	240	R			From: 20-2505					NA		NA		09/05/2000
						To: 20-2503									
(2505) Highgate Rd	0.13	190	R			From: 20-2502					NA		NA		09/05/2000
						To: 20-2504									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2506) Stanmore Square	0.02	40	R			From: 20-2502					NA	NA			09/05/2000
						To: Dead End									
(2507) Stanmore Pl	0.08	70	R			From: 20-2502					NA	NA			09/05/2000
						To: Cul-de-Sac									
(2508) Stanmore Ct	0.04	40	R			From: 20-2502					NA	NA			09/05/2000
						To: Cul-de-Sac									
(2509) Woodward Rd	0.08	460	R			From: 20-2510					NA	NA			09/05/2000
(2509) Woodward Rd	0.06	310	R			From: 20-2511					NA	NA			09/05/2000
(2509) Woodward Rd	0.10	260	R			From: 20-2512					NA	NA			09/05/2000
(2509) Woodward Rd	0.07	240	R			From: 20-2513					NA	NA			09/05/2000
(2509) Woodward Rd	0.08	460	R			From: 20-2514					NA	NA			09/05/2000
(2509) Woodward Rd	0.03	20	R			From: 20-2501					NA	NA			09/05/2000
						To: Dead End									
(2510) Redbridge Rd	0.20	440	R			From: 20-2526					NA	NA			09/05/2000
(2510) Redbridge Rd	0.02	640	R			From: 20-2509					NA	NA			09/05/2000
(2510) Redbridge Rd	0.07	1200	R			From: 20-2526					NA	NA			09/05/2000
(2510) Redbridge Rd	0.10	1300	R			From: 20-2502					NA	NA			09/05/2000
(2510) Redbridge Rd	0.07	1200	R			From: 20-2500					NA	NA			09/05/2000
(2510) Redbridge Rd	0.09	1200	R			From: 20-672					NA	NA			08/16/2000
(2510) Redbridge Rd	0.23	1400	R			From: 20-2673					NA	NA			08/16/2000
(2510) Redbridge Rd	0.21	1500	R			From: 20-2674					NA	NA			08/16/2000
(2510) Redbridge Rd	0.08	1300	R			From: 20-2675					NA	NA			08/16/2000
(2510) Redbridge Rd	0.06	970	R			From: 20-2687					NA	NA			08/16/2000
(2510) Redbridge Rd	0.03	20	R			From: 20-2725					NA	NA			08/16/2000
						To: Dead End									
(2511) Swansea Rd	0.07	110	R			From: 20-2526					NA	NA			09/05/2000
(2511) Swansea Rd	0.06	230	R			From: 20-2525					NA	NA			09/05/2000
(2511) Swansea Rd	0.10	310	R			From: 20-2516					NA	NA			09/05/2000
						To: 20-2509									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2512) Woodward Tr	0.02	60	R			From: Cul-de-Sac					NA		NA		09/05/2000
						To: 20-2509									
(2513) Woodward Pl	0.04	50	R			From: Cul-de-Sac					NA		NA		09/05/2000
						To: 20-2509									
(2514) Woodward Ct	0.03	30	R			From: Cul-de-Sac					NA		NA		09/05/2000
						To: 20-2509									
(2515) Whitestone Ct	0.06	60	R			From: 20-2533					NA		NA		09/14/2000
						To: Cul-de-Sac									
(2516) Northfield Ln	0.26	210	R			From: 20-2511					NA		NA		09/05/2000
						To: 20-2501									
(2517) Montour Dr	0.13	110	R			From: 20-2535					NA		NA		08/16/2000
						To: 20-2521									
(2517) Montour Dr	0.23	170	R			From: 20-2518					NA		NA		08/16/2000
						To: 20-2518									
(2517) Montour Dr	0.07	220	R			From: 20-2538					NA		NA		08/16/2000
						To: 20-2538									
(2517) Montour Dr	0.06	230	R			From: 20-2537					NA		NA		08/16/2000
						To: 20-2536									
(2518) Avlla Ln	0.06	370	R			From: 20-2535					NA		NA		1996
						To: 20-2519									
(2518) Avlla Ln	0.05	180	R			From: 20-2517					NA		NA		1996
						To: 20-2517									
(2519) Dauphin Dr	0.20	230	R			From: 20-2521					NA		NA		1996
						To: 20-2518									
(2520) Elk Rd	0.21	1800	R			From: 20-1668					NA		NA		1996
						To: 20-2147									
(2520) Elk Rd	0.06	170	R			From: Dead End					NA		NA		1996
						To: Dead End									
(2521) Aldersmead Rd	0.07	190	R			From: 20-2535					NA		NA		1996
						To: 20-2519									
(2521) Aldersmead Rd	0.09	180	R			From: 20-2517					NA		NA		1996
						To: 20-2517									
(2521) Aldersmead Rd	0.08	210	R			From: 20-2522					NA		NA		1996
						To: 20-2522									
(2521) Aldersmead Rd	0.06	120	R			From: 20-3918					NA		NA		1996
						To: 20-3918									
(2521) Aldersmead Rd	0.05	20	R			From: Cul-de-Sac					NA		NA		1996
						To: Cul-de-Sac									
(2522) Saybrook Dr	0.10	260	R			From: 20-2535					NA		NA		1996
						To: 20-2529									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2522) Saybrook Dr	0.10	190	R			From: 20-2529					NA	NA			1996
(2522) Saybrook Dr	0.06	30	R			From: 20-2521					NA	NA			1996
						To: Dead End									
(2523) Twain Ln	0.07	660	R			From: 20-647					NA	NA			1996
(2523) Twain Ln	0.06	640	R			From: 20-2385					NA	NA			1996
(2523) Twain Ln	0.07	350	R			From: 20-2384					NA	NA			1996
(2523) Twain Ln	0.06	450	R			From: 20-2174					NA	NA			1996
(2523) Twain Ln	0.10	350	R			From: 20-2524					NA	NA			1996
						To: 20-2176									
(2524) Twain Ct	0.03	70	R			From: 20-2523					NA	NA			1996
						To: Dead End									
(2525) Redmead Ln	0.23	180	R			From: 20-2511					NA	NA			1996
						To: 20-2501									
(2526)	0.18	180	R			From: 20-2501					NA	NA			1996
(2526)	0.07	320	R			From: 20-2527					NA	NA			1996
(2526)	0.07	480	R			From: 20-2511					NA	NA			1996
(2526)	0.25	480	R			From: 20-2510 WEST					NA	NA			1996
						To: 20-2510 EAST									
(2527) Aldersmead Rd	0.08	140	R			From: 20-2526					NA	NA			1996
(2527) Aldersmead Rd	0.11	170	R			From: 20-2528					NA	NA			1996
						To: 20-2501									
(2528) Aldersmead Ct	0.07	70	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2527									
(2529)	0.05	20	R			From: Dead End					NA	NA			1996
						To: 24-2522									
(2530) Checkers Ct	0.04	80	R			From: 20-2555					NA	NA			1996
						To: Cul-de-Sac									
(2531) Huddersfield Dr	0.10	30	R			From: Cul-de-Sac					NA	NA			09/07/2000
						To: Dead End; Gap Terminus									
(2531) Huddersfield Dr	0.15	1400	R			From: Dead End					NA	NA			09/07/2000
						To: 20-2560									
(2532)	0.07	150	R			From: 20-2050					NA	NA			1996
						To: 20-1970									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2532)	0.10	180	R			From: 20-1970					NA		NA		1996
						To: 20-1758									
(2533) Whitestone Dr	0.10	160	R			From: 20-2360					NA		NA		1996
(2533) Whitestone Dr	0.10	160	R			From: 20-2515					NA		NA		1996
(2533) Whitestone Dr	0.07	310	R			From: 20-2308					NA		NA		1996
(2533) Whitestone Dr	0.08	40	R			From: 20-2310					NA		NA		1996
						To: Dead End									
(2534) Carafe Dr	0.25	130	R			From: 20-2339					NA		NA		11/27/2000
(2534) Carafe Dr	0.15	130	R			From: 20-2308					NA		NA		11/27/2000
						To: Dead End									
(2535) Pocono Dr	0.06	10	R			From: Dead End					NA		NA		08/16/2000
(2535) Pocono Dr	0.09	200	R			From: 20-2522					NA		NA		08/16/2000
(2535) Pocono Dr	0.17	370	R			From: 20-2517					NA		NA		08/16/2000
(2535) Pocono Dr	0.08	620	R			From: 20-2521					NA		NA		08/16/2000
(2535) Pocono Dr	0.11	790	R			From: 20-2538 SOUTH					NA		NA		08/16/2000
(2535) Pocono Dr	0.05	970	R			From: 20-2518					NA		NA		08/16/2000
(2535) Pocono Dr	0.07	1200	R			From: 20-2538 NORTH					NA		NA		08/16/2000
(2535) Pocono Dr	0.06	1400	R			From: 20-2537					NA		NA		08/16/2000
(2535) Pocono Dr	0.09	2100	R			From: 20-2536					NA		NA		08/16/2000
						To: US 60									
(2536) Dimock Dr	0.11	600	R			From: 20-2535					NA		NA		08/16/2000
(2536) Dimock Dr	0.03	10	R			From: 20-2517					NA		NA		08/16/2000
						To: Dead End									
(2537) Renovo Ln	0.10	220	R			From: 20-2535					NA		NA		08/16/2000
						To: 20-2517									
(2538)	0.25	150	R			From: 20-2535 SOUTH					NA		NA		08/16/2000
(2538)	0.10	110	R			From: 20-2535 NORTH					NA		NA		08/16/2000
						To: 20-2517									
(2539) Granada Rd	0.11	560	R			From: 20-1990					NA		NA		10/10/2000
(2539) Granada Rd	0.05	710	R			From: 20-1985					NA		NA		10/10/2000
						To: 20-2542									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2539) Granada Rd	0.05	760	R			From: 20-2542					NA	NA			10/23/2000
(2539) Granada Rd	0.09	860	R			To: 20-2543					NA	NA			10/23/2000
(2539) Granada Rd	0.04	47	R			From: 20-2544					NA	NA			10/23/2000
						To: Dead End									
(2540) Savoy Rd	0.05	100	R			From: 20-1990					NA	NA			06/13/2000
(2540) Savoy Rd	0.17	290	R			To: 20-2554					NA	NA			06/13/2000
(2540) Savoy Rd	0.06	290	R			From: 20-1985					NA	NA			10/10/2000
(2540) Savoy Rd	0.06	300	R			To: 20-2542					NA	NA			10/10/2000
(2540) Savoy Rd	0.07	320	R			From: 20-2543					NA	NA			10/10/2000
(2540) Savoy Rd	0.04	1100	R			To: 20-2544					NA	NA			10/10/2000
(2540) Savoy Rd	0.07	860	R			From: 20-2555					NA	NA			10/10/2000
(2540) Savoy Rd	0.05	780	R			To: 20-2484					NA	NA			10/10/2000
(2540) Savoy Rd	0.07	1100	R			From: 20-2557					NA	NA			10/10/2000
(2540) Savoy Rd	0.07	670	R			To: 20-1956					NA	NA			10/10/2000
(2540) Savoy Rd	0.09	670	R			From: 20-1953					NA	NA			10/10/2000
						To: 20-1775									
(2541) Rockledge Rd	0.03	120	R			From: 20-1990					NA	NA			06/13/2000
(2541) Rockledge Rd	0.05	250	R			To: 20-2554					NA	NA			06/13/2000
(2541) Rockledge Rd	0.06	310	R			From: 20-1967					NA	NA			10/10/2000
(2541) Rockledge Rd	0.06	370	R			To: 20-1985					NA	NA			10/10/2000
(2541) Rockledge Rd	0.06	190	R			From: 20-2542					NA	NA			10/10/2000
(2541) Rockledge Rd	0.08	220	R			To: 20-2543					NA	NA			10/10/2000
						To: 20-2544									
(2542) Denton Dr	0.11	180	R			From: 20-2539					NA	NA			10/23/2000
(2542) Denton Dr	0.11	160	R			To: 20-2541					NA	NA			10/23/2000
						To: 20-2540									
(2543) Neptune Dr	0.11	280	R			From: 20-2539					NA	NA			10/23/2000
(2543) Neptune Dr	0.11	370	R			To: 20-2541					NA	NA			10/23/2000
						To: 20-2540									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2544) Greenfield Dr	0.11	100	R			From: Dead End					NA		NA		10/23/2000
(2544) Greenfield Dr	0.09	350	R			From: 20-1952					NA		NA		10/23/2000
(2544) Greenfield Dr	0.06	1100	R			From: 20-675					NA		NA		10/23/2000
(2544) Greenfield Dr	0.06	1500	R			From: 20-2539					NA		NA		10/23/2000
(2544) Greenfield Dr	0.05	1100	R			From: 20-2545					NA		NA		10/23/2000
(2544) Greenfield Dr	0.11	920	R			From: 20-2541					NA		NA		10/10/2000
(2544) Greenfield Dr	0.06	450	R			From: 20-2540					NA		NA		10/10/2000
(2544) Greenfield Dr	0.15	340	R			From: 20-2548					NA		NA		10/10/2000
(2545) Greenfield Ct	0.03	60	R			From: Cul-de-Sac					NA		NA		10/23/2000
(2546) Guilford Rd	0.03	20	R			From: Dead End					NA		NA		06/13/2000
(2546) Guilford Rd	0.07	390	R			From: 20-1990					NA		NA		06/13/2000
(2546) Guilford Rd	0.21	220	R			From: 20-2554					NA		NA		06/13/2000
(2546) Guilford Rd	0.10	280	R			From: 20-2547					NA		NA		06/13/2000
(2547) Jarman Ln	0.08	230	R			From: 20-2548					NA		NA		06/13/2000
(2548) Olympic Rd	0.18	290	R			From: 20-2554					NA		NA		06/13/2000
(2548) Olympic Rd	0.06	390	R			From: 20-2547					NA		NA		06/13/2000
(2548) Olympic Rd	0.07	250	R			From: 20-1985					NA		NA		10/10/2000
(2548) Olympic Rd	0.06	150	R			From: 20-2549					NA		NA		10/10/2000
(2549) Olympic Ct	0.07	50	R			From: 20-2548					NA		NA		10/10/2000
(2550) Ashburn Rd	0.16	250	R			From: 20-2553					NA		NA		07/26/2000
(2550) Ashburn Rd	0.07	310	R			From: 20-2551					NA		NA		07/26/2000
(2550) Ashburn Rd	0.06	350	R			From: 20-2368					NA		NA		07/26/2000
(2551)	0.09	100	R			From: 20-2366					NA		NA		07/26/2000
						To: 20-2552									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2551)	0.11	160	R			From: 20-2552					NA	NA			07/26/2000
						To: 20-2550									
(2552) Triton Cr	0.04	30	R			From: Cul-de-Sac					NA	NA			07/26/2000
						To: 20-2551									
(2553) Astoria Dr	0.06	430	R			From: 20-2366					NA	NA			07/26/2000
						To: 20-2550									
(2553) Astoria Dr	0.07	660	R			From: 20-2550					NA	NA			07/26/2000
						To: SR 147									
(2554) Deauville Rd	0.09	240	R			From: 20-2541					NA	NA			06/13/2000
						To: 20-1966									
(2554) Deauville Rd	0.06	230	R			From: 20-1966					NA	NA			06/13/2000
						To: 20-2540									
(2554) Deauville Rd	0.07	190	R			From: 20-2540					NA	NA			06/13/2000
						To: 20-2548									
(2554) Deauville Rd	0.06	270	R			From: 20-2548					NA	NA			06/13/2000
						To: 20-2546									
(2555)	0.05	650	R			From: 20-2540					NA	NA			10/10/2000
						To: 20-2530									
(2555)	0.10	560	R			From: 20-2530					NA	NA			10/10/2000
						To: 20-2557									
(2555)	0.04	470	R			From: 20-2557					NA	NA			10/10/2000
						To: 20-2556									
(2555)	0.47	420	R			From: 20-2556					NA	NA			10/10/2000
						To: Dead End									
(2556)	0.04	190	R			From: 20-2544					NA	NA			10/10/2000
						To: 20-2555									
(2556)	0.03	50	R			From: 20-2555					NA	NA			10/10/2000
						To: Dead End									
(2557) Old Indian Rd	0.14	210	R			From: 20-2540					NA	NA			10/10/2000
						To: 20-2484									
(2557) Old Indian Rd	0.14	240	R			From: 20-2484					NA	NA			10/10/2000
						To: 20-2555									
(2558) Hunton Cr	0.13	220	R			From: 20-826					NA	NA			10/04/2000
						To: 20-2559									
(2558) Hunton Cr	0.37	230	R			From: 20-2559					NA	NA			10/04/2000
						To: 20-2585									
(2559) Hunton Ct	0.04	30	R			From: 20-2558					NA	NA			10/04/2000
						To: Cul-de-Sac									
(2560)	0.09	1300	R			From: 20-2567					NA	NA			09/07/2000
						To: 20-2566									
(2560)	0.10	1700	R			From: 20-2566					NA	NA			09/07/2000
						To: 20-2562									
(2560)	0.21	1900	R			From: 20-2562					NA	NA			09/07/2000
						To: 20-2568									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2560)	0.10	2100	R			From: 20-2568					NA		NA		09/07/2000
(2560)	0.13	2600	R			To: 20-2561					NA		NA		11/27/2000
(2560)	0.20	3100	R			From: 20-2565					NA		NA		11/27/2000
(2560)	0.18	3600	R			To: 20-2564					NA		NA		11/27/2000
(2560)	0.05	4900	R			From: 20-2531					NA		NA		11/27/2000
(2560)						To: 20-653									
(2561) Farnham Dr	0.16	1100	R			From: 20-2567					NA		NA		09/07/2000
(2561) Farnham Dr	0.07	1200	R			To: 20-2566					NA		NA		09/07/2000
(2561) Farnham Dr	0.19	1400	R			From: 20-2562					NA		NA		09/07/2000
(2561) Farnham Dr	0.15	2100	R			To: 20-2560					NA		NA		09/07/2000
(2561) Farnham Dr	0.10	2000	R			From: 20-2569					NA		NA		09/07/2000
(2561) Farnham Dr	0.09	1700	R			To: 20-2571					NA		NA		09/07/2000
(2561) Farnham Dr	0.09	1800	R			From: 20-2573					NA		NA		09/07/2000
(2561) Farnham Dr	0.17	2200	R			To: 20-2575					NA		NA		09/07/2000
(2561) Farnham Dr	0.62	2300	R			From: 20-2576					NA		NA		09/07/2000
(2561) Farnham Dr						To: US 60									
(2562) Rexmoor Dr	0.03	180	R			From: Dead End					NA		NA		09/07/2000
(2562) Rexmoor Dr	0.09	340	R			To: 20-3010					NA		NA		09/07/2000
(2562) Rexmoor Dr	0.26	260	R			From: 20-2560					NA		NA		09/07/2000
(2562) Rexmoor Dr	0.13	290	R			To: 20-2561					NA		NA		11/27/2000
(2562) Rexmoor Dr	0.20	490	R			From: 20-2563					NA		NA		11/27/2000
(2562) Rexmoor Dr						To: 20-2564									
(2563) Hazlemere Dr	0.29	170	R			From: 20-2567					NA		NA		1994
(2563) Hazlemere Dr						To: 20-2562									
(2564) Harwick Dr	0.10	520	R			From: 20-2562					NA		NA		11/27/2000
(2564) Harwick Dr	0.14	660	R			To: 20-2565					NA		NA		11/27/2000
(2564) Harwick Dr	0.05	10	R			From: 20-2560					NA		NA		11/27/2000
(2564) Harwick Dr						To: Dead End									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2565) Drysdale Dr	0.28	190	R			From: 20-2560 To: 20-2564					NA	NA			11/27/2000
(2566)	0.18	280	R			From: 20-2567; 20-2785 To: 20-3012					NA	NA			1996
(2566)	0.10	170	R			From: 20-3012 To: 20-3013					NA	NA			1996
(2566)	0.10	190	R			From: 20-3013 To: 20-2712					NA	NA			1996
(2566)	0.09	230	R			From: 20-2712 To: 20-2567; 20-2770					NA	NA			1996
(2566)	0.28	240	R			From: 20-2567; 20-2770 To: 20-2710					NA	NA			1996
(2566)	0.29	450	R			From: 20-2710 To: 20-2560					NA	NA			1996
(2566)	0.25	120	R			From: 20-2560 To: 20-2561					NA	NA			1996
(2567) Bondurant Dr	0.12	700	R			From: 20-2566; 20-2770 To: 20-2713					NA	NA			1996
(2567) Bondurant Dr	0.25	930	R			From: 20-2713 To: 20-2560					NA	NA			1996
(2567) Bondurant Dr	0.14	1200	R			From: 20-2560 To: 20-2566; 20-2785					NA	NA			1996
(2567) Bondurant Dr	0.08	640	R			From: 20-2566; 20-2785 To: 20-2784					NA	NA			1996
(2567) Bondurant Dr	0.03	1400	R			From: 20-2784 To: 20-2561					NA	NA			1996
(2567) Bondurant Dr	0.03	1400	R			From: 20-2561 To: 20-3410					NA	NA			11/27/2000
(2567) Bondurant Dr	0.06	1300	R			From: 20-3410 To: 20-3411					NA	NA			11/27/2000
(2567) Bondurant Dr	0.08	1300	R			From: 20-3411 To: 20-2563					NA	NA			11/27/2000
(2567) Bondurant Dr	0.03	1400	R			From: 20-2563 To: 20-3413					NA	NA			11/27/2000
(2567) Bondurant Dr	0.03	1400	R			From: 20-3413 To: 20-3414					NA	NA			11/27/2000
(2567) Bondurant Dr	0.08	1200	R			From: 20-3414 To: 20-3990					NA	NA			09/07/2000
(2567) Bondurant Dr	0.05	2300	R			From: 20-3990 To: 20-3992					NA	NA			09/07/2000
(2567) Bondurant Dr	0.10	500	R			From: 20-3992 To: 20-3994					NA	NA			09/07/2000
(2567) Bondurant Dr	0.07	190	R			From: 20-3994 To: 20-3982					NA	NA			09/07/2000
(2567) Bondurant Dr	0.04	8	R			From: 20-3982 To: Dead End					NA	NA			09/07/2000
(2568) Edenberry Ct	0.06	60	R			From: Cul-de-Sac To: 20-2560					NA	NA			1996

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2569) Hazleton Dr	0.11	100	R			From: 20-2561					NA		NA		09/07/2000
(2569) Hazleton Dr	0.04	30	R			To: 20-2570					NA		NA		09/07/2000
(2570) Hayden Dr	0.05	20	R			To: Dead End					NA		NA		09/07/2000
(2571) Wexwood Dr	0.03	4	R			From: Cul-de-Sac					NA		NA		1996
(2571) Wexwood Dr	0.15	140	R			To: 20-2690					NA		NA		1996
(2571) Wexwood Dr	0.06	130	R			From: 20-2693					NA		NA		1996
(2571) Wexwood Dr	0.08	140	R			To: 20-2692					NA		NA		1996
(2571) Wexwood Dr	0.03	500	R			From: 20-2690					NA		NA		1996
(2571) Wexwood Dr	0.13	550	R			To: 20-2694					NA		NA		1996
(2571) Wexwood Dr	0.16	340	R			From: 20-2575					NA		NA		1996
(2571) Wexwood Dr	0.10	550	R			To: 20-2574					NA		NA		1996
(2571) Wexwood Dr	0.16	130	R			From: 20-2561					NA		NA		1996
(2571) Wexwood Dr	0.04	10	R			To: 20-2572					NA		NA		1996
(2571) Wexwood Dr						To: Dead End					NA		NA		
(2572) Blakeston Dr	0.08	100	R			From: 20-2571					NA		NA		1996
(2572) Blakeston Dr	0.22	340	R			To: 20-2573					NA		NA		1996
(2573) Wakehurst Dr	0.14	250	R			To: 20-2630					NA		NA		1996
(2573) Wakehurst Dr	0.14	250	R			From: 20-2561					NA		NA		1996
(2573) Wakehurst Dr						To: 20-2572					NA		NA		1996
(2574) Mobrey Dr	0.18	80	R			From: 20-2571					NA		NA		1996
(2574) Mobrey Dr						To: 20-2575					NA		NA		1996
(2575)	0.13	570	R			From: 20-2571					NA		NA		1996
(2575)	0.09	230	R			To: 20-2574					NA		NA		1996
(2575)	0.04	10	R			From: 20-2561					NA		NA		1996
(2575)						To: Cul-de-Sac					NA		NA		1996
(2576) Summerfield Dr	0.03	20	R			From: 20-2561					NA		NA		1996
(2576) Summerfield Dr						To: Dead End					NA		NA		1996
(2577)	0.07	100	R			From: 20-2589					NA		NA		08/03/2000
(2577)						To: Cul-de-Sac					NA		NA		08/03/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2578) Minuet Ln	0.02	6	R			From: 20-2588					NA	NA			08/03/2000
						To: Dead End									
(2579) Earlsgate Rd	0.06	170	R			From: 20-2504					NA	NA			08/03/2000
						To: 20-2500									
(2580) Lyndale Pl	0.08	60	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-826									
(2581) Lyndale Tr	0.14	120	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-826									
(2582) Lyndale Cr	0.03	20	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-826									
(2583) Lyndale Ct	0.03	20	R			From: 20-826					NA	NA			1997
						To: Cul-de-Sac									
(2584) Astor Rd	0.11	780	R			From: 20-2313					NA	NA			1997
						To: US 360									
(2585) Huntwood Rd	0.10	560	R			From: 20-2313					NA	NA			1997
						To: 20-2587									
(2585) Huntwood Rd	0.08	400	R			From: 20-826					NA	NA			1997
						To: 20-826									
(2585) Huntwood Rd	0.16	250	R			From: 20-2558					NA	NA			1997
						To: 20-2558									
(2585) Huntwood Rd	0.04	20	R			From: Cul-de-Sac					NA	NA			1997
						To: Cul-de-Sac									
(2586) Luton Ct	0.06	70	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-2313									
(2587) Huntwood Ct	0.06	60	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-2585									
(2588) Rosegill Rd	0.09	760	R			From: 20-672					NA	NA			1997
						To: 20-1802									
(2588) Rosegill Rd	0.06	2000	R			From: 20-1809					NA	NA			1997
						To: 20-1809									
(2588) Rosegill Rd	0.07	2200	R			From: 20-1801					NA	NA			1997
						To: 20-1801									
(2588) Rosegill Rd	0.10	1600	R			From: 20-1804					NA	NA			1997
						To: 20-1804									
(2588) Rosegill Rd	0.12	1700	R			From: 20-1806					NA	NA			1997
						To: 20-1806									
(2588) Rosegill Rd	0.15	1400	R			From: 20-647					NA	NA			1997
						To: 20-647									
(2588) Rosegill Rd	0.06	460	R			From: 20-2590					NA	NA			1997
						To: 20-2590									
(2588) Rosegill Rd	0.07	380	R			From: 20-2591					NA	NA			1997
						To: 20-2591									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2588) Rosegill Rd	0.12	330	R			From: 20-2591					NA		NA		1997
(2588) Rosegill Rd	0.03	270	R			To: 20-2594					NA		NA		1997
(2588) Rosegill Rd	0.04	300	R			From: 20-2578					NA		NA		1997
(2588) Rosegill Rd	0.04	70	R			To: 20-2589					NA		NA		1997
						To: Dead End									
(2589)	0.06	310	R			From: 20-2593					NA		NA		08/31/2000
(2589)	0.07	320	R			To: 20-2577					NA		NA		08/31/2000
						To: 20-2588									
(2590)	0.05	80	R			From: Dead End					NA		NA		08/31/2000
(2590)	0.16	230	R			To: 20-2588					NA		NA		08/31/2000
(2590)	0.18	180	R			From: 20-2591					NA		NA		08/31/2000
(2590)	0.05	270	R			To: 20-2592					NA		NA		08/31/2000
						To: 20-672									
(2591) Archway Rd	0.06	1000	R			From: 20-672					NA		NA		08/31/2000
(2591) Archway Rd	0.07	740	R			To: 20-2590					NA		NA		08/31/2000
(2591) Archway Rd	0.09	390	R			From: 20-2593					NA		NA		08/31/2000
(2591) Archway Rd	0.05	40	R			To: 20-2588					NA		NA		08/31/2000
						To: Dead End									
(2592) Philray Ct	0.06	80	R			From: 20-2590					NA		NA		08/31/2000
						To: Cul-de-Sac									
(2593) Chasnell Rd	0.05	380	R			From: 20-2591					NA		NA		08/31/2000
(2593) Chasnell Rd	0.05	300	R			To: 20-2594					NA		NA		08/31/2000
(2593) Chasnell Rd	0.04	90	R			From: 20-2589					NA		NA		08/31/2000
						To: Cul-de-Sac									
(2594) Becar Rd	0.12	110	R			From: 20-2593					NA		NA		08/31/2000
						To: 20-2588									
(2595) Southport Dr	0.13	250	R			From: 20-2597					NA		NA		11/20/2000
(2595) Southport Dr	0.06	730	R			To: 20-2596					NA		NA		11/20/2000
						To: 20-755									
(2596) Sheffey Ln	0.07	80	R			From: Dead End					NA		NA		11/20/2000
						To: 20-2595									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2596) Sheffey Ln	0.08	250	R			From: 20-2595					NA	NA			11/20/2000
						To: 20-2597									
(2597) Donachy Dr	0.07	60	R			From: Dead End					NA	NA			11/20/2000
(2597) Donachy Dr	0.13	80	R			From: 20-2595					NA	NA			11/20/2000
						To: 20-2596									
(2598) Elaine Av	0.12	290	R			From: 20-2070					NA	NA			11/20/2000
(2598) Elaine Av	0.07	330	R			From: 20-2599					NA	NA			11/20/2000
(2598) Elaine Av	0.09	90	R			From: 20-2071					NA	NA			11/20/2000
						To: Dead End									
(2599) Ashton Ct	0.05	70	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-2598									
(2600) Plum Cr	0.07	110	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3064									
(2601) Clintwood Rd	0.07	3900	R			From: 20-604; 20-775					NA	NA			10/04/2000
(2601) Clintwood Rd	0.06	3700	R			From: 20-2610					NA	NA			10/04/2000
(2601) Clintwood Rd	0.20	1500	R			From: 20-2608					NA	NA			10/04/2000
(2601) Clintwood Rd	0.06	1400	R			From: 20-2607					NA	NA			10/04/2000
(2601) Clintwood Rd	0.30	800	R			From: 20-2606 WEST 20-2606 EAST					NA	NA			05/17/2000
(2601) Clintwood Rd	0.06	490	R			From: 20-2602					NA	NA			05/17/2000
(2601) Clintwood Rd	0.23	370	R			From: 20-2604					NA	NA			05/17/2000
(2601) Clintwood Rd	0.09	90	R			From: 20-2603					NA	NA			05/17/2000
						To: Cul-de-Sac									
(2602) Gravier Rd	0.10	300	R			From: 20-2601					NA	NA			05/17/2000
(2602) Gravier Rd	0.09	80	R			From: 20-2603					NA	NA			05/17/2000
						To: Dead End									
(2603) Perdido Dr	0.12	200	R			From: 20-2602					NA	NA			05/17/2000
(2603) Perdido Dr	0.09	80	R			From: 20-2605					NA	NA			05/17/2000
(2603) Perdido Dr	0.11	60	R			From: 20-2601					NA	NA			05/17/2000
						To: Dead End									
(2604) Clintwood Ct	0.07	70	R			From: Cul-de-Sac					NA	NA			05/17/2000
						To: 20-2601									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
2605 Perdido Ct	0.07	50	R			From: 20-2603					NA		NA		05/17/2000
						To: Cul-de-Sac									
2606 Dumaine Dr	0.02	10	R			From: Dead End					NA		NA		10/02/2000
2606 Dumaine Dr	0.03	1300	R			From: 20-2601 WEST					NA		NA		10/02/2000
2606 Dumaine Dr	0.06	1300	R			From: 20-2601 EAST					NA		NA		10/02/2000
2606 Dumaine Dr	0.12	1700	R			From: 20-2609					NA		NA		10/02/2000
2606 Dumaine Dr	0.06	1700	R			From: 20-2737					NA		NA		10/02/2000
2606 Dumaine Dr	0.04	1700	R			From: 20-3033					NA		NA		10/02/2000
2606 Dumaine Dr	0.06	1800	R			From: 20-2742					NA		NA		10/02/2000
2606 Dumaine Dr	0.06	1900	R			From: 20-3035					NA		NA		10/02/2000
2607 Elshur Rd	0.10	100	R			From: 20-2601					NA		NA		10/04/2000
						To: 20-2609									
2608 Delgado Rd	0.04	310	R			From: 20-2601					NA		NA		10/04/2000
2608 Delgado Rd	0.03	20	R			From: 20-2609					NA		NA		10/04/2000
						To: Dead End									
2609 Kellynn Dr	0.20	210	R			From: 20-2608					NA		NA		10/04/2000
2609 Kellynn Dr	0.07	170	R			From: 20-2607					NA		NA		10/04/2000
2609 Kellynn Dr	0.08	270	R			From: 20-2606					NA		NA		10/02/2000
2609 Kellynn Dr	0.09	90	R			From: 20-2735					NA		NA		10/02/2000
						To: Cul-de-Sac									
2610 Davelayne Rd	0.06	30	R			From: Dead End					NA		NA		10/02/2000
2610 Davelayne Rd	0.07	60	R			From: 20-2601					NA		NA		10/02/2000
						To: Dead End									
2611 Grove Park Ct	0.12	250	R			From: 20-868					NA		NA		09/07/2000
						To: Cul-de-Sac									
2612 Cutter Dr	0.08	120	R			From: Cul-de-Sac					NA		NA		1994
2612 Cutter Dr	0.11	320	R			From: 20-2613					NA		NA		1994
						To: 20-718									
2613 Ketch Ct	0.04	48	R			From: 20-2612					NA		NA		12/06/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2614)	0.07	90	R			From: Dead End					NA	NA			10/04/2000
(2614)	0.07	230	R			From: 20-2620					NA	NA			10/04/2000
(2614)	0.17	300	R			From: 20-2615					NA	NA			10/04/2000
(2614)						To: 20-2620									
(2615) Lancashire Pl	0.02	30	R			From: 20-2614					NA	NA			10/04/2000
(2615)						To: Cul-de-Sac									
(2616) Millcreek Ct	0.02	50	R			From: Cul-de-Sac					NA	NA			10/04/2000
(2616)						To: 20-2620									
(2617) Gateshead Dr	0.06	60	R			From: Dead End					NA	NA			08/03/2000
(2617)						To: 20-2625									
(2617) Gateshead Dr	0.13	150	R			From: 20-2618					NA	NA			08/03/2000
(2617)						To: 20-2618									
(2618) Marwood Dr	0.03	30	R			From: Cul-de-Sac					NA	NA			08/03/2000
(2618)						To: 20-3434									
(2618) Marwood Dr	0.06	390	R			From: 20-2718					NA	NA			08/03/2000
(2618)						To: 20-2718									
(2618) Marwood Dr	0.16	150	R			From: 20-2161					NA	NA			08/03/2000
(2618)						To: 20-2161									
(2618) Marwood Dr	0.09	490	R			From: 20-2617					NA	NA			08/03/2000
(2618)						To: 20-2617									
(2618) Marwood Dr	0.06	180	R			From: 20-2619					NA	NA			08/03/2000
(2618)						To: 20-2619									
(2619) Teddington Dr	0.09	360	R			From: 20-2625					NA	NA			08/03/2000
(2619)						To: 20-2618									
(2620) Lancashire Dr	0.17	250	R			From: Cul-de-Sac					NA	NA			1996
(2620)						To: 20-3080									
(2620) Lancashire Dr	0.04	700	R			From: 20-3078					NA	NA			1996
(2620)						To: 20-3078									
(2620) Lancashire Dr	0.07	780	R			From: 20-2621					NA	NA			1996
(2620)						To: 20-2621									
(2620) Lancashire Dr	0.05	830	R			From: 20-2144					NA	NA			1996
(2620)						To: 20-2144									
(2620) Lancashire Dr	0.04	1700	R			From: 20-2622					NA	NA			1996
(2620)						To: 20-2622									
(2620) Lancashire Dr	0.05	1600	R			From: 20-2623					NA	NA			1996
(2620)						To: 20-2623									
(2620) Lancashire Dr	0.02	1500	R			From: 20-2624					NA	NA			1996
(2620)						To: 20-2624									
(2620) Lancashire Dr	0.08	1600	R			From: 20-2625					NA	NA			1996
(2620)						To: 20-2625									
(2620) Lancashire Dr	0.06	1000	R			From: 20-2614					NA	NA			1996
(2620)						To: 20-2614									
(2620) Lancashire Dr	0.06	1100	R			From: 20-2616					NA	NA			1996
(2620)						To: 20-2616									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2620) Lancashire Dr	0.11	970	R			From: 20-2616					NA	NA			1996
(2620) Lancashire Dr	0.10	1200	R			To: 20-2614					NA	NA			1996
						From: 20-733									
(2621)	0.21	160	R			From: 20-2620					NA	NA			1996
(2621)	0.11	120	R			To: 20-2622					NA	NA			1996
						From: 20-2625									
(2622) Yorkdale Dr	0.15	280	R			From: 20-2621					NA	NA			1996
						To: 20-2620									
(2623) Yorkdale Ct	0.03	60	R			From: 20-2620					NA	NA			1996
						To: Cul-de-Sac									
(2624) Lancashire Ct	0.05	45	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2620									
(2625) Surreywood Dr	0.13	280	R			From: 20-2629					NA	NA			1996
(2625) Surreywood Dr	0.05	330	R			To: 20-2154					NA	NA			1996
(2625) Surreywood Dr	0.08	810	R			From: 20-2627					NA	NA			1996
(2625) Surreywood Dr	0.07	870	R			To: 20-2617					NA	NA			1996
(2625) Surreywood Dr	0.07	1200	R			From: 20-2619					NA	NA			1996
(2625) Surreywood Dr	0.03	1300	R			To: 20-2633					NA	NA			1996
(2625) Surreywood Dr	0.07	1200	R			From: 20-2621					NA	NA			1996
(2625) Surreywood Dr	0.11	1300	R			To: 20-2632					NA	NA			1996
(2625) Surreywood Dr	0.04	30	R			From: 20-2620					NA	NA			1996
						To: Dead End									
(2626) Clairidge Ct	0.12	110	R			From: 20-2142					NA	NA			1996
						To: Cul-de-Sac									
(2627) Lake Surrey Dr	0.25	340	R			From: 20-2629					NA	NA			1996
(2627) Lake Surrey Dr	0.06	490	R			To: 20-2628					NA	NA			1996
						From: 20-2625									
(2628) Capelwood Dr	0.08	230	R			From: 20-2629					NA	NA			1996
(2628) Capelwood Dr	0.08	260	R			To: 20-2634					NA	NA			1996
						From: 20-2627									
(2629) Williamstowne Dr	0.05	690	R			From: Dead End					NA	NA			1996
						To: 20-2627									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2629) Williamstowne Dr	0.11	320	R			From: 20-2627					NA		NA		1996
(2629) Williamstowne Dr	0.07	330	R			To: 20-2628					NA		NA		1996
(2629) Williamstowne Dr	0.07	370	R			From: 20-2625					NA		NA		1996
(2629) Williamstowne Dr	0.01	8	R			To: 20-2161					NA		NA		1996
						From: Dead End									
(2630) Blakeston Ct	0.03	10	R			From: 0.30 MS 20-2572					NA		NA		1996
(2630) Blakeston Ct	0.03	30	R			To: 20-2572					NA		NA		1996
						From: Dead End									
(2631) Airleigh Ct	0.03	47	R			From: 20-1761					NA		NA		1996
						To: Cul-de-Sac									
(2632) Surreywood Ct	0.06	60	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-2625									
(2633) Turnmill Dr	0.06	430	R			From: 20-2625					NA		NA		1996
(2633) Turnmill Dr	0.07	580	R			To: 20-2143					NA		NA		1996
(2633) Turnmill Dr	0.23	350	R			From: 20-2139					NA		NA		1996
(2633) Turnmill Dr	0.12	400	R			To: 20-2137					NA		NA		1996
(2633) Turnmill Dr	0.12	120	R			From: 20-2110					NA		NA		1996
						To: Cul-de-Sac									
(2634) Capelwood Ct	0.03	60	R			From: Cul-de-Sac					NA		NA		08/31/2000
						To: 20-2628									
(2635) Kings Crown Rd	0.11	80	R			From: 20-2636					NA		NA		1997
						To: 20-2349									
(2636) Newquay Ln	0.15	300	R			From: 20-2347					NA		NA		1997
(2636) Newquay Ln	0.07	340	R			To: 20-2635					NA		NA		1997
(2636) Newquay Ln	0.31	150	R			From: 20-2637					NA		NA		1997
						To: 20-2349									
(2637) Walhala Dr	0.04	400	R			From: 20-2636					NA		NA		11/16/2000
(2637) Walhala Dr	0.23	460	R			To: 20-2642					NA		NA		11/16/2000
(2637) Walhala Dr	0.15	860	R			From: 20-2682					NA		NA		11/16/2000
(2637) Walhala Dr	0.11	1100	R			To: 20-2684					NA		NA		11/16/2000
						From: 20-2683									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2637) Walhala Dr	0.14	1100	R			From: 20-2683					NA		NA		11/16/2000
(2637) Walhala Dr	0.17	1100	R			To: 20-2641					NA		NA		11/16/2000
(2637) Walhala Dr	0.12	220	R			From: 20-2638					NA		NA		11/16/2000
(2637) Walhala Dr	0.06	90	R			To: 20-3439					NA		NA		11/16/2000
(2637) Walhala Dr	0.04	20	R			From: 20-3443					NA		NA		11/16/2000
						To: Cul-de-Sac									
(2638) Ramsgate Ln	0.08	1700	R			From: 20-678					NA		NA		1997
(2638) Ramsgate Ln	0.03	1200	R			To: 20-2640					NA		NA		1997
(2638) Ramsgate Ln	0.07	1100	R			From: 20-2639					NA		NA		1997
						To: 20-2637									
(2639) Ramsgate Square	0.05	50	R			From: 20-2638					NA		NA		1997
						To: Dead End									
(2640) Dorking Rd	0.10	170	R			From: 20-2641 SOUTH					NA		NA		1997
(2640) Dorking Rd	0.09	260	R			To: 20-2641 NORTH					NA		NA		1997
						To: 20-2638									
(2641)	0.30	460	R			From: 20-2640 NORTH					NA		NA		1997
(2641)	0.09	440	R			To: 20-2640 SOUTH					NA		NA		1997
(2641)	0.14	400	R			From: 20-2637					NA		NA		1997
(2641)	0.06	380	R			To: 20-4270					NA		NA		1997
(2641)	0.06	310	R			From: 20-4271					NA		NA		1997
(2641)	0.16	270	R			To: 20-4272					NA		NA		1997
(2641)	0.05	450	R			From: 20-4280 EAST					NA		NA		1997
(2641)	0.16	140	R			To: 20-4281					NA		NA		1997
						From: 20-4280 WEST									
(2642) Walhala Point	0.04	30	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-2637									
(2643) Viewmere Crescent	0.04	60	R			From: Cul-de-Sac					NA		NA		06/13/2000
						To: 20-1761									
(2644) Rambling Rd	0.11	130	R			From: 20-1761					NA		NA		06/13/2000
						To: 20-2647									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2645) Vineland Rd	0.06	90	R			From: Dead End					NA	NA		06/13/2000	
(2645) Vineland Rd	0.04	1200	R			From: 20-1735					NA	NA		06/13/2000	
						To: 20-1761									
(2646) Fernleaf Dr	0.16	410	R			From: 20-675					NA	NA		06/13/2000	
(2646) Fernleaf Dr	0.12	510	R			From: 20-1762					NA	NA		06/13/2000	
						To: 20-1761									
(2647) Winding Wy	0.05	700	R			From: 20-1761					NA	NA		06/13/2000	
(2647) Winding Wy	0.10	440	R			From: 20-2648					NA	NA		06/13/2000	
(2647) Winding Wy	0.26	340	R			From: 20-2649					NA	NA		06/13/2000	
(2647) Winding Wy	0.10	130	R			From: 20-1761					NA	NA		06/13/2000	
(2647) Winding Wy	0.06	70	R			From: 20-2644					NA	NA		06/13/2000	
						To: Cul-de-Sac									
(2648) Bargrove Rd	0.16	250	R			From: Dead End					NA	NA		06/13/2000	
						To: 20-2647									
(2649) Bayham Dr	0.23	950	R			From: 20-2647					NA	NA		1994	
						To: 20-718									
(2650) Robindale Ct	0.03	50	R			From: Cul-de-Sac					NA	NA		06/13/2000	
						To: 20-1761									
(2651) Farmleigh Dr	0.07	240	R			From: 20-1761					NA	NA		06/13/2000	
(2651) Farmleigh Dr	0.11	190	R			From: 20-2653					NA	NA		06/13/2000	
(2651) Farmleigh Dr	0.05	80	R			From: 20-2652					NA	NA		06/13/2000	
						To: Dead End									
(2652) Iron Mill Rd	0.07	230	R			From: 20-2651					NA	NA		06/13/2000	
(2652) Iron Mill Rd	0.12	1300	R			From: 20-2689					NA	NA		06/13/2000	
(2652) Iron Mill Rd	0.07	630	R			From: 20-2653					NA	NA		06/13/2000	
(2652) Iron Mill Rd	0.05	4500	R			From: 20-1761					NA	NA		06/13/2000	
						To: 20-718									
(2653) Hollingsworth Dr	0.08	250	R			From: 20-2651					NA	NA		06/13/2000	
(2653) Hollingsworth Dr	0.08	370	R			From: 20-2654					NA	NA		06/13/2000	
						To: 20-2652									
(2654) Hollingsworth Ct	0.03	60	R			From: Cul-de-Sac					NA	NA		06/13/2000	
						To: 20-2653									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2655) Wynnewood Dr	0.06	140	R			From: 20-2144					NA		NA		10/04/2000
(2655) Wynnewood Dr	0.03	30	R			To: 20-2656					NA		NA		10/04/2000
						To: Dead End									
(2656) Wynnewood Ct	0.04	60	R			From: 20-2655					NA		NA		10/04/2000
						To: Cul-de-Sac									
(2657) Belmont Rd	0.11	130	R			From: Dead End					NA		NA		10/26/2000
						To: SCL RICHMOND									
(2658) McKesson Ct	0.05	60	R			From: 20-2354					NA		NA		10/26/2000
						To: Cul-de-Sac									
(2659) Chevelle Dr	0.10	520	R			From: 20-2144					NA		NA		10/26/2000
(2659) Chevelle Dr	0.10	530	R			To: 20-2660					NA		NA		10/26/2000
(2659) Chevelle Dr	0.05	600	R			To: 20-2677					NA		NA		10/26/2000
(2659) Chevelle Dr	0.13	600	R			To: 20-2680					NA		NA		10/26/2000
(2659) Chevelle Dr	0.22	670	R			To: 20-2681					NA		NA		10/26/2000
(2659) Chevelle Dr	0.17	710	R			To: 20-2163					NA		NA		10/26/2000
						To: 20-663									
	0.05	100	R			To: Dead End					NA		NA		10/26/2000
(2660)	0.20	460	R			To: 20-3829					NA		NA		10/26/2000
(2660)	0.06	540	R			To: 20-2144					NA		NA		10/26/2000
(2660)	0.09	180	R			To: 20-2676					NA		NA		10/26/2000
						To: 20-2659									
(2661) Woodward Dr	0.10	180	R			To: 20-2664					NA		NA		08/01/2000
(2661) Woodward Dr	0.05	340	R			To: 20-2665					NA		NA		08/01/2000
(2661) Woodward Dr	0.03	400	R			To: 20-2158					NA		NA		08/01/2000
(2661) Woodward Dr	0.15	1100	R			To: 20-2669					NA		NA		08/01/2000
(2661) Woodward Dr	0.07	1500	R			To: 20-2664					NA		NA		08/01/2000
(2661) Woodward Dr	0.10	1700	R			To: 20-2662					NA		NA		08/01/2000
						To: 20-678									
(2662)	0.06	160	R			To: Dead End					NA		NA		08/01/2000
(2662) Morelock Dr	0.06	240	R			To: 20-2663					NA		NA		08/01/2000
						To: 20-2661									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2662) Morelock Dr	0.03	40	R			From: 20-2661					NA	NA			08/01/2000
						To: Dead End									
(2663) Shannon Rd	0.26	150	R			From: 20-2669					NA	NA			08/01/2000
						To: 20-2662									
(2664)	0.22	270	R			From: Cul-de-Sac					NA	NA			08/01/2000
						To: 20-2669									
(2664)	0.13	130	R			From: 20-2668					NA	NA			08/01/2000
						To: 20-2668									
(2664)	0.07	150	R			From: 20-2661 WEST					NA	NA			08/01/2000
						To: 20-2666									
(2664)	0.11	180	R			From: 20-2158					NA	NA			08/01/2000
						To: 20-2667									
(2664)	0.13	490	R			From: 20-2661 EAST					NA	NA			08/01/2000
						To: Cul-de-Sac									
(2665) Woodward Ct	0.05	60	R			From: 20-2664					NA	NA			08/01/2000
						To: 20-2661									
(2666) Crestmont Dr	0.03	20	R			From: 20-2664					NA	NA			08/01/2000
						To: Dead End									
(2667) Chadwell Dr	0.13	140	R			From: 20-2664					NA	NA			08/01/2000
						To: Cul-de-Sac									
(2668) Hartford Ct	0.10	80	R			From: Cul-de-Sac					NA	NA			08/01/2000
						To: 20-2664									
(2669) Eastwood Dr	0.07	300	R			From: 20-2726					NA	NA			08/01/2000
						To: 20-2730									
(2669) Eastwood Dr	0.06	430	R			From: 20-3358					NA	NA			08/01/2000
						To: 20-2728; 20-3360									
(2669) Eastwood Dr	0.07	420	R			From: 20-2664					NA	NA			08/01/2000
						To: 20-2664									
(2669) Eastwood Dr	0.03	700	R			From: 20-2663					NA	NA			08/01/2000
						To: 20-2661									
(2669) Eastwood Dr	0.07	740	R			From: 20-672					NA	NA			08/16/2000
						To: 20-2671									
(2670) Brundidge Rd	0.11	310	R			From: 20-2672					NA	NA			08/16/2000
						To: 20-2674									
(2670) Brundidge Rd	0.13	280	R			From: 20-2674					NA	NA			08/16/2000
						To: 20-2674									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2671) Brundidge Cr	0.03	30	R			From: Cul-de-Sac					NA	NA			08/16/2000
						To: 20-2670									
(2672) Owego Rd	0.03	10	R			From: 20-2670					NA	NA			08/16/2000
						To: Dead End									
(2673) Groomfield Rd	0.25	170	R			From: 20-2510					NA	NA			08/16/2000
						To: 20-2674									
(2674) Midfield Rd	0.09	250	R			From: 20-2510					NA	NA			08/16/2000
						To: 20-2673									
(2674) Midfield Rd	0.09	360	R			From: 20-2673					NA	NA			08/16/2000
						To: 20-2670									
(2675) Milbrae Rd	0.07	220	R			From: 20-2510					NA	NA			08/16/2000
						To: 20-2685									
(2675) Milbrae Rd	0.07	130	R			From: 20-2685					NA	NA			08/16/2000
						To: 20-2686									
(2675) Milbrae Rd	0.09	50	R			From: 20-2686					NA	NA			08/16/2000
						To: Dead End									
(2676) Forestdale Dr	0.12	420	R			From: 20-2660					NA	NA			10/26/2000
						To: 20-2677									
(2676) Forestdale Dr	0.06	260	R			From: 20-2677					NA	NA			10/26/2000
						To: 20-2680									
(2676) Forestdale Dr	0.10	120	R			From: 20-2680					NA	NA			10/26/2000
						To: 20-2681									
(2676) Forestdale Dr	0.03	9	R			From: 20-2681					NA	NA			10/26/2000
						To: Dead End									
(2677) Kirkwall Dr	0.03	20	R			From: Cul-de-Sac					NA	NA			10/26/2000
						To: 20-2659									
(2677) Kirkwall Dr	0.07	120	R			From: 20-2659					NA	NA			10/26/2000
						To: 20-2678									
(2677) Kirkwall Dr	0.07	160	R			From: 20-2678					NA	NA			1996
						To: 20-2676									
(2678) Kirkwall Ct	0.05	60	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2677									
(2679) Sandlewood Ct	0.07	80	R			From: 20-2680					NA	NA			1996
						To: Cul-de-Sac									
(2680) Sandlewood Dr	0.07	340	R			From: 20-2659					NA	NA			1996
						To: 20-2679									
(2680) Sandlewood Dr	0.08	190	R			From: 20-2679					NA	NA			1996
						To: 20-2676									
(2680) Sandlewood Dr	0.03	20	R			From: 20-2676					NA	NA			1996
						To: Dead End									
(2681) Cheltenham Dr	0.04	40	R			From: Dead End					NA	NA			1996
						To: 20-2659									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2681) Cheltenham Dr	0.16	180	R			From: 20-2659					NA		NA		1996
						To: 20-2676									
(2682) Broadstone Rd	0.21	440	R			From: 20-2637					NA		NA		1996
(2682) Broadstone Rd	0.04	520	R			From: 20-2683					NA		NA		1996
(2682) Broadstone Rd	0.14	670	R			From: 20-2349					NA		NA		1996
(2682) Broadstone Rd	0.26	1100	R			From: 20-3156					NA		NA		1996
						To: US 360; 20-648									
(2683)	0.04	20	R			From: Dead End					NA		NA		1996
(2683)	0.20	100	R			From: 20-2684 SOUTH					NA		NA		1996
(2683)	0.22	250	R			From: 20-2637					NA		NA		1996
(2683)	0.29	150	R			From: 20-2698					NA		NA		1996
(2683)	0.12	220	R			From: 20-2684 NORTH					NA		NA		1996
						To: 20-2682									
(2684)	0.07	260	R			From: 20-2683 WEST					NA		NA		1996
(2684)	0.12	140	R			From: 20-2637					NA		NA		1996
(2684)	0.11	180	R			From: 20-2698					NA		NA		1996
						To: 20-2683 EAST									
(2685) Milbrae Ct	0.06	60	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-2675									
(2686) Milbrae Pl	0.04	50	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-2675									
(2687) Wadsworth Dr	0.13	560	R			From: 20-2510					NA		NA		1996
(2687) Wadsworth Dr	0.08	560	R			From: 20-2688					NA		NA		1996
(2687) Wadsworth Dr	0.07	520	R			From: 20-3335					NA		NA		1996
(2687) Wadsworth Dr	0.08	500	R			From: 20-3336					NA		NA		1996
(2687) Wadsworth Dr	0.15	460	R			From: 20-2728					NA		NA		1996
						To: Dead End									
(2688) Wadsworth Ct	0.03	46	R			From: 20-2687					NA		NA		1996
						To: Cul-de-Sac									
(2689) Old Camp Rd	0.22	200	R			From: 20-2762					NA		NA		1996
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2690) Bromwich Dr	0.08	100	R			From: 20-2571 SOUTH					NA		NA		1996
(2690) Bromwich Dr	0.09	130	R			To: 20-2692					NA		NA		1996
(2690) Bromwich Dr	0.14	180	R			From: 20-2691					NA		NA		1996
(2691) Bromwich Ct	0.06	50	R			To: 20-2571 NORTH					NA		NA		1996
(2691) Bromwich Ct	0.06	50	R			From: 20-2690					NA		NA		1996
(2692) Latane Dr	0.17	40	R			To: Cul-de-Sac					NA		NA		1986
(2693) Wexwood Pl	0.06	50	R			From: 20-2690					NA		NA		09/07/2000
(2693) Wexwood Pl	0.06	50	R			To: 20-2571					NA		NA		09/07/2000
(2694) Wexwood Ct	0.08	60	R			From: 20-2571					NA		NA		09/07/2000
(2694) Wexwood Ct	0.08	60	R			To: Cul-de-Sac					NA		NA		09/07/2000
(2695) Poco Dr	0.23	530	R			From: 20-678					NA		NA		1997
(2695) Poco Dr	0.23	530	R			To: 20-2696					NA		NA		1997
(2696) Middle Rd	0.07	560	R			From: 20-2695					NA		NA		1997
(2696) Middle Rd	0.03	490	R			To: 20-2697					NA		NA		1997
(2696) Middle Rd	0.05	130	R			From: 20-853					NA		NA		1997
(2696) Middle Rd	0.05	170	R			To: 20-864					NA		NA		1997
(2696) Middle Rd	0.05	170	R			From: 20-864					NA		NA		1997
(2696) Middle Rd	0.05	170	R			To: 20-854					NA		NA		1997
(2697) Debbs Ln	0.07	500	R			From: 20-2696					NA		NA		1997
(2697) Debbs Ln	0.03	210	R			To: 20-2699					NA		NA		1997
(2697) Debbs Ln	0.03	210	R			From: 20-2699					NA		NA		1997
(2697) Debbs Ln	0.03	210	R			To: 20-854					NA		NA		1997
(2698) Littlecote Ln	0.20	130	R			From: 20-2684					NA		NA		06/07/2000
(2698) Littlecote Ln	0.20	130	R			To: 20-2683					NA		NA		06/07/2000
(2699) Rayburn Rd	0.14	300	R			From: Cul-de-Sac					NA		NA		1997
(2699) Rayburn Rd	0.14	300	R			To: 20-2697					NA		NA		1997
(2700) Stone River Ct	0.03	40	R			From: Dead End					NA		NA		06/07/2000
(2700) Stone River Ct	0.09	130	R			To: 20-2718					NA		NA		06/07/2000
(2700) Stone River Ct	0.09	130	R			From: 20-2718					NA		NA		06/07/2000
(2700) Stone River Ct	0.09	130	R			To: Dead End					NA		NA		06/07/2000
(2701) Salk Rd	0.08	260	R			From: 20-621					NA		NA		1996
(2701) Salk Rd	0.10	310	R			To: 20-2702					NA		NA		1996
(2701) Salk Rd	0.10	310	R			From: 20-2702					NA		NA		1996
(2701) Salk Rd	0.11	310	R			To: 20-2703					NA		NA		1996
(2701) Salk Rd	0.11	310	R			From: 20-2703					NA		NA		1996
(2701) Salk Rd	0.11	310	R			To: 20-655					NA		NA		1996

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2702) Celtic Rd	0.14	90	R			From: Dead End					NA	NA			1996
(2702) Celtic Rd	0.20	130	R			From: 20-2706					NA	NA			1996
(2702) Celtic Rd	0.19	300	R			From: 20-2704					NA	NA			1996
(2702) Celtic Rd						To: 20-2701									
(2703) Puritan Rd	0.27	200	R			From: 20-2701					NA	NA			1996
(2703) Puritan Rd						To: Cul-de-Sac									
(2704) Physic Hill Rd	0.08	150	R			From: 20-621					NA	NA			1996
(2704) Physic Hill Rd	0.16	210	R			From: 20-2702					NA	NA			1996
(2704) Physic Hill Rd	0.04	20	R			From: 20-2705					NA	NA			1996
(2704) Physic Hill Rd						To: Dead End									
(2705) Danforth Rd	0.05	30	R			From: Dead End					NA	NA			1996
(2705) Danforth Rd	0.10	120	R			From: 20-2708					NA	NA			1996
(2705) Danforth Rd	0.07	140	R			From: 20-2709					NA	NA			1996
(2705) Danforth Rd	0.27	300	R			From: 20-2706					NA	NA			1996
(2705) Danforth Rd						To: 20-2704									
(2706) Ranger Rd	0.14	230	R			From: 20-2705					NA	NA			1996
(2706) Ranger Rd	0.09	420	R			From: 20-2707					NA	NA			1996
(2706) Ranger Rd	0.09	350	R			From: 20-2702					NA	NA			1996
(2706) Ranger Rd						To: 20-621									
(2707) Mendota Rd	0.08	230	R			From: 20-2708					NA	NA			1996
(2707) Mendota Rd	0.08	240	R			From: 20-2709					NA	NA			1996
(2707) Mendota Rd						To: 20-2706									
(2708) Rosebud Rd	0.23	100	R			From: 20-2705					NA	NA			1997
(2708) Rosebud Rd						To: 20-2707									
(2709) Branding Iron Rd	0.17	180	R			From: 20-2705					NA	NA			1997
(2709) Branding Iron Rd						To: 20-2707									
(2710) Bollingbrook Ct	0.08	110	R			From: 20-2566					NA	NA			05/09/2000
(2710) Bollingbrook Ct	0.06	40	R			From: 20-2711					NA	NA			05/09/2000
(2710) Bollingbrook Ct						To: Cul-de-Sac									
(2711) Bollingbrook Pl	0.05	40	R			From: Cul-de-Sac					NA	NA			05/09/2000
(2711) Bollingbrook Pl						To: 20-2710									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2712) Durrington Ct	0.06	49	R			From: 20-2566					NA		NA		05/09/2000
						To: Cul-de-Sac									
(2713) Bondurant Ct	0.04	40	R			From: 20-2567					NA		NA		05/09/2000
						To: Cul-de-Sac									
(2714) Archgrove Ct	0.06	70	R			From: Dead End					NA		NA		05/09/2000
						To: 20-2264									
(2715) Ambridge Rd	0.24	120	R			From: 20-655					NA		NA		1997
						To: Cul-de-Sac									
(2716) Beechgrove Dr	0.20	130	R			From: 20-655					NA		NA		1997
						To: Dead End									
(2717) Terri Lynn Ct	0.16	140	R			From: Cul-de-Sac					NA		NA		06/13/2000
						To: 20-718									
(2718) Stone River Rd	0.05	90	R			From: Dead End					NA		NA		06/07/2000
						To: 20-3718									
(2718) Stone River Rd	0.09	270	R			From: 20-2700					NA		NA		06/07/2000
						To: 20-2618									
(2718) Stone River Rd	0.07	910	R			From: 20-2719					NA		NA		06/07/2000
						To: 20-663									
(2719) Old Log TI	0.18	170	R			From: 20-2718					NA		NA		06/07/2000
						To: Cul-de-Sac									
(2720)	0.36	160	R			From: Cul-de-Sac					NA		NA		12/06/2000
						To: 20-659									
(2721) Providence Pl	0.05	90	R			From: 20-678					NA		NA		08/22/2000
						To: Cul-de-Sac									
(2722) Condrey Ridge Dr	0.12	660	R			From: 20-678					NA		NA		10/04/2000
						To: 20-2723									
(2722) Condrey Ridge Dr	0.10	180	R			From: 20-2724					NA		NA		10/04/2000
						To: Dead End									
(2722) Condrey Ridge Dr	0.04	40	R			From: Cul-de-Sac					NA		NA		10/04/2000
						To: 20-2722									
(2723) Bethany Ridge Rd	0.10	130	R			From: 20-2845					NA		NA		10/04/2000
						To: 20-2846									
(2723) Bethany Ridge Rd	0.07	260	R			From: 20-2846					NA		NA		10/04/2000
						To: 20-767									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2724) Condrey Ridge Ct	0.03	60	R			From: Cul-de-Sac					NA	NA			10/04/2000
						To: 20-2722									
(2725) Greencastle Rd	0.29	710	R			From: 20-2510					NA	NA			08/16/2000
						To: 20-2726									
(2725) Greencastle Rd	0.10	500	R			From: 20-2726					NA	NA			08/16/2000
						To: 20-2728									
(2726) Claypool Rd	0.07	310	R			From: 20-2725					NA	NA			08/16/2000
						To: 20-2727									
(2726) Claypool Rd	0.07	280	R			From: 20-2727					NA	NA			08/01/2000
						To: 20-2729									
(2726) Claypool Rd	0.06	290	R			From: 20-2729					NA	NA			08/01/2000
						To: 20-2669									
(2726) Claypool Rd	0.07	110	R			From: 20-2669					NA	NA			08/01/2000
						To: Cul-de-Sac									
(2727) Claypool Ct	0.06	70	R			From: Cul-de-Sac					NA	NA			08/16/2000
						To: 20-2726									
(2728) Scottingham Dr	0.09	510	R			From: 20-2687					NA	NA			12/06/2000
						To: 20-3337									
(2728) Scottingham Dr	0.06	640	R			From: 20-3337					NA	NA			12/06/2000
						To: 20-2725									
(2728) Scottingham Dr	0.15	1100	R			From: 20-2725					NA	NA			12/06/2000
						To: 20-3357									
(2728) Scottingham Dr	0.07	1000	R			From: 20-3357					NA	NA			12/06/2000
						To: 20-2669; 20-3360									
(2729) Claypool Tr	0.04	60	R			From: Cul-de-Sac					NA	NA			08/01/2000
						To: 20-2726									
(2730) Eastwood Ct	0.07	100	R			From: Dead End					NA	NA			08/01/2000
						To: 20-2669									
(2730) Eastwood Ct	0.14	180	R			From: 20-2669					NA	NA			08/01/2000
						To: Dead End									
(2731) Abingdon Cr	0.04	50	R			From: Cul-de-Sac					NA	NA			12/16/2000
						To: 20-1438									
(2732) Abingdon Ct	0.05	60	R			From: Cul-de-Sac					NA	NA			10/04/2000
						To: 20-1438									
(2733) Kendrick Ct	0.10	140	R			From: Cul-de-Sac					NA	NA			06/05/2000
						To: 20-1806									
(2734) Kennesaw Ct	0.05	70	R			From: 20-1804					NA	NA			06/05/2000
						To: Cul-de-Sac									
(2735) Thomassette Dr	0.07	360	R			From: 20-2609					NA	NA			10/02/2000
						To: 20-2736									
(2736) Delfin Rd	0.12	210	R			From: 20-2737					NA	NA			10/02/2000
						To: 20-2735									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2736) Delfin Rd	0.12	110	R			From: 20-2735					NA	NA			10/02/2000
						To: Cul-de-Sac									
(2737) Ionis Ln	0.06	860	R			From: 20-2606					NA	NA			10/02/2000
(2737) Ionis Ln	0.06	720	R			From: 20-2736					NA	NA			10/02/2000
(2737) Ionis Ln	0.09	560	R			From: 20-2738					NA	NA			10/02/2000
(2737) Ionis Ln	0.13	140	R			From: 20-2739					NA	NA			10/02/2000
						To: Cul-de-Sac									
(2738) Monday Wy	0.14	100	R			From: 20-2737					NA	NA			10/02/2000
						To: Cul-de-Sac									
(2739) Puckett Pl	0.07	360	R			From: 20-2737					NA	NA			05/17/2000
(2739) Puckett Pl	0.06	180	R			From: 20-2740					NA	NA			05/17/2000
(2739) Puckett Pl	0.09	90	R			From: 20-2741					NA	NA			05/17/2000
						To: Dead End									
(2740) Puckett Ct	0.13	160	R			From: 20-2739					NA	NA			05/17/2000
						To: Cul-de-Sac									
(2741) Goby Ct	0.05	60	R			From: 20-2739					NA	NA			05/17/2000
						To: Cul-de-Sac									
(2742)	0.24	680	R			From: US 360					NA	NA			10/02/2000
(2742)	0.08	880	R			From: 20-2743					NA	NA			10/02/2000
(2742)	0.06	790	R			From: 20-2744					NA	NA			10/02/2000
(2742)	0.06	710	R			From: 20-2745					NA	NA			10/02/2000
(2742)	0.08	640	R			From: 20-3034					NA	NA			10/02/2000
(2742)	0.10	120	R			From: 20-2606					NA	NA			10/02/2000
						To: Cul-de-Sac									
(2743) Woodthrush Ct	0.08	90	R			From: Cul-de-Sac					NA	NA			10/02/2000
						To: 20-2742									
(2744) Forestwind Dr	0.06	360	R			From: 20-2748					NA	NA			1996
						To: 20-2746									
(2744) Forestwind Dr	0.12	560	R			From: 20-2742					NA	NA			1996
						To: Cul-de-Sac									
(2745) Mistyhollow Rd	0.10	130	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2742									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2746) Millspray Ct	0.08	100	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2744									
(2747) Pinemist Rd	0.04	60	R			From: 20-2748					NA	NA			1996
						To: Cul-de-Sac									
(2748) Oakmeadow Ln	0.04	80	R			From: Dead End					NA	NA			1996
(2748) Oakmeadow Ln	0.13	230	R			From: 20-2747					NA	NA			1996
(2748) Oakmeadow Ln	0.09	90	R			From: 20-2744					NA	NA			1996
						To: Cul-de-Sac									
(2749) Wood Bluff Loop	0.36	190	R			From: 20-02784					NA	NA			09/07/2000
						To: End Loop									
(2750) Sara Kay Dr	0.07	130	R			From: 20-2838 NORTH					NA	NA			1996
(2750) Sara Kay Dr	0.08	200	R			From: 20-2839 NORTH					NA	NA			1996
(2750) Sara Kay Dr	0.22	250	R			From: 20-2813 NORTH					NA	NA			1996
(2750) Sara Kay Dr	0.05	320	R			From: 20-2813 SOUTH					NA	NA			1996
(2750) Sara Kay Dr	0.05	310	R			From: 20-2839 SOUTH					NA	NA			1996
(2750) Sara Kay Dr	0.05	600	R			From: 20-2838					NA	NA			1996
(2750) Sara Kay Dr	0.11	880	R			From: 20-2752					NA	NA			1996
(2750) Sara Kay Dr	0.09	1400	R			From: 20-2751					NA	NA			1996
						To: 20-642									
(2751) Sara Kay Ct	0.05	70	R			From: 20-2750					NA	NA			1996
						To: Cul-de-Sac									
(2752) Wareham Pl	0.09	200	R			From: 20-2750					NA	NA			1996
(2752) Wareham Pl	0.03	47	R			From: 20-2753					NA	NA			1996
						To: Cul-de-Sac									
(2753) Wareham Ct	0.04	60	R			From: 20-2752					NA	NA			1996
						To: Cul-de-Sac									
(2754) Marble Head Ct	0.08	70	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-1952									
(2755) Homestead Ct	0.07	70	R			From: 20-1952					NA	NA			1996
						To: Cul-de-Sac									
(2756) Red Lion Ct	0.06	60	R			From: Cul-de-Sac					NA	NA			1986
						To: 20-1952									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2757) Arch Hill Pl	0.10	110	R			From: 20-2250					NA	NA			1996
						To: Cul-de-Sac									
(2758) Egan Pl	0.03	70	R			From: Dead End					NA	NA			1996
(2758) Egan Pl	0.10	80	R			From: 20-2759					NA	NA			1996
						To: Dead End									
(2759) Egan Rd	0.06	440	R			From: 20-2767					NA	NA			1996
(2759) Egan Rd	0.16	380	R			From: 20-2223					NA	NA			1996
(2759) Egan Rd	0.06	290	R			From: 20-2193					NA	NA			1996
						To: 20-2758									
(2760) Shady Creek Rd	0.04	40	R			From: Dead End					NA	NA			1996
(2760) Shady Creek Rd	0.09	140	R			From: 20-2766					NA	NA			1996
(2760) Shady Creek Rd	0.09	240	R			From: 20-2765					NA	NA			1996
(2760) Shady Creek Rd	0.07	280	R			From: 20-2763					NA	NA			1996
(2760) Shady Creek Rd	0.06	260	R			From: 20-2762					NA	NA			1996
(2760) Shady Creek Rd	0.05	510	R			From: 20-2761					NA	NA			1996
						To: 20-1628									
(2761) Mill Race Cr	0.07	240	R			From: 20-2760					NA	NA			1997
(2761) Mill Race Cr	0.04	80	R			From: 20-2764					NA	NA			1997
						To: Cul-de-Sac									
(2762) Trace Ct	0.03	60	R			From: 20-2760					NA	NA			1997
						To: Cul-de-Sac									
(2763) Carryback Dr	0.08	90	R			From: 20-2760					NA	NA			1997
						To: 20-2764									
(2764) Mill Race Rd	0.09	80	R			From: Cul-de-Sac					NA	NA			1997
(2764) Mill Race Rd	0.09	370	R			From: 20-2763					NA	NA			1997
(2764) Mill Race Rd	0.05	400	R			From: 20-2761					NA	NA			1997
						To: 20-1628									
(2765) Whistling Well Ct	0.06	70	R			From: 20-2760					NA	NA			1997
						To: Cul-de-Sac									
(2766) Whitewater Ct	0.04	2	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-2760									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2767)	0.29	180	R			From: 20-649					NA	NA			1997
(2767)	0.07	210	R			From: 20-2759					NA	NA			1997
(2768)	Gordon School Pl	0.07	120	R		From: Cul-de-Sac					NA	NA			11/27/2000
(2769)		0.09	180	R		From: 20-1490					NA	NA			08/22/2000
(2769)		0.07	170	R		From: 20-1489					NA	NA			08/22/2000
(2769)		0.14	150	R		From: 20-1487					NA	NA			08/22/2000
(2770)	Smoketree Dr	0.06	550	R		From: 20-2566; 20-2567					NA	NA			1997
(2770)	Smoketree Dr	0.11	680	R		From: 20-3009					NA	NA			1997
(2770)	Smoketree Dr	0.10	700	R		From: 20-3008					NA	NA			1997
(2770)	Smoketree Dr	0.08	760	R		From: 20-3101					NA	NA			1997
(2770)	Smoketree Dr	0.21	690	R		From: 20-2779					NA	NA			1997
(2770)	Smoketree Dr	0.05	740	R		From: 20-2775					NA	NA			1997
(2770)	Smoketree Dr	0.07	1200	R		From: 20-2777					NA	NA			1997
(2770)	Smoketree Dr	0.13	3200	R		From: 20-2776					NA	NA			1997
(2770)	Smoketree Dr	0.22	2600	R		From: 20-2778					NA	NA			1997
(2770)	Smoketree Dr	0.07	3000	R		From: 20-2771					NA	NA			1997
(2770)	Smoketree Dr	0.19	4600	R		From: 20-3402					NA	NA			1997
(2770)	Smoketree Dr	0.39	4600	R		From: 20-3400					NA	NA			1997
(2771)	Poplar Ridge Rd	0.13	160	R		From: Cul-de-Sac					NA	NA			1997
(2771)	Poplar Ridge Rd	0.19	470	R		From: 20-2778					NA	NA			1997
(2771)	Poplar Ridge Rd	0.14	930	R		From: 20-2773					NA	NA			1997
(2772)	Old Carrollton Ct	0.10	110	R		From: Cul-de-Sac					NA	NA			1997
(2773)	Stillbrook Rd	0.11	120	R		From: Cul-de-Sac					NA	NA			1997

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2773) Stillbrook Rd	0.07	110	R			From: 20-2778					NA	NA			1997
(2773) Stillbrook Rd	0.11	150	R			From: 20-2774					NA	NA			1997
						To: 20-2771									
(2774) Stillbrook Ct	0.04	49	R			From: 20-2773					NA	NA			1997
						To: Cul-de-Sac									
(2775) Smoketree Ct	0.06	30	R			From: Cul-de-Sac					NA	NA			1986
						To: 20-2770									
(2776) Gordon School Rd	0.08	190	R			From: 20-4750					NA	NA			05/09/2000
(2776) Gordon School Rd	0.07	340	R			From: 20-3103					NA	NA			05/09/2000
(2776) Gordon School Rd	0.19	600	R			From: 20-3102					NA	NA			05/09/2000
(2776) Gordon School Rd	0.05	1100	R			From: 20-2780					NA	NA			11/27/2000
(2776) Gordon School Rd	0.06	2000	R			From: 20-2768					NA	NA			11/27/2000
(2776) Gordon School Rd	0.07	2800	R			From: 20-2782					NA	NA			11/27/2000
(2776) Gordon School Rd	0.26	3200	R			From: 20-2779					NA	NA			11/27/2000
						To: 20-2770									
(2777) Pleasantview Rd	0.14	200	R			From: 20-2779					NA	NA			11/27/2000
						To: 20-2770									
(2778) Old Carrollton Rd	0.07	930	R			From: 20-2770					NA	NA			09/07/2000
(2778) Old Carrollton Rd	0.06	1000	R			From: 20-2773					NA	NA			09/07/2000
(2778) Old Carrollton Rd	0.06	1000	R			From: 20-2772					NA	NA			09/07/2000
(2778) Old Carrollton Rd	0.07	1300	R			From: 20-2771					NA	NA			09/07/2000
(2778) Old Carrollton Rd	0.05	1400	R			From: 20-2783					NA	NA			09/07/2000
						To: 20-2784									
(2779) Pleasanthill Dr	0.07	230	R			From: 20-2776					NA	NA			11/27/2000
(2779) Pleasanthill Dr	0.10	300	R			From: 20-2777					NA	NA			11/27/2000
(2779) Pleasanthill Dr	0.07	420	R			From: 20-2780					NA	NA			11/27/2000
(2779) Pleasanthill Dr	0.08	450	R			From: 20-3100					NA	NA			11/27/2000
(2779) Pleasanthill Dr	0.11	120	R			From: 20-2770					NA	NA			11/27/2000
						To: Cul-de-Sac									
(2780) Spirea Rd	0.10	3200	R			From: Dead End					NA	NA			10/26/2000
						To: 0.11 MN Dead End									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2780) Spirea Rd	0.04	1900	R			From: 0.11 MN Dead End					NA	NA			10/26/2000
(2780) Spirea Rd	0.09	1800	R			From: 20-3108					NA	NA			10/26/2000
(2780) Spirea Rd	0.10	2200	R			From: 20-3105					NA	NA			10/26/2000
(2780) Spirea Rd	0.08	2300	R			From: 20-3103					NA	NA			10/26/2000
(2780) Spirea Rd	0.08	620	R			From: 20-2776					NA	NA			10/26/2000
(2780) Spirea Rd	0.13	500	R			From: 20-2781					NA	NA			10/26/2000
(2780) Spirea Rd						To: 20-2779									
(2781) Spirea Ct	0.09	110	R			From: 20-2780					NA	NA			11/27/2000
(2781) Spirea Ct						To: Cul-de-Sac									
(2782)	0.13	210	R			From: Dead End					NA	NA			11/27/2000
(2782)	0.08	110	R			From: 20-2776					NA	NA			11/27/2000
(2782)						To: Cul-de-Sac									
(2783) Old Carrollton Trace	0.06	47	R			From: 20-2778					NA	NA			09/07/2000
(2783) Old Carrollton Trace						To: Cul-de-Sac									
(2784) Glenmont Rd	0.07	350	R			From: 20-2749					NA	NA			09/07/2000
(2784) Glenmont Rd	0.15	1200	R			From: 20-2778					NA	NA			09/07/2000
(2784) Glenmont Rd						To: 20-2567									
(2785)	0.06	60	R			From: 20-2566; 20-2567					NA	NA			09/07/2000
(2785)						To: Cul-de-Sac									
(2786) King Arthurs Ct	0.07	60	R			From: Cul-de-Sac					NA	NA			1986
(2786) King Arthurs Ct						To: 20-1960									
(2787) Quarterstaff Ct	0.03	80	R			From: Cul-de-Sac					NA	NA			1986
(2787) Quarterstaff Ct						To: 20-1960									
(2788) Chilham Ct	0.05	40	R			From: 20-1739					NA	NA			1986
(2788) Chilham Ct						To: Cul-de-Sac									
(2789) Hollytree Ct	0.04	60	R			From: Cul-de-Sac					NA	NA			11/14/2000
(2789) Hollytree Ct						To: 20-2790									
(2790) Rollingway Rd	0.19	580	R			From: 20-756					NA	NA			11/14/2000
(2790) Rollingway Rd	0.06	1100	R			From: 20-2795					NA	NA			11/14/2000
(2790) Rollingway Rd	0.05	1300	R			From: 20-2789					NA	NA			11/14/2000
(2790) Rollingway Rd	0.11	1200	R			From: 20-3099					NA	NA			11/14/2000
(2790) Rollingway Rd						To: 20-2797									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2790) Rollingway Rd	0.06	1300	R			From: 20-2797					NA	NA			11/14/2000
(2790) Rollingway Rd	0.06	1400	R			To: 20-2798					NA	NA			11/14/2000
(2790) Rollingway Rd	0.13	1700	R			From: 20-2799					NA	NA			11/14/2000
(2790) Rollingway Rd	0.20	1700	R			To: 20-3091					NA	NA			11/14/2000
(2790) Rollingway Rd	0.11	1500	R			From: 20-3090					NA	NA			11/14/2000
(2790) Rollingway Rd	0.16	4100	R			To: 20-3087					NA	NA			11/14/2000
						From: 20-604									
(2791) Solaris Dr	0.07	570	R			To: 20-756					NA	NA			11/14/2000
(2791) Solaris Dr	0.06	370	R			From: 20-2792					NA	NA			11/14/2000
(2791) Solaris Dr	0.06	330	R			To: 20-2793					NA	NA			11/14/2000
(2791) Solaris Dr	0.05	310	R			From: 20-2794					NA	NA			11/14/2000
						To: 20-2795									
(2792) Solaris Cr	0.06	90	R			From: Cul-de-Sac					NA	NA			11/14/2000
						To: 20-2791									
(2793) Sunne Ct	0.22	250	R			From: 20-2791					NA	NA			11/14/2000
						To: Cul-de-Sac									
(2794) Solaris Ct	0.07	90	R			From: Cul-de-Sac					NA	NA			11/14/2000
						To: 20-2791									
(2795) Sarata Ln	0.09	460	R			From: 20-2790					NA	NA			11/14/2000
(2795) Sarata Ln	0.10	260	R			To: 20-2791					NA	NA			11/14/2000
(2795) Sarata Ln	0.16	120	R			From: 20-2796					NA	NA			11/14/2000
						To: Dead End									
(2796) Sarata Ct	0.05	70	R			From: Cul-de-Sac					NA	NA			11/14/2000
						To: 20-2795									
(2797) Hollytree Tr	0.03	48	R			From: Cul-de-Sac					NA	NA			11/14/2000
						To: 20-2790									
(2798) Rollingway Tr	0.04	60	R			From: Cul-de-Sac					NA	NA			11/14/2000
						To: 20-2790									
(2799) Rollingway Ct	0.06	90	R			From: 20-2790					NA	NA			11/14/2000
						To: Cul-de-Sac									
(2800)	0.05	80	R			From: Dead End					NA	NA			05/31/2000
						To: 20-2290									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2800)	0.05	70	R			From: 20-2290					NA		NA		05/31/2000
						To: Dead End									
(2801)	0.06	300	R			From: 20-650					NA		NA		05/31/2000
(2801)	0.12	160	R			From: 20-2290					NA		NA		05/31/2000
						To: Cul-de-Sac									
(2802) Delft Rd	0.06	150	R			From: 20-650					NA		NA		1994
						To: 20-2290									
(2803) Amasis Ct	0.18	330	R			From: 20-2807					NA		NA		07/12/2000
						To: Cul-de-Sac									
(2804) Macbeth Ct	0.16	250	R			From: 20-2807					NA		NA		07/12/2000
						To: Cul-de-Sac									
(2805) Dorius Dr	0.33	300	R			From: 20-2807					NA		NA		1994
						To: 20-3800									
(2806) Seti Ct	0.05	110	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-638									
(2807) Cyrus St	0.08	120	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-2805									
(2807) Cyrus St	0.06	540	R			From: 20-2804					NA		NA		1996
						To: 20-2803									
(2807) Cyrus St	0.18	920	R			From: 20-2803					NA		NA		1996
						To: 20-638									
(2808) Phobus Dr	0.05	270	R			From: 20-2807					NA		NA		1996
						To: 20-2809									
(2808) Phobus Dr	0.07	120	R			From: Cul-de-Sac					NA		NA		1996
						To: Dead End									
(2809) Phobus Ct	0.04	70	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-2808									
(2810) Red Leaf Rd	0.10	380	R			From: 20-632					NA		NA		1996
						To: 20-2811									
(2811) Turkey Oak Rd	0.06	170	R			From: Dead End					NA		NA		1996
						To: 20-3549									
(2811) Turkey Oak Rd	0.21	140	R			From: 20-2812					NA		NA		1996
						To: 20-2810									
(2811) Turkey Oak Rd	0.26	230	R			From: 20-2810					NA		NA		1996
						To: Dead End									
(2812) Shingle Oak Rd	0.12	90	R			From: 20-2811					NA		NA		1996
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
2813 Creasman Dr	0.14	160	R	From: 20-2750 SOUTH							NA	NA			1994
				To: 20-2750 NORTH											
2814 Deep Forest Rd	0.06	50	R	From: Dead End							NA	NA			1996
2814 Deep Forest Rd	0.05	270	R	From: 20-3549							NA	NA			1996
2814 Deep Forest Rd	0.15	560	R	From: 20-4490							NA	NA			1996
				To: 20-632											
2815	0.10	170	R	From: Cul-de-Sac							NA	NA			1996
2815	0.05	340	R	From: 20-1913							NA	NA			1996
2815	0.06	470	R	From: 20-2817							NA	NA			1996
2815	0.07	310	R	From: 20-2816							NA	NA			1996
				To: 20-2022											
2816 Gunsight Ct	0.07	60	R	From: 20-2815							NA	NA			1996
				To: Cul-de-Sac											
2817 Gunsight Tr	0.11	90	R	From: 20-2815							NA	NA			1996
				To: Cul-de-Sac											
2818 Huntingcreek Tr	0.10	120	R	From: Cul-de-Sac							NA	NA			1996
				To: 20-1913											
2819 Huntingcreek Ct	0.05	60	R	From: 20-1913							NA	NA			1996
				To: Cul-de-Sac											
2820 Leafycreek Dr	0.10	100	R	From: Cul-de-Sac							NA	NA			1996
				To: 20-1913											
2820 Leafycreek Dr	0.20	200	R	From: 20-2022							NA	NA			1996
				To: 20-2022											
2821 Deerwater Rd	0.11	520	R	From: 20-2822							NA	NA			1996
				To: 20-1913											
2822 Deerwater Ct	0.05	110	R	From: Dead End							NA	NA			1996
				To: 20-2823											
2822 Deerwater Ct	0.05	240	R	From: 20-2821							NA	NA			1996
				To: 20-2821											
2822 Deerwater Ct	0.09	150	R	From: Dead End							NA	NA			1996
				To: Dead End											
2823 Deerwater Tr	0.04	70	R	From: 20-2822							NA	NA			1996
				To: Cul-de-Sac											
2824 Hunterstand Ln	0.10	260	R	From: Dead End							NA	NA			1997
				To: 20-2825											
2824 Hunterstand Ln	0.07	500	R	From: 20-2022							NA	NA			1997
				To: 20-2022											

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2824) Hunterstand Ln	0.06	100	R			From: 20-2022					NA	NA			1997
						To: Dead End									
(2825) Hunterstand Ct	0.10	340	R			From: 20-2824					NA	NA			1997
						To: Cul-de-Sac									
(2826) Lothaire Ct	0.12	170	R			From: Cul-de-Sac					NA	NA			07/12/2000
						To: 20-739									
(2827) Necho Ct	0.04	70	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-739									
(2828) Canute Dr	0.05	960	R			From: 20-739					NA	NA			1997
						To: 20-2829									
(2828) Canute Dr	0.18	240	R			From: Dead End					NA	NA			1997
						To: Dead End									
(2829) Leopold Cr	0.20	320	R			From: Dead End					NA	NA			1997
						To: 20-2828									
(2830) Totila Ct	0.07	90	R			From: 20-739					NA	NA			1997
						To: Cul-de-Sac									
(2831) Watchhaven Cr	0.03	50	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-2022									
(2832) Huntingcreek Cr	0.09	140	R			From: 20-1913					NA	NA			1997
						To: Cul-de-Sac									
(2833) Pointer Dr	0.03	150	R			From: Dead End					NA	NA			1997
						To: 20-2840									
(2833) Pointer Dr	0.04	200	R			From: 20-2840					NA	NA			1997
						To: 20-2834									
(2833) Pointer Dr	0.07	290	R			From: 20-2834					NA	NA			1997
						To: 20-1913									
(2834) Pointer Tr	0.06	110	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-2833									
(2835) Lost Forest Ct	0.04	60	R			From: Cul-de-Sac					NA	NA			09/28/2000
						To: 20-1910									
(2836) Windwood Ln	0.13	260	R			From: 20-1908					NA	NA			1997
						To: 20-2837									
(2836) Windwood Ln	0.06	300	R			From: 20-2837					NA	NA			1997
						To: 20-1910									
(2837) Windwood Ct	0.07	120	R			From: 20-2836					NA	NA			1997
						To: Cul-de-Sac									
(2838) Fox Run Dr	0.13	310	R			From: 20-2750					NA	NA			1997
						To: 20-2750									
(2839) Edington Dr	0.15	200	R			From: 20-2750					NA	NA			1997
						To: 20-2750									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2840) Pointer Cr	0.04	80	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-2833									
(2841) Comstock Dr	0.08	60	R			From: Dead End					NA	NA			1997
(2841) Comstock Dr	0.16	240	R			From: 20-2844					NA	NA			1997
						To: 20-1792									
(2842)	0.17	150	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-632									
(2843) Haskell Ct	0.06	70	R			From: 20-2890					NA	NA			1997
						To: Cul-de-Sac									
(2844) Cardington Rd	0.14	160	R			From: 20-2841					NA	NA			1997
						To: 20-2890									
(2845) Bethany Ridge Tr	0.06	80	R			From: 20-2723					NA	NA			10/04/2000
						To: Cul-de-Sac									
(2846) Bethany Ridge Ct	0.04	60	R			From: 20-2723					NA	NA			10/04/2000
						To: Cul-de-Sac									
(2847) Chesswood Dr	0.10	230	R			From: 20-3061					NA	NA			09/28/2000
						To: 20-3060									
(2847) Chesswood Dr	0.05	250	R			From: 20-2849					NA	NA			09/28/2000
(2847) Chesswood Dr	0.06	380	R			From: 20-750					NA	NA			09/28/2000
						To: 20-2848									
(2847) Chesswood Dr	0.06	340	R			From: Cul-de-Sac					NA	NA			09/28/2000
						To: 20-2848									
(2848) Rainwood Rd	0.09	130	R			From: 20-2847					NA	NA			09/28/2000
						To: 20-1910									
(2848) Rainwood Rd	0.06	160	R			From: 20-1910					NA	NA			09/28/2000
						To: Dead End									
(2848) Rainwood Rd	0.04	70	R			From: Cul-de-Sac					NA	NA			09/28/2000
						To: 20-2847									
(2849) Chesswood Cr	0.08	120	R			From: 20-1972					NA	NA			09/28/2000
						To: Cul-de-Sac									
(2850) Appleleaf Ct	0.13	210	R			From: Cul-de-Sac					NA	NA			05/15/2000
						To: 20-1972									
(2851) Hollyleaf Ct	0.09	130	R			From: Cul-de-Sac					NA	NA			05/15/2000
						To: 20-1972									
(2852) Autumnleaf Ct	0.06	100	R			From: Cul-de-Sac					NA	NA			05/15/2000
						To: 20-2100									
(2853) Redbridge Tr	0.07	70	R			From: Cul-de-Sac					NA	NA			1994
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2854) Redbridge Cr	0.04	40	R			From: 20-2100					NA	NA			1994
						To: Cul-de-Sac									
(2855) Valencia Rd	0.07	2200	R			From: 20-649					NA	NA			05/31/2000
(2855) Valencia Rd	0.07	2100	R			From: 20-2856					NA	NA			05/31/2000
(2855) Valencia Rd	0.08	1800	R			From: 20-2857					NA	NA			05/31/2000
(2855) Valencia Rd	0.06	1500	R			From: 20-2244					NA	NA			05/31/2000
(2855) Valencia Rd	0.10	1300	R			From: 20-2858					NA	NA			05/31/2000
(2855) Valencia Rd	0.04	1200	R			From: 20-2859					NA	NA			05/31/2000
(2855) Valencia Rd	0.06	1100	R			From: 20-2860					NA	NA			05/31/2000
(2855) Valencia Rd	0.21	1300	R			From: 20-3438					NA	NA			05/31/2000
(2856) Valencia Ct	0.10	100	R			From: 20-2855					NA	NA			05/31/2000
						To: Cul-de-Sac									
(2857) Wilconna Rd	0.09	130	R			From: Cul-de-Sac					NA	NA			05/31/2000
(2857) Wilconna Rd	0.09	640	R			From: 20-4401					NA	NA			05/31/2000
(2857) Wilconna Rd	0.22	240	R			From: 20-2855					NA	NA			05/31/2000
(2858) Brickell Ln	0.12	130	R			From: 20-2855					NA	NA			05/31/2000
						To: Cul-de-Sac									
(2859) Junilla Ln	0.04	60	R			From: Dead End					NA	NA			05/31/2000
(2859) Junilla Ln	0.13	150	R			From: 20-2855					NA	NA			05/31/2000
						To: Cul-de-Sac									
(2860) Valencia Pl	0.15	150	R			From: 20-2855					NA	NA			05/31/2000
						To: Cul-de-Sac									
(2861) Melbeck Tr	0.06	90	R			From: Cul-de-Sac					NA	NA			07/12/2000
						To: 20-2118									
(2862) Piels Rd	0.05	40	R			From: 0.05 MS 20-2868					NA	NA			1994
(2862) Piels Rd	0.10	70	R			From: 20-2868					NA	NA			1994
						To: Dead End									
(2863) Agincourt Cr	0.06	80	R			From: Cul-de-Sac					NA	NA			09/28/2000
						To: 20-2874									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2864) Agincourt Tr	0.05	80	R			From: Cul-de-Sac					NA		NA		09/28/2000
						To: 20-2874									
(2865) Chester Forest Ln	0.04	70	R			From: Dead End					NA		NA		07/19/2000
						To: 20-2873									
(2865) Chester Forest Ln	0.19	240	R			From: 20-2869					NA		NA		07/19/2000
						To: 20-2868									
(2865) Chester Forest Ln	0.14	560	R			From: 30-2868					NA		NA		07/19/2000
						To: 20-2867									
(2865) Chester Forest Ln	0.16	770	R			From: 20-2867					NA		NA		07/19/2000
						To: 20-611									
(2866) Pine Glade Ln	0.05	80	R			From: Cul-de-Sac					NA		NA		07/19/2000
						To: 20-2868									
(2866) Pine Glade Ln	0.16	300	R			From: 20-2867					NA		NA		07/19/2000
						To: 20-611									
(2866) Pine Glade Ln	0.15	370	R			From: 20-611					NA		NA		07/19/2000
						To: 20-611									
(2867) Pinetag Dr	0.03	10	R			From: Dead End					NA		NA		07/19/2000
						To: 20-2866									
(2867) Pinetag Dr	0.07	120	R			From: 20-2865					NA		NA		07/19/2000
						To: 20-2865									
(2868)	0.07	160	R			From: 20-2866					NA		NA		07/19/2000
						To: 20-2865									
(2868)	0.08	660	R			From: 20-2870					NA		NA		07/19/2000
						To: 20-2871									
(2868)	0.09	680	R			From: 20-2871					NA		NA		07/19/2000
						To: 20-3073									
(2868)	0.07	840	R			From: 20-2862					NA		NA		07/19/2000
						To: 20-2878									
(2868)	0.10	950	R			From: 20-2878					NA		NA		07/19/2000
						To: 20-2884									
(2868)	0.07	930	R			From: 20-2884					NA		NA		07/19/2000
						To: 20-2883									
(2868)	0.06	1000	R			From: 20-2883					NA		NA		08/14/2000
						To: 20-2881									
(2868)	0.07	1200	R			From: 20-2881					NA		NA		08/14/2000
						To: 20-637									
(2868)	0.12	1500	R			From: 20-637					NA		NA		08/14/2000
						To: 20-2865									
(2869) Sourwood Ln	0.15	190	R			From: Dead End					NA		NA		07/19/2000
						To: 20-2865									
(2870) Green Cedar Ct	0.05	45	R			From: Cul-de-Sac					NA		NA		07/19/2000
						To: 20-2868									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2871) Privet Dr	0.12	190	R			From: 20-2872					NA	NA			07/19/2000
(2871) Privet Dr	0.03	20	R			To: 20-2868					NA	NA			07/19/2000
						To: Dead End									
(2872) Kalanchoe Dr	0.04	47	R			From: Dead End					NA	NA			07/19/2000
(2872) Kalanchoe Dr	0.04	30	R			To: 20-2871					NA	NA			07/19/2000
						To: Dead End									
(2873) Chester Forest Ct	0.05	40	R			From: Cul-de-Sac					NA	NA			07/19/2000
						To: 20-2865									
(2874) Agincourt Ln	0.13	490	R			From: SR 145					NA	NA			12/06/2000
(2874) Agincourt Ln	0.06	270	R			To: 20-2863					NA	NA			12/06/2000
(2874) Agincourt Ln	0.09	130	R			To: 20-2864					NA	NA			12/06/2000
						To: Cul-de-Sac									
(2875) Fordham Ct	0.05	49	R			From: 20-763					NA	NA			12/06/2000
						To: Cul-de-Sac									
(2876) Fordham Pl	0.03	70	R			From: Cul-de-Sac					NA	NA			10/04/2000
						To: 20-763									
(2877) Alms Ct	0.03	40	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-2878									
(2878) Alms Ln	0.07	120	R			From: 20-2868					NA	NA			1996
(2878) Alms Ln	0.11	120	R			To: 20-2877					NA	NA			1996
						To: 20-2883									
(2879) Sunview Ct	0.03	40	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2028									
(2881) Hawkbill Rd	0.06	250	R			From: 20-2868					NA	NA			1996
(2881) Hawkbill Rd	0.09	150	R			To: 20-2882					NA	NA			1996
(2881) Hawkbill Rd	0.08	120	R			To: 20-2896					NA	NA			1996
						To: 20-2883									
(2882) Hawkbill Ct	0.09	60	R			From: 20-2881					NA	NA			1996
						To: Cul-de-Sac									
(2883) Talon Ln	0.12	200	R			From: 20-2868					NA	NA			1996
(2883) Talon Ln	0.08	180	R			To: 20-2878					NA	NA			1996
(2883) Talon Ln	0.08	150	R			To: 20-2881					NA	NA			1996
						To: 20-2899									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
2883 Talon Ln	0.03	30	R			From: 20-2899					NA	NA			1996
						To: Dead End									
2884 Finch Ct	0.06	120	R			From: 20-3068					NA	NA			1996
2884 Finch Ct	0.04	48	R			From: 20-2868					NA	NA			1996
						To: Cul-de-Sac									
2885 Carlow Rd	0.12	70	R			From: Cul-de-Sac					NA	NA			1997
2885 Carlow Rd	0.08	140	R			From: 20-2886					NA	NA			1997
						To: 20-655									
2886 Bright Hope Rd	0.20	70	R			From: 20-2887					NA	NA			1997
						To: 20-2885									
2887 Oakton Rd	0.18	120	R			From: Dead End					NA	NA			1997
2887 Oakton Rd	0.08	180	R			From: 20-2886					NA	NA			1997
						To: 20-655									
2888 Robinwood Dr	0.21	220	R			From: 20-638					NA	NA			1996
2888 Robinwood Dr	0.29	120	R			From: 20-2895					NA	NA			1996
2888 Robinwood Dr	0.05	190	R			From: 20-2889					NA	NA			1996
						To: 20-638									
2889 Robinwood Ct	0.12	80	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2888									
2890 Eastman Rd	0.06	1300	R			From: 20-2100					NA	NA			1996
2890 Eastman Rd	0.07	900	R			From: 20-2892					NA	NA			1996
2890 Eastman Rd	0.12	760	R			From: 20-2891					NA	NA			1996
2890 Eastman Rd	0.05	630	R			From: 20-3366					NA	NA			1996
2890 Eastman Rd	0.03	780	R			From: 20-3367					NA	NA			1996
2890 Eastman Rd	0.06	810	R			From: 20-3369					NA	NA			1996
2890 Eastman Rd	0.08	800	R			From: 20-1477					NA	NA			1996
2890 Eastman Rd	0.12	260	R			From: 20-1792					NA	NA			1996
2890 Eastman Rd	0.04	200	R			From: 20-2843					NA	NA			1996
2890 Eastman Rd	0.03	20	R			From: 20-2844					NA	NA			1996
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2891) Eastman Ct	0.05	40	R			From: 20-2890					NA		NA		1996
						To: Cul-de-Sac									
(2892) Natural Bridge Rd	0.06	180	R			From: 20-2894					NA		NA		1996
(2892) Natural Bridge Rd	0.10	330	R			From: 20-2893					NA		NA		1996
(2892) Natural Bridge Rd	0.16	440	R			From: 20-2890					NA		NA		1996
						To: Dead End									
(2893)	0.05	60	R			From: Dead End					NA		NA		06/05/2000
(2893)	0.06	80	R			From: 20-2892					NA		NA		06/05/2000
						To: Dead End									
(2894) Natural Bridge Ct	0.09	90	R			From: Dead End					NA		NA		06/05/2000
(2894) Natural Bridge Ct	0.05	80	R			From: 20-2892					NA		NA		06/05/2000
						To: Dead End									
(2895) Oakhill Ln	0.08	50	R			From: 20-2888					NA		NA		1994
						To: Dead End									
(2896) Hawkbill Cr	0.08	46	R			From: 20-2881					NA		NA		1994
						To: Cul-de-Sac									
(2897) Keithwood Ct	0.14	190	R			From: 20-1792					NA		NA		1994
						To: Cul-de-Sac									
(2898) Satinwood Dr	0.13	80	R			From: 20-643					NA		NA		05/31/2000
						To: Cul-de-Sac									
(2899) Peregrine Rd	0.17	1400	R			From: 20-2883					NA		NA		1994
						To: 20-637									
(2900) Sterlings Bridge Rd	0.14	410	R			From: 20-1921					NA		NA		1997
(2900) Sterlings Bridge Rd	0.04	260	R			From: 20-2901					NA		NA		1997
(2900) Sterlings Bridge Rd	0.05	170	R			From: 20-2902					NA		NA		1997
(2900) Sterlings Bridge Rd	0.08	80	R			From: 20-2903					NA		NA		1997
						To: Cul-de-Sac									
(2901) Sterlings Bridge Ct	0.03	48	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-2900									
(2902) Sterlings Bridge Pl	0.05	70	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-2900									
(2903) Sterlings Bridge Tr	0.03	40	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: 20-2900									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2904) Barnes Spring Rd	0.18	450	R			From: 20-1921					NA	NA			1997
(2904) Barnes Spring Rd	0.06	260	R			To: 20-2905					NA	NA			1997
(2904) Barnes Spring Rd	0.06	220	R			From: 20-2906					NA	NA			1997
						To: Cul-de-Sac									
(2905) Barnes Spring Ct	0.05	60	R			From: 20-2904					NA	NA			1997
						To: Cul-de-Sac									
(2906) Barnes Spring Tr	0.13	140	R			From: 20-2904					NA	NA			1997
						To: Cul-de-Sac									
(2907) Beach Rd	0.04	1400	R			From: 20-1921					NA	NA			1997
(2907) Beach Rd	0.08	1300	R			To: 20-2910					NA	NA			1997
(2907) Beach Rd	0.11	1200	R			From: 20-2947					NA	NA			1997
(2907) Beach Rd	0.03	1200	R			To: 20-2908					NA	NA			1997
(2907) Beach Rd	0.05	1100	R			From: 20-2942					NA	NA			1997
(2907) Beach Rd	0.04	950	R			To: 20-2939					NA	NA			1997
(2907) Beach Rd	0.04	900	R			From: 20-2940					NA	NA			1997
(2907) Beach Rd	0.11	860	R			To: 20-2980					NA	NA			1997
(2907) Beach Rd	0.09	800	R			From: 20-2925					NA	NA			1997
(2907) Beach Rd	0.16	780	R			To: 20-2924					NA	NA			1997
(2907) Beach Rd	0.04	780	R			From: 20-2918					NA	NA			1997
						To: 20-1921									
(2908) Cottage Oaks Ln	0.04	130	R			From: 20-2907					NA	NA			1997
						To: 20-2909									
(2909) Cottage Oaks Ct	0.04	60	R			From: Dead End					NA	NA			1997
(2909) Cottage Oaks Ct	0.03	60	R			To: 20-2908					NA	NA			1997
						From: Dead End									
(2910) Long Oaks Rd	0.07	120	R			From: Cul-de-Sac					NA	NA			07/17/2000
						To: 20-2907									
(2911) Autumn Woods Rd	0.05	350	R			From: 20-1921					NA	NA			07/17/2000
(2911) Autumn Woods Rd	0.09	250	R			To: 20-2912					NA	NA			07/17/2000
(2911) Autumn Woods Rd	0.13	140	R			From: 20-2913					NA	NA			07/17/2000
						To: Dead End									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2912) Autumn Woods Cr	0.06	90	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: 20-2911									
(2913) Autumn Woods Ct	0.03	60	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: 20-2911									
(2914)	0.02	1200	R			From: US 360					NA		NA		1994
						To: 20-1892									
(2915) Commodore Point Ct	0.07	70	R			From: 20-1889					NA		NA		07/17/2000
						To: Cul-de-Sac									
(2916) Commodore Point Cr	0.07	80	R			From: 20-1889					NA		NA		07/17/2000
						To: Cul-de-Sac									
(2917) Commodore Point Pl	0.08	60	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: 20-1889									
(2918) Fortunes Ridge Rd	0.11	440	R			From: 20-2907					NA		NA		07/17/2000
						To: 20-2919									
(2918) Fortunes Ridge Rd	0.26	240	R			From: 20-2919					NA		NA		07/17/2000
						To: Dead End									
(2919) Fortunes Ridge Ct	0.16	130	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: 20-2918									
(2920) Sandyridge Py	0.04	840	R			From: 20-2992					NA		NA		10/23/2000
						To: 20-2989									
(2920) Sandyridge Py	0.10	860	R			From: 20-2989					NA		NA		10/23/2000
						To: 20-2988									
(2920) Sandyridge Py	0.24	1200	R			From: 20-2988					NA		NA		10/23/2000
						To: 20-2984									
(2920) Sandyridge Py	0.16	1300	R			From: 20-2984					NA		NA		10/23/2000
						To: 20-2977									
(2920) Sandyridge Py	0.04	1400	R			From: 20-2977					NA		NA		10/23/2000
						To: 20-2928									
(2920) Sandyridge Py	0.14	1400	R			From: 20-2928					NA		NA		10/23/2000
						To: 20-2950									
(2920) Sandyridge Py	0.02	1500	R			From: 20-2950					NA		NA		10/23/2000
						To: 20-2922									
(2920) Sandyridge Py	0.05	1500	R			From: 20-2922					NA		NA		10/23/2000
						To: 20-2933									
(2920) Sandyridge Py	0.12	1600	R			From: 20-2933					NA		NA		10/23/2000
						To: 20-2921									
(2920) Sandyridge Py	0.03	1700	R			From: 20-2921					NA		NA		10/23/2000
						To: 20-604									
(2921) Watkins Glen Rd	0.05	180	R			From: 20-2920					NA		NA		10/23/2000
						To: BEGIN LOOP									
(2921) Watkins Glen Rd	0.12	120	R			From: BEGIN LOOP					NA		NA		10/23/2000
						To: END LOOP									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
2922 Cradle Hill Rd	0.04	280	R			From: 20-2920					NA	NA			10/23/2000
2922 Cradle Hill Rd	0.10	140	R			From: 20-2923					NA	NA			10/23/2000
						To: Dead End									
2923 Cradle Hill Ct	0.10	160	R			From: Cul-de-Sac					NA	NA			10/23/2000
						To: 20-2922									
2924 Shallowford Trace	0.13	140	R			From: BEGIN LOOP					NA	NA			07/17/2000
						To: END LOOP									
2924 Shallowford Trace	0.03	160	R			From: LOOP END					NA	NA			07/17/2000
						To: 20-2907									
2925 Shallowford Landing	0.07	260	R			From: 20-2926					NA	NA			07/17/2000
						To: 20-2907									
2926 Shallowford Landing	0.04	60	R			From: Dead End					NA	NA			07/17/2000
						To: 20-2927									
2926 Shallowford Landing	0.05	160	R			From: 20-2925					NA	NA			07/17/2000
						To: 20-2925									
2926 Shallowford Landing	0.04	40	R			From: Cul-de-Sac					NA	NA			07/17/2000
						To: Cul-de-Sac									
2927 Shallowford Landing	0.04	80	R			From: 20-2926					NA	NA			07/17/2000
						To: Cul-de-Sac									
2928 Crosstimbers Rd	0.09	130	R			From: Cul-de-Sac					NA	NA			07/17/2000
						To: 20-2976									
2928 Crosstimbers Rd	0.05	270	R			From: 20-2975					NA	NA			07/17/2000
						To: 20-2975									
2928 Crosstimbers Rd	0.05	390	R			From: 20-2929					NA	NA			07/17/2000
						To: 20-2929									
2928 Crosstimbers Rd	0.04	560	R			From: 20-2920					NA	NA			07/17/2000
						To: 20-2920									
2929 Crosstimbers Ct	0.09	160	R			From: Cul-de-Sac					NA	NA			07/17/2000
						To: 20-2928									
2930 Long Shadow Dr	0.11	180	R			From: Cul-de-Sac					NA	NA			12/06/2000
						To: 20-2931									
2930 Long Shadow Dr	0.07	520	R			From: 20-1920					NA	NA			12/06/2000
						To: 20-1920									
2931 Long Shadow Ct	0.06	100	R			From: Dead End					NA	NA			12/06/2000
						To: 20-2932									
2931 Long Shadow Ct	0.08	270	R			From: 20-2930					NA	NA			12/06/2000
						To: 20-2930									
2932 Long Shadow Tr	0.04	90	R			From: Cul-de-Sac					NA	NA			12/06/2000
						To: 20-2931									
2933 Sutters Mill Rd	0.13	180	R			From: Dead End					NA	NA			10/23/2000
						To: 20-2935									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
2933 Sutters Mill Rd	0.03	280	R			From: 20-2935					NA		NA		10/23/2000
2933 Sutters Mill Rd	0.03	450	R			To: 20-2936					NA		NA		10/23/2000
2933 Sutters Mill Rd	0.04	570	R			From: 20-2934					NA		NA		10/23/2000
						To: 20-2920									
2934 Sutters Mill Ct	0.07	120	R			From: Cul-de-Sac					NA		NA		10/23/2000
						To: 20-2933									
2935 Sutters Mill Tr	0.06	90	R			From: Cul-de-Sac					NA		NA		10/23/2000
						To: 20-2933									
2936 Sutters Mill Cr	0.10	160	R			From: 20-2933					NA		NA		10/23/2000
						To: Cul-de-Sac									
2937 Five Springs Rd	0.03	260	R			From: 20-1920					NA		NA		12/06/2000
						To: 20-2938					NA		NA		12/04/2000
2937	0.11	120	R			From: End Loop					NA		NA		12/04/2000
						To: 20-2937									
2938 Five Springs Ct	0.02	140	R			From: 20-2937					NA		NA		12/04/2000
						To: BEGIN LOOP					NA		NA		12/04/2000
2938 Five Springs Ct	0.09	130	R			From: END LOOP					NA		NA		12/04/2000
						To: Cul-de-Sac									
2939 Shadow Oaks Rd	0.07	110	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: 20-2907									
2940 Broad Oaks Rd	0.06	250	R			From: 20-2907					NA		NA		07/17/2000
						To: 20-2941					NA		NA		07/17/2000
2940 Broad Oaks Rd	0.07	100	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: Cul-de-Sac									
2941 Broad Oaks Ct	0.06	110	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: 20-2940									
2942 Spreading Oak Rd	0.01	200	R			From: 20-2907					NA		NA		07/17/2000
						To: 20-2943					NA		NA		07/17/2000
2942 Spreading Oak Rd	0.09	140	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: Cul-de-Sac									
2943 Spreading Oak Ct	0.05	60	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: 20-2942									
2944 Walnut Creek Rd	0.08	280	R			From: 20-1921					NA		NA		1996
						To: 20-2945					NA		NA		1996
2944 Walnut Creek Rd	0.06	240	R			From: 20-2946 WEST					NA		NA		1996
						To: 20-2946 EAST					NA		NA		1996
2944 Walnut Creek Rd	0.09	100	R			From: Cul-de-Sac					NA		NA		1996
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2945) Walnut Creek Ct	0.05	30	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-2944									
(2946) Walnut Creek Cr	0.10	90	R			From: 20-2944					NA		NA		1996
						To: 20-2944									
(2947) Liberty Oaks Rd	0.02	300	R			From: 20-2907					NA		NA		1996
						To: 20-2948									
(2947) Liberty Oaks Rd	0.03	160	R			From: 20-2948					NA		NA		1996
						To: 20-2949									
(2947) Liberty Oaks Rd	0.03	70	R			From: 20-2949					NA		NA		1996
						To: Cul-de-Sac									
(2948) Liberty Oaks Cr	0.09	140	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-2947									
(2949) Liberty Oaks Ct	0.06	90	R			From: 20-2947					NA		NA		1996
						To: Cul-de-Sac									
(2950) Carriage Creek Ln	0.03	1800	R			From: 20-2920					NA		NA		06/21/2000
						To: 20-2951									
(2950) Carriage Creek Ln	0.01	2000	R			From: 20-2951					NA		NA		06/21/2000
						To: Dead End									
(2951) Carriage Creek Rd	0.05	320	R			From: 20-2950					NA		NA		06/21/2000
						To: 20-2952									
(2951) Carriage Creek Rd	0.03	260	R			From: 20-2952					NA		NA		06/21/2000
						To: 20-2953									
(2951) Carriage Creek Rd	0.09	160	R			From: 20-2953					NA		NA		06/21/2000
						To: Cul-de-Sac									
(2952) Carriage Creek Pl	0.03	60	R			From: Cul-de-Sac					NA		NA		06/21/2000
						To: 20-2951									
(2953) Carriage Creek Ct	0.06	90	R			From: 20-2951					NA		NA		06/21/2000
						To: Cul-de-Sac									
(2954) Huntgate Woods Rd	0.39	230	R			From: BEGIN LOOP					NA		NA		06/21/2000
						To: END LOOP									
(2954) Huntgate Woods Rd	0.06	480	R			From: END LOOP					NA		NA		06/21/2000
						To: 20-4650									
(2954) Huntgate Woods Rd	0.13	1400	R			From: 20-4650					NA		NA		06/21/2000
						To: 20-2955									
(2954) Huntgate Woods Rd	0.04	1300	R			From: 20-2955					NA		NA		06/21/2000
						To: 20-2957									
(2954) Huntgate Woods Rd	0.04	1400	R			From: 20-2957					NA		NA		06/21/2000
						To: 20-2958									
(2954) Huntgate Woods Rd	0.07	1500	R			From: 20-2958					NA		NA		06/21/2000
						To: 20-2964									
(2954) Huntgate Woods Rd	0.08	1900	R			From: 20-2964					NA		NA		06/21/2000
						To: 20-1921									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2955) Long Gate Rd	0.23	170	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2954									
(2956) Long Gate Ct	0.03	30	R			From: 20-2955					NA	NA			1996
						To: Cul-de-Sac									
(2957) Fairgate Rd	0.07	40	R			From: 20-2954					NA	NA			1996
						To: Cul-de-Sac									
(2958) Meeting Gate Rd	0.06	70	R			From: 20-2954					NA	NA			1996
						To: 20-2959									
(2959) Meeting Gate Ct	0.04	20	R			From: Dead End					NA	NA			1996
						To: 20-2958									
(2959) Meeting Gate Ct	0.03	47	R			From: 20-2958					NA	NA			1996
						To: Dead End									
(2960) Whispering Oaks Rd	0.09	490	R			From: 20-1921					NA	NA			1996
						To: 20-2961									
(2960) Whispering Oaks Rd	0.08	80	R			From: 20-2961					NA	NA			1996
						To: Cul-de-Sac									
(2961) Whispering Oaks Ct	0.04	400	R			From: 20-2960					NA	NA			1996
						To: 20-2962									
(2961) Whispering Oaks Ct	0.05	290	R			From: 20-2962					NA	NA			1996
						To: 20-2963									
(2961) Whispering Oaks Ct	0.12	140	R			From: 20-2963					NA	NA			1996
						To: Cul-de-Sac									
(2962) Whispering Oaks Tr	0.07	80	R			From: 20-2961					NA	NA			1997
						To: Cul-de-Sac									
(2963) Whispering Oaks Pl	0.07	100	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-2961									
(2964) Spring Gate Rd	0.07	50	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-2967									
(2964) Spring Gate Rd	0.10	150	R			From: 20-2967					NA	NA			1997
						To: 20-2965									
(2964) Spring Gate Rd	0.10	360	R			From: 20-2965					NA	NA			1997
						To: 20-2954									
(2965) Spring Gate Pl	0.05	150	R			From: 20-2966					NA	NA			1997
						To: 20-2964									
(2966) Spring Gate Tr	0.08	90	R			From: Dead End					NA	NA			1997
						To: 20-2965									
(2966) Spring Gate Tr	0.06	60	R			From: 20-2965					NA	NA			1997
						To: Cul-de-Sac									
(2967) Spring Gate Ct	0.16	130	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-2964									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2968) Ridge Creek Rd	0.09	80	R			From: Cul-de-Sac					NA		NA		1997
(2968) Ridge Creek Rd	0.03	160	R			To: 20-2969					NA		NA		1997
(2968) Ridge Creek Rd						To: 20-1921									
(2969) Ridge Creek Ct	0.03	60	R			From: Cul-de-Sac					NA		NA		1997
(2969) Ridge Creek Ct						To: 20-2968									
(2970) Long Hill Rd	0.06	80	R			From: Cul-de-Sac					NA		NA		1997
(2970) Long Hill Rd	0.09	240	R			To: 20-2971					NA		NA		1997
(2970) Long Hill Rd						To: 20-1921									
(2971) Long Hill Ct	0.06	70	R			From: 20-2970					NA		NA		1997
(2971) Long Hill Ct						To: Cul-de-Sac									
(2972) Sagewood Rd	0.02	980	R			From: 20-1921					NA		NA		1997
(2972) Sagewood Rd	0.07	760	R			To: 20-2973					NA		NA		1997
(2972) Sagewood Rd	0.10	420	R			To: 20-3218					NA		NA		1997
(2972) Sagewood Rd						To: 20-3852									
(2973) Sagegrove Rd	0.05	60	R			From: Cul-de-Sac					NA		NA		1997
(2973) Sagegrove Rd	0.03	220	R			To: 20-2974					NA		NA		1997
(2973) Sagegrove Rd						To: 20-2972									
(2974) Sagegrove Cr	0.15	140	R			From: 20-2973					NA		NA		1997
(2974) Sagegrove Cr						To: END LOOP									
(2975) Crosstimbers Pl	0.07	90	R			From: 20-2928					NA		NA		1997
(2975) Crosstimbers Pl						To: Cul-de-Sac									
(2976) Crosstimbers Tr	0.09	90	R			From: Cul-de-Sac					NA		NA		1997
(2976) Crosstimbers Tr						To: 20-2928									
(2977) Arrowood Ln	0.03	270	R			From: 20-2920					NA		NA		1997
(2977) Arrowood Ln						To: 20-2982									
(2978)	0.05	1000	R			From: 20-754					NA		NA		12/04/2000
(2978)	0.10	710	R			To: 20-2979					NA		NA		12/04/2000
(2978)	0.13	840	R			To: 20-2999					NA		NA		12/04/2000
(2978)	0.27	1200	R			To: 20-604					NA		NA		12/04/2000
(2978)						To: 20-4535									
(2979) East Boundary Tr	0.05	350	R			From: 20-2978					NA		NA		1997
(2979) East Boundary Tr						To: Cul-de-Sac									
(2980) Regatta Pointe Rd	0.13	130	R			From: Cul-de-Sac					NA		NA		1997
(2980) Regatta Pointe Rd						To: 20-2981									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2980) Regatta Pointe Rd	0.11	400	R			From: 20-2981					NA		NA		1997
						To: 20-2907									
(2981) Regatta Pointe Ct	0.08	140	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: 20-2980									
(2982) Arrowood Rd	0.11	110	R			From: BEGIN LOOP					NA		NA		06/21/2000
						To: LOOP END									
(2982) Arrowood Rd	0.03	160	R			From: 20-2977					NA		NA		06/21/2000
(2982) Arrowood Rd	0.02	230	R			From: 20-2983					NA		NA		06/21/2000
						To: Cul-de-Sac									
(2982) Arrowood Rd	0.05	100	R			From: 20-2982					NA		NA		06/21/2000
						To: Cul-de-Sac									
(2983) Arrowood Ct	0.06	120	R			From: 20-2920					NA		NA		06/21/2000
						To: 20-2985									
(2984) Garrison Place Dr	0.04	440	R			From: 20-2985					NA		NA		07/17/2000
						To: 20-2986									
(2984) Garrison Place Dr	0.06	360	R			From: 20-2986					NA		NA		07/17/2000
						To: 20-2987									
(2984) Garrison Place Dr	0.05	260	R			From: 20-2987					NA		NA		07/17/2000
						To: Cul-de-Sac									
(2984) Garrison Place Dr	0.05	110	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: 20-2984									
(2985) Garrison Place Tr	0.05	100	R			From: 20-2984					NA		NA		07/17/2000
						To: 20-2984									
(2986) Garrison Place Ct	0.05	90	R			From: Cul-de-Sac					NA		NA		07/17/2000
						To: 20-2984									
(2987) Garrison Place Rd	0.08	140	R			From: 20-2984					NA		NA		07/17/2000
						To: Cul-de-Sac									
(2988) Tanglebrook Rd	0.18	230	R			From: Cul-de-Sac					NA		NA		06/21/2000
						To: 20-2920									
(2989)	0.19	140	R			From: Cul-de-Sac					NA		NA		10/23/2000
						To: 20-2990									
(2989) Copper Hill Rd	0.06	340	R			From: 20-2990					NA		NA		10/23/2000
						To: 20-2920									
(2990) Copper Hill Ct	0.05	60	R			From: Cul-de-Sac					NA		NA		06/21/2000
						To: 20-2991									
(2990) Copper Hill Ct	0.09	180	R			From: 20-2989					NA		NA		06/21/2000
						To: 20-2990									
(2991) Copper Hill PI	0.06	90	R			From: 20-2990					NA		NA		06/21/2000
						To: Cul-de-Sac									
(2992) Two Notch Rd	0.04	400	R			From: 20-2920					NA		NA		06/21/2000
						To: 20-2993									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(2992) Two Notch Rd	0.04	230	R			From: 20-2993					NA		NA		06/21/2000
(2992) Two Notch Rd	0.10	120	R			From: 20-2994					NA		NA		06/21/2000
						To: Cul-de-Sac									
(2993) Two Notch Pl	0.13	160	R			From: 20-2992					NA		NA		06/21/2000
						To: Cul-de-Sac									
(2994) Two Notch Ct	0.07	90	R			From: Cul-de-Sac					NA		NA		12/04/2000
						To: 20-2992									
(2995) Tall Hickory Dr	0.07	560	R			From: 20-652					NA		NA		12/04/2000
(2995) Tall Hickory Dr	0.03	280	R			From: 20-2996					NA		NA		12/04/2000
(2995) Tall Hickory Dr	0.07	170	R			From: 20-2997					NA		NA		12/04/2000
(2995) Tall Hickory Dr	0.06	70	R			From: 20-2998					NA		NA		12/04/2000
						To: Cul-de-Sac									
(2996) Tall Hickory Ct	0.05	70	R			From: Cul-de-Sac					NA		NA		12/04/2000
						To: 20-2995									
(2997) Pecan Tr	0.10	120	R			From: 20-2995					NA		NA		12/04/2000
						To: Cul-de-Sac									
(2998) Acorn Hill Ct	0.06	70	R			From: 20-2995					NA		NA		12/04/2000
						To: Cul-de-Sac									
(2999) East Boundary Ct	0.16	230	R			From: Cul-de-Sac					NA		NA		12/04/2000
						To: 20-2978									
(3000) Buckhorn Rd	0.44	660	R			From: Cul-de-Sac					NA		NA		1994
(3000) Buckhorn Rd	0.44	660	R			From: 20-3001					NA		NA		1994
						To: 20-655									
(3001) Deer Dr	0.11	370	R			From: 20-3002					NA		NA		1996
						To: 20-3000									
(3002) Deerbrook Rd	0.06	40	R			From: Dead End					NA		NA		1996
(3002) Deerbrook Rd	0.08	280	R			From: 20-3004					NA		NA		1996
(3002) Deerbrook Rd	0.03	260	R			From: 20-3003					NA		NA		1996
						To: 20-3001									
(3003) Mapleridge Ct	0.15	50	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3002									
(3004) Spikehorn Ln	0.42	240	R			From: Dead End					NA		NA		1996
						To: 20-3002									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3005 Laughton Dr	0.04	20	R			From: Dead End					NA	NA			1994
3005 Laughton Dr	0.06	120	R			From: 20-3006					NA	NA			1994
						To: 20-2222									
3006 Laughton Ct	0.03	60	R			From: 20-3005					NA	NA			1994
						To: Cul-de-Sac									
3007 Ashmeade Pl	0.03	70	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3007									
3008 Smoketree Cr	0.05	60	R			From: 20-2770					NA	NA			05/09/2000
						To: Cul-de-Sac									
3009 Smoketree Tr	0.06	60	R			From: Cul-de-Sac					NA	NA			05/09/2000
						To: 20-2770									
3010 Rexmoor Pl	0.06	100	R			From: 20-2562					NA	NA			12/04/2000
						To: 20-3011									
3010 Rexmoor Pl	0.04	40	R			From: Cul-de-Sac					NA	NA			12/04/2000
						To: Cul-de-Sac									
3011 Rexmoor Ct	0.04	30	R			From: 20-3010					NA	NA			05/09/2000
						To: Cul-de-Sac									
3012 Durrington Cr	0.04	50	R			From: 20-2566					NA	NA			05/09/2000
						To: Cul-de-Sac									
3013 Durrington Pl	0.04	30	R			From: 20-2566					NA	NA			05/09/2000
						To: Cul-de-Sac									
3014 Plum Ct	0.04	40	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3064									
3015	0.24	2	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3935									
3015	0.24	30	R			From: 20-631					NA	NA			1996
						To: 20-3943									
3015	0.07	950	R			From: 20-3943					NA	NA			1996
						To: 20-3942									
3015	0.13	860	R			From: 20-3942					NA	NA			1996
						To: 20-3940									
3015	0.48	840	R			From: 20-3940					NA	NA			1996
						To: 20-3016									
3015	0.22	760	R			From: 20-3016					NA	NA			1996
						To: 20-3919									
3015	0.19	330	R			From: 20-3019					NA	NA			1996
						To: Dead End									
3015	0.01	320	R			From: Dead End					NA	NA			1996
						To: Dead End									
3016 Rockyrun Rd	0.09	20	R			From: Dead End					NA	NA			1996
						To: 20-3017									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Chesterfield County																
(3016) Rockyrun Rd	0.31	160	R								NA	NA			1996	
				From:	20-3017											
				To:	20-3015											
(3016) Rockyrun Rd	0.24	170	R								NA	NA			1996	
				From:	20-3018											
(3016) Rockyrun Rd	0.01	6	R								NA	NA			1996	
				To:	Dead End											
(3017) Swift Water Rd	0.13	40	R								NA	NA			1996	
				From:	Cul-de-Sac											
				To:	20-3016											
(3018) Rockyrun Ct	0.09	48	R								NA	NA			1996	
				From:	20-3016											
				To:	Cul-de-Sac											
(3019) Skybird Rd	0.11	70	R								NA	NA			12/04/2000	
				From:	Cul-de-Sac											
				To:	20-3020											
(3019) Skybird Rd	0.27	220	R								NA	NA			12/04/2000	
				From:	20-3015											
(3019) Skybird Rd	0.16	70	R								NA	NA			12/04/2000	
				To:	Dead End											
(3020) Skybird Ct	0.08	30	R								NA	NA			1997	
				From:	Cul-de-Sac											
				To:	20-3019											
(3021) Speeks Ct	0.06	130	R								NA	NA			1996	
				From:	Cul-de-Sac											
				To:	20-3022											
(3021) Speeks Ct	0.06	190	R								NA	NA			1996	
				To:	20-3036											
(3022) Reginald Ct	0.03	50	R								NA	NA			1996	
				From:	20-3021											
				To:	Cul-de-Sac											
(3023) Irongate Square	0.09	110	R								NA	NA			1996	
				From:	Cul-de-Sac											
				To:	20-3025											
(3024) Turngate Rd	0.14	120	R								NA	NA			1996	
				From:	20-3039											
				To:	20-3035											
(3025) Irongate Dr	0.46	2000	R								NA	NA			1994	
				From:	SR 10 Iron Bridge Rd											
				To:	20-3028 Gateline Dr											
(3025) Irongate Dr	0.51	3300	G	98%	0%	1%	0%	0%	0%	F	370	G	3500	G	2001	
				To:	20-641 Beulah Rd											
(3026)	0.06	90	R								NA	NA			1996	
				From:	Cul-de-Sac											
				To:	20-3025											
(3026)	0.07	70	R								NA	NA			1996	
				From:	20-3025											
				To:	Dead End											
(3027) Briaroak Rd	0.11	120	R								NA	NA			1996	
				From:	Cul-de-Sac											
				To:	20-3025											
(3028) Gateline Dr	0.05	210	R								NA	NA			1996	
				From:	20-3961											
				To:	20-3029											
(3028) Gateline Dr	0.10	320	R								NA	NA			1996	
				From:	20-3029											
				To:	20-3025											

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3028) Gateline Dr	0.17	230	R			From: 20-325					NA	NA			1996
(3028) Gateline Dr	0.08	60	R			To: 20-3031					NA	NA			1996
(3029) Graymoss Dr	0.06	60	R			To: Dead End					NA	NA			1996
(3029) Graymoss Dr	0.08	110	R			From: Cul-de-Sac					NA	NA			1996
(3029) Graymoss Dr	0.08	110	R			To: 20-3024					NA	NA			1996
(3029) Graymoss Dr	0.06	180	R			From: 20-3028					NA	NA			1996
(3029) Graymoss Dr	0.05	200	R			To: 20-3960					NA	NA			1996
(3030) Turnaway Ln	0.09	160	R			From: 20-3025					NA	NA			1996
(3030) Turnaway Ln	0.05	30	R			To: 20-3031					NA	NA			1996
(3031) Bryanbell Dr	0.06	70	R			To: Dead End					NA	NA			1996
(3031) Bryanbell Dr	0.06	70	R			From: 20-3030					NA	NA			05/15/2000
(3031) Bryanbell Dr	0.06	70	R			To: 20-3032					NA	NA			05/15/2000
(3031) Bryanbell Dr	0.13	50	R			From: 20-3028					NA	NA			05/15/2000
(3031) Bryanbell Dr	0.10	90	R			To: 20-3938					NA	NA			05/15/2000
(3031) Bryanbell Dr	0.11	120	R			From: 20-3937					NA	NA			05/15/2000
(3032) Ironside Dr	0.03	20	R			To: Cul-de-Sac					NA	NA			1996
(3033) Tevis Ln	0.08	140	R			From: 20-3031					NA	NA			1996
(3034) Lynport Ct	0.06	80	R			To: Dead End					NA	NA			10/02/2000
(3035) Tanya Tr	0.11	160	R			From: 20-2606					NA	NA			1997
(3036) Speeks Dr	0.26	4100	R			To: Cul-de-Sac					NA	NA			1997
(3036) Speeks Dr	0.10	4600	R			From: Dead End					NA	NA			1997
(3036) Speeks Dr	0.08	3200	R			To: US 360					NA	NA			1997
(3036) Speeks Dr	0.09	2600	R			From: 20-3320					NA	NA			1997
(3036) Speeks Dr	0.13	2300	R			To: 20-3315					NA	NA			1997
(3036) Speeks Dr	0.13	2300	R			From: 20-3021					NA	NA			1997
(3036) Speeks Dr						To: 20-2606									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3036 Speeks Dr	0.27	480	R			From: 20-2606					NA	NA			1997
						To: Cul-de-Sac									
3037 Silliman Ct	0.11	120	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-2193									
3038 Springshire Dr	0.08	100	R			From: 20-1663					NA	NA			07/19/2000
						To: Dead End									
3039 Shaun Ct	0.04	70	R			From: 20-1663					NA	NA			07/19/2000
						To: Cul-de-Sac									
3040 Glisson Rd	0.04	120	R			From: 20-1663					NA	NA			1997
						To: Dead End									
3041 Welch Ct	0.12	110	R			From: 20-2199					NA	NA			1994
						To: Cul-de-Sac									
3042 Remora Dr	0.12	470	R			From: SR 145					NA	NA			09/28/2000
						To: 20-3043									
3042 Remora Dr	0.07	560	R			From: 20-1996					NA	NA			09/28/2000
						To: 20-1905									
3042 Remora Dr	0.12	320	R			From: 20-1905					NA	NA			09/28/2000
						To: 20-3042									
3043 Tithonia Cr	0.05	60	R			From: Cul-de-Sac					NA	NA			09/28/2000
						To: Cul-de-Sac									
3044 Warson Ct	0.08	110	R			From: Cul-de-Sac					NA	NA			09/28/2000
						To: 20-1905									
3045 Dulverton Cr	0.05	90	R			From: Cul-de-Sac					NA	NA			09/28/2000
						To: 20-1905									
3046 Chatteris Pl	0.12	150	R			From: Cul-de-Sac					NA	NA			09/28/2000
						To: 20-2004									
3047 Queensway Rd	0.12	140	R			From: Dead End					NA	NA			1997
						To: 20-3049									
3047 Queensway Rd	0.06	250	R			From: 20-3048					NA	NA			1997
						To: 20-1825									
3047 Queensway Rd	0.06	430	R			From: 20-1848					NA	NA			1997
						To: Cul-de-Sac									
3048 Queensway Ct	0.06	120	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3047									
3049 Paddenswick Ct	0.04	50	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3047									
3050	0.04	1300	R			From: 20-650					NA	NA			1994
						To: 20-3051									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3051) Stevens Hollow Dr	0.09	760	R			From: 20-3050 BEGIN LOOP					NA		NA		10/10/2000
(3051) Stevens Hollow Dr	0.05	620	R			To: 20-3056 SOUTH					NA		NA		10/10/2000
(3051) Stevens Hollow Dr	0.17	410	R			From: 20-3055					NA		NA		10/10/2000
(3051) Stevens Hollow Dr	0.11	310	R			To: 20-3056 NE					NA		NA		10/10/2000
(3051) Stevens Hollow Dr	0.20	290	R			From: 20-3057					NA		NA		10/10/2000
(3051) Stevens Hollow Dr	0.07	570	R			To: 20-3052					NA		NA		10/10/2000
(3051) Stevens Hollow Dr						From: 20-3050 END LOOP									
(3052) Hollow Wood Ct	0.04	60	R			To: Cul-de-Sac					NA		NA		10/10/2000
(3053) Belfield Ct	0.13	130	R			From: 20-1845					NA		NA		05/15/2000
(3054)	0.09	90	R			To: Cul-de-Sac					NA		NA		05/15/2000
(3054)	0.14	150	R			From: 20-1845					NA		NA		05/15/2000
(3055) Stevens Wood Ct	0.03	60	R			To: Dead End					NA		NA		05/15/2000
(3056) Sexton Dr	0.26	620	R			From: 20-3051					NA		NA		10/10/2000
(3056) Sexton Dr	0.03	100	R			To: Cul-de-Sac					NA		NA		10/10/2000
(3057) Hollow Branch Ct	0.09	80	R			From: 20-3051					NA		NA		10/10/2000
(3058) Lightwood Ct	0.06	90	R			To: Cul-de-Sac					NA		NA		05/22/2000
(3059) Pullbrooke Dr	0.12	120	R			From: 20-2222					NA		NA		07/26/2000
(3060) Telstar Dr	0.15	270	R			To: 20-1848					NA		NA		09/28/2000
(3061) Greatbridge Rd	0.07	110	R			From: 20-3064					NA		NA		09/28/2000
(3061) Greatbridge Rd	0.06	280	R			To: 20-2847					NA		NA		09/28/2000
(3061) Greatbridge Rd	0.09	240	R			From: Cul-de-Sac					NA		NA		09/28/2000
(3061) Greatbridge Rd	0.06	130	R			To: 20-3064					NA		NA		09/28/2000
(3061) Greatbridge Rd						From: 20-3063					NA		NA		09/28/2000
(3061) Greatbridge Rd						To: 20-3062					NA		NA		09/28/2000
(3061) Greatbridge Rd						From: 20-3062					NA		NA		09/28/2000
(3061) Greatbridge Rd						To: 20-2847					NA		NA		09/28/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3061 Greatbridge Rd	0.07	100	R			From: 20-2847					NA	NA			09/28/2000
3061 Greatbridge Rd	0.01	30	R			From: 20-1910					NA	NA			09/28/2000
						To: Dead End									
3062 Greatbridge Ct	0.07	110	R			From: 20-3061					NA	NA			09/28/2000
						To: Cul-de-Sac									
3063 Greatbridge Tr	0.07	130	R			From: 20-3061					NA	NA			09/28/2000
						To: Cul-de-Sac									
3064 Plum St	0.13	490	R			From: 20-3061					NA	NA			09/28/2000
3064 Plum St	0.11	860	R			From: 20-3060					NA	NA			09/28/2000
						To: 20-750									
3065 Cedarbend Ln	0.12	100	R			From: 20-1908					NA	NA			09/28/2000
						To: 20-1910									
3066 Bent Wood Ct	0.04	60	R			From: 20-1908					NA	NA			09/28/2000
						To: Cul-de-Sac									
3067 Forest Acres Ln	0.12	220	R			From: 20-750					NA	NA			09/28/2000
						To: 20-1908									
3068 Laurel Oak Rd	0.12	190	R			From: Cul-de-Sac					NA	NA			07/19/2000
						To: 20-3073									
3068 Laurel Oak Rd	0.14	440	R			From: 20-3072					NA	NA			07/19/2000
						To: 20-3072									
3068 Laurel Oak Rd	0.14	650	R			From: 20-2884					NA	NA			07/19/2000
						To: 20-2884									
3068 Laurel Oak Rd	0.18	920	R			From: 20-3071					NA	NA			07/19/2000
						To: 20-3071									
3068 Laurel Oak Rd	0.05	1100	R			From: 20-3070					NA	NA			07/19/2000
						To: 20-3070									
3068 Laurel Oak Rd	0.03	1200	R			From: 20-3069					NA	NA			07/19/2000
						To: 20-637									
3069 Laurel Oak Ct	0.06	130	R			From: Cul-de-Sac					NA	NA			07/19/2000
						To: 20-3068									
3070 Water Oak Ct	0.06	80	R			From: Cul-de-Sac					NA	NA			07/19/2000
						To: 20-3068									
3071 Laurel Oak Cr	0.04	46	R			From: Cul-de-Sac					NA	NA			07/19/2000
						To: 20-3068									
3072 Blue Oak Ct	0.04	60	R			From: Cul-de-Sac					NA	NA			07/19/2000
						To: 20-3068									
3073 Emory Oak Ln	0.14	270	R			From: 20-3068					NA	NA			1994
						To: 20-2868									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3073) Emory Oak Ln	0.05	60	R			From: 20-2868					NA	NA			1994
						To: Cul-de-Sac									
(3074) Hollow Ridge Ct	0.03	70	R			From: 20-3051					NA	NA			05/15/2000
						To: Cul-de-Sac									
(3075) Black Oak Rd	0.07	660	R			From: 20-642					NA	NA			05/15/2000
(3075) Black Oak Rd	0.17	440	R			From: 20-3076					NA	NA			05/15/2000
(3075) Black Oak Rd	0.21	20	R			From: 20-1845					NA	NA			05/15/2000
						To: Cul-de-Sac									
(3076) Bur Oak Ln	0.05	60	R			From: Dead End					NA	NA			05/15/2000
(3076) Bur Oak Ln	0.07	180	R			From: 20-3075					NA	NA			05/15/2000
(3076) Bur Oak Ln	0.06	70	R			From: 20-3077					NA	NA			05/15/2000
						To: Dead End									
(3077) Bur Oak Ct	0.06	60	R			From: 20-3076					NA	NA			05/15/2000
						To: Cul-de-Sac									
(3078) Oak Water Rd	0.07	100	R			From: 20-2620					NA	NA			12/04/2000
						To: 20-3079									
(3079) Oak Water Ct	0.08	80	R			From: 20-3078					NA	NA			12/04/2000
						To: Cul-de-Sac									
(3080) Lakeforest Dr	0.29	300	R			From: Cul-de-Sac					NA	NA			12/04/2000
						To: 20-2620									
(3081)	0.18	1700	R			From: 20-647					NA	NA			06/07/2000
(3081)	0.05	1600	R			From: 20-3195					NA	NA			06/07/2000
(3081)	0.16	1100	R			From: 20-3196					NA	NA			06/07/2000
(3081)	0.04	1300	R			From: 0.03 MN 20-3198					NA	NA			06/07/2000
(3081)	0.08	1300	R			From: 20-3085					NA	NA			06/07/2000
(3081)	0.09	1300	R			From: 20-3084					NA	NA			06/05/2000
(3081)	0.06	1500	R			From: 20-3083					NA	NA			06/05/2000
(3081)	0.07	1600	R			From: 20-3082					NA	NA			06/05/2000
						To: 20-678									
(3082) Shadymist Ct	0.04	70	R			From: 20-3081					NA	NA			06/05/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3083	Woodyshade Cr	0.12	170	R							NA	NA			06/05/2000
						From: Cul-de-Sac									
						To: 20-3081									
3084	Shadymist Tr	0.03	45	R							NA	NA			06/05/2000
						From: 20-3081									
						To: Cul-de-Sac									
3085	Treewood Ln	0.07	70	R							NA	NA			06/07/2000
						From: Dead End									
3085	Treewood Ln	0.09	100	R							NA	NA			06/07/2000
						From: 20-3081									
						To: Dead End									
3086	Twilight Ln	0.07	370	R							NA	NA			06/07/2000
						From: 20-3727									
3086	Twilight Ln	0.08	270	R							NA	NA			06/07/2000
						From: 20-3721									
3086	Twilight Ln	0.05	240	R							NA	NA			06/07/2000
						From: 20-3720									
3086	Twilight Ln	0.12	130	R							NA	NA			06/07/2000
						From: 20-3195									
						To: Dead End									
3087	Tokay Rd	0.04	40	R							NA	NA			1996
						From: Dead End									
3087	Tokay Rd	0.09	180	R							NA	NA			1996
						From: 20-3088									
						To: 20-2790									
3088	Tokay Ct	0.18	80	R							NA	NA			1996
						From: Cul-de-Sac									
						To: 20-3087									
3089	Ridgerun Ct	0.03	30	R							NA	NA			1996
						From: 20-3091									
						To: Cul-de-Sac									
3090	Brookridge Rd	0.07	70	R							NA	NA			1996
						From: Dead End									
3090	Brookridge Rd	0.04	400	R							NA	NA			1996
						From: 20-4134									
3090	Brookridge Rd	0.07	420	R							NA	NA			1996
						From: 20-3160									
3090	Brookridge Rd	0.18	530	R							NA	NA			1996
						From: 20-3159									
3090	Brookridge Rd	0.08	740	R							NA	NA			1996
						From: 20-3092									
						To: 20-2790									
3091	Ridgerun Rd	0.10	130	R							NA	NA			1996
						From: Cul-de-Sac									
3091		0.16	90	R							NA	NA			1996
						From: 20-3094									
3091	Ridgerun Rd	0.08	400	R							NA	NA			1996
						From: 20-3092									
3091	Ridgerun Rd	0.27	650	R							NA	NA			1996
						From: 20-2790									
3091	Ridgerun Rd	0.03	970	R							NA	NA			1996
						From: 20-3089									
						To: 20-653									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3091 Ridgerun Rd	0.05	570	R			From: 20-653					NA		NA		1996
3091 Ridgerun Rd	0.08	420	R			To: 20-4530					NA		NA		1996
3091 Ridgerun Rd	0.13	160	R			From: 20-4531					NA		NA		1996
						To: Cul-de-Sac									
3092 Oakforest Dr	0.03	3	R			From: Dead End					NA		NA		1996
3092 Oakforest Dr	0.21	460	R			To: 20-3099					NA		NA		1996
3092 Oakforest Dr	0.06	420	R			From: 20-3543					NA		NA		1996
3092 Oakforest Dr	0.08	370	R			To: 20-3091					NA		NA		1996
3092 Oakforest Dr	0.08	370	R			From: 20-3094					NA		NA		1996
3092 Oakforest Dr	0.06	400	R			To: 20-3093					NA		NA		1996
						From: 20-3090									
3093 Oakforest Ct	0.07	49	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3092									
3094 Timberun Rd	0.04	40	R			From: Cul-de-Sac					NA		NA		1996
3094 Timberun Rd	0.14	150	R			To: 20-3091					NA		NA		1996
3094	0.07	140	R			From: 20-3556					NA		NA		1996
						To: 20-3092									
3095 Gention Rd	0.05	1100	R			From: 20-3097 SOUTH					NA		NA		1996
3095 Gention Rd	0.04	420	R			To: 0.05 MN 20-3097					NA		NA		1996
3095 Gention Rd	0.10	490	R			From: 20-3098					NA		NA		1996
3095 Gention Rd	0.09	990	R			To: 20-3097 NORTH					NA		NA		1996
3095 Gention Rd	0.03	1600	R			From: 20-3096					NA		NA		1996
						To: 20-604									
3096 Gention Ct	0.08	90	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3095									
3097 Genlou Rd	0.15	170	R			From: Cul-de-Sac					NA		NA		1996
3097 Genlou Rd	0.05	940	R			To: 20-3095 SOUTH					NA		NA		1996
3097 Genlou Rd	0.11	340	R			From: 20-3542					NA		NA		1996
3097 Genlou Rd	0.06	400	R			To: 20-3541					NA		NA		1996
						From: 20-3540									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3097 Genlou Rd	0.11	450	R			From: 20-3540					NA		NA		1996
						To: 20-3095 NORTH									
3098 Gention Pl	0.04	48	R			From: 20-3095					NA		NA		1996
						To: Cul-de-Sac									
3099 Andradell Ln	0.10	250	R			From: 20-2790					NA		NA		12/04/2000
						To: 20-3092									
3099 Andradell Ln	0.10	160	R			From: 20-3092					NA		NA		12/04/2000
						To: 20-3543									
3100 Pleasanthill Ct	0.05	80	R			From: Cul-de-Sac					NA		NA		05/09/2000
						To: 20-2779									
3101 Smoketree Pl	0.05	80	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-2770									
3102 Gordon School Ct	0.04	60	R			From: 20-2776					NA		NA		1997
						To: Cul-de-Sac									
3103 Mountain Laurel Dr	0.15	320	R			From: 20-2780					NA		NA		05/09/2000
						To: 20-3104									
3103 Mountain Laurel Dr	0.12	240	R			From: 20-3104					NA		NA		05/09/2000
						To: 20-2776									
3103 Mountain Laurel Dr	0.07	80	R			From: 20-2776					NA		NA		05/09/2000
						To: Cul-de-Sac									
3104 Mountain Laurel Ct	0.04	60	R			From: 20-3103					NA		NA		05/09/2000
						To: Cul-de-Sac									
3105	0.08	230	R			From: Dead End					NA		NA		05/09/2000
						To: 20-3107									
3105 Yucca Dr	0.03	340	R			From: 20-3107					NA		NA		05/09/2000
						To: 20-3106									
3105 Yucca Dr	0.10	540	R			From: 20-3106					NA		NA		05/09/2000
						To: 20-2780									
3106 Yucca Ln	0.07	90	R			From: 20-3105					NA		NA		05/09/2000
						To: Cul-de-Sac									
3107 Yucca Ct	0.08	100	R			From: Cul-de-Sac					NA		NA		05/09/2000
						To: 20-3105									
3108 Sunflower Ln	0.24	310	R			From: 20-2780					NA		NA		05/09/2000
						To: Cul-de-Sac									
3109 Glenpark Ln	0.09	180	R			From: 20-1074					NA		NA		05/09/2000
						To: 20-3518									
3109 Glenpark Ln	0.09	230	R			From: 20-3518					NA		NA		05/09/2000
						To: 20-3516									
3109 Glenpark Ln	0.06	330	R			From: 20-3516					NA		NA		05/09/2000
						To: 20-3515									
3109 Glenpark Ln	0.08	370	R			From: 20-3515					NA		NA		05/09/2000
						To: 20-3514									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3109	Glenpark Ln	0.06	400	R			From: 20-3514				NA		NA		05/09/2000
3109	Glenpark Ln	0.08	230	R			To: 20-1079				NA		NA		05/09/2000
3109	Glenpark Ln	0.13	110	R			From: 20-3110				NA		NA		05/09/2000
							To: Dead End								
3110	Glenpark Ct	0.03	40	R			From: Cul-de-Sac				NA		NA		05/09/2000
							To: 20-3109								
3111	Karma Rd	0.08	300	R			From: 20-1657				NA		NA		1986
3111	Karma Rd	0.14	46	R			To: 20-3112				NA		NA		12/04/2000
							To: Dead End								
3112	Kralan Dr	0.07	100	R			From: 20-1592				NA		NA		12/04/2000
3112	Kralan Dr	0.07	120	R			To: 20-3113				NA		NA		12/04/2000
							To: 20-3111								
3113	Kralan Ct	0.10	90	R			From: 20-3112				NA		NA		12/04/2000
							To: Cul-de-Sac								
3114	Teterling Rd	0.07	47	R			From: Dead End				NA		NA		12/04/2000
3114	Teterling Rd	0.14	260	R			To: 20-3115				NA		NA		12/04/2000
3114	Teterling Rd	0.13	110	R			From: 20-1592				NA		NA		12/04/2000
							To: Dead End								
3115	Teterling Ct	0.15	130	R			From: Cul-de-Sac				NA		NA		12/04/2000
							To: 20-3114								
3116	Rossmere Dr	0.11	270	R			From: 20-1073				NA		NA		1994
3116	Rossmere Dr	0.10	140	R			To: 20-3133				NA		NA		1994
3116	Rossmere Dr	0.06	100	R			From: 20-3119				NA		NA		1994
3116	Rossmere Dr	0.09	80	R			To: 20-1070				NA		NA		1994
							To: Dead End								
3117	Ashtree Pl	0.05	50	R			From: 20-1073				NA		NA		1994
							To: Cul-de-Sac								
3118	Great Branch Dr	0.25	290	R			From: Dead End				NA		NA		12/04/2000
3118	Great Branch Dr	0.17	200	R			To: 20-1521				NA		NA		12/04/2000
							To: Cul-de-Sac								
3119	Rossmere Cr	0.03	49	R			From: Cul-de-Sac				NA		NA		1994
							To: 20-3116								

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3120 Fort Sumter Rd	0.06	160	R			From: 20-3121					NA		NA		07/10/2000
						To: 20-907									
3121 Fort Sumter Ct	0.04	80	R			From: Dead End					NA		NA		07/10/2000
3121 Fort Sumter Ct	0.04	40	R			From: 20-3120					NA		NA		07/10/2000
						To: Dead End									
3122 Dehaviland Dr	0.11	390	R			From: 20-907					NA		NA		1994
						To: 20-839; 20-3128									
3123 Twelveoaks Rd	0.08	180	R			From: 20-3124					NA		NA		07/10/2000
3123 Twelveoaks Rd	0.09	230	R			From: 20-4372					NA		NA		07/10/2000
3123 Twelveoaks Rd	0.16	440	R			From: 20-4371					NA		NA		07/10/2000
3123 Twelveoaks Rd	0.22	710	R			From: 20-3127					NA		NA		07/10/2000
3123 Twelveoaks Rd	0.17	980	R			From: 20-907					NA		NA		07/10/2000
						To: 20-651									
3124 Glen Tara Dr	0.11	50	R			From: 20-3123					NA		NA		07/10/2000
3124 Glen Tara Dr	0.14	160	R			From: 20-4373					NA		NA		07/10/2000
3124 Glen Tara Dr	0.06	280	R			From: 20-4371					NA		NA		07/10/2000
3124	0.10	430	R			From: 20-4370					NA		NA		07/10/2000
3124 Glen Tara Dr	0.10	570	R			From: 20-3127					NA		NA		07/10/2000
3124 Glen Tara Dr	0.08	640	R			From: 20-3125					NA		NA		07/10/2000
3124 Glen Tara Dr	0.15	740	R			From: 20-907					NA		NA		07/10/2000
						To: 20-651									
3125 Ashleywilkes Ln	0.06	180	R			From: 20-3124					NA		NA		07/10/2000
3125 Ashleywilkes Ln	0.05	70	R			From: 20-3126					NA		NA		07/10/2000
						To: Cul-de-Sac									
3126	0.07	50	R			From: 20-3127					NA		NA		07/10/2000
						To: 20-3125									
3127 White Manor Ln	0.06	100	R			From: 20-3123					NA		NA		07/10/2000
3127	0.06	70	R			From: 20-3124					NA		NA		07/10/2000
						To: 20-3126									
3128 Southernbelle Ln	0.07	110	R			From: Cul-de-Sac					NA		NA		07/10/2000
						To: 20-3129									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3128 Southernbelle Ln	0.06	260	R			From: 20-3129					NA		NA		07/10/2000
						To: 20-839; 20-3122									
3129 Southernbelle Ct	0.05	80	R			From: Cul-de-Sac					NA		NA		1986
						To: 20-3128									
3130 Reinhold Dr	0.16	130	R			From: 20-719					NA		NA		1997
						To: 20-3131									
3131 Van Nostrand Ln	0.09	46	R			From: 20-3132					NA		NA		1997
						To: 20-3130									
3132 Hagerty Ln	0.20	250	R			From: 20-719					NA		NA		1996
						To: 20-3131									
3132 Hagerty Ln	0.17	70	R			From: Cul-de-Sac					NA		NA		1996
						To: Cul-de-Sac									
3133 Rossmere Ct	0.06	46	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3116									
3134 Dawnwood Tr	0.07	90	R			From: 20-1390					NA		NA		1994
						To: Cul-de-Sac									
3135 Glenpark Ln	0.06	70	R			From: Cul-de-Sac					NA		NA		10/23/2000
						To: 20-3136									
3135 Glenpark Ln	0.06	140	R			From: 20-1385					NA		NA		10/23/2000
						To: 20-3505									
3135 Glenpark Ln	0.05	620	R			From: 20-3505					NA		NA		10/23/2000
						To: 20-3506									
3135 Glenpark Ln	0.06	190	R			From: 20-3506					NA		NA		10/23/2000
						To: 20-1074									
3136 Glenpark Cr	0.03	40	R			From: 20-3135					NA		NA		10/23/2000
						To: Cul-de-Sac									
3137 Planters Row Dr	0.07	70	R			From: Cul-de-Sac					NA		NA		10/23/2000
						To: 20-3139									
3137 Planters Row Dr	0.21	170	R			From: 20-3138					NA		NA		10/23/2000
						To: 20-1223									
3137 Planters Row Dr	0.09	240	R			From: 20-1223					NA		NA		10/23/2000
						To: Cul-de-Sac									
3138 Planters Row Ct	0.04	47	R			From: Cul-de-Sac					NA		NA		10/23/2000
						To: 20-3137									
3139 Thornleigh Rd	0.39	430	R			From: Dead End					NA		NA		10/23/2000
						To: 20-728									
3139 Thornleigh Rd	0.07	70	R			From: 20-3137					NA		NA		10/23/2000
						To: 20-3142									
3140 Glenlivet Dr	0.15	190	R			From: 20-3142					NA		NA		12/06/2000
						To: 20-3141									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3140	Glenlivet Dr	0.07	430	R							NA	NA			12/06/2000
						From: 20-3141									
						To: 20-722									
3141	Glenlivet Ct	0.08	90	R							NA	NA			12/06/2000
						From: 20-3140									
						To: Cul-de-Sac									
3142	Shire Oak Dr	0.10	80	R							NA	NA			12/06/2000
						From: Dead End									
3142	Shire Oak Dr	0.09	100	R							NA	NA			12/06/2000
						From: 20-3140									
						To: 20-3143									
3143	Perthwood Ln	0.04	20	R							NA	NA			12/06/2000
						From: Dead End									
3143	Perthwood Ln	0.15	90	R							NA	NA			12/06/2000
						From: 20-3142									
3143	Perthwood Ln	0.05	80	R							NA	NA			12/06/2000
						From: 20-3144									
						To: Dead End									
3144	Perthshire St	0.09	360	R							NA	NA			1994
						From: 20-3143									
						To: 20-722									
3145	Old Mesa Dr	0.11	90	R							NA	NA			1994
						From: 20-2447									
						To: Dead End									
3146	Shanto Ct	0.15	150	R							NA	NA			1994
						From: Cul-de-Sac									
						To: 20-2447									
3147	Bluespruce Dr	0.10	100	R							NA	NA			09/26/2000
						From: Cul-de-Sac									
						To: 20-611									
3148	Madison Ct	0.06	50	R							NA	NA			12/04/2000
						From: Dead End									
3148	Madison Ct	0.05	49	R							NA	NA			12/04/2000
						From: 20-1314									
						To: Dead End									
3149	Rabbit Run	0.07	70	R							NA	NA			12/04/2000
						From: Dead End									
3149	Rabbit Run	0.05	60	R							NA	NA			12/04/2000
						From: 20-1314									
						To: Cul-de-Sac									
3150	Greenyard Rd	0.34	80	R							NA	NA			1996
						From: Dead End									
						To: SR 10									
3151	Meterie Ct	0.04	60	R							NA	NA			1996
						From: 20-2301									
						To: Cul-de-Sac									
3152		0.01	330	R							NA	NA			1996
						From: 20-3169									
3152		0.18	20	R							NA	NA			1996
						From: .01 ME 20-3169									
						To: Cul-de-Sac									
3153	Simplicity Ct	0.09	140	R							NA	NA			1996
						From: 20-2089									
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3154	Husting Rd	0.06	2100	R							NA	NA			1996
						From	20-903								
3154	Husting Rd	0.11	1900	R							NA	NA			1996
						From	20-3155								
						To	20-3158								
3154	Husting Rd	0.06	1800	R							NA	NA			1996
						From	20-3198								
						To	20-4692								
3154	Husting Rd	0.06	410	R							NA	NA			1996
						From	20-3916								
						To	20-3915								
3155	Husting Ct	0.07	120	R							NA	NA			1996
						From	Cul-de-Sac								
						To	20-3154								
3156	Rams Crossing	0.18	110	R							NA	NA			1996
						From	Cul-de-Sac								
						To	20-3749								
3156	Rams Crossing	0.05	150	R							NA	NA			1996
						From	20-2682								
						To	20-3157								
3156	Rams Crossing	0.13	270	R							NA	NA			1996
						From	20-3157								
						To	20-3161								
3157	Torquay Lp	0.18	130	R							NA	NA			07/05/2000
						From	Cul-de-Sac								
						To	20-3156								
3158	Nott Ln	0.04	2900	R							NA	NA			1996
						From	20-145								
						To	20-928								
3158	Nott Ln	0.11	2700	R							NA	NA			1996
						From	20-3154								
						To	Dead End								
3159	Brookridge Wy	0.04	60	R							NA	NA			1996
						From	Cul-de-Sac								
						To	20-3090								
3160	Brookridge Pl	0.03	49	R							NA	NA			1996
						From	Cul-de-Sac								
						To	20-3090								
3161	Libro Lp	0.12	2300	R							NA	NA			1996
						From	20-648								
						To	20-647								
3162	Pennbrook Dr	0.05	40	R							NA	NA			1997
						From	Dead End								
						To	20-3163								
3162	Pennbrook Dr	0.16	340	R							NA	NA			1997
						From	20-2181								
						To	20-3162								
3163	Pennbrook Ct	0.10	90	R							NA	NA			1997
						From	20-3162								
						To	Cul-de-Sac								
3164	Brickhaven Dr	0.16	200	R							NA	NA			1996
						From	20-2181								
						To	Cul-de-Sac								

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3165) Hallmark Dr	0.07	910	R			From: 20-3169					NA	NA			1996
(3165) Hallmark Dr	0.14	880	R			To: 20-3168					NA	NA			1996
(3165) Hallmark Dr	0.04	1900	R			From: 20-3167					NA	NA			1996
(3165) Hallmark Dr	0.06	2100	R			To: 20-3166					NA	NA			1996
						From: 20-2301									
(3166) Hallmark Ct	0.03	500	R			To: 20-3165					NA	NA			1996
						From: Cul-de-Sac									
(3167) Hallmark Cr	0.03	120	R			To: 20-3165					NA	NA			1996
						From: Cul-de-Sac									
(3168) Hallmark Tr	0.04	230	R			To: 20-3165					NA	NA			1996
						From: Dead End									
(3169) Brambleton Rd	0.03	20	R			To: 20-4436					NA	NA			05/11/2000
(3169) Brambleton Rd	0.14	330	R			From: 20-3152					NA	NA			05/11/2000
(3169) Brambleton Rd	0.08	730	R			To: 20-2301					NA	NA			05/11/2000
(3169) Brambleton Rd	0.08	140	R			From: 20-3165					NA	NA			05/11/2000
(3169) Brambleton Rd	0.05	80	R			To: Dead End					NA	NA			05/11/2000
						From: Cul-de-Sac									
(3170)	0.28	60	R			To: 20-2238					NA	NA			1997
(3170) Litchfield Dr	0.13	1000	R			From: 20-2237					NA	NA			1997
(3170) Litchfield Dr	0.27	1100	R			To: 20-3171					NA	NA			1997
(3170) Litchfield Dr	0.09	2600	R			From: 20-649									
						To: Cul-de-Sac									
(3171) Buttermere Ct	0.09	70	R			To: 20-3170					NA	NA			1997
						From: Cul-de-Sac									
(3172) Hadley Ln	0.07	100	R			To: 20-2237					NA	NA			1997
						From: 20-2238									
(3173) Brixton Rd	0.13	290	R			To: 20-3174					NA	NA			05/11/2000
(3173) Brixton Rd	0.16	180	R			From: Cul-de-Sac					NA	NA			05/11/2000
						To: 20-2238									
(3174) Collingswood Dr	0.22	240	R			To: 20-3173					NA	NA			05/11/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3175) Goldenbrook Dr	0.39	220	R			From: Dead End					NA		NA		1996
(3175) Goldenbrook Dr	0.04	280	R			To: 20-3177					NA		NA		1996
(3175) Goldenbrook Dr	0.17	310	R			From: 20-3176					NA		NA		1996
(3175) Goldenbrook Dr	0.04	330	R			To: 20-3179					NA		NA		1996
(3175) Goldenbrook Dr	0.07	590	R			From: 20-3178					NA		NA		1996
(3175) Goldenbrook Dr						To: 20-654									
(3176) Goldenbrook Ct	0.06	40	R			From: 20-3175					NA		NA		1996
(3176) Goldenbrook Ct						To: Cul-de-Sac									
(3177) Edgecliff Ln	0.13	90	R			From: 20-3175					NA		NA		1996
(3177) Edgecliff Ln						To: Cul-de-Sac									
(3178) Cloverfield Cr	0.06	40	R			From: 20-3175					NA		NA		1996
(3178) Cloverfield Cr						To: Cul-de-Sac									
(3179) Cloverfield Ct	0.05	40	R			From: Cul-de-Sac					NA		NA		1996
(3179) Cloverfield Ct						To: 20-3175									
(3180) Hackney Cr	0.11	130	R			From: Cul-de-Sac					NA		NA		1994
(3180) Hackney Cr						To: 20-2326									
(3181) La Rosa Rd	0.09	80	R			From: 20-2124					NA		NA		11/14/2000
(3181) La Rosa Rd						To: 20-2122									
(3182) Crumpland Rd	0.39	420	R			From: 20-653					NA		NA		1996
(3182) Crumpland Rd						To: 20-3226									
(3183) Chester Station Dr	0.08	120	R			From: Cul-de-Sac					NA		NA		12/06/2000
(3183) Chester Station Dr	0.06	250	R			To: 20-3185					NA		NA		12/06/2000
(3183) Chester Station Dr	0.16	510	R			From: 20-3184					NA		NA		12/06/2000
(3183) Chester Station Dr						To: SR 144									
(3184) Coastline Cr	0.05	80	R			From: 20-3183					NA		NA		12/06/2000
(3184) Coastline Cr						To: Cul-de-Sac									
(3185) Railgate Tr	0.05	90	R			From: 20-3183					NA		NA		12/06/2000
(3185) Railgate Tr						To: Cul-de-Sac									
(3186) Sussex Dr	0.10	220	R			From: 20-3189					NA		NA		1997
(3186) Sussex Dr	0.06	300	R			To: 20-3188					NA		NA		1997
(3186) Sussex Dr	0.09	800	R			From: 20-3187					NA		NA		1997
(3186) Sussex Dr						To: 20-649									
(3187) Sussex Ct	0.05	70	R			From: Cul-de-Sac					NA		NA		05/11/2000
(3187) Sussex Ct						To: 20-3186									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3188 Sussex Pl	0.08	100	R			From: Cul-de-Sac					NA	NA			05/11/2000
						To: 20-3186									
3189 Kempwood Dr	0.05	80	R			From: Cul-de-Sac					NA	NA			05/11/2000
						To: 20-3191									
3189 Kempwood Dr	0.05	190	R			From: 20-3191					NA	NA			05/11/2000
						To: 20-3190									
3189 Kempwood Dr	0.04	370	R			From: 20-3190					NA	NA			05/11/2000
						To: 20-3186									
3190 Kempwood Pl	0.07	70	R			From: Dead End					NA	NA			05/11/2000
						To: 20-3189									
3190 Kempwood Pl	0.05	80	R			From: 20-3189					NA	NA			05/11/2000
						To: Dead End									
3191 Kempwood Ct	0.07	80	R			From: 20-3189					NA	NA			05/11/2000
						To: Cul-de-Sac									
3192 Hilmar Dr	0.06	920	R			From: 20-641					NA	NA			09/26/2000
						To: 20-3193									
3192 Hilmar Dr	0.07	750	R			From: 20-3193					NA	NA			09/26/2000
						To: 20-1972									
3192 Hilmar Dr	0.21	210	R			From: 20-1972					NA	NA			09/26/2000
						To: 20-1973									
3193	0.18	90	R			From: 20-3428					NA	NA			09/26/2000
						To: 20-3192									
3195 Spruce Pine Dr	0.09	120	R			From: Cul-de-Sac					NA	NA			06/07/2000
						To: 20-3081									
3195 Spruce Pine Dr	0.16	770	R			From: 20-3081					NA	NA			06/07/2000
						To: 20-3086									
3196 White Cedar Ln	0.13	300	R			From: 20-3081					NA	NA			06/07/2000
						To: 20-3197									
3196 White Cedar Ln	0.11	140	R			From: 20-3197					NA	NA			06/07/2000
						To: Cul-de-Sac									
3197 White Cedar Ct	0.05	80	R			From: Cul-de-Sac					NA	NA			06/07/2000
						To: 20-3196									
3198 Mountain Pine Tr	0.11	160	R			From: Cul-de-Sac					NA	NA			06/07/2000
						To: 20-3081									
3198 Mountain Pine Tr	0.14	260	R			From: 20-3081					NA	NA			06/07/2000
						To: 20-3199									
3199 Pinchot St	0.10	100	R			From: Cul-de-Sac					NA	NA			06/07/2000
						To: 20-3198									
3199 Pinchot St	0.03	20	R			From: 20-3198					NA	NA			06/07/2000
						To: Dead End									
3200 Harbour Pointe Rd	0.24	370	R			From: Dead End					NA	NA			08/08/2000
						To: 20-3215									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3200) Harbour Pointe Rd	0.11	780	R			From: 20-3215					NA		NA		08/08/2000
(3200) Harbour Pointe Rd	0.29	960	R			To: 20-3213					NA		NA		08/08/2000
(3200) Harbour Pointe Rd	0.04	1200	R			From: 20-3211					NA		NA		08/08/2000
(3200) Harbour Pointe Rd	0.23	1900	R			To: 20-3208					NA		NA		08/08/2000
(3200) Harbour Pointe Rd	0.05	2200	R			From: 20-3205					NA		NA		08/08/2000
(3200) Harbour Pointe Rd	0.06	2500	R			To: 20-3201					NA		NA		08/08/2000
(3200) Harbour Pointe Rd						From: 20-2023									
(3201) Harbour Bluff Rd	0.01	340	R			To: 20-3200					NA		NA		08/08/2000
(3201) Harbour Bluff Rd	0.05	270	R			From: 20-3204					NA		NA		08/08/2000
(3201) Harbour Bluff Rd	0.03	200	R			To: 20-3203					NA		NA		08/08/2000
(3201) Harbour Bluff Rd						From: 20-3202									
(3202) Harbour Bluff Tr	0.07	80	R			To: Dead End					NA		NA		08/08/2000
(3202) Harbour Bluff Tr	0.07	110	R			From: 20-3201					NA		NA		08/08/2000
(3202) Harbour Bluff Tr						To: Dead End									
(3203) Harbour Bluff Ct	0.05	70	R			From: Cul-de-Sac					NA		NA		08/08/2000
(3203) Harbour Bluff Ct						To: 20-3201									
(3204) Harbour Bluff Pl	0.07	60	R			From: 20-3201					NA		NA		08/08/2000
(3204) Harbour Bluff Pl						To: Cul-de-Sac									
(3205) Harbourwood Rd	0.11	120	R			From: Cul-de-Sac					NA		NA		08/08/2000
(3205) Harbourwood Rd	0.03	210	R			To: 20-3206					NA		NA		08/08/2000
(3205) Harbourwood Rd	0.04	270	R			From: 20-3207					NA		NA		08/08/2000
(3205) Harbourwood Rd						To: 20-3200									
(3206) Harbourwood Pl	0.09	100	R			From: 20-3205					NA		NA		08/08/2000
(3206) Harbourwood Pl						To: Cul-de-Sac									
(3207) Harbourwood Ct	0.04	60	R			From: 20-3205					NA		NA		08/08/2000
(3207) Harbourwood Ct						To: Cul-de-Sac									
(3208) Rockport Landing Rd	0.05	70	R			From: Cul-de-Sac					NA		NA		08/08/2000
(3208) Rockport Landing Rd	0.08	140	R			To: 20-3209					NA		NA		08/08/2000
(3208) Rockport Landing Rd	0.06	250	R			From: 20-3210					NA		NA		08/08/2000
(3208) Rockport Landing Rd						To: 20-3200									
(3209) Rockport Landing Ct	0.05	60	R			From: Cul-de-Sac					NA		NA		08/08/2000
(3209) Rockport Landing Ct						To: 20-3208									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3210	Rockport Landing Pl	0.10	80	R			From: 20-3208				NA		NA		08/08/2000
							To: Cul-de-Sac								
3211	Watch Harbour Rd	0.24	100	R			From: BEGIN LOOP				NA		NA		08/08/2000
3211	Watch Harbour Rd	0.08	190	R			From: LOOP END				NA		NA		08/08/2000
3211	Watch Harbour Rd	0.07	270	R			From: 20-3212				NA		NA		08/08/2000
							To: 20-3200								
3212	Watch Harbour Ct	0.07	45	R			From: Cul-de-Sac				NA		NA		08/08/2000
							To: 20-3211								
3213	North Point Rd	0.07	180	R			From: 20-3200				NA		NA		08/08/2000
3213	North Point Rd	0.09	100	R			From: 20-3214				NA		NA		08/08/2000
							To: Cul-de-Sac								
3214	North Point Ct	0.04	47	R			From: Cul-de-Sac				NA		NA		1994
							To: 20-3213								
3215	Bayport Landing Rd	0.04	320	R			From: 20-3200				NA		NA		1994
3215	Bayport Landing Rd	0.09	150	R			From: 20-3216				NA		NA		1994
							To: Cul-de-Sac								
3216	Bayport Landing Tr	0.10	100	R			From: Cul-de-Sac				NA		NA		1994
3216	Bayport Landing Tr	0.05	180	R			From: 20-3217				NA		NA		1994
							To: 20-3215								
3217	Bayport Landing Ct	0.04	50	R			From: Cul-de-Sac				NA		NA		1994
							To: 20-3216								
3218	Sagewood Tr	0.05	240	R			From: 20-3219				NA		NA		1994
							To: 20-2972								
3219	Sagewood Trace	0.04	80	R			From: 0.04 MS 20-3218				NA		NA		1994
3219	Sagewood Trace	0.06	130	R			From: 02-3218				NA		NA		1994
							To: 0.06 MN 02-3218								
3220	Gimbel Dr	0.22	290	R			From: 20-3221				NA		NA		06/28/2000
							To: 20-2413								
3221	Esther Ln	0.05	280	R			From: 20-2413				NA		NA		06/28/2000
3221	Esther Ln	0.06	260	R			From: 20-3222				NA		NA		06/28/2000
3221	Esther Ln	0.09	290	R			From: 20-3223				NA		NA		06/28/2000
3221	Esther Ln	0.06	240	R			From: 20-3220				NA		NA		06/28/2000
							To: 20-2407								

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3222 Esther Ct	0.04	50	R			From: 20-3221					NA		NA		06/28/2000
						To: Cul-de-Sac									
3223 Esther Ct	0.04	20	R			From: 20-3221					NA		NA		1996
						To: Cul-de-Sac									
3224 Promontory Pointe R	0.29	510	R			From: 20-3200					NA		NA		1996
						To: Cul-de-Sac									
3225 Chrisfield Dr	0.05	50	R			From: Dead End					NA		NA		1996
						To: 20-1592									
3225 Chrisfield Dr	0.03	40	R			From: 20-1592					NA		NA		1996
						To: Cul-de-Sac									
3226 Robbie Rd	0.22	260	R			From: 20-3227					NA		NA		1997
						To: 20-3182									
3226 Robbie Rd	0.04	20	R			From: 20-3182					NA		NA		1997
						To: Dead End									
3227 Christina Rd	0.06	20	R			From: Dead End					NA		NA		1997
						To: 20-3226									
3227 Christina Rd	0.13	230	R			From: 20-3226					NA		NA		1997
						To: 20-3228									
3227 Christina Rd	0.17	140	R			From: 20-3228					NA		NA		1997
						To: 20-3229									
3227 Christina Rd	0.07	40	R			From: 20-3229					NA		NA		1997
						To: Cul-de-Sac									
3228 Christina Wy	0.05	30	R			From: 20-3227					NA		NA		1997
						To: Cul-de-Sac									
3229 Christina Ct	0.05	30	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3227									
3230 Heather Stone Dr	0.13	90	R			From: 20-691					NA		NA		1996
						To: Cul-de-Sac									
3231 Austin Ct	0.05	60	R			From: 20-2413					NA		NA		1996
						To: Cul-de-Sac									
3232 Whitley St	0.09	230	R			From: 20-2413					NA		NA		1996
						To: 20-3233									
3232 Whitley St	0.16	150	R			From: 20-3233					NA		NA		1996
						To: Cul-de-Sac									
3233 Whitley Ct	0.06	70	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3232									
3234 Silvertree Ct	0.15	40	R			From: 20-1264					NA		NA		1996
						To: Cul-de-Sac									
3235	0.17	49	R			From: 20-3239					NA		NA		1996
						To: 20-3238									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3235	Fielding Rd	0.18	390	R			From: 20-3238				NA	NA			1996
3235	Fielding Rd	0.13	510	R			To: 20-3237				NA	NA			1996
3235	Fielding Rd	0.09	1300	R			From: 20-3236				NA	NA			1996
							To: 20-619								
3236	Loganwood Dr	0.22	220	R			From: Dead End				NA	NA			1996
3236	Loganwood Dr	0.18	250	R			To: 20-3238				NA	NA			1996
3236	Loganwood Dr	0.18	350	R			From: 20-3237				NA	NA			1996
							To: 20-3235								
3237	Ledgewood Dr	0.06	80	R			From: 20-3236				NA	NA			1996
							To: 20-3235								
3238	Trahern Dr	0.06	180	R			From: 20-3236				NA	NA			1996
							To: 20-3235								
3239	Prairie Wood Rd	0.07	60	R			From: 20-3236				NA	NA			1996
							To: 20-3235								
3240	Jolly Pl	0.10	60	R			From: 20-1656				NA	NA			06/25/2000
							To: Cul-de-Sac								
3241	Rabbit Foot Ln	0.19	250	R			From: END LOOP				NA	NA			1996
3241	Rabbit Foot Ln	0.05	200	R			To: 20-3242				NA	NA			1996
3241	Rabbit Foot Ln	0.16	310	R			From: 20-3243				NA	NA			1996
3241	Rabbit Foot Ln	0.10	590	R			To: BEGIN LOOP				NA	NA			1996
							To: 20-763								
3242	Rabbit Foot Ct	0.08	70	R			From: 20-3241				NA	NA			1997
							To: Cul-de-Sac								
3243	Rabbit Foot Pl	0.05	50	R			From: 20-3241				NA	NA			1997
							To: Cul-de-Sac								
3244	Country Spring Ln	0.10	100	R			From: 20-763				NA	NA			1997
							To: Cul-de-Sac								
3245	Chatham Grove Ln	0.16	160	R			From: Cul-de-Sac				NA	NA			1997
3245	Chatham Grove Ln	0.03	270	R			To: 20-4442				NA	NA			1997
3245	Chatham Grove Ln	0.22	220	R			From: 20-4440				NA	NA			1997
3245	Chatham Grove Ln	0.07	210	R			To: 20-3247				NA	NA			1997
							To: 20-3246								

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3245) Chatham Grove Ln	0.11	700	R			From: 20-3246					NA		NA		1997
						To: 20-763									
(3246) Chatham Grove Pl	0.07	60	R			From: 20-3245					NA		NA		1997
						To: Cul-de-Sac									
(3247) Wind Grove Ct	0.05	70	R			From: 20-3245					NA		NA		1997
						To: Cul-de-Sac									
(3248) Burgess House Ln	0.22	330	R			From: 20-763					NA		NA		1997
						To: 20-3249									
(3248) Burgess House Ln	0.07	60	R			From: 20-3249					NA		NA		1997
						To: Dead End									
(3249) Olde Liberty Rd	0.20	20	R			From: 20-3248					NA		NA		1997
						To: Cul-de-Sac									
(3250) Stirrup Cr	0.09	120	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-2245									
(3251) Scouters Cr	0.07	110	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3252									
(3252) Scouters Pl	0.04	48	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3251									
(3252) Scouters Pl	0.04	60	R			From: 20-3251					NA		NA		1997
						To: 20-2245									
(3253) Boones Trail Cr	0.04	120	R			From: 20-2245					NA		NA		1997
						To: 20-2216									
(3253) Boones Trail Cr	0.08	100	R			From: 20-2216					NA		NA		1997
						To: Cul-de-Sac									
(3254) Conestoga Pl	0.15	200	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-2245									
(3255) Long Tom Ln	0.07	110	R			From: Dead End					NA		NA		1997
						To: 20-3256									
(3255) Long Tom Ln	0.08	260	R			From: 20-3256					NA		NA		1997
						To: 20-2245									
(3256) Long Tom Ct	0.06	80	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3255									
(3257) Boones Trail Ct	0.04	48	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-2245									
(3258) Gateway Centre Py	0.85	NA				From: US 60					NA		NA		
						To: US 60 EAST									
(3259) Ridgedale Py	0.77	NA				From: SR 10					NA		NA		
						To: Cul-de-Sac									
(3260) Wynthrebrooke Dr	0.03	30	R			From: Dead End					NA		NA		07/05/2000
						To: 20-3264									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3260) Wyntrebrooke Dr	0.06	280	R			From: 20-3264					NA		NA		07/05/2000
(3260) Wyntrebrooke Dr	0.06	410	R			To: 20-3262					NA		NA		07/05/2000
(3260) Wyntrebrooke Dr	0.12	470	R			From: 20-3261					NA		NA		07/05/2000
						To: 20-647									
(3261) Wyntrebrooke Ct	0.05	70	R			From: 20-3260					NA		NA		07/05/2000
						To: Cul-de-Sac									
(3262) Fallbrooke Dr	0.08	130	R			From: 20-3260					NA		NA		07/05/2000
(3262) Fallbrooke Dr	0.12	110	R			To: 20-3263					NA		NA		07/05/2000
						To: 20-3264									
(3263) Fallbrooke Ct	0.04	45	R			From: Cul-de-Sac					NA		NA		07/05/2000
						To: 20-3262									
(3264) Summerbrooke Dr	0.28	250	R			From: 20-3260					NA		NA		07/05/2000
(3264) Summerbrooke Dr	0.09	450	R			To: 20-3262					NA		NA		07/05/2000
(3264) Summerbrooke Dr	0.09	700	R			From: 20-3265					NA		NA		07/05/2000
						To: 20-647									
(3265) Summerbrooke Ct	0.06	90	R			From: Cul-de-Sac					NA		NA		07/05/2000
						To: 20-3264									
(3266) Hartsdale Rd	0.02	9	R			From: Dead End					NA		NA		07/10/2000
(3266) Hartsdale Rd	0.11	230	R			To: 20-3267					NA		NA		07/10/2000
						To: 20-2181									
(3267) Hartsdale Ct	0.09	110	R			From: Cul-de-Sac					NA		NA		07/10/2000
						To: 20-3266									
(3268) Royal Crescent Wy	0.11	110	R			From: Cul-de-Sac					NA		NA		06/07/2000
						To: Cul-de-Sac									
(3269) Newbys Ct	0.10	160	R			From: 20-649					NA		NA		1994
						To: Cul-de-Sac									
(3270) Kewbridge Ct	0.06	60	R			From: 20-653					NA		NA		1994
						To: Cul-de-Sac									
(3271) Royal Crescent Dr	0.15	390	R			From: 20-1421					NA		NA		06/07/2000
(3271)	0.09	240	R			To: 20-3272					NA		NA		06/07/2000
						To: 20-3268									
(3272) Royal Crescent Ct	0.04	20	R			From: Cul-de-Sac					NA		NA		06/07/2000
						To: 20-3271									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3273) Cheyney Cr	0.08	90	R			From: 20-1421					NA	NA			06/07/2000
						To: Cul-de-Sac									
(3274) Darylann Ct	0.10	100	R			From: 20-1456					NA	NA			06/07/2000
						To: Cul-de-Sac									
(3275) Clivendon Ct	0.09	80	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-1421									
(3276)	0.04	180	R			From: 20-1421					NA	NA			1994
						To: 20-3279									
(3277) Battenburg Pl	0.05	180	R			From: 20-1421					NA	NA			1994
						To: 20-3278									
(3277) Battenburg Pl	0.03	40	R			From: Cul-de-Sac					NA	NA			1994
						To: Cul-de-Sac									
(3278) Battenburg Ct	0.09	90	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3277									
(3279) Vickilee Ct	0.14	170	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3276									
(3280) Eagle Point Rd	0.06	90	R			From: 20-3281					NA	NA			11/20/2000
						To: 20-1552									
(3280) Eagle Point Rd	0.06	200	R			From: 20-1588					NA	NA			11/20/2000
						To: 20-3536									
(3280) Eagle Point Rd	0.06	390	R			From: 20-3537					NA	NA			11/20/2000
						To: 20-3537									
(3281) Ludgate Pl	0.08	170	R			From: 20-1660					NA	NA			1994
						To: 20-3280									
(3281) Ludgate Pl	0.04	110	R			From: 20-3282					NA	NA			1994
						To: Cul-de-Sac									
(3282) Ludgate Ct	0.05	30	R			From: 20-3281					NA	NA			1994
						To: Cul-de-Sac									
(3283) Biltmore Rd	0.07	130	R			From: 20-1587					NA	NA			1994
						To: 20-1660									
(3284) Sarrington Ln	0.05	120	R			From: 20-3285					NA	NA			1994
						To: 20-1552									
(3285) New Found Ln	0.22	160	R			From: 20-3286					NA	NA			1994
						To: 20-3284									
(3285) New Found Ln	0.04	50	R			From: Cul-de-Sac					NA	NA			1994
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3286)	0.08	160	R			From: 20-1552					NA		NA		11/20/2000
(3286)	0.06	180	R			To: 20-3285					NA		NA		11/20/2000
(3286)	0.06	190	R			From: 20-3707					NA		NA		11/20/2000
(3286)	0.07	220	R			To: 20-3708					NA		NA		11/20/2000
(3286)	0.08	290	R			From: 20-3709					NA		NA		11/20/2000
(3287)	Yellowleaf Dr	0.09	580	R		To: 20-1575					NA		NA		1994
(3287)	Yellowleaf Dr	0.11	360	R		From: 20-641					NA		NA		1994
(3287)	Yellowleaf Dr	0.05	50	R		To: 20-3288					NA		NA		1994
(3288)	Yellowleaf Ct	0.06	110	R		From: 20-3293					NA		NA		1994
(3289)		0.20	170	R		To: Cul-de-Sac					NA		NA		1994
(3290)		0.10	720	R		From: Cul-de-Sac					NA		NA		11/16/2000
(3290)		0.09	600	R		To: 20-3287					NA		NA		11/16/2000
(3290)		0.08	510	R		From: Cul-de-Sac					NA		NA		11/16/2000
(3290)		0.18	400	R		To: 20-609					NA		NA		11/16/2000
(3291)	Willowbranch Ct	0.04	30	R		From: SR 10					NA		NA		11/16/2000
(3292)	Myra Dr	0.04	20	R		To: 20-3291					NA		NA		11/16/2000
(3293)	Summertree Dr	0.05	49	R		From: 20-3292					NA		NA		11/16/2000
(3293)	Summertree Dr	0.07	130	R		To: 20-3293					NA		NA		11/16/2000
(3293)	Summertree Dr	0.09	80	R		From: 20-3295					NA		NA		11/16/2000
(3294)	Summertree Ct	0.03	60	R		To: 20-3290					NA		NA		11/16/2000
(3295)		0.07	100	R		From: Cul-de-Sac					NA		NA		11/16/2000
(3295)		0.14	30	R		To: 20-3294					NA		NA		11/16/2000
						From: 20-3290					NA		NA		11/16/2000
						To: 20-1972					NA		NA		11/16/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3296)	0.09	110	R			From: Dead End					NA	NA			1994
						To: 20-616									
(3297) Elmleaf Ct	0.06	70	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-1972									
(3298) Grapeleaf Dr	0.19	220	R			From: 20-1972 SOUTH					NA	NA			1994
						To: 20-1972 NORTH									
(3299) Mathenay Dr	0.09	40	R			From: Cul-de-Sac					NA	NA			11/16/2000
						To: 20-1501									
(3300) Beldon Dr	0.05	10	R			From: Dead End					NA	NA			1996
						To: 20-3301									
(3300) Beldon Dr	0.09	130	R			From: 20-602					NA	NA			1996
						To: 20-602									
(3301) Eades Ct	0.09	60	R			From: 20-3300					NA	NA			1996
						To: Cul-de-Sac									
(3302) Boones Trail Tr	0.04	60	R			From: 20-2245					NA	NA			11/20/2000
						To: Dead End									
(3303) Boones Trail Pl	0.04	40	R			From: 20-2245					NA	NA			11/20/2000
						To: Dead End									
(3304) Boones Bluff Wy	0.10	30	R			From: Dead End					NA	NA			11/20/2000
						To: 20-2245									
(3304) Boones Bluff Wy	0.07	60	R			From: 20-2245					NA	NA			11/20/2000
						To: 20-3305									
(3304) Boones Bluff Wy	0.01	70	R			From: 20-3305					NA	NA			11/20/2000
						To: Dead End									
(3305) Boones Bluff Mw	0.04	40	R			From: 20-3304					NA	NA			11/20/2000
						To: Dead End									
(3306) Buttevant Dr	0.28	170	R			From: Dead End					NA	NA			1996
						To: 20-3307									
(3306) Buttevant Dr	0.09	240	R			From: 20-636					NA	NA			1996
						To: 20-636									
(3307) Wellesley Dr	0.06	30	R			From: 0.06 MS 20-3306					NA	NA			1997
						To: 20-3306									
(3307) Wellesley Dr	0.06	30	R			From: 0.06 MN 20-3306					NA	NA			1997
						To: 0.06 MN 20-3306									
(3308) Gregwood Rd	0.12	90	R			From: Cul-de-Sac					NA	NA			09/07/2000
						To: 20-3313									
(3308) Gregwood Rd	0.15	90	R			From: Dead End					NA	NA			09/07/2000
						To: Dead End									
(3309) Celia Crescent	0.08	820	R			From: 20-688; 20-3310					NA	NA			1996
						To: 20-1815									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3309 Celia Crescent	0.06	570	R			From: 20-1815					NA		NA		1996
3309 Celia Crescent	0.35	470	R			To: 20-3314 WEST					NA		NA		1996
3309 Celia Crescent	0.07	140	R			From: 20-3314 EAST					NA		NA		1996
						To: 20-3310									
3310 Saint Joan Av	0.09	390	R			From: 20-688; 20-3309					NA		NA		1996
3310 Saint Joan Av	0.06	260	R			To: 20-3311					NA		NA		1996
3310 Saint Joan Av	0.11	190	R			From: 20-3312					NA		NA		1996
3310 Saint Joan Av	0.03	6	R			To: 20-3313					NA		NA		1996
						From: Dead End									
3311 Saint Joan Ct	0.05	60	R			To: 20-3310					NA		NA		1996
						From: Cul-de-Sac									
3312 King Charles Ct	0.06	60	R			To: 20-3310					NA		NA		1996
						From: 20-3315									
3313 Reuben Rd	0.26	320	R			To: Dead End					NA		NA		09/05/2000
						From: 20-3309									
3314 Lakent Ln	0.23	160	R			To: 20-3313					NA		NA		1996
						From: Cul-de-Sac									
3315 Paulbrook Dr	0.15	700	R			To: 20-3036					NA		NA		09/05/2000
3315 Paulbrook Dr	0.11	490	R			To: 20-3313					NA		NA		09/05/2000
						From: Cul-de-Sac									
3316 Burroughs Ct	0.03	40	R			To: 20-3317					NA		NA		1996
3316 Burroughs Ct	0.06	480	R			To: 20-1701					NA		NA		1996
						From: 20-1705									
3317 Grand Summit Rd	0.07	230	R			To: 20-3319					NA		NA		1996
3317 Grand Summit Rd	0.04	280	R			To: 20-3318					NA		NA		1996
3317 Grand Summit Rd	0.10	280	R			To: 20-3316					NA		NA		1996
						From: 20-3317									
3318 Grand Summit Cr	0.04	40	R			To: Cul-de-Sac					NA		NA		1996
						From: 20-3317									
3319 Grand Summit Ct	0.05	48	R			To: Cul-de-Sac					NA		NA		1996
						From: 20-2742									
3320	0.20	1500	R			To: 20-3036					NA		NA		1996

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3321 Moorwood Ridge Dr	0.05	180	R			From: 20-647					NA	NA			1996
3321 Moorwood Ridge Dr	0.05	200	R			To: 20-3322					NA	NA			1996
3321 Moorwood Ridge Dr	0.06	90	R			From: 20-3323					NA	NA			1996
3321 Moorwood Ridge Dr	0.03	40	R			To: 20-3324					NA	NA			1996
						From: Cul-de-Sac									
3322 Moorwood Ridge Tr	0.04	40	R			To: Cul-de-Sac					NA	NA			1996
						From: 20-3321									
3323 Moorwood Ridge Ct	0.04	30	R			To: Cul-de-Sac					NA	NA			1996
						From: 20-3321									
3324 Moorwood Ridge Cr	0.03	40	R			To: Cul-de-Sac					NA	NA			1996
						From: 20-1985					NA	NA			1996
3325 Burlwood Ct	0.06	60	R			To: Cul-de-Sac					NA	NA			1996
						From: 20-1985					NA	NA			1996
3326 Copperfield Pl	0.10	80	R			To: Cul-de-Sac					NA	NA			1996
						From: Dead End					NA	NA			10/10/2000
3327 Ramshorn Rd	0.25	130	R			To: 20-3331					NA	NA			10/10/2000
3327 Ramshorn Rd	0.11	340	R			From: 20-3329					NA	NA			10/10/2000
3327 Ramshorn Rd	0.09	480	R			To: 20-1985					NA	NA			10/10/2000
3327 Ramshorn Rd	0.10	530	R			From: 20-3328					NA	NA			10/10/2000
3327 Ramshorn Rd	0.04	40	R			To: Dead End					NA	NA			10/10/2000
						From: 20-3327					NA	NA			10/10/2000
3328 Rams View	0.02	550	R			To: SCL RICHMOND					NA	NA			10/10/2000
						From: Cul-de-Sac					NA	NA			10/10/2000
3329 Fincastle Ct	0.08	46	R			To: 20-3330					NA	NA			10/10/2000
3329 Fincastle Ct	0.12	190	R			From: 20-3327					NA	NA			10/10/2000
						From: 20-3329					NA	NA			10/10/2000
3330 Fawnview Dr	0.22	50	R			To: 20-3331					NA	NA			10/10/2000
						From: Dead End					NA	NA			10/10/2000
3331 Pegwell Dr	0.22	100	R			To: 20-3330					NA	NA			10/10/2000
3331 Pegwell Dr	0.09	200	R			From: 20-3327					NA	NA			10/10/2000
						From: Cul-de-Sac					NA	NA			1994
3332 Mansfield Landing	0.05	50	R			To: 20-3334					NA	NA			1994

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3332 Mansfield Landing	0.02	100	R			From: 20-3334					NA	NA			1994
3332 Mansfield Landing	0.04	120	R			From: 20-3333					NA	NA			1994
						To: 20-3340									
3333 Mansfield Tr	0.12	150	R			From: 20-3332					NA	NA			1994
						To: Cul-de-Sac									
3334 Mansfield Cr	0.03	30	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3332									
3335 Wadsworth Pl	0.04	60	R			From: Cul-de-Sac					NA	NA			10/12/2000
						To: 20-2687									
3335 Wadsworth Pl	0.06	40	R			From: 20-2687					NA	NA			10/12/2000
						To: Dead End									
3336 Wadsworth Wy	0.04	40	R			From: 20-2687					NA	NA			1986
						To: Cul-de-Sac									
3337 Grinell Dr	0.08	150	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-2728									
3337 Grinell Dr	0.06	100	R			From: 20-2728					NA	NA			1997
						To: 20-3338									
3337 Grinell Dr	0.08	160	R			From: 20-3338					NA	NA			1997
						To: Dead End									
3338 Grinell Ct	0.04	40	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3337									
3339 Morelock Ct	0.04	50	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-2662									
3339 Morelock Ct	0.04	60	R			From: 20-2662					NA	NA			1994
						To: 0.04 ME 20-2662									
3340 Smoketree South Py	0.07	830	R			From: 20-720 WEST					NA	NA			1997
						To: 20-3349									
3340 Smoketree South Py	0.06	600	R			From: 20-3349					NA	NA			1997
						To: 20-3332									
3340 Smoketree South Py	0.10	490	R			From: 20-3332					NA	NA			1997
						To: 20-3341									
3340 Smoketree South Py	0.03	1400	R			From: 20-3341					NA	NA			1997
						To: 20-3347									
3340 Smoketree South Py	0.04	1300	R			From: 20-3347					NA	NA			1997
						To: 20-3345									
3340 Smoketree South Py	0.07	1800	R			From: 20-3345					NA	NA			1997
						To: 20-720 EAST									
3341 Porters Mill Rd	0.05	690	R			From: 20-3340					NA	NA			1997
						To: 20-3342									
3341 Porters Mill Rd	0.03	500	R			From: 20-3342					NA	NA			1997
						To: 20-3343									
3341 Porters Mill Rd	0.07	680	R			From: 20-3343					NA	NA			1997
						To: 20-3347									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3341 Porters Mill Rd	0.07	580	R			From: 20-3347					NA		NA		1997
3341 Porters Mill Rd	0.14	400	R			From: 20-4263					NA		NA		1997
3341 Porters Mill Rd	0.04	260	R			From: 20-3996					NA		NA		1997
3341 Porters Mill Rd	0.05	140	R			From: 20-3997					NA		NA		1997
3342 Porters Mill Ct	0.11	110	R			From: Cul-de-Sac					NA		NA		10/10/2000
3343 Lockett Ridge Rd	0.13	140	R			From: 20-3341					NA		NA		10/10/2000
3343 Lockett Ridge Rd	0.05	180	R			From: 20-3344					NA		NA		10/10/2000
3343 Lockett Ridge Rd	0.08	130	R			From: 20-3345					NA		NA		10/06/2000
3344 Lockett Ridge Pl	0.05	170	R			From: 20-3343					NA		NA		10/10/2000
3345 Lockett Ridge Av	0.05	360	R			From: 20-3340					NA		NA		10/10/2000
3345 Lockett Ridge Av	0.06	410	R			From: 20-3346					NA		NA		10/10/2000
3346 Lockett Ridge Ct	0.04	70	R			From: Cul-de-Sac					NA		NA		10/10/2000
3347 Manders Knoll Tr	0.08	130	R			From: Cul-de-Sac					NA		NA		1994
3347 Manders Knoll Tr	0.08	340	R			From: 20-3348					NA		NA		1994
3348 Manders Knoll Ct	0.04	110	R			From: 0.04 MS 20-3347					NA		NA		1994
3348 Manders Knoll Ct	0.07	46	R			From: 20-3347					NA		NA		1994
3349 Logan Trace Rd	0.10	80	R			From: Cul-de-Sac					NA		NA		1994
3349 Logan Trace Rd	0.04	110	R			From: 20-3379					NA		NA		1994
3350 River Hills Dr	0.10	40	R			From: Dead End					NA		NA		10/12/2000
3350 River Hills Dr	0.18	150	R			From: 20-3354					NA		NA		10/12/2000
3350 River Hills Dr	0.07	200	R			From: 20-3353					NA		NA		10/12/2000
3350 River Hills Dr	0.13	370	R			From: 20-3352					NA		NA		10/12/2000
						From: 20-3351									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3350 River Hills Dr	0.05	460	R			From: 20-3351					NA	NA			10/12/2000
						To: 20-711									
3351 River Hills Ln	0.21	60	R			From: 20-3350					NA	NA			10/12/2000
						To: Cul-de-Sac									
3352 River Hills Ct	0.06	6	R			From: 20-3350					NA	NA			10/12/2000
						To: Cul-de-Sac									
3353 River Hills Tr	0.05	40	R			From: 20-3350					NA	NA			10/12/2000
						To: Cul-de-Sac									
3354 River Hills Cr	0.04	8	R			From: 20-3350					NA	NA			10/12/2000
						To: Cul-de-Sac									
3355	0.25	100	R			From: 20-3356					NA	NA			1994
						To: 20-1237									
3356	0.16	110	R			From: 20-1237					NA	NA			1994
						To: 20-3355									
3356	0.05	110	R			From: Cul-de-Sac					NA	NA			1994
						To: Dead End									
3357 Scottingham Tr	0.04	48	R			From: Cul-de-Sac					NA	NA			10/12/2000
						To: 20-2728									
3358 Eastwood Tr	0.04	40	R			From: Cul-de-Sac					NA	NA			10/12/2000
						To: 20-2669									
3359 Scottingham Ct	0.16	70	R			From: 20-3360					NA	NA			10/12/2000
						To: Cul-de-Sac									
3360 Scottingham Dr	0.10	620	R			From: 20-2669; 20-2728					NA	NA			10/12/2000
						To: 20-3359									
3360 Scottingham Dr	0.06	880	R			From: 20-3359					NA	NA			10/12/2000
						To: 20-3365									
3360 Scottingham Dr	0.11	1000	R			From: 20-3365					NA	NA			10/12/2000
						To: 20-3363									
3360 Scottingham Dr	0.05	1200	R			From: 20-3363					NA	NA			10/12/2000
						To: 20-3362									
3360 Scottingham Dr	0.06	1200	R			From: 20-3362					NA	NA			10/12/2000
						To: 20-3361									
3360 Scottingham Dr	0.12	1600	R			From: 20-3361					NA	NA			10/12/2000
						To: 20-678									
3361 Fahey Ct	0.06	50	R			From: 20-3360					NA	NA			10/12/2000
						To: Cul-de-Sac									
3362 Fahey Cr	0.07	80	R			From: 20-3360					NA	NA			10/12/2000
						To: Cul-de-Sac									
3363 Partridge Ln	0.07	140	R			From: 20-3360					NA	NA			10/12/2000
						To: 20-3364									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3364 Hann Rd	0.09	100	R			From: Dead End					NA	NA			10/12/2000
3364 Hann Rd	0.06	40	R			To: 20-3363					NA	NA			10/12/2000
3365 McAden Pl	0.05	50	R			From: 20-3360					NA	NA			10/12/2000
3365 McAden Pl						To: Cul-de-Sac									
3366 Kelmont Ct	0.06	80	R			From: Cul-de-Sac					NA	NA			10/10/2000
3366 Kelmont Ct						To: 20-2890									
3367 Northcliff Pl	0.09	150	R			From: 20-2890					NA	NA			10/10/2000
3367 Northcliff Pl	0.05	70	R			To: 20-3368					NA	NA			10/10/2000
3367 Northcliff Pl						To: Cul-de-Sac									
3368 Northcliff Ct	0.03	47	R			From: Cul-de-Sac					NA	NA			10/10/2000
3368 Northcliff Ct						To: 20-3367									
3369 Fernridge Ct	0.13	150	R			From: Cul-de-Sac					NA	NA			10/10/2000
3369 Fernridge Ct						To: 20-2890									
3370 Vance Dr	0.01	6	R			From: Dead End					NA	NA			11/20/2000
3370 Vance Dr	0.05	370	R			To: 20-3371					NA	NA			11/20/2000
3370 Vance Dr						To: 20-617									
3371 Willowynde Rd	0.22	360	R			From: 20-3370					NA	NA			11/20/2000
3371 Willowynde Rd						To: Dead End									
3372 Willowynde Ct	0.10	70	R			From: Cul-de-Sac					NA	NA			1994
3372 Willowynde Ct						To: 20-3371									
3373 Rockfield Rd	0.14	60	R			From: 20-1845					NA	NA			11/20/2000
3373 Rockfield Rd	0.08	20	R			To: 20-3374					NA	NA			11/20/2000
3373 Rockfield Rd						To: Cul-de-Sac									
3374 Upton Rd	0.02	20	R			From: Dead End					NA	NA			11/20/2000
3374 Upton Rd						To: 20-3373									
3375 Blue Rock Dr	0.14	90	R			From: Cul-de-Sac					NA	NA			10/18/2000
3375 Blue Rock Dr	0.12	90	R			To: 20-2200					NA	NA			10/18/2000
3375 Blue Rock Dr						To: Cul-de-Sac									
3376 Loren Ct	0.05	30	R			From: 20-2200					NA	NA			10/18/2000
3376 Loren Ct						To: Cul-de-Sac									
3377 Porters Mill Tr	0.07	110	R			From: Dead End					NA	NA			1994
3377 Porters Mill Tr	0.04	490	R			To: 20-3378					NA	NA			1994
3377 Porters Mill Tr						To: 20-3341									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3377) Porters Mill Tr	0.11	150	R			From: 20-3341					NA	NA			1994
						To: Dead End									
(3378) Porters Mill Ln	0.33	370	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3377									
(3379) Logan Trace Ct	0.06	60	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3349									
(3380) Newgate Rd	0.09	49	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3904									
(3380) Newgate Rd	0.05	49	R			From: 20-3904					NA	NA			1996
						To: 20-3382									
(3380) Newgate Rd	0.36	200	R			From: 20-3382					NA	NA			1996
						To: 20-1338									
(3381) Chepstow Ct	0.07	40	R			From: 20-1338					NA	NA			1996
						To: Cul-de-Sac									
(3382) Heathland Dr	0.08	90	R			From: 20-3380					NA	NA			1996
						To: 20-1338									
(3382) Heathland Dr	0.18	290	R			From: 20-1338					NA	NA			1996
						To: 20-3383									
(3382) Heathland Dr	0.10	40	R			From: 20-3383					NA	NA			1996
						To: Cul-de-Sac									
(3383) Heathland Tr	0.12	110	R			From: 20-3382					NA	NA			1997
						To: Cul-de-Sac									
(3384) Chepstow Tr	0.16	110	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-1338									
(3385) Tunsberg Tr	0.18	140	R			From: 20-902					NA	NA			1997
						To: Cul-de-Sac									
(3386) Aldengate Tr	0.16	160	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-1054									
(3387) James River Rd	0.57	990	R			From: 20-711; 20-3387					NA	NA			11/20/2000
						To: Dead End									
(3388) Porters Mill Pl	0.05	20	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3378									
(3389) Porters Mill Tn	0.04	20	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3378									
(3390) Lansmill Dr	0.06	70	R			From: Dead End					NA	NA			1996
						To: 20-3391									
(3390) Lansmill Dr	0.15	1000	R			From: 20-3391					NA	NA			1996
						To: 20-1144									
(3391) Swift Bluff Dr	0.08	550	R			From: 20-3390					NA	NA			1996
						To: 20-3392									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3391) Swift Bluff Dr	0.06	600	R			From: 20-3392					NA		NA		1996
(3391) Swift Bluff Dr	0.05	190	R			To: 20-3393					NA		NA		1996
(3391) Swift Bluff Dr	0.08	200	R			From: 20-3394					NA		NA		1996
						To: Cul-de-Sac									
(3392)	0.08	60	R			From: Cul-de-Sac					NA		NA		1996
(3392) Swift Bluff Ct	0.06	120	R			To: 20-3391					NA		NA		1996
						To: Cul-de-Sac									
(3393) Fiala Dr	0.01	30	R			From: Dead End					NA		NA		1996
(3393) Fiala Dr	0.11	360	R			To: 20-3391					NA		NA		1996
						To: 20-3394									
(3394) Circlestone Ct	0.08	190	R			From: Cul-de-Sac					NA		NA		1996
(3394)	0.16	170	R			To: 20-3393					NA		NA		1996
						To: Dead End									
(3395) Harrington Manor	0.09	49	R			From: 20-832					NA		NA		10/10/2000
						To: Cul-de-Sac									
(3396) Summerhurst Dr	0.60	300	R			From: 20-832					NA		NA		10/10/2000
(3396) Summerhurst Dr	0.04	20	R			To: 20-4255					NA		NA		10/10/2000
						To: Cul-de-Sac									
(3397) Misty Ridge Ct	0.22	240	R			From: 20-3396					NA		NA		10/10/2000
						To: Cul-de-Sac									
(3398) Ambergate Dr	0.09	50	R			From: Cul-de-Sac					NA		NA		1996
(3398) Ambergate Dr	0.10	210	R			To: 20-3399					NA		NA		1996
						To: 20-832									
(3399) Ambergate Tr	0.16	90	R			From: 20-3398					NA		NA		1996
						To: Cul-de-Sac									
(3400)	0.10	230	R			From: 20-3401					NA		NA		1996
						To: 20-2770									
(3401) May Apple Tr	0.06	80	R			From: Dead End					NA		NA		1996
(3401) May Apple Tr	0.05	60	R			To: 20-3400					NA		NA		1996
						To: Dead End									
(3402)	0.09	410	R			From: 20-3781					NA		NA		1994
(3402)	0.07	170	R			To: 20-4072					NA		NA		1994
						To: 20-4073									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3402)	0.05	150	R			From: 20-4073					NA	NA			1994
(3402)	0.13	110	R			To: 20-3424					NA	NA			1996
(3402)	0.06	300	R			From: 20-3407					NA	NA			1996
(3402)	0.13	1400	R			To: 20-3406					NA	NA			1996
(3402)	0.09	1000	R			From: 20-3404					NA	NA			1996
(3402)	0.07	1300	R			To: 20-3403					NA	NA			1996
(3403)	Lady Slipper Ln	0.12	190	R		From: Dead End					NA	NA			1996
(3403)	Lady Slipper Ln	0.18	220	R		To: 20-3402					NA	NA			1996
(3404)	Stonecrop Pl	0.08	120	R		From: Cul-de-Sac					NA	NA			1997
(3404)	Stonecrop Pl	0.08	230	R		To: 20-3405					NA	NA			1997
(3405)	Stonecrop Ct	0.04	60	R		From: 20-3404					NA	NA			09/07/2000
(3406)	Coralberry Wy	0.07	90	R		To: Cul-de-Sac					NA	NA			1994
(3407)	Westcreek Dr	0.06	1200	R		From: 20-3409					NA	NA			1994
(3407)	Westcreek Dr	0.07	1200	R		To: 20-3408					NA	NA			1994
(3408)	Pendleton Pl	0.06	90	R		From: Cul-de-Sac					NA	NA			1994
(3409)	Camshire Pl	0.09	130	R		To: 20-3407					NA	NA			1994
(3410)	Old Lewiston Rd	0.23	320	R		From: 20-2567					NA	NA			09/07/2000
(3410)	Old Lewiston Rd	0.07	170	R		To: 20-3412					NA	NA			09/07/2000
(3410)	Old Lewiston Rd	0.28	40	R		From: 20-3413					NA	NA			09/07/2000
(3411)	Bondurant Pl	0.06	60	R		To: Cul-de-Sac					NA	NA			1997
(3412)	Old Lewiston Pl	0.06	70	R		From: 20-2567					NA	NA			1997
						To: Cul-de-Sac					NA	NA			1997
						From: 20-3410					NA	NA			1997

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3413 Hempstead Wy	0.13	240	R			From: 20-3410					NA		NA		1997
						To: 20-2567									
3414 Vollie Rd	0.13	190	R			From: 20-3410					NA		NA		1997
						To: 20-2567									
3415 Running Brook Ln	0.09	200	R			From: 20-1224					NA		NA		1997
3415 Running Brook Ln	0.05	70	R			From: 20-3416					NA		NA		1997
						To: Cul-de-Sac									
3416 Running Brook Cr	0.05	40	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3415									
3417 Nesbitt Dr	0.03	30	R			From: Dead End					NA		NA		10/12/2000
3417 Nesbitt Dr	0.15	210	R			From: 20-3418					NA		NA		10/12/2000
						To: 20-687									
3418 Dunford Rd	0.05	260	R			From: 20-3419					NA		NA		10/12/2000
						To: 20-3417									
3419 Carriage Pines Dr	0.03	30	R			From: Dead End					NA		NA		10/12/2000
3419 Carriage Pines Dr	0.14	200	R			From: 20-3418					NA		NA		10/12/2000
						To: 20-687									
3420 Buford Oaks Ln	0.08	40	R			From: Dead End					NA		NA		10/12/2000
						To: 20-877									
3421 Buford Oaks Cr	0.04	46	R			From: Cul-de-Sac					NA		NA		10/12/2000
						To: 20-877									
3422 Bonnie Brae Ct	0.06	40	R			From: 20-2320					NA		NA		11/20/2000
						To: Cul-de-Sac									
3423 McNair Cr	0.03	60	R			From: 20-3402					NA		NA		11/20/2000
						To: Cul-de-Sac									
3424 McCauliff Dr	0.18	70	R			From: 20-3402					NA		NA		11/20/2000
						To: Cul-de-Sac									
3425 Cranbeck Tr	0.08	310	R			From: 20-674					NA		NA		1994
3425 Cranbeck Tr	0.06	70	R			From: 20-3426					NA		NA		1994
						To: Cul-de-Sac									
3426 Cranbeck Cr	0.04	180	R			From: 20-3425					NA		NA		1994
3426 Cranbeck Cr	0.04	50	R			From: 20-3427					NA		NA		1994
						To: Cul-de-Sac									
3427 Cranbeck Ct	0.08	110	R			From: 20-3426					NA		NA		1994
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3428) Pineleaf Dr	0.34	110	R			From: 20-641					NA		NA		11/20/2000
						To: 20-3193									
(3429) Candlelamp Ln	0.10	60	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-653									
(3430) Boulders Pkwy	1.04	10000	R			From: US 60 Midlothian Tpke					NA		NA		1994
						To: 1.04 MN US 60 To Jahnke									
(3431) Boulder Springs Rd	0.03	2000	R			From: Dead End					NA		NA		1994
						To: 20-3430									
(3432) Boulder Springs Dr	0.15	3800	R			From: Dead End					NA		NA		1994
						To: 20-3430									
(3433) Boulder Lake Dr	0.07	3800	R			From: Dead End					NA		NA		1994
						To: 20-3430									
(3434) Pritchard Tr	0.23	20	R			From: 20-2618					NA		NA		10/12/2000
						To: Cul-de-Sac									
(3435) Barkbridge Cr	0.04	60	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-2159									
(3436) Ball Cypress Rd	0.15	110	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-2159									
(3437) Logswood Rd	0.06	70	R			From: 20-2159					NA		NA		1994
						To: Cul-de-Sac									
(3438) Tulip Oak Rd	0.04	30	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-2159									
(3438) Tulip Oak Rd	0.16	150	R			From: 20-2159					NA		NA		1994
						To: 20-2855									
(3439) Ashcroft Wy	0.11	100	R			From: 20-2637					NA		NA		11/20/2000
						To: Cul-de-Sac									
(3440) Sunbeam Rd	0.18	200	R			From: 20-2339 SOUTH					NA		NA		10/12/2000
						To: 20-3442									
(3440) Sunbeam Rd	0.07	140	R			From: 20-2380					NA		NA		10/12/2000
						To: 20-3441									
(3440) Sunbeam Rd	0.09	90	R			From: 20-3441					NA		NA		10/12/2000
						To: 20-2339 NORTH									
(3441) Hoof Cr	0.04	47	R			From: Cul-de-Sac					NA		NA		1986
						To: 20-3440									
(3442) Windy Oaks Ln	0.05	30	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3440									
(3442) Windy Oaks Ln	0.06	60	R			From: 20-3440					NA		NA		1994
						To: 20-637									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3443) Walhala Cr	0.04	40	R			From: 20-2637					NA		NA		11/20/2000
						To: Cul-de-Sac									
(3444) Spring Meadow Rd	0.07	90	R			From: Cul-de-Sac					NA		NA		1994
(3444) Spring Meadow Rd	0.08	1200	R			From: 20-3448					NA		NA		1994
(3444) Spring Meadow Rd	0.05	340	R			From: 20-3447					NA		NA		1994
(3444) Spring Meadow Rd	0.07	460	R			From: 20-3446					NA		NA		1994
(3444) Spring Meadow Rd	0.08	530	R			From: 20-3445					NA		NA		1994
						To: 20-789									
(3445) Spring Meadow Tr	0.03	30	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3444									
(3446) Autumn Wy	0.07	80	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3444									
(3447) Jonquil Tr	0.06	60	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3444									
(3448) Poplar Hollow TI	0.13	730	R			From: 20-3444					NA		NA		1994
(3448) Poplar Hollow TI	0.05	40	R			From: 20-3449					NA		NA		1994
						To: Cul-de-Sac									
(3449) Poplar Hollow Tr	0.04	40	R			From: 20-3448					NA		NA		1994
						To: Cul-de-Sac									
(3450) Gamecock Rd	0.20	48	R			From: Cul-de-Sac					NA		NA		1997
(3450) Gamecock Rd	0.10	210	R			From: 20-3451					NA		NA		1997
						To: 20-667									
(3451)	0.82	140	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3450									
(3452) Tipton St	0.11	300	R			From: 20-1135					NA		NA		10/18/2000
(3452) Tipton St	0.06	110	R			From: 20-3453					NA		NA		10/18/2000
(3452) Tipton St	0.06	48	R			From: 20-3454					NA		NA		10/18/2000
						To: Cul-de-Sac									
(3453) Tipton Ct	0.14	110	R			From: Cul-de-Sac					NA		NA		10/18/2000
						To: 20-3452									
(3454) Tipton Cr	0.03	40	R			From: 20-3452					NA		NA		10/18/2000
						To: Cul-de-Sac									
(3455) Roland View Dr	0.02	20	R			From: Dead End					NA		NA		1994
						To: 20-3456									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3455) Roland View Dr	0.16	620	R			From: 20-3456					NA		NA		1994
(3455) Roland View Dr	0.11	150	R			From: 20-3458					NA		NA		1994
						To: Cul-de-Sac									
(3456) Lalonde Dr	0.06	620	R			From: 20-1155					NA		NA		1994
(3456) Lalonde Dr	0.08	530	R			From: 20-3457					NA		NA		1994
						To: 20-3455									
(3457) Lalonde Pl	0.04	50	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3456									
(3458) Sylvania Pl	0.07	550	R			From: 20-1140					NA		NA		1994
(3458) Sylvania Pl	0.11	590	R			From: 20-3459					NA		NA		1994
						To: 20-3455									
(3459) Sylvania Ct	0.06	120	R			From: 20-3458					NA		NA		1994
						To: Cul-de-Sac									
(3460)	0.19	100	R			From: 20-1181					NA		NA		10/18/2000
(3460)	0.10	20	R			From: 20-1181					NA		NA		10/18/2000
						To: Cul-de-Sac									
(3461) Mooring Wy	0.08	100	R			From: Cul-de-Sac					NA		NA		10/18/2000
						To: 20-1181									
(3462) Dockside Dr	0.02	120	R			From: Cul-de-Sac					NA		NA		10/18/2000
(3462) Dockside Dr	0.06	210	R			From: 20-3463					NA		NA		10/18/2000
(3462) Dockside Dr	0.04	190	R			From: 20-1181					NA		NA		10/18/2000
						To: Cul-de-Sac									
(3463) Dockside Ct	0.05	150	R			From: Cul-de-Sac					NA		NA		10/18/2000
						To: 20-3462									
(3465) North Light Dr	0.13	100	R			From: 0.13 MW 20-1181					NA		NA		1994
(3465) North Light Dr	0.05	130	R			From: 20-1181					NA		NA		1994
						To: Cul-de-Sac									
(3466) Yard Arm Dr	0.11	170	R			From: Dead End					NA		NA		1994
(3466) Yard Arm Dr	0.08	160	R			From: 20-1181					NA		NA		1994
						To: Cul-de-Sac									
(3467) Lanyard Ct	0.05	40	R			From: 20-1181					NA		NA		10/18/2000
						To: Cul-de-Sac									
(3468) Broadwater Rd	0.16	NA				From: SR 144					NA		NA		
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3469) Celestial Ln	0.20	120	R			From: 20-649					NA	NA			11/20/2000
						To: Dead End									
(3470) Mistwood Forest Dr	0.10	420	R			From: 20-619 EAST					NA	NA			11/13/2000
(3470) Mistwood Forest Dr	0.06	440	R			From: 20-3471 EAST					NA	NA			11/13/2000
(3470) Mistwood Forest Dr	0.22	400	R			From: 20-3472					NA	NA			11/13/2000
(3470) Mistwood Forest Dr	0.20	270	R			From: 20-3474					NA	NA			11/13/2000
(3470) Mistwood Forest Dr	0.33	360	R			From: 20-3473 NORTH					NA	NA			11/13/2000
(3470) Mistwood Forest Dr	0.14	760	R			From: 20-3471 WEST					NA	NA			11/13/2000
(3471) Sonnenburg Dr	0.07	50	R			From: 20-3717					NA	NA			1996
(3471) Sonnenburg Dr	0.09	70	R			From: 20-3716					NA	NA			1996
(3471) Sonnenburg Dr	0.10	100	R			From: 20-3715					NA	NA			1996
(3471) Sonnenburg Dr	0.16	120	R			From: 20-3470 WEST					NA	NA			1996
(3472) Mistwood Forest Ct	0.14	110	R			From: Cul-de-Sac					NA	NA			1996
(3473) Eagle Rock Av	0.08	290	R			From: 20-3460 SOUTH					NA	NA			1996
(3473) Eagle Rock Av	0.09	310	R			From: 20-3475					NA	NA			1996
(3473) Eagle Rock Av	0.06	200	R			From: 20-3477					NA	NA			1996
(3474) Barkwood Ct	0.05	60	R			From: 20-3470					NA	NA			1996
(3475) Anglewood Dr	0.05	40	R			From: Cul-de-Sac					NA	NA			1996
(3475) Anglewood Dr	0.06	160	R			From: 20-3476					NA	NA			1996
(3476) Anglewood Ct	0.06	70	R			From: 20-3473					NA	NA			1996
(3477) Eagle Rock Ct	0.12	90	R			From: 20-3475					NA	NA			1996
(3478) Creekbend Ct	0.05	70	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3479									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3479) Winding Creek Ln	0.09	140	R			From: Cul-de-Sac					NA		NA		1996
(3479) Winding Creek Ln	0.04	200	R			To: 20-3478					NA		NA		1996
(3479) Winding Creek Ln	0.12	110	R			From: 20-2235					NA		NA		1996
(3479) Winding Creek Ln						To: Cul-de-Sac									
(3480) Sunnygrove Rd	0.22	390	R			From: 20-649					NA		NA		1996
(3480) Sunnygrove Rd	0.07	100	R			To: 20-3481					NA		NA		1996
(3480) Sunnygrove Rd						From: Cul-de-Sac									
(3481) Copperpenny Rd	0.13	120	R			From: Dead End					NA		NA		1996
(3481) Copperpenny Rd	0.08	270	R			To: 20-3484					NA		NA		1996
(3481) Copperpenny Rd	0.10	300	R			From: 20-3480					NA		NA		1996
(3481) Copperpenny Rd	0.05	40	R			To: 20-3482					NA		NA		1996
(3481) Copperpenny Rd						From: Dead End									
(3482) Copperpenny Tr	0.06	230	R			To: 20-3481					NA		NA		1996
(3482) Copperpenny Tr	0.17	140	R			From: 20-3483					NA		NA		1996
(3482) Copperpenny Tr						To: Cul-de-Sac									
(3483) Copperpenny Ct	0.17	90	R			From: 20-3482					NA		NA		1996
(3483) Copperpenny Ct						To: Cul-de-Sac									
(3484) Manitoba Rd	0.08	40	R			From: Dead End					NA		NA		1996
(3484) Manitoba Rd	0.09	150	R			To: 20-3495					NA		NA		1996
(3484) Manitoba Rd						From: 20-3481									
(3485) Morehouse Tr	0.09	90	R			To: 0.09 MS 20-2238					NA		NA		1996
(3485) Morehouse Tr	0.08	90	R			From: 20-2238					NA		NA		1996
(3485) Morehouse Tr						To: Dead End									
(3486)	0.14	150	R			From: Cul-de-Sac					NA		NA		1996
(3486)	0.05	300	R			To: 20-3487					NA		NA		1996
(3486)						From: 20-2238									
(3487) Little Ridge Ct	0.08	110	R			To: Cul-de-Sac					NA		NA		1996
(3487) Little Ridge Ct						From: 20-3486									
(3488) Allworthy Ln	0.12	120	R			To: 20-2283					NA		NA		1996
(3488) Allworthy Ln						From: Cul-de-Sac									
(3489) Soundview Ln	0.12	140	R			To: 20-2238					NA		NA		1996
(3489) Soundview Ln						From: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3490) Donegal Rd	0.19	420	R			From: 20-3494					NA	NA			1996
(3490) Donegal Rd	0.64	480	R			From: 20-4832					NA	NA			1996
(3491) Donegal Tr	0.11	160	R			To: 20-659					NA	NA			1996
(3492) Lenadoon Dr	0.07	210	R			From: 20-1275					NA	NA			1996
(3492) Lenadoon Dr	0.04	46	R			To: Cul-de-Sac					NA	NA			1996
(3493) Blue Stack Ct	0.09	120	R			From: 20-1275					NA	NA			1996
(3494) Derryveach Dr	0.06	10	R			To: 20-3492					NA	NA			1996
(3494) Derryveach Dr	0.07	310	R			From: Dead End					NA	NA			1996
(3494) Derryveach Dr	0.19	320	R			To: 20-3490					NA	NA			1996
(3494) Derryveach Dr	0.19	320	R			From: 20-4831					NA	NA			1996
(3494) Derryveach Dr	0.03	340	R			To: 20-4830					NA	NA			1996
(3494) Derryveach Dr	0.04	460	R			From: 20-4830					NA	NA			1996
(3494) Derryveach Dr	0.04	460	R			To: 20-3497					NA	NA			1996
(3494) Derryveach Dr	0.07	490	R			From: 20-3496					NA	NA			1996
(3495) Katy Reid Ct	0.09	70	R			To: 20-1275					NA	NA			1997
(3496) Foyle Dr	0.15	120	R			From: Cul-de-Sac					NA	NA			1997
(3497) Buncrana Ln	0.05	80	R			To: 20-3484					NA	NA			1996
(3498) Springhouse Dr	0.31	160	R			From: Dead End					NA	NA			1997
(3498) Springhouse Dr	0.26	160	R			To: 20-3494					NA	NA			1997
(3499) Springhouse Ct	0.05	60	R			From: 20-1250					NA	NA			1997
(3500) Lady Ashley Rd	0.04	40	R			To: Cul-de-Sac					NA	NA			1997
(3500) Lady Ashley Rd	0.34	350	R			From: Cul-de-Sac					NA	NA			1997
(3500) Lady Ashley Rd	0.01	330	R			To: 20-3498					NA	NA			1997
(3500) Lady Ashley Rd	0.04	40	R			From: Dead End					NA	NA			05/01/2000
(3500) Lady Ashley Rd	0.34	350	R			To: 20-1388					NA	NA			05/01/2000
(3500) Lady Ashley Rd	0.01	330	R			From: 20-3883					NA	NA			05/01/2000
(3500) Lady Ashley Rd	0.01	330	R			To: 20-3768					NA	NA			05/01/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3501) Lauren Ln	0.08	210	R			From: 20-3500					NA		NA		09/07/2000
(3501) Lauren Ln	0.07	280	R			To: 20-3887					NA		NA		09/07/2000
(3501) Lauren Ln	0.06	300	R			From: 20-3886					NA		NA		09/07/2000
(3501) Lauren Ln	0.07	310	R			To: 20-3885					NA		NA		09/07/2000
(3501) Lauren Ln	0.10	330	R			From: 20-3883					NA		NA		09/07/2000
(3501) Lauren Ln	0.06	400	R			To: 20-5050					NA		NA		09/07/2000
(3501) Lauren Ln	0.05	490	R			From: 20-5053					NA		NA		09/07/2000
(3501) Lauren Ln						To: 20-3750									
(3502) Castleway Rd	0.02	2	R			From: Dead End					NA		NA		1997
(3502) Castleway Rd	0.16	200	R			To: 20-3504					NA		NA		1997
(3502) Castleway Rd	0.09	430	R			From: 20-3503					NA		NA		1997
(3502) Castleway Rd						To: 20-1388									
(3503) Jennys Pl	0.08	90	R			From: Cul-de-Sac					NA		NA		1997
(3503) Jennys Pl						To: 20-3502									
(3504) Lady Jean Ct	0.09	100	R			From: Cul-de-Sac					NA		NA		1997
(3504) Lady Jean Ct						To: 20-3502									
(3505) Glenshade Dr	0.11	140	R			From: 20-3135					NA		NA		1997
(3505) Glenshade Dr	0.04	40	R			To: 20-1084					NA		NA		1997
(3505) Glenshade Dr						To: Cul-de-Sac									
(3506) Fennimore Rd	0.04	60	R			From: Dead End					NA		NA		09/07/2000
(3506) Fennimore Rd	0.07	150	R			To: 20-3135					NA		NA		09/07/2000
(3506) Fennimore Rd	0.03	50	R			From: 20-3507					NA		NA		09/07/2000
(3506) Fennimore Rd						To: Dead End									
(3507) Fennimore Tr	0.05	45	R			From: 20-3506					NA		NA		09/07/2000
(3507) Fennimore Tr						To: Cul-de-Sac									
(3508) Watch Hill Tr	0.09	100	R			From: 20-1084					NA		NA		09/07/2000
(3508) Watch Hill Tr						To: Cul-de-Sac									
(3509) Carefree Ct	0.04	30	R			From: 20-1084					NA		NA		09/07/2000
(3509) Carefree Ct						To: Cul-de-Sac									
(3510)	0.04	70	R			From: Dead End					NA		NA		09/07/2000
(3510)	0.05	60	R			To: 20-1084					NA		NA		09/07/2000
(3510)						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3511) Shirilton Ct	0.05	50	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-1388									
(3512) Paigewood Ct	0.05	60	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-1381									
(3513) Danhurst Dr	0.09	47	R			From: Dead End					NA	NA			1994
(3513) Danhurst Dr	0.03	240	R			From: 20-1003					NA	NA			1994
(3513) Danhurst Dr	0.08	230	R			From: 20-3558					NA	NA			1994
						To: 20-3559									
(3514)	0.05	60	R			From: 0.05 MW 20-3109					NA	NA			1994
(3514)	0.05	60	R			From: 20-3109					NA	NA			1994
						To: Dead End									
(3515) Groveton Tr	0.05	40	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3109									
(3516) Winamack Rd	0.08	90	R			From: 20-3109					NA	NA			1994
(3516) Winamack Rd	0.07	80	R			From: 20-3517					NA	NA			1994
						To: 20-1074									
(3517) Winamack Ct	0.04	80	R			From: 20-3516					NA	NA			1994
						To: Cul-de-Sac									
(3518) Kanbaugh Ct	0.07	180	R			From: 20-3109					NA	NA			1994
						To: Cul-de-Sac									
(3519) Ardara Ln	0.12	80	R			From: 20-1074					NA	NA			1994
						To: 20-1084									
(3520) Southwick Ct	0.06	80	R			From: 20-1362					NA	NA			10/12/2000
						To: Cul-de-Sac									
(3521) Southwick Pl	0.07	70	R			From: Cul-de-Sac					NA	NA			10/12/2000
						To: 20-1362									
(3522) Southwick Tr	0.05	70	R			From: 20-1362					NA	NA			10/12/2000
						To: Cul-de-Sac									
(3523) Staffordshire St	0.05	50	R			From: Dead End					NA	NA			10/12/2000
(3523) Staffordshire St	0.06	120	R			From: 20-1362					NA	NA			10/12/2000
(3523) Staffordshire St	0.09	90	R			From: 20-3524					NA	NA			10/12/2000
						To: Dead End									
(3524) Staffordshire Ct	0.03	60	R			From: 20-3523					NA	NA			10/12/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3525) Linegar Dr	0.07	160	R			From: 20-889					NA		NA		1994
						To: 20-3527									
(3526) Alberta Tr	0.03	60	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3527									
(3527) Alberta Ct	0.03	50	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3526									
(3527) Alberta Ct	0.07	150	R			From: 20-3525					NA		NA		1994
						To: 20-3525									
(3527) Alberta Ct	0.10	230	R			From: 20-888					NA		NA		1994
						To: Cul-de-Sac									
(3528) Blossomwood Rd	0.06	650	R			From: 20-888					NA		NA		1994
						To: 20-3529									
(3528) Blossomwood Rd	0.05	560	R			From: Dead End					NA		NA		1994
						To: Cul-de-Sac									
(3529) Blossomwood Cr	0.06	70	R			From: 20-3528					NA		NA		1994
						To: 20-609									
(3530) Mineola Dr	0.16	3600	R			From: 20-3531; 20-3536					NA		NA		1994
						To: 20-4460									
(3530) Mineola Dr	0.05	1600	R			From: 20-3532					NA		NA		1994
						To: 20-3537									
(3530) Mineola Dr	0.04	790	R			From: 20-3530					NA		NA		1994
						To: Cul-de-Sac									
(3531) Timonium Dr	0.54	610	R			From: 20-3530					NA		NA		1994
						To: 20-1575									
(3532) Belvoir Rd	0.39	400	R			From: 20-1575					NA		NA		1994
						To: Dead End									
(3532) Belvoir Rd	0.03	20	R			From: 20-2235; 20-2237					NA		NA		1994
						To: Cul-de-Sac									
(3534) Surry Cr	0.13	NA				From: Cul-de-Sac					NA		NA		1994
						To: 20-1575									
(3535) Chagford Dr	0.07	50	R			From: 20-3530					NA		NA		1994
						To: 20-3539									
(3536) Chagford Dr	0.26	60	R			From: 20-3280					NA		NA		1994
						To: 20-3530									
(3537) Crofton Rd	0.09	560	R			From: 20-3530					NA		NA		1994
						To: 20-3538									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3537) Crofton Rd	0.05	480	R			From: 20-3538					NA	NA			1994
(3537) Crofton Rd	0.12	390	R			From: 20-3548					NA	NA			1994
(3537) Crofton Rd	0.08	360	R			From: 20-3547					NA	NA			1994
						To: 20-1575									
(3538) Drayton Rd	0.30	280	R			From: 20-3537					NA	NA			1994
						To: 20-1575									
(3539)	0.14	110	R			From: Cul-de-Sac					NA	NA			1994
(3539)	0.22	210	R			From: 20-3536					NA	NA			1994
						To: Dead End									
(3540) Genlou Ct	0.06	60	R			From: 20-3097					NA	NA			1994
						To: Cul-de-Sac									
(3541) Genlou Cr	0.03	40	R			From: 20-3097					NA	NA			1994
						To: Cul-de-Sac									
(3542) Upwood Rd	0.07	1100	R			From: 20-2790					NA	NA			1994
						To: 20-3097									
(3543)	0.01	820	R			From: Dead End					NA	NA			1994
(3543)	0.05	900	R			From: 20-3545					NA	NA			1994
(3543)	0.07	1000	R			From: 20-3544					NA	NA			1994
(3543)	0.19	1100	R			From: 20-3099					NA	NA			1994
						To: 20-3092									
(3544) Blossomwood Ct	0.07	130	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3543									
(3545) August Rd	0.07	180	R			From: 20-3543					NA	NA			1996
(3545) August Rd	0.05	60	R			From: 20-3546					NA	NA			1996
						To: Dead End									
(3546) August Ct	0.07	110	R			From: 20-3545					NA	NA			1996
						To: Cul-de-Sac									
(3547) Crofton Ct	0.11	110	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3537									
(3548) Crofton Cr	0.08	80	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3537									
(3549) Cherrybark Rd	0.17	40	R			From: 20-2814					NA	NA			1996
						To: 20-2811									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3550) Moorefield Park Dr	0.93	1300	R			From: US 60 WEST; 20-675					NA		NA		1996
						To: US 60 EAST									
(3551) Farrar Ct	0.08	140	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3550									
(3552) Metropolitan Ct	0.08	240	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3550									
(3553) Sandbag Wy	0.05	60	R			From: 20-1268					NA		NA		1996
						To: Cul-de-Sac									
(3554) Sandbag Tr	0.12	150	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3555									
(3554) Sandbag Tr	0.06	260	R			From: 20-1268					NA		NA		1996
						To: Cul-de-Sac									
(3555) Sandbag Cr	0.04	50	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3554									
(3556) Timberun Ct	0.04	70	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3094									
(3557)	0.04	NA				From: 20-3224					NA		NA		
						To: Cul-de-Sac									
(3558) Danwoods Rd	0.04	60	R			From: 20-3513					NA		NA		1996
						To: Dead End									
(3559) Danbury Dr	0.04	30	R			From: Dead End					NA		NA		1996
						To: 20-3513									
(3559) Danbury Dr	0.05	46	R			From: 20-3513					NA		NA		1996
						To: Dead End									
(3560)	0.06	810	R			From: Dead End					NA		NA		1996
						To: 20-3561									
(3560)	0.11	800	R			From: 20-2113					NA		NA		1996
						To: 20-3563									
(3560)	0.09	680	R			From: 20-3563					NA		NA		1996
						To: 20-3564									
(3560)	0.06	280	R			From: 20-3564					NA		NA		1996
						To: Dead End									
(3561) South Ridge Tr	0.07	100	R			From: 20-3560					NA		NA		1996
						To: Cul-de-Sac									
(3562) McManaway Ct	0.04	80	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-2113									
(3563) Beaver Point Dr	0.04	30	R			From: Dead End					NA		NA		1996
						To: 20-3565									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3563) Beaver Point Dr	0.12	550	R			From: 20-3565					NA		NA		1996
						To: 20-3560									
(3564) Beaver Hollow Ct	0.05	80	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3560									
(3565) Beaver Falls Rd	0.17	300	R			From: 20-3563					NA		NA		1996
						To: 20-3566									
(3565) Beaver Falls Rd	0.05	70	R			From: 20-3566					NA		NA		1996
						To: Cul-de-Sac									
(3566) Beaver Falls Ct	0.04	45	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3565									
(3567) Holly Trace Dr	0.10	520	R			From: SR 145					NA		NA		1997
						To: 20-3568									
(3567) Holly Trace Dr	0.05	500	R			From: 20-3568					NA		NA		1997
						To: 20-2089									
(3567) Holly Trace Dr	0.07	140	R			From: 20-2089					NA		NA		1997
						To: Cul-de-Sac									
(3568) Holly Trace Ct	0.06	340	R			From: 20-3915					NA		NA		1997
						To: 20-3567									
(3568) Holly Trace Ct	0.09	220	R			From: 20-3567					NA		NA		1997
						To: 20-3571									
(3568) Holly Trace Ct	0.05	60	R			From: 20-3571					NA		NA		1997
						To: Cul-de-Sac									
(3569) Lively St	0.12	130	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-1562									
(3570) Sand Hills Dr	0.06	90	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3574									
(3570) Sand Hills Dr	0.17	370	R			From: 20-3574					NA		NA		1994
						To: 20-3573									
(3570) Sand Hills Dr	0.04	580	R			From: 20-3573					NA		NA		1994
						To: 20-1567									
(3570) Sand Hills Dr	0.05	620	R			From: 20-1567					NA		NA		1994
						To: 20-3572 WEST									
(3570) Sand Hills Dr	0.21	950	R			From: 20-3572 WEST					NA		NA		1994
						To: 20-3572 EAST									
(3570) Sand Hills Dr	0.15	1100	R			From: 20-3572 EAST					NA		NA		1994
						To: US 1									
(3571) Holly Trace Tr	0.07	100	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3568									
(3571) Holly Trace Tr	0.03	60	R			From: 20-3568					NA		NA		1997
						To: Cul-de-Sac									
(3572) Pine Meadows Cr	0.26	160	R			From: 20-3570 WEST					NA		NA		1994
						To: 20-3570 EAST									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3573) Maplevale Rd	0.10	120	R			From: Cul-de-Sac					NA	NA			1994
(3573) Maplevale Rd	0.17	270	R			To: 20-3574					NA	NA			1994
(3574) Maplevale Pl	0.07	100	R			To: 20-3570					NA	NA			1994
(3575) Riverview Dr	0.18	60	R			From: 20-3576					NA	NA			11/20/2000
(3576) Riverview Ct	0.12	46	R			To: 20-746					NA	NA			11/20/2000
(3577) Hamlin Creek Py	0.31	150	R			From: Cul-de-Sac					NA	NA			11/13/2000
(3578) Farm Field Ct	0.06	80	R			To: SR 145					NA	NA			1994
(3579) Iverson Ct	0.10	110	R			From: Cul-de-Sac					NA	NA			1994
(3580) Hilltop Farms Dr	0.04	740	R			To: 20-3582					NA	NA			1994
(3580) Hilltop Farms Dr	0.10	460	R			From: Cul-de-Sac					NA	NA			1997
(3581) Hilltop Farms Tr	0.04	50	R			To: 20-3581					NA	NA			1997
(3581) Hilltop Farms Tr	0.11	280	R			From: 0.04 MW 20-3580					NA	NA			1997
(3581) Hilltop Farms Tr	0.06	50	R			To: 20-3580					NA	NA			1997
(3582) Farm Field Dr	0.05	60	R			From: 20-3949					NA	NA			1997
(3582) Farm Field Dr	0.07	410	R			To: Cul-de-Sac					NA	NA			1997
(3582) Farm Field Dr	0.05	150	R			From: Dead End					NA	NA			1997
(3582) Farm Field Dr	0.01	6	R			To: 20-3580					NA	NA			1997
(3582) Farm Field Dr	0.05	150	R			From: 20-3583					NA	NA			1997
(3582) Farm Field Dr	0.01	6	R			To: 20-3578					NA	NA			1997
(3582) Farm Field Dr	0.01	6	R			From: Dead End					NA	NA			1997
(3583) Hilltop Field Dr	0.19	230	R			To: Dead End					NA	NA			1997
(3584) Harley Dr	0.07	70	R			From: 20-653					NA	NA			1997
(3585) Glen Oaks Dr	0.11	440	R			To: Cul-de-Sac					NA	NA			1994
(3585) Glen Oaks Dr	0.09	530	R			From: 20-3586 WEST					NA	NA			1994
(3585) Glen Oaks Dr	0.09	530	R			To: 20-4476					NA	NA			1994
(3585) Glen Oaks Dr	0.09	530	R			From: 20-4475					NA	NA			1994

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3585) Glen Oaks Dr	0.13	600	R			From: 20-4475					NA	NA			1994
(3585) Glen Oaks Dr	0.04	710	R			To: 20-3586 EAST					NA	NA			1994
						From: 20-717									
(3586)	0.27	250	R			From: 20-4481					NA	NA			11/13/2000
(3586)	0.05	260	R			To: 20-4477					NA	NA			11/13/2000
(3586)	0.06	190	R			From: 20-4476					NA	NA			11/13/2000
(3586)	0.11	120	R			To: 20-3585 SOUTH					NA	NA			11/13/2000
(3586)	0.08	140	R			From: 20-3589					NA	NA			11/13/2000
(3586)	0.05	360	R			To: 20-3588					NA	NA			11/13/2000
(3586)	0.10	630	R			From: 20-3587					NA	NA			11/13/2000
(3587) Hamlin Pl	0.04	40	R			To: 20-3585 NORTH					NA	NA			11/13/2000
						From: 20-3586					NA	NA			1994
						To: Cul-de-Sac									
(3588) Shumark Dr	0.18	180	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3586									
(3589) Hamlin Ct	0.03	46	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3586									
(3590)	0.03	1000	R			From: 20-604					NA	NA			1994
(3590)	0.21	940	R			To: 20-3591					NA	NA			1994
(3590)	0.04	850	R			From: 20-3599					NA	NA			1994
						To: Dead End									
(3591) Duck River Rd	0.06	190	R			From: 20-3590					NA	NA			1994
(3591) Duck River Rd	0.11	220	R			To: 20-3592					NA	NA			1994
						From: 20-3593									
(3592) Duck River Ct	0.16	270	R			To: 20-3591					NA	NA			1994
						From: Cul-de-Sac									
(3593) Shiloh Church Rd	0.04	1500	R			From: 20-604					NA	NA			1994
(3593) Shiloh Church Rd	0.11	480	R			To: 20-3591					NA	NA			1994
(3593) Shiloh Church Rd	0.09	290	R			From: 20-3594					NA	NA			1994
(3593) Shiloh Church Rd	0.16	190	R			To: 20-3595					NA	NA			1994
						From: 20-2113									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3594) Leesburg Cr	0.03	30	R			From: Cul-de-Sac S. LEG					NA		NA		1994
						To: 20-3594									
(3594) Leesburg Cr	0.03	30	R			From: Cul-de-Sac N. LEG					NA		NA		1994
						To: 20-3594									
(3594) Leesburg Cr	0.03	70	R			From: 20-3593					NA		NA		1994
						To: 20-3593									
(3595) Leesburg Ct	0.03	40	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3593									
(3596) Quito Rd	0.16	150	R			From: 20-2115					NA		NA		1994
						To: 20-3597									
(3596) Quito Rd	0.06	340	R			From: 20-3598					NA		NA		1994
						To: 20-2114									
(3596) Quito Rd	0.08	610	R			From: 20-2113					NA		NA		1994
						To: 20-2113									
(3597) Iverson Rd	0.20	330	R			From: 20-3596					NA		NA		1994
						To: 20-3596									
(3597) Iverson Rd	0.07	320	R			From: 20-3579					NA		NA		1994
						To: 20-3579									
(3597) Iverson Rd	0.13	140	R			From: 20-3598					NA		NA		1994
						To: 20-3598									
(3598) Colgrave Rd	0.22	280	R			From: 20-3596					NA		NA		1994
						To: 20-3597									
(3598) Colgrave Rd	0.05	50	R			From: Cul-de-Sac					NA		NA		1994
						To: Cul-de-Sac									
(3599) South Ridge Cr	0.03	60	R			From: 20-3590					NA		NA		1994
						To: Cul-de-Sac									
(3600) Woodlake Village Py	0.61	12000	R			From: US 360					NA		NA		1994
						To: BEGIN LOOP									
(3600) Woodlake Village Py	0.20	7200	R			From: 20-3602					NA		NA		1994
						To: 20-3602									
(3600) Woodlake Village Py	0.08	6300	R			From: 20-3604					NA		NA		1994
						To: 20-3604									
(3600) Woodlake Village Py	0.07	5400	R			From: 20-3605					NA		NA		1994
						To: 20-3605									
(3600) Woodlake Village Py	0.08	5300	R			From: 20-3608					NA		NA		1994
						To: 20-3608									
(3600) Woodlake Village Py	0.09	5000	R			From: 20-3613					NA		NA		1994
						To: 20-3613									
(3600) Woodlake Village Py	0.06	4700	R			From: 20-3616					NA		NA		1994
						To: 20-3616									
(3600) Woodlake Village Py	0.08	4500	R			From: 20-3619					NA		NA		1994
						To: 20-3619									
(3600) Woodlake Village Py	0.05	4200	R			From: 20-3621					NA		NA		1994
						To: 20-3621									
(3600) Woodlake Village Py	0.05	4100	R			From: 20-3631					NA		NA		1994
						To: 20-3631									
(3600) Woodlake Village Py	0.05	4100	R			From: 20-3624					NA		NA		1994
						To: 20-3624									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3600) Woodlake Village Py	0.06	3900	R			From: 20-3624					NA	NA			1994
(3600) Woodlake Village Py	0.04	3700	R			To: 20-3628					NA	NA			1994
(3600) Woodlake Village Py	0.19	3200	R			From: 20-3631					NA	NA			1994
(3600) Woodlake Village Py	0.20	2800	R			To: 20-4600					NA	NA			1994
(3600) Woodlake Village Py	0.11	2700	R			From: 20-3634					NA	NA			1994
(3600) Woodlake Village Py	0.06	3200	R			To: 20-3640					NA	NA			1994
(3600) Woodlake Village Py	0.05	2400	R			From: 20-3648					NA	NA			1994
(3600) Woodlake Village Py	0.10	2200	R			To: 20-3644					NA	NA			1994
(3600) Woodlake Village Py	0.05	2100	R			From: 20-4320					NA	NA			1994
(3600) Woodlake Village Py	0.13	2400	R			To: 20-4330					NA	NA			1994
(3600) Woodlake Village Py	0.37	4000	R			From: 20-4333					NA	NA			1994
(3600) Woodlake Village Py	0.80	4600	R			To: 20-4340					NA	NA			1994
(3600) Woodlake Village Py	0.20	6000	R			From: 20-4302					NA	NA			1994
(3600) Woodlake Village Py	0.07	7600	R			To: 20-4301					NA	NA			1994
(3600) Woodlake Village Py	0.05	7700	R			From: 20-4300					NA	NA			1994
						To: END LOOP: WD LAKE PW									
(3601) Forest Wood Ct	0.05	90	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3602									
(3602) Forest Wood Rd	0.04	410	R			From: 20-3600					NA	NA			1994
(3602) Forest Wood Rd	0.05	170	R			To: 20-3601					NA	NA			1994
(3602) Forest Wood Rd	0.04	70	R			From: 20-3603					NA	NA			1994
						To: Cul-de-Sac									
(3603) Forest Wood Ln	0.09	80	R			From: 20-3602					NA	NA			1994
						To: Cul-de-Sac									
(3604) Willow Glen Rd	0.41	380	R			From: BEGIN LOOP					NA	NA			1994
(3604) Willow Glen Rd	0.04	390	R			To: END LOOP					NA	NA			1994
						From: 20-3600									
(3605) Duck Cove Rd	0.09	190	R			From: 20-3607					NA	NA			1994
						To: 20-3606									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3605 Duck Cove Rd	0.04	290	R			From: 20-3606					NA		NA		1994
						To: 20-3600									
3606 Duck Cove Ct	0.06	110	R			From: 20-3605					NA		NA		1994
						To: Cul-de-Sac									
3607 Duck Cove Pl	0.04	60	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3605									
3607 Duck Cove Pl	0.04	70	R			From: 20-3605					NA		NA		1994
						To: 0.04 MN 20-2605 DE									
3608 Mill Spring Dr	0.11	130	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3610									
3608 Mill Spring Dr	0.03	390	R			From: 20-3610					NA		NA		1994
						To: 20-3609									
3608 Mill Spring Dr	0.07	500	R			From: 20-3609					NA		NA		1994
						To: 20-3600									
3609 Mill Spring Ct	0.08	120	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3608									
3610 Mill Spring Rd	0.07	300	R			From: 20-3608					NA		NA		1996
						To: 20-3611									
3610 Mill Spring Rd	0.15	130	R			From: 20-3611					NA		NA		1996
						To: Cul-de-Sac									
3611 Mill Spring Ln	0.05	200	R			From: 20-3610					NA		NA		1996
						To: 20-3612 SOUTH									
3611 Mill Spring Ln	0.01	190	R			From: 20-3612 SOUTH					NA		NA		1996
						To: 20-3612 NORTH									
3611 Mill Spring Ln	0.05	100	R			From: 20-3612 NORTH					NA		NA		1996
						To: Cul-de-Sac									
3612 Mill Spring Cr	0.07	90	R			From: 20-3611 SOUTH					NA		NA		1996
						To: 20-3611 NORTH									
3613 Shelter Cove Rd	0.16	380	R			From: 20-3600					NA		NA		1996
						To: 20-3614									
3613 Shelter Cove Rd	0.03	310	R			From: 20-3614					NA		NA		1996
						To: 20-3615 WEST									
3613 Shelter Cove Rd	0.04	250	R			From: 20-3615 WEST					NA		NA		1996
						To: 20-3615 EAST									
3613 Shelter Cove Rd	0.19	250	R			From: 20-3615 EAST					NA		NA		1996
						To: Cul-de-Sac									
3614 Shelter Cove Pointe	0.10	70	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3613									
3615 Shelter Cove Cr	0.08	80	R			From: 20-3613 WEST					NA		NA		1996
						To: 20-3613 EAST									
3616 Bent Creek Rd	0.05	400	R			From: 20-3600					NA		NA		1996
						To: 20-3617									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3616) Bent Creek Rd	0.02	260	R			From: 20-3617					NA		NA		1996
(3616) Bent Creek Rd	0.08	110	R			From: 20-3618					NA		NA		1996
						To: Cul-de-Sac									
(3617) Bent Creek Pl	0.04	60	R			From: 20-3616					NA		NA		1996
						To: Cul-de-Sac									
(3618) Bent Creek Ct	0.10	150	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3616									
(3619) Country Walk Rd	0.15	90	R			From: BEGIN LOOP					NA		NA		1996
(3619) Country Walk Rd	0.05	100	R			From: END LOOP					NA		NA		1996
(3619) Country Walk Rd	0.09	230	R			From: 20-3620					NA		NA		1996
						To: 20-3600									
(3620) Country Walk Ct	0.04	40	R			From: 20-3619					NA		NA		1996
						To: Cul-de-Sac									
(3621) Oak Knoll Rd	0.10	120	R			From: Cul-de-Sac					NA		NA		1996
(3621) Oak Knoll Rd	0.05	260	R			From: 20-3623					NA		NA		1996
(3621) Oak Knoll Rd	0.03	260	R			From: 20-3622 WEST					NA		NA		1996
(3621) Oak Knoll Rd	0.07	350	R			From: 20-3622 EAST					NA		NA		1996
						To: 20-3600									
(3622) Oak Knoll Cr	0.08	70	R			From: 20-3621 WEST					NA		NA		1996
						To: 20-3621 EAST									
(3623) Oak Knoll Ln	0.09	130	R			From: 20-3621					NA		NA		1996
						To: Cul-de-Sac									
(3624) Waters Edge Rd	0.07	60	R			From: Cul-de-Sac					NA		NA		1996
(3624) Waters Edge Rd	0.04	130	R			From: 20-3627					NA		NA		1996
(3624) Waters Edge Rd	0.05	160	R			From: 20-3626					NA		NA		1996
(3624) Waters Edge Rd	0.16	300	R			From: 20-3625					NA		NA		1996
						To: 20-3600									
(3625) Waters Edge Ct	0.05	60	R			From: 20-3624					NA		NA		1996
						To: Cul-de-Sac									
(3626) Waters Edge Tr	0.05	20	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3624									
(3627) Waters Edge Cr	0.04	40	R			From: 20-3624					NA		NA		1997
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3628)	0.06	370	R			From: 20-3600					NA		NA		1997
						To: 20-3629									
(3628)	0.06	230	R			From: 20-3629					NA		NA		1997
						To: 20-3630									
(3628)	0.05	100	R			From: 20-3630					NA		NA		1997
						To: Cul-de-Sac									
(3629)	Woods Walk Ln	0.05	80	R		From: Dead End					NA		NA		1997
						To: 20-3628									
(3629)	Woods Walk Ln	0.09	130	R		From: 20-3628					NA		NA		1997
						To: Cul-de-Sac									
(3630)	Woods Walk Ct	0.07	90	R		From: Cul-de-Sac					NA		NA		1997
						To: 20-3628									
(3631)	Moss Creek Rd	0.19	500	R		From: 20-3600					NA		NA		1997
						To: 20-3632									
(3631)	Moss Creek Rd	0.11	140	R		From: 20-3632					NA		NA		1997
						To: Cul-de-Sac									
(3632)	Moss Creek Ct	0.15	190	R		From: 20-3631					NA		NA		1997
						To: 20-3633									
(3632)	Moss Creek Ct	0.05	48	R		From: 20-3633					NA		NA		1997
						To: Cul-de-Sac									
(3633)	Moss Creek Pl	0.04	48	R		From: 20-3632					NA		NA		1997
						To: Cul-de-Sac									
(3634)	Long Cove Rd	0.05	700	R		From: 20-3600					NA		NA		1997
						To: 20-3635									
(3634)	Long Cove Rd	0.11	550	R		From: 20-3635					NA		NA		1997
						To: 20-3638									
(3634)	Long Cove Rd	0.10	390	R		From: 20-3638					NA		NA		1997
						To: 20-3639									
(3634)	Long Cove Rd	0.04	100	R		From: 20-3639					NA		NA		1997
						To: 20-3652									
(3634)	Long Cove Rd	0.06	90	R		From: 20-3652					NA		NA		1997
						To: Dead End									
(3635)	North Chase Rd	0.17	180	R		From: Cul-de-Sac					NA		NA		1997
						To: 20-3636									
(3635)	North Chase Rd	0.03	460	R		From: 20-3636					NA		NA		1997
						To: 20-3634									
(3636)	North Chase Ct	0.12	100	R		From: Cul-de-Sac					NA		NA		1997
						To: 20-3637									
(3636)	North Chase Ct	0.08	260	R		From: 20-3637					NA		NA		1997
						To: 20-3635									
(3637)	North Chase Pl	0.07	80	R		From: 20-3636					NA		NA		1997
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3638 Woods Walk Rd	0.02	9	R			From: 20-3634					NA	NA			1997
						To: Dead End									
3639 Long Cove Pl	0.16	270	R			From: 20-3634					NA	NA			1997
						To: Dead End									
3640 West Bay Dr	0.13	570	R			From: 20-3600					NA	NA			1997
						To: 20-3541									
3640 West Bay Dr	0.08	240	R			From: 20-3641					NA	NA			1997
						To: 20-3642									
3640 West Bay Dr	0.07	170	R			From: 20-3643					NA	NA			1997
						To: Cul-de-Sac									
3641 West Bay Ct	0.18	170	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3640									
3642 West Bay Rd	0.15	90	R			From: Dead End					NA	NA			1997
						To: 20-3640									
3643 West Bay Pl	0.06	48	R			From: 20-3640					NA	NA			1997
						To: Cul-de-Sac									
3644 Fiddlers Ridge Rd	0.09	130	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3647									
3644 Fiddlers Ridge Rd	0.09	280	R			From: 20-3646					NA	NA			1994
						To: 20-3645									
3644 Fiddlers Ridge Rd	0.06	520	R			From: 20-3645					NA	NA			1994
						To: 20-3600									
3645 Fiddlers Ridge Ct	0.07	110	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3644									
3646 Fiddlers Ridge Ln	0.16	210	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3644									
3647 Fiddlers Ridge Pl	0.06	80	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3644									
3648 Sunrise Bluff Rd	0.17	550	R			From: 20-3600					NA	NA			1994
						To: 20-3649									
3648 Sunrise Bluff Rd	0.17	150	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3648									
3649 Sunrise Bluff Ct	0.24	220	R			From: 20-3648					NA	NA			1994
						To: Cul-de-Sac									
3650	0.13	420	R			From: 20-3653					NA	NA			1994
						To: 20-3651									
3650	0.03	460	R			From: 20-1913					NA	NA			1994
						To: 20-1913									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3650)	0.08	110	R			From: 20-1913					NA	NA			1994
						To: Cul-de-Sac									
(3651) Playground Cr	0.10	160	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3650									
(3652) Long Cove Ct	0.04	50	R			From: Dead End					NA	NA			1994
						To: 20-3634									
(3653) Leisure Tr	0.20	60	R			From: Cul-de-Sac					NA	NA			11/16/2000
						To: Cul-de-Sac									
(3654) Leisure Ln	0.20	130	R			From: 20-3653					NA	NA			11/16/2000
						To: 20-1913									
(3655) Leisure Ct	0.10	30	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-3654									
(3656)	0.13	NA				From: Cul-de-Sac					NA	NA			
						To: 20-1845; 20-3657									
(3657)	0.14	NA				From: 20-1845; 20-3656					NA	NA			
						To: Cul-de-Sac									
(3658) Oldbury Ct	0.09	30	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-1360									
(3659) Weatherbury Pl	0.52	120	R			From: 20-604					NA	NA			11/20/2000
						To: Cul-de-Sac									
(3660) Hunters Ridge Dr	0.21	130	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3661									
(3660) Hunters Ridge Dr	0.11	470	R			From: 20-604					NA	NA			1997
						To: 20-604									
(3661) Hunters Ridge Ln	0.19	150	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3662									
(3661) Hunters Ridge Ln	0.07	280	R			From: 20-3660					NA	NA			1997
						To: 20-3660									
(3662) Hobblesh Tr	0.06	50	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3663									
(3662) Hobblesh Tr	0.11	140	R			From: 20-3661					NA	NA			1997
						To: 20-3661									
(3663) Hobblesh Cr	0.13	60	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3662									
(3664)	0.11	NA				From: 20-1601; 20-2469					NA	NA			
						To: Cul-de-Sac									
(3665) Rabbit Ridge Rd	0.25	70	R			From: 20-3670					NA	NA			1997
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3666) Squirrel Tree Ct	0.10	60	R			From: Cul-de-Sac					NA		NA		1997
(3666) Squirrel Tree Ct	0.16	30	R			To: 20-3665					NA		NA		1997
(3666) Squirrel Tree Ct						From: Cul-de-Sac									
(3667) Owl Trace Ct	0.16	80	R			To: 20-3670					NA		NA		1997
(3667) Owl Trace Ct						From: 20-3670									
(3668) Avocet Dr	0.14	120	R			To: Cul-de-Sac					NA		NA		1997
(3668) Avocet Dr						From: 20-3684									
(3668) Avocet Dr	0.19	45	R			To: Cul-de-Sac					NA		NA		1997
(3668) Avocet Dr						From: 20-3670									
(3669) Otterburn Rd	0.24	60	R			To: 20-604					NA		NA		1994
(3669) Otterburn Rd						From: Cul-de-Sac									
(3670) Woodland Pond Py	0.44	NA				To: 20-636					NA		NA		
(3670) Woodland Pond Py						From: 20-3668									
(3670) Woodland Pond Py	1.03	250	R			To: 20-3681					NA		NA		1996
(3670) Woodland Pond Py						From: 20-2681									
(3670) Woodland Pond Py	0.13	1100	R			To: 20-3671 SOUTH					NA		NA		1996
(3670) Woodland Pond Py						From: 20-3671 SOUTH									
(3670) Woodland Pond Py	0.31	1700	R			To: 20-3677					NA		NA		1996
(3670) Woodland Pond Py						From: 20-3677									
(3670) Woodland Pond Py	0.15	1600	R			To: 20-3671 NORTH					NA		NA		1996
(3670) Woodland Pond Py						From: 20-3671 NORTH									
(3670) Woodland Pond Py	0.51	2400	R			To: 20-655					NA		NA		1996
(3670) Woodland Pond Py						From: 20-655									
(3671) Waterfowl Flyway	0.23	120	R			To: Cul-de-Sac					NA		NA		1996
(3671) Waterfowl Flyway						From: 20-3670 SOUTH									
(3671) Waterfowl Flyway	0.11	220	R			To: 20-3680					NA		NA		1996
(3671) Waterfowl Flyway						From: 20-3680									
(3671) Waterfowl Flyway	0.37	140	R			To: 20-3678					NA		NA		1996
(3671) Waterfowl Flyway						From: 20-3678									
(3671) Waterfowl Flyway	0.59	400	R			To: 20-3670 NORTH					NA		NA		1996
(3671) Waterfowl Flyway						From: 20-3670 NORTH									
(3671) Waterfowl Flyway	0.30	600	R			To: 20-3672					NA		NA		1996
(3671) Waterfowl Flyway						From: 20-3672									
(3671) Waterfowl Flyway	0.16	280	R			To: 20-3690					NA		NA		1996
(3671) Waterfowl Flyway						From: 20-3690									
(3671) Waterfowl Flyway	0.13	90	R			To: 20-3691					NA		NA		1996
(3671) Waterfowl Flyway						From: 20-3691									
(3671) Waterfowl Flyway	0.19	46	R			To: FUTURE ROAD					NA		NA		1996
(3671) Waterfowl Flyway						From: FUTURE ROAD									
(3672) Merganser Tr	0.14	80	R			To: Cul-de-Sac					NA		NA		1996
(3672) Merganser Tr						From: 20-3676									
(3672) Merganser Tr	0.09	160	R			To: 20-3675					NA		NA		1996
(3672) Merganser Tr						From: 20-3675									
(3672) Merganser Tr	0.04	240	R			To: 20-3674					NA		NA		1996
(3672) Merganser Tr						From: 20-3674									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3672) Merganser Tr	0.08	270	R			From: 20-3674					NA	NA			1996
(3672) Merganser Tr	0.11	370	R			From: 20-3673					NA	NA			1996
						To: 20-3671									
(3673) Widgeon Wy	0.10	80	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3672									
(3674) Sawdust TI	0.07	30	R			From: 20-3672					NA	NA			1996
						To: Cul-de-Sac									
(3675) Eider Landing	0.09	48	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3672									
(3676) Canvasback Cr	0.09	60	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3672									
(3677) Old Squaws Ln	0.18	110	R			From: 20-3670					NA	NA			1996
						To: Cul-de-Sac									
(3678) Gadwell Tr	0.04	40	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3679									
(3678) Gadwell Tr	0.20	170	R			From: 20-3671					NA	NA			1996
						To: Cul-de-Sac									
(3678) Gadwell Tr	0.14	80	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3679									
(3679) Gadwell Ct	0.14	70	R			From: 0.19 MS 20-3671					NA	NA			1996
						To: 20-3671									
(3680) Lesser Scaup Landin	0.09	60	R			From: Dead End					NA	NA			1996
						To: Cul-de-Sac									
(3681) Whistling Swan Rd	0.49	400	R			From: 20-3682					NA	NA			1996
						To: 20-3670									
(3681) Whistling Swan Rd	0.24	610	R			From: 20-3681					NA	NA			1996
						To: Cul-de-Sac									
(3682) Pintail Pl	0.19	130	R			From: 20-3681					NA	NA			1996
						To: Cul-de-Sac									
(3683) Whistling Swan Pl	0.12	50	R			From: 20-3668					NA	NA			1996
						To: Cul-de-Sac									
(3684) Avocet Ct	0.12	40	R			From: 20-743					NA	NA			11/16/2000
						To: Cul-de-Sac									
(3685) Newbys Wood TI	0.10	610	R			From: 20-3686					NA	NA			1996
						To: 20-3688									
(3685) Newbys Wood TI	0.15	400	R			From: 20-3688					NA	NA			1996

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3685) Newbys Wood TI	0.11	140	R			From: 20-3688					NA	NA			1996
(3685) Newbys Wood TI	0.18	90	R			From: 20-3689					NA	NA			1996
						To: Dead End									
(3686) Quail Ridge Rd	0.10	60	R			From: Dead End					NA	NA			1996
(3686) Quail Ridge Rd	0.09	150	R			From: 20-3687					NA	NA			1996
						To: 20-3685									
(3686) Quail Ridge Rd	0.10	48	R			From: 20-3585					NA	NA			1996
						To: Dead End									
(3687) Quail Ridge Tr	0.16	80	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-3686									
(3688) Berry Patch Dr	0.14	90	R			From: 20-3658					NA	NA			1996
						To: Cul-de-Sac									
(3689) Barefoot TI	0.22	60	R			From: Dead End					NA	NA			05/18/2000
						To: 20-3685									
(3690) Waterfowl Ct	0.07	30	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-3671									
(3691) Waterfowl PI	0.04	4	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-3671									
(3692)	0.43	110	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-3693									
(3693) Egret Ct	0.23	60	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-3692									
(3694)	0.26	4	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-3498									
(3695)	0.07	30	R			From: Dead End					NA	NA			11/20/2000
						To: 20-651									
(3696)	0.43	NA				From: Dead End					NA	NA			
						To: Cul-de-Sac									
(3697)	0.04	NA				From: 20-3696					NA	NA			
						To: Cul-de-Sac									
(3698)	0.03	30	R			From: Cul-de-Sac					NA	NA			09/05/2000
						To: 20-3527									
(3699) Crown Point Rd	0.23	40	R			From: 20-668 Woolridge Rd					NA	NA			1996
						To: Cul-de-Sac									
(3700) Aberdare Dr	0.04	860	R			From: 20-642					NA	NA			1994
						To: 20-3701									
(3700) Aberdare Dr	0.06	730	R			From: 20-3701					NA	NA			1994
						To: 20-3702									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3700) Aberdare Dr	0.06	610	R			From: 20-3702					NA		NA		1994
(3700) Aberdare Dr	0.06	520	R			To: 20-3703					NA		NA		1994
						From: 20-3704									
(3701) Fenestra Cr	0.06	80	R			From: 20-3700					NA		NA		1996
						To: Cul-de-Sac									
(3702)	0.18	250	R			From: 20-1905					NA		NA		1996
(3702)	0.05	210	R			From: 20-1903					NA		NA		1996
(3702)	0.13	210	R			From: 20-3704					NA		NA		1996
(3702)	0.06	20	R			To: 20-3700					NA		NA		1996
						From: Cul-de-Sac									
(3703) Hyth Pl	0.05	48	R			From: 20-3700					NA		NA		1996
						To: Cul-de-Sac									
(3704) Chipping Dr	0.22	220	R			From: 0-3702					NA		NA		1996
(3704) Chipping Dr	0.07	90	R			From: 20-3700					NA		NA		1996
						To: Dead End									
(3705)	0.37	NA				From: Cul-de-Sac					NA		NA		
						To: 20-678									
(3706)	0.04	NA				From: Cul-de-Sac					NA		NA		
						To: 20-3705									
(3707) Walnut Cove Ct	0.14	60	R			From: 20-3286					NA		NA		11/20/2000
						To: Cul-de-Sac									
(3708) Rufford Pl	0.05	10	R			From: 20-3286					NA		NA		11/20/2000
						To: Cul-de-Sac									
(3709) Rufford Ct	0.04	8	R			From: 20-3286					NA		NA		11/20/2000
						To: Cul-de-Sac									
(3710)	0.04	30	R			From: 0.04 MS 20-642					NA		NA		1996
(3710)	0.12	60	R			To: 20-642					NA		NA		1996
						From: Dead End									
(3711) Salem Oaks Tr	0.04	30	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-642									
(3712)	0.16	210	R			From: 20-760					NA		NA		11/20/2000
						To: 20-3713									
(3713)	0.34	170	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-3712									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3714)	0.07	30	R			From: 20-3713					NA	NA			11/20/2000
						To: Dead End									
(3715) Sonnenburg Ct	0.04	20	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-3471									
(3716) Tributary Ct	0.05	20	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-3471									
(3717) Passaic Av	0.11	20	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-3471									
(3717) Passaic Av	0.01	8	R			From: 20-3471					NA	NA			11/13/2000
						To: Dead End									
(3718) Ferncreek Pl	0.12	150	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2718									
(3719)	0.35	NA				From: 20-1567					NA	NA			
						To: 20-3570									
(3720) Leveret Ln	0.17	200	R			From: Dead End					NA	NA			1996
						To: 20-3086									
(3721) Oxer Rd	0.09	240	R			From: 20-3086					NA	NA			1997
						To: 20-3722									
(3721) Oxer Rd	0.11	120	R			From: 20-3721					NA	NA			1997
						To: Dead End									
(3722) Oxer Ct	0.03	40	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3721									
(3723) Den Bark Dr	0.15	320	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3737									
(3723) Den Bark Dr	0.13	120	R			From: 20-3727					NA	NA			1994
						To: 20-3727									
(3724) Den Bark Cr	0.04	70	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3727									
(3725) Den Bark Ct	0.03	80	R			From: 0.03 MS 20-3727					NA	NA			1997
						To: 20-3727									
(3725) Den Bark Ct	0.04	70	R			From: 20-3727					NA	NA			1997
						To: Dead End									
(3726) Babbler Ln	0.15	180	R			From: 20-3727					NA	NA			1994
						To: Dead End									
(3727) Foxberry Dr	0.07	1800	R			From: 20-647					NA	NA			1997
						To: 20-3730									
(3727) Foxberry Dr	0.05	960	R			From: 20-3729					NA	NA			1997
						To: 20-3729									
(3727) Foxberry Dr	0.07	910	R			From: 20-3723					NA	NA			1997
						To: 20-3723									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3727) Foxberry Dr	0.05	920	R			From: 20-3723					NA	NA			1997
(3727) Foxberry Dr	0.05	750	R			To: 20-3728					NA	NA			1997
(3727) Foxberry Dr	0.06	730	R			From: 20-3731					NA	NA			1997
(3727) Foxberry Dr	0.05	640	R			To: 20-3732					NA	NA			1997
(3727) Foxberry Dr	0.07	580	R			From: 20-3733					NA	NA			1997
(3727) Foxberry Dr	0.06	440	R			To: 20-3734					NA	NA			1997
(3727) Foxberry Dr	0.05	370	R			From: 20-3735					NA	NA			1997
(3727) Foxberry Dr	0.04	390	R			To: 20-3736					NA	NA			1997
(3727) Foxberry Dr	0.05	410	R			From: 20-3726					NA	NA			1997
(3727) Foxberry Dr	0.05	450	R			To: 20-3725					NA	NA			1997
(3727) Foxberry Dr	0.05	460	R			From: 20-3724					NA	NA			1997
(3727) Foxberry Dr	0.15	780	R			To: 20-3086					NA	NA			1997
						From: END LOOP									
(3728) Foxberry Cr	0.04	80	R			To: 20-3727					NA	NA			1997
						From: Cul-de-Sac									
(3729) Foxberry Ct	0.03	40	R			To: 20-3727					NA	NA			1997
						From: Cul-de-Sac									
(3730) Goins Ln	0.03	60	R			To: 30-3727					NA	NA			1997
						From: Dead End									
(3731) Blue Tick Ct	0.05	60	R			To: Dead End					NA	NA			1997
						From: 20-3727									
(3731) Blue Tick Ct	0.05	100	R			To: Dead End					NA	NA			1997
						From: Cul-de-Sac									
(3732) Cropper Cr	0.03	80	R			To: 20-3727					NA	NA			1997
						From: 0.05 MS 20-3727									
(3733) Cropper Ct	0.05	80	R			To: 20-3727					NA	NA			1997
						From: Dead End									
(3734)	0.08	80	R			To: 0.08 MS 20-3727					NA	NA			1997
						From: 20-3727									
(3734)	0.05	80	R			To: 0.05 MN 20-3727					NA	NA			1997

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3735) Foxcatcher Ct	0.10	110	R			From: 20-3727					NA	NA			1997
						To: Cul-de-Sac									
(3736) Rasper Ct	0.11	140	R			From: 20-3727					NA	NA			1994
						To: Cul-de-Sac									
(3737)	0.04	60	R			From: 0.04 MW 20-3723					NA	NA			1994
						To: 20-3723									
(3737)	0.03	30	R			From: 20-3723					NA	NA			1994
						To: 0.03 ME 20-3723									
(3738)	0.27	NA				From: Cul-de-Sac					NA	NA			
						To: 20-3387; 20-9972									
(3739)	0.18	NA				From: Cul-de-Sac					NA	NA			
						To: 20-3738									
(3740) Malcott Dr	0.06	180	R			From: 20-750					NA	NA			1994
						To: 20-3741									
(3741) Malcott Ct	0.04	50	R			From: 0.04 MS 20-3740					NA	NA			1994
						To: 20-3740									
(3741) Malcott Ct	0.07	100	R			From: 20-3740					NA	NA			1994
						To: 0.07 MN 20-3740									
(3742)	0.13	NA				From: 20-03424(B)/					NA	NA			
						To: Cul-de-Sac/									
(3743) Brookforest Ct	0.20	80	R			From: 20-2115					NA	NA			09/05/2000
						To: Cul-de-Sac									
(3744) Pulliam Ct	0.11	40	R			From: Cul-de-Sac					NA	NA			10/12/2000
						To: 20-1746									
(3746) Trophy Ln	0.07	30	R			From: 20-3000					NA	NA			11/16/2000
						To: Cul-de-Sac									
(3747) Trailbrook Dr	0.24	70	R			From: Dead End					NA	NA			11/16/2000
						To: 20-3000									
(3749) Rams Crossing Ct	0.04	40	R			From: 20-3156					NA	NA			1994
						To: Cul-de-Sac									
(3750)	0.14	380	R			From: Cul-de-Sac					NA	NA			09/07/2000
						To: 20-3759									
(3750)	0.13	560	R			From: 20-3759					NA	NA			09/07/2000
						To: 20-3752									
(3750)	0.04	870	R			From: 20-3752					NA	NA			09/07/2000
						To: 20-3751									
(3750)	0.03	2200	R			From: 20-3751					NA	NA			09/07/2000
						To: 20-720									
(3750)	0.06	4800	R			From: 20-720					NA	NA			09/07/2000
						To: 20-3760									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3750)	0.06	4600	R			From: 20-3760					NA	NA			09/07/2000
(3750)	0.11	4500	R			From: 20-3753					NA	NA			09/07/2000
(3750)	0.06	4400	R			From: 20-3756					NA	NA			09/07/2000
(3750)	0.19	3900	R			From: 20-3765					NA	NA			09/07/2000
(3750)	0.15	3000	R			From: 20-3768					NA	NA			09/07/2000
(3750)	0.12	2900	R			From: 20-3985					NA	NA			09/07/2000
(3750)	0.23	3100	R			From: 20-3501					NA	NA			09/07/2000
(3750)	0.22	3200	R			From: 20-5300					NA	NA			09/07/2000
(3750)	0.21	3300	R			From: 20-5304					NA	NA			09/07/2000
(3751)	Reed Grass Ln	0.13	180	R		From: 20-3750					NA	NA			1994
						To: Cul-de-Sac									
(3752)	Wood Sage	0.09	190	R		From: 0.09 MW 20-3750					NA	NA			1994
(3752)	Wood Sage	0.07	140	R		From: 20-3750					NA	NA			1994
						To: 0.07 ME 20-3750									
(3753)	Somerville Grove Tr	0.02	390	R		From: 20-3750					NA	NA			1994
(3753)	Somerville Grove Tr	0.12	320	R		From: 20-3754					NA	NA			1994
(3753)	Somerville Grove Tr	0.09	120	R		From: 20-3755					NA	NA			1994
						To: Cul-de-Sac									
(3754)	Somerville Grove Pl	0.04	70	R		From: 20-3753					NA	NA			1994
						To: Cul-de-Sac									
(3755)	Somerville Grove Cr	0.03	40	R		From: 20-3753					NA	NA			1994
						To: Cul-de-Sac									
(3756)	Ashbrook Landing Rd	0.04	690	R		From: 20-3750					NA	NA			1994
(3756)	Ashbrook Landing Rd	0.03	3100	R		From: 20-3757					NA	NA			1994
(3756)	Ashbrook Landing Rd	0.19	3000	R		From: 20-3758					NA	NA			1994
						To: 20-3924									
(3757)	Ashbrook Landing Tr	0.09	60	R		From: 20-3756					NA	NA			1994
						To: Cul-de-Sac									
(3758)	Ashbrook Landing Ct	0.04	70	R		From: 20-3756					NA	NA			1994
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3759) Spring Cress Ct	0.10	200	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3750									
(3760) Cottage Mill Rd	0.06	60	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3763									
(3760) Cottage Mill Rd	0.04	410	R			From: 20-3763					NA		NA		1994
						To: 20-3762									
(3760) Cottage Mill Rd	0.17	420	R			From: 20-3762					NA		NA		1994
						To: 20-3761									
(3760) Cottage Mill Rd	0.05	520	R			From: 20-3761					NA		NA		1994
						To: 20-3750									
(3761) Cottage Mill Tr	0.10	90	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3760									
(3762) Cottage Mill Cr	0.04	60	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3760									
(3763) Cottage Mill Pl	0.03	40	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3764									
(3763) Cottage Mill Pl	0.05	100	R			From: 20-3764					NA		NA		1994
						To: 20-3760									
(3763) Cottage Mill Pl	0.05	30	R			From: 20-3760					NA		NA		1994
						To: Cul-de-Sac									
(3764) Cottage Mill Wy	0.04	60	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3763									
(3765) Worsham Green Tr	0.07	380	R			From: 20-3750					NA		NA		1994
						To: 20-3766									
(3765) Worsham Green Tr	0.05	190	R			From: 20-3766					NA		NA		1994
						To: 20-3767									
(3765) Worsham Green Tr	0.08	120	R			From: 20-3767					NA		NA		1994
						To: Cul-de-Sac									
(3766) Worsham Green Pl	0.04	60	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3765									
(3767) Worsham Green Ct	0.05	80	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3765									
(3768)	0.09	580	R			From: 20-3500					NA		NA		1994
						To: 20-3769									
(3768)	0.06	710	R			From: 20-3769					NA		NA		1994
						To: 20-3750									
(3769) Lady Ashley Ct	0.08	90	R			From: 20-3769					NA		NA		1994
						To: Cul-de-Sac									
(3770)	0.20	150	R			From: Dead End					NA		NA		1996
						To: 20-714									
(3770)	0.06	46	R			From: 20-714					NA		NA		1994
						To: 20-3771									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3770)	0.10	40	R			From: 20-3771					NA	NA			1994
						To: Dead End									
(3771) Southwell Pl	0.03	48	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3770									
(3772) Fulford Ct	0.04	48	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-714									
(3773) Crossings Wy	0.03	640	R			From: 20-714					NA	NA			1994
						To: 20-3774									
(3773) Crossings Wy	0.12	580	R			From: 20-3774					NA	NA			1994
						To: 20-3775									
(3773) Crossings Wy	0.09	470	R			From: 20-3775					NA	NA			1994
						To: 20-3776									
(3773) Crossings Wy	0.08	370	R			From: 20-3776					NA	NA			1994
						To: 20-3777									
(3773) Crossings Wy	0.29	280	R			From: 20-3777					NA	NA			1994
						To: Dead End									
(3774) Crossings Way Ct	0.06	60	R			From: 20-3773					NA	NA			1994
						To: Cul-de-Sac									
(3775) Crossings Way Tr	0.06	70	R			From: 20-3773					NA	NA			1994
						To: Cul-de-Sac									
(3776) Crossings Way Cr	0.05	48	R			From: 20-3773					NA	NA			1994
						To: Cul-de-Sac									
(3777) Crossings Ridge Dr	0.07	40	R			From: Dead End					NA	NA			1994
						To: 20-3773									
(3778)	0.07	NA				From: Cul-de-Sac					NA	NA			
						To: 20-3455									
(3779)	0.08	NA				From: Cul-de-Sac					NA	NA			
						To: 20-3455									
(3780) Westcreek Dr	0.05	1500	R			From: 20-720					NA	NA			1994
						To: 20-3781 SOUTH									
(3780) Westcreek Dr	0.07	1400	R			From: 20-3781 SOUTH					NA	NA			1994
						To: 20-3782									
(3780) Westcreek Dr	0.09	880	R			From: 20-3782					NA	NA			1994
						To: 20-3783									
(3780) Westcreek Dr	0.05	830	R			From: 20-3783					NA	NA			1994
						To: 20-3781 NORTH									
(3780) Westcreek Dr	0.03	1100	R			From: 20-3781 NORTH					NA	NA			1994
						To: 20-3785									
(3780) Westcreek Dr	0.03	1100	R			From: 20-3785					NA	NA			1994
						To: 20-3786									
(3780) Westcreek Dr	0.04	1100	R			From: 20-3786					NA	NA			1994
						To: 20-3787									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3780) Westcreek Dr	0.05	1200	R			From: 20-3787					NA		NA		1994
						To: Dead End									
(3781) Wedgemont Dr	0.22	430	R			From: 20-3780 SOUTH					NA		NA		1996
(3781) Wedgemont Dr	0.05	330	R			From: 20-4070					NA		NA		1996
(3781) Wedgemont Dr	0.07	260	R			From: 20-4071					NA		NA		1996
						To: 20-3780 NORTH									
(3782) Briarcrest Dr	0.10	150	R			From: 20-3780					NA		NA		1996
						To: Cul-de-Sac									
(3783) Briarhurst Rd	0.12	100	R			From: 20-3780					NA		NA		1996
						To: 20-4090									
(3785) Eastcliff Dr	0.08	90	R			From: 20-3780					NA		NA		1996
						To: Cul-de-Sac									
(3786) Westcreek Ct	0.10	150	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3780									
(3787) Westcreek Cr	0.06	90	R			From: 20-3780					NA		NA		1996
						To: Cul-de-Sac									
(3788) Kenmont Dr	0.34	520	R			From: 20-3796					NA		NA		10/12/2000
(3788) Kenmont Dr	0.05	640	R			From: 20-3789					NA		NA		10/12/2000
						To: 20-714									
(3789) Kenmont Tr	0.15	70	R			From: Cul-de-Sac					NA		NA		10/12/2000
						To: 20-3788									
(3790) Galloway Tr	0.13	300	R			From: 20-902					NA		NA		1997
(3790) Galloway Tr	0.09	70	R			From: 20-3791					NA		NA		1997
						To: Cul-de-Sac									
(3791) Galloway Ct	0.18	130	R			From: 20-3790					NA		NA		1997
						To: Cul-de-Sac									
(3792) Castleford Tr	0.11	580	R			From: 20-902					NA		NA		1997
(3792) Castleford Tr	0.08	330	R			From: 20-3793					NA		NA		1997
(3792) Castleford Tr	0.09	46	R			From: 20-3794					NA		NA		1997
						To: Cul-de-Sac									
(3793) Castleford Dr	0.20	160	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3792									
(3794) Castleford Ct	0.25	130	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3792									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3795) Leafield Tr	0.29	110	R			From: 20-714					NA	NA			10/12/2000
						To: Cul-de-Sac									
(3796) Helmsley Rd	0.20	290	R			From: 20-3788					NA	NA			1997
						To: 20-3799									
(3796) Helmsley Rd	0.06	350	R			From: 20-3799					NA	NA			1997
						To: 20-3798									
(3796) Helmsley Rd	0.09	360	R			From: 20-3798					NA	NA			1997
						To: 20-3797									
(3796) Helmsley Rd	0.11	1100	R			From: 20-3797					NA	NA			1997
						To: 20-714									
(3797) Rochester Ct	0.30	240	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3796									
(3798) Viburg Ct	0.28	170	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3796									
(3799) Radnor Pl	0.12	30	R			From: 20-3796					NA	NA			10/12/2000
						To: Cul-de-Sac									
(3800) Manuel St	0.02	20	R			From: Dead End					NA	NA			1996
						To: 20-2805									
(3800) Manuel St	0.05	560	R			From: 20-2805					NA	NA			1996
						To: 20-3803									
(3800) Manuel St	0.07	710	R			From: 20-3803					NA	NA			1996
						To: 20-3801									
(3800) Manuel St	0.08	1300	R			From: 20-3801					NA	NA			1996
						To: 20-2828									
(3801) Thierry St	0.12	380	R			From: 20-3802					NA	NA			1996
						To: 20-3800									
(3802) Thierry Ct	0.07	110	R			From: 0.07 MW 20-3801					NA	NA			1994
						To: 20-3801									
(3802) Thierry Ct	0.06	130	R			From: 20-3801					NA	NA			1994
						To: Cul-de-Sac									
(3803) Manuel Ct	0.19	320	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-3800									
(3805) Harburn Ct	0.10	30	R			From: 20-3797					NA	NA			10/12/2000
						To: Cul-de-Sac									
(3808) Helmsley Ct	0.08	60	R			From: 20-1037					NA	NA			10/12/2000
						To: Cul-de-Sac									
(3809) Autumnfield Rd	0.10	40	R			From: Cul-de-Sac					NA	NA			10/12/2000
						To: 20-1037									
(3810) Fairpines Ct	0.06	90	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-2130									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3811 Banes Ct	0.09	130	R			From: 0.09 MS 20-2301					NA	NA			1994
3811 Banes Ct	0.06	80	R			From: 20-2301					NA	NA			1994
						To: Dead End									
3812 Denny Ct	0.19	290	R			From: 0.19 MS 20-2301					NA	NA			1994
3812 Denny Ct	0.05	60	R			From: 20-2301					NA	NA			1994
						To: Dead End									
3813 Holly Pines Dr	0.16	170	R			From: 20-2130					NA	NA			11/16/2000
						To: Cul-de-Sac									
3815 Lochness Rd	0.26	30	R			From: 20-1739					NA	NA			11/20/2000
						To: Cul-de-Sac									
3816 Colony Trace Dr	0.15	240	R			From: 20-1775					NA	NA			10/10/2000
						To: 20-3815									
3817 Highstream Wy	0.10	140	R			From: Cul-de-Sac					NA	NA			10/10/2000
						To: 20-3818									
3818 Trefoil Wy	0.19	100	R			From: Cul-de-Sac					NA	NA			10/10/2000
						To: Cul-de-Sac									
3819	0.13	NA				From: Dead End/					NA	NA			
						To: 20-01181(B)/									
3820 Birkdale Ln	0.08	110	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3156									
3821 Rams Ct	0.03	40	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3724									
3821 Rams Ct	0.05	120	R			From: 20-3824					NA	NA			1997
						To: 20-3156									
3822 Rams Cr	0.03	20	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-3856									
3823	0.06	70	R			From: Dead End					NA	NA			1997
						To: 20-3824									
3823	0.03	130	R			From: 20-3156					NA	NA			1997
						To: 20-3156									
3823	0.04	360	R			From: 20-3825					NA	NA			1997
						To: 20-3825									
3823	0.09	230	R			From: 20-3826					NA	NA			1997
						To: 20-3826									
3823	0.07	80	R			From: Cul-de-Sac					NA	NA			1997
						To: Cul-de-Sac									
3824 Eagle Run Ct	0.06	90	R			From: 20-3824					NA	NA			1997
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3825 Ewes Ct	0.10	130	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3823									
3826 Elkview Dr	0.06	40	R			From: 20-3823					NA		NA		1994
						To: Dead End									
3827	0.04	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-02091(B)/									
3828	0.04	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-02091(B)/									
3829 Bowlin Ct	0.09	190	R			From: 20-2660					NA		NA		1997
						To: Cul-de-Sac									
3830 Apple Orchard Rd	0.09	110	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3832									
3830 Apple Orchard Rd	0.07	280	R			From: 20-3832					NA		NA		1997
						To: 20-3831									
3830 Apple Orchard Rd	0.04	340	R			From: 20-3831					NA		NA		1997
						To: 20-650									
3831 Apple Orchard Tr	0.04	30	R			From: 20-3830					NA		NA		1997
						To: Cul-de-Sac									
3832 Apple Orchard Ct	0.14	140	R			From: 20-3830					NA		NA		1997
						To: Cul-de-Sac									
3833	0.10	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-03950(B)/20-03835(U)/									
3834 Redington Ct	0.07	40	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-2070									
3835	0.10	NA				From: 20-03950(B)/20-03833(U)/					NA		NA		
						To: Cul-de-Sac/									
3836 Benbow Ct	0.03	30	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-2071									
3837 Snowhill Rd	0.06	290	R			From: 20-2071					NA		NA		1994
						To: 20-3838									
3837 Snowhill Rd	0.18	40	R			From: 20-3838					NA		NA		1994
						To: Cul-de-Sac									
3838 Copperglow Rd	0.04	20	R			From: Dead End					NA		NA		1994
						To: 20-3837									
3839 Meadow Farm Dr	0.17	40	R			From: Cul-de-Sac					NA		NA		10/12/2000
						To: 20-663									
3840 Meadow Park Dr	0.15	40	R			From: Cul-de-Sac					NA		NA		10/12/2000
						To: 20-663									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3841 Meadow Park Tr	0.08	40	R			From: 20-3840					NA		NA		10/12/2000
						To: Dead End									
3842 Meadow Park Cr	0.06	100	R			From: Cul-de-Sac					NA		NA		10/12/2000
						To: 20-3841									
3843	0.15	NA				From: 20-3249					NA		NA		
						To: Cul-de-Sac									
3844	0.10	46	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-1773									
3845 Huntersdell Ln	0.16	130	R			From: Dead End					NA		NA		10/10/2000
						To: 20-718									
3846 Huntersdell Pl	0.05	20	R			From: 20-3845					NA		NA		10/10/2000
						To: Cul-de-Sac									
3847 Huntersdell Tr	0.17	90	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-3845									
3848	0.03	NA				From: Cul-de-Sac					NA		NA		
						To: 20-3249									
3849	0.04	NA				From: 20-3249					NA		NA		
						To: Cul-de-Sac									
3850 Red Chestnut Dr	0.05	230	R			From: 20-2995					NA		NA		1994
						To: 20-3851									
3850 Red Chestnut Dr	0.16	120	R			From: 20-3851					NA		NA		1994
						To: Dead End									
3851 Red Chestnut Ct	0.05	60	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3850									
3852 Sagebrook Rd	0.43	520	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: END OF LOOP									
3853 Sagecreek Ct	0.04	30	R			From: 20-3852					NA		NA		09/07/2000
						To: Cul-de-Sac									
3854 Sagecreek Cr	0.03	30	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-3852									
3855 Sagebrook Ct	0.04	20	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-3852									
3856 Sagebrook Pl	0.05	60	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-3852									
3857	0.08	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-02920(R)/20-02992(U)/									
3858 Eastbluff Rd	0.18	170	R			From: 20-3200					NA		NA		05/10/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3859 Eastbluff Ct	0.08	49	R	From: 20-3858							NA	NA			05/10/2000
				To: Cul-de-Sac											
3860 Echo Ridge Dr	0.03	320	R	From: 20-754							NA	NA			1994
3860 Echo Ridge Dr	0.10	260	R	From: 20-3861							NA	NA			1994
				To: 20-3862											
3861 Echo Ridge Ct	0.05	60	R	From: 20-3860							NA	NA			1994
				To: Cul-de-Sac											
3862 Echo Ridge Pl	0.08	90	R	From: 0.08 MS 20-3860							NA	NA			1994
3862 Echo Ridge Pl	0.05	60	R	From: 20-3860							NA	NA			1994
				To: Dead End											
3863 Manor Gate Ct	0.07	30	R	From: 20-3865							NA	NA			11/20/2000
				To: Cul-de-Sac											
3864 Manor Gate Pl	0.04	20	R	From: Cul-de-Sac							NA	NA			11/20/2000
				To: 20-3865											
3865	0.08	30	R	From: Cul-de-Sac							NA	NA			11/20/2000
				To: 20-3864											
3865	0.03	50	R	From: 20-3863							NA	NA			11/20/2000
				To: 20-3863											
3865	0.07	48	R	From: 20-3867							NA	NA			11/20/2000
				To: 20-3867											
3865	0.05	30	R	From: 20-3866							NA	NA			11/20/2000
				To: 20-3866											
3865	0.02	8	R	From: Cul-de-Sac							NA	NA			11/20/2000
				To: Cul-de-Sac											
3866 Hickory Grove Pl	0.06	30	R	From: 20-3865							NA	NA			11/20/2000
				To: Cul-de-Sac											
3867 Village Square Py	0.43	230	R	From: Dead End							NA	NA			05/04/2000
				To: 20-3600											
3868	0.13	NA		From: Cul-de-Sac/							NA	NA			
				To: 20-02920(B)/											
3869	0.09	170	R	From: Cul-de-Sac							NA	NA			1994
				To: 20-3875											
3869	0.05	320	R	From: 20-3876							NA	NA			1994
				To: 20-3876											
3869	0.06	420	R	From: 20-3877							NA	NA			1994
				To: 20-3877											
3869	0.06	540	R	From: 20-3878							NA	NA			1994
				To: 20-3878											
3869	0.04	650	R	From: 20-3879							NA	NA			1994
				To: 20-3879											

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3869)	0.04	920	R			From: 20-3879					NA		NA		1994
(3869)	0.04	540	R			To: 20-1921					NA		NA		1994
(3869)	0.07	480	R			From: 20-3890					NA		NA		1994
(3869)	0.14	380	R			To: 20-3891					NA		NA		1994
(3869)	0.14	170	R			From: 20-3892					NA		NA		1994
(3870) Birnam Woods Dr	0.06	80	R			To: Cul-de-Sac					NA		NA		1994
(3870) Birnam Woods Dr	0.08	130	R			From: 20-3875					NA		NA		1994
(3870) Birnam Woods Dr	0.04	440	R			To: 20-3873					NA		NA		1994
(3870) Birnam Woods Dr	0.06	520	R			From: 20-3872					NA		NA		1994
(3870) Birnam Woods Dr	0.05	620	R			To: 20-3871					NA		NA		1994
(3871) Birnam Woods Ct	0.05	90	R			From: 20-1921					NA		NA		1994
(3871) Birnam Woods Ct	0.05	90	R			To: 20-3070					NA		NA		1994
(3872) Birnam Woods Pl	0.05	80	R			From: Cul-de-Sac					NA		NA		1994
(3872) Birnam Woods Pl	0.05	80	R			To: 20-3070					NA		NA		1994
(3873) Birnam Woods Rd	0.06	100	R			From: Cul-de-Sac					NA		NA		09/07/2000
(3873) Birnam Woods Rd	0.07	180	R			To: 20-3874					NA		NA		09/07/2000
(3873) Birnam Woods Rd	0.07	180	R			To: 20-3870					NA		NA		09/07/2000
(3874) Birnam Woods Tr	0.06	46	R			From: Cul-de-Sac					NA		NA		1994
(3874) Birnam Woods Tr	0.06	46	R			To: 20-3873					NA		NA		1994
(3875) Deer Meadow Rd	0.09	120	R			From: 20-3870					NA		NA		1994
(3875) Deer Meadow Rd	0.09	120	R			To: 20-3869					NA		NA		1994
(3876) Deer Meadow Pl	0.04	60	R			From: Cul-de-Sac					NA		NA		1994
(3876) Deer Meadow Pl	0.04	60	R			To: 20-3869					NA		NA		1994
(3877) Deer Meadow Tr	0.06	80	R			From: Cul-de-Sac					NA		NA		1994
(3877) Deer Meadow Tr	0.06	80	R			To: 20-3869					NA		NA		1994
(3878) Deer Meadow Ct	0.05	110	R			From: 20-3869					NA		NA		1994
(3878) Deer Meadow Ct	0.05	110	R			To: Cul-de-Sac					NA		NA		1994
(3879) Deer Meadow Ln	0.11	160	R			From: Cul-de-Sac					NA		NA		1994
(3879) Deer Meadow Ln	0.07	120	R			To: 20-3869					NA		NA		1994
(3879) Deer Meadow Ln	0.07	120	R			To: Cul-de-Sac					NA		NA		1994

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3880 Darrell Dr	0.17	470	R			From: 20-1388					NA		NA		09/07/2000
3880 Darrell Dr	0.08	340	R			To: 20-3882					NA		NA		09/07/2000
3880 Darrell Dr	0.14	50	R			From: 20-3888					NA		NA		09/07/2000
						To: Cul-de-Sac									
3881 Bradenshire Ct	0.04	10	R			From: 20-1388					NA		NA		1994
						To: Cul-de-Sac									
3882 Darrell Tr	0.18	160	R			From: 20-3880					NA		NA		1994
						To: Cul-de-Sac									
3883 Wesanne Ln	0.21	150	R			From: 20-3500					NA		NA		1994
3883 Wesanne Ln	0.08	120	R			To: 20-3884					NA		NA		1994
3883 Wesanne Ln	0.11	130	R			From: 20-3501					NA		NA		1994
						To: Cul-de-Sac									
3884	0.14	110	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3883									
3885 Lauren Pl	0.07	60	R			From: 20-3501					NA		NA		1994
						To: Cul-de-Sac									
3886 Lauren Cr	0.05	60	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3501									
3887 Lauren Ct	0.05	30	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3501									
3888 Abelway Dr	0.11	140	R			From: 20-3880					NA		NA		05/01/2000
						To: 20-3889									
3889 Boggs Cr	0.23	220	R			From: Cul-de-Sac					NA		NA		05/01/2000
						To: Cul-de-Sac									
3890 Shadow Ridge Ct	0.05	60	R			From: 20-3869					NA		NA		1994
						To: Cul-de-Sac									
3891 Shadow Ridge Pl	0.04	40	R			From: 20-3869					NA		NA		1994
						To: Cul-de-Sac									
3892 Shadow Ridge Ln	0.06	90	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3869									
3893 Turtle Hill Rd	0.03	660	R			From: 20-1921					NA		NA		1994
3893 Turtle Hill Rd	0.05	530	R			To: 20-3894					NA		NA		1994
3893 Turtle Hill Rd	0.08	410	R			From: 20-3895					NA		NA		1994
						To: 20-3896									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3893 Turtle Hill Rd	0.06	240	R			From: 20-3896					NA		NA		1994
3893 Turtle Hill Rd	0.07	120	R			From: 20-3897					NA		NA		1994
						To: Cul-de-Sac									
3894 Turtle Hill Ln	0.08	130	R			From: 20-3893					NA		NA		1994
						To: Cul-de-Sac									
3895 Turtle Hill Ct	0.05	60	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3893									
3896 Turtle Hill Pl	0.03	60	R			From: 20-3893					NA		NA		1994
						To: Cul-de-Sac									
3897 Turtle Hill Cr	0.05	80	R			From: 20-3893					NA		NA		1994
						To: Cul-de-Sac									
3898	0.20	NA				From: Dead End/					NA		NA		
						To: Cul-de-Sac/									
3899	0.03	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-03898(B)/									
3900 Fieldwood Rd	0.19	140	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3901									
3900 Fieldwood Rd	0.24	370	R			From: 20-632					NA		NA		1996
						To: Dead End									
3901 Berrystone Rd	0.05	20	R			From: 20-3903					NA		NA		1997
						To: 20-3902									
3901 Berrystone Rd	0.09	150	R			From: 20-3900					NA		NA		1997
						To: Cul-de-Sac									
3902 Stoneway Dr	0.19	90	R			From: 20-3901					NA		NA		1997
						To: Cul-de-Sac									
3903 Fall Harvest Dr	0.14	350	R			From: 20-3901					NA		NA		1997
						To: Cul-de-Sac									
3904 Ethelred Ct	0.06	30	R			From: 20-3380					NA		NA		10/12/2000
						To: Cul-de-Sac									
3905 Christendom Dr	0.05	10	R			From: 20-3906					NA		NA		10/12/2000
						To: 20-902									
3905 Christendom Dr	0.13	70	R			From: Cul-de-Sac					NA		NA		10/12/2000
						To: 20-3905									
3906	0.09	49	R			From: 20-3907					NA		NA		10/12/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3906)	0.10	30	R			From: 20-3907					NA		NA		10/12/2000
(3906)	0.37	20	R			From: 20-3908					NA		NA		10/12/2000
						To: 20-3913									
(3907) Gamelaw Ct	0.05	10	R			From: 20-3906					NA		NA		10/12/2000
						To: Cul-de-Sac									
(3908) Domfont Ct	0.05	10	R			From: 20-3906					NA		NA		10/12/2000
						To: Cul-de-Sac									
(3909) Lynbrook Ln	0.07	40	R			From: 20-2039					NA		NA		11/20/2000
						To: Cul-de-Sac									
(3910) Tillers Ridge Dr	0.20	30	R			From: 20-663					NA		NA		10/12/2000
						To: Dead End									
(3911) Tillers Ridge Ct	0.04	30	R			From: 20-3910					NA		NA		10/12/2000
						To: Cul-de-Sac									
(3912) Tillers Ridge Tr	0.04	20	R			From: 20-3910					NA		NA		10/12/2000
						To: Cul-de-Sac									
(3913)	0.21	NA				From: Dead End					NA		NA		
						To: 20-1338									
(3914)	0.12	NA				From: 20-3919					NA		NA		
						To: 20-3015									
(3915) Husting Tr	0.04	60	R			From: Cul-de-Sac					NA		NA		1996
(3915) Husting Tr	0.06	200	R			From: 20-3568					NA		NA		1996
(3915) Husting Tr	0.03	70	R			To: 20-3154					NA		NA		1996
						To: Cul-de-Sac									
(3916) Oldbern Ct	0.03	210	R			From: Cul-de-Sac					NA		NA		1996
(3916) Oldbern Ct	0.05	80	R			To: 20-3917					NA		NA		1996
						To: 20-3154									
(3917)	0.14	70	R			From: Dead End					NA		NA		1996
						To: 20-3916									
(3918) Aldersmead Pl	0.06	30	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-2521									
(3919)	0.44	NA				From: 20-3968 MID RT 3968					NA		NA		
						To: Cul-de-Sac									
(3920)	0.14	80	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-720									
(3921)	0.14	NA				From: Cul-de-Sac					NA		NA		
						To: 20-3919									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3922	Needle Rush Wy	0.06	60	R			From: 20-3750				NA		NA		10/10/2000
							To: Cul-de-Sac								
3923		0.10	NA				From: Cul-de-Sac				NA		NA		
							To: 20-3921								
3924	Lakestone Dr	0.41	120	R			From: Cul-de-Sac				NA		NA		09/07/2000
							To: Cul-de-Sac								
3925	Misty Lake Wy	0.09	70	R			From: Cul-de-Sac				NA		NA		09/07/2000
							To: 20-3924								
3926	Misty Lake Ct	0.11	40	R			From: 20-3925				NA		NA		09/07/2000
							To: Cul-de-Sac								
3927		0.16	NA				From: Dead End				NA		NA		
							To: 20-2389 APPROX. LOC.								
3928		0.14	NA				From: Dead End				NA		NA		
							To: 20-643								
3929		0.09	NA				From: Dead End				NA		NA		
							To: 20-3928								
3930	Apamatica Ln	0.16	70	R			From: Cul-de-Sac				NA		NA		1997
							To: 20-3932								
3930	Apamatica Ln	0.09	200	R			From: 20-631				NA		NA		1997
							To: 20-3931								
3930	Apamatica Ln	0.11	100	R			From: Cul-de-Sac				NA		NA		1997
							To: Cul-de-Sac								
3931	Berkley DAvis Dr	0.26	240	R			From: Cul-de-Sac				NA		NA		1997
							To: 20-3930								
3931	Berkley DAvis Dr	0.16	130	R			From: Dead End				NA		NA		1997
							To: Dead End								
3932	Elvas Ln	0.18	90	R			From: Dead End				NA		NA		1997
							To: 20-3930								
3933	Berkley DAvis Ct	0.04	20	R			From: 20-3931				NA		NA		11/20/2000
							To: Cul-de-Sac								
3934	Berkley DAvis Tr	0.13	70	R			From: Cul-de-Sac				NA		NA		11/20/2000
							To: 20-3931								
3935	Amstel Bluff Tr	0.33	150	R			From: Cul-de-Sac				NA		NA		11/20/2000
							To: 20-3015								
3936		0.18	NA				From: Cul-de-Sac				NA		NA		
							To: 20-3919								
3937	Cabinmill Rd	0.12	140	R			From: 20-3025				NA		NA		11/16/2000
							To: 20-3031								

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3938)	0.12	70	R			From: Cul-de-Sac					NA	NA			11/16/2000
(3938)	0.07	80	R			To: 20-3031					NA	NA			11/16/2000
(3938)	0.18	NA				From: 20-3939					NA	NA			
(3939)	0.04	40	R			To: Cul-de-Sac					NA	NA			11/16/2000
(3939)	0.14	NA				From: 20-3938					NA	NA			
(3940)	0.20	230	R			To: 20-3898					NA	NA			
(3940)	0.05	30	R			From: 20-3015					NA	NA			1994
(3940)	0.05	30	R			To: 20-3941					NA	NA			1994
(3941)	0.15	80	R			From: Cul-de-Sac					NA	NA			1994
(3941)	0.15	80	R			To: 20-3940					NA	NA			1994
(3942)	0.09	40	R			From: 20-3015					NA	NA			1994
(3942)	0.09	40	R			To: Cul-de-Sac					NA	NA			1994
(3943)	0.17	120	R			From: 20-3015					NA	NA			1994
(3943)	0.17	120	R			To: Cul-de-Sac					NA	NA			1994
(3944)	0.14	70	R			From: Cul-de-Sac					NA	NA			11/20/2000
(3944)	0.14	70	R			To: 20-3945					NA	NA			11/20/2000
(3945)	0.06	30	R			From: Cul-de-Sac					NA	NA			11/20/2000
(3945)	0.06	30	R			To: 20-3944					NA	NA			11/20/2000
(3946)	0.05	20	R			From: 20-2118					NA	NA			11/20/2000
(3946)	0.05	20	R			To: Cul-de-Sac					NA	NA			11/20/2000
(3948)	0.04	NA				From: Dead End					NA	NA			
(3948)	0.04	NA				To: 20-3919					NA	NA			
(3949)	0.06	190	R			From: 20-3581					NA	NA			11/20/2000
(3949)	0.06	190	R			To: 20-3583					NA	NA			11/20/2000
(3950)	0.05	770	R			From: 20-3952					NA	NA			1994
(3950)	0.21	500	R			To: 20-3951					NA	NA			1994
(3950)	0.21	500	R			From: 20-3025					NA	NA			1994
(3951)	0.04	20	R			To: Dead End					NA	NA			1997
(3951)	0.07	230	R			From: 20-3957					NA	NA			1997
(3951)	0.20	310	R			To: 20-3952					NA	NA			1997
(3951)	0.20	310	R			From: 20-3950					NA	NA			1997

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
3952 O'Malley Dr	0.17	180	R			From: Cul-de-Sac					NA	NA			1997
3952 O'Malley Dr	0.07	270	R			To: 20-3950					NA	NA			1997
3952 O'Malley Dr	0.08	170	R			From: 20-3953					NA	NA			1997
3952 O'Malley Dr	0.05	90	R			To: 20-3951					NA	NA			1997
						From: 20-3954									
3953 Labine Ct	0.04	60	R			From: 20-3952					NA	NA			1997
						To: Cul-de-Sac									
3954 Gatebridge Rd	0.48	30	R			From: Cul-de-Sac					NA	NA			11/16/2000
						To: 20-3025									
3955 Gatebridge Ct	0.05	10	R			From: 20-3954					NA	NA			11/16/2000
						To: Cul-de-Sac									
3956 Gatebridge Pl	0.08	40	R			From: 20-3954					NA	NA			11/16/2000
						To: Dead End									
3957 Koufax Ct	0.15	170	R			From: Cul-de-Sac					NA	NA			11/16/2000
						To: 20-3951									
3958	0.40	NA				From: 20-3015					NA	NA			
						To: Cul-de-Sac									
3959	0.03	NA				From: 20-3958					NA	NA			
						To: Cul-de-Sac									
3960 Graymoss Ct	0.06	10	R			From: Cul-de-Sac					NA	NA			11/16/2000
						To: 20-3029									
3961 Mistyhill Rd	0.18	70	R			From: Dead End					NA	NA			10/10/2000
						To: Cul-de-Sac									
3962 Church Bay Rd	0.02	490	R			From: 20-3970					NA	NA			10/10/2000
						To: 20-3963									
3962 Church Bay Rd	0.04	460	R			From: 20-3964					NA	NA			10/10/2000
						To: 20-3962									
3963 Paget Ct	0.03	30	R			From: Cul-de-Sac					NA	NA			10/10/2000
						To: Cul-de-Sac									
3964 Horseshoe Bay Ct	0.06	60	R			From: Cul-de-Sac					NA	NA			10/10/2000
						To: 20-3962									
3964 Horseshoe Bay Ct	0.03	40	R			From: Cul-de-Sac					NA	NA			10/10/2000
						To: Cul-de-Sac									
3965 Edmiston Wy	0.13	45	R			From: Cul-de-Sac					NA	NA			10/10/2000
						To: 20-3970									
3966 Edmiston Ct	0.04	40	R			From: Cul-de-Sac					NA	NA			10/10/2000
						To: 20-3965									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3967) Rue Noelle Ct	0.05	30	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-3965									
(3968)	0.08	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									
(3969) Sugar Creek Wy	0.27	110	R			From: 20-3970 SOUTH					NA		NA		10/10/2000
						To: 20-3970 NORTH									
(3970) Evergreen Py	0.28	1400	R			From: 20-3965					NA		NA		1997
						To: 20-3971									
(3970) Evergreen Py	0.30	3100	R			From: 20-3971					NA		NA		1997
						To: 20-3974									
(3970) Evergreen Py	0.10	3200	R			From: 20-3974					NA		NA		1997
						To: 20-720									
(3971) Abbots Mill Wy	0.02	900	R			From: 20-3970					NA		NA		1997
						To: 20-3972									
(3971) Abbots Mill Wy	0.03	710	R			From: 20-3972					NA		NA		1997
						To: 20-3973									
(3971) Abbots Mill Wy	0.04	480	R			From: 20-3973					NA		NA		1997
						To: 20-3983									
(3971) Abbots Mill Wy	0.04	310	R			From: 20-3983					NA		NA		1997
						To: 20-3984									
(3971) Abbots Mill Wy	0.08	120	R			From: 20-3984					NA		NA		1997
						To: Cul-de-Sac									
(3972) Brimfield Ln	0.12	190	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3971									
(3973) Boxford Ln	0.14	230	R			From: 20-3971					NA		NA		1994
						To: Cul-de-Sac									
(3974) Sycamore Ridge Ct	0.08	160	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3970									
(3975) Tollcross Rd	0.05	170	R			From: 20-3970					NA		NA		10/10/2000
						To: 20-3977									
(3976) Tackley Pl	0.08	70	R			From: 20-3975					NA		NA		10/10/2000
						To: Cul-de-Sac									
(3977) Kirkgate Ln	0.11	80	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: Cul-de-Sac									
(3978)	0.09	NA				From: 20-3996					NA		NA		
						To: 20-3979									
(3979)	0.03	NA				From: Cul-de-Sac					NA		NA		
						To: 20-3978									
(3980)	0.03	NA				From: Cul-de-Sac					NA		NA		
						To: 20-3996									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3982)	0.10	48	R			From: 20-2567					NA		NA		11/20/2000
						To: Cul-de-Sac									
(3983) McAllen Ct	0.09	90	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-3971									
(3984) Pomfret Ct	0.16	130	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: Cul-de-Sac									
(3985) Walton Bluff Ln	0.03	190	R			From: 20-3750					NA		NA		10/10/2000
						To: 20-3986									
(3986) Walton Bluff Tr	0.10	30	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-3987									
(3986) Walton Bluff Tr	0.03	40	R			From: 20-3985					NA		NA		10/10/2000
						To: 20-3985									
(3986) Walton Bluff Tr	0.03	40	R			From: 20-3988					NA		NA		10/10/2000
						To: 20-3988									
(3986) Walton Bluff Tr	0.09	46	R			From: 20-3989					NA		NA		10/10/2000
						To: 20-3989									
(3986) Walton Bluff Tr	0.02	4	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: Cul-de-Sac									
(3987) Walton Bluff Cr	0.04	8	R			From: 20-3986					NA		NA		10/10/2000
						To: Cul-de-Sac									
(3988) Walton Bluff Ct	0.04	9	R			From: 20-3986					NA		NA		10/10/2000
						To: Cul-de-Sac									
(3989) Walton Bluff Pl	0.03	7	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-3986									
(3990) Bunratty Rd	0.09	140	R			From: 20-2567					NA		NA		1994
						To: 20-3991									
(3990) Bunratty Rd	0.06	140	R			From: Cul-de-Sac					NA		NA		1994
						To: Cul-de-Sac									
(3991) Bunratty Ct	0.03	110	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-3990									
(3992) Hixson Dr	0.04	880	R			From: 20-2567					NA		NA		09/07/2000
						To: 20-3993									
(3992) Hixson Dr	0.22	1100	R			From: 20-2531					NA		NA		09/07/2000
						To: 20-2531									
(3993) Hixson Ct	0.05	40	R			From: 20-3992					NA		NA		09/07/2000
						To: Cul-de-Sac									
(3994) Jodie Tr	0.09	30	R			From: 20-2567					NA		NA		09/07/2000
						To: Cul-de-Sac									
(3995) Hixson Pl	0.10	30	R			From: 20-3992					NA		NA		09/07/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(3996) Westbury Ridge Dr	0.19	4	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-3341									
(3997) Walden Spring Dr	0.06	30	R			From: 20-3341					NA		NA		10/10/2000
						To: 20-3998									
(3997) Walden Spring Dr	0.05	NA				From: 20-3998					NA		NA		
						To: 20-3999									
(3998)	0.04	3	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-3997									
(3998)	0.06	6	R			From: 20-3997					NA		NA		10/10/2000
						To: Dead End									
(3999) Marigold Ct	0.04	4	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-3997									
(3999) Marigold Ct	0.04	4	R			From: 20-3997					NA		NA		10/10/2000
						To: Cul-de-Sac									
(4000) Ashton Woods Dr	0.03	470	R			From: 20-642					NA		NA		1994
						To: 20-4001									
(4000) Ashton Woods Dr	0.05	410	R			From: 20-4001					NA		NA		1994
						To: 20-4002									
(4000) Ashton Woods Dr	0.07	390	R			From: 20-4002					NA		NA		1994
						To: 20-4004									
(4000) Ashton Woods Dr	0.05	70	R			From: 20-4004					NA		NA		1994
						To: Cul-de-Sac									
(4001) Ashton Woods Ct	0.04	50	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4000									
(4002) Peach Grove Rd	0.07	430	R			From: 20-4005					NA		NA		1994
						To: 20-4003									
(4002) Peach Grove Rd	0.16	670	R			From: 20-4003					NA		NA		1994
						To: 20-4000									
(4002) Peach Grove Rd	0.10	130	R			From: 20-4000					NA		NA		1994
						To: Dead End									
(4003) Parkerstown Rd	0.05	60	R			From: 20-4002					NA		NA		1994
						To: Cul-de-Sac									
(4004)	0.12	110	R			From: 20-4005					NA		NA		1994
						To: BEGIN LOOP									
(4004)	0.32	220	R			From: BEGIN LOOP					NA		NA		1994
						To: 20-4000									
(4004)	0.14	250	R			From: 20-4000					NA		NA		1994
						To: END LOOP									
(4005) White Pickett Ln	0.07	110	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4008									
(4005) White Pickett Ln	0.03	210	R			From: 20-4008					NA		NA		1994
						To: 20-4007									
(4005) White Pickett Ln	0.03	280	R			From: 20-4007					NA		NA		1994
						To: 20-4006									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4005) White Pickett Ln	0.05	390	R			From: 20-4006					NA	NA			1994
(4005) White Pickett Ln	0.10	190	R			To: 20-4002					NA	NA			1994
(4005) White Pickett Ln	0.06	80	R			From: 20-4004					NA	NA			1994
						To: Cul-de-Sac									
(4006) White Pickett Ct	0.03	30	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4005									
(4007) White Pickett Cr	0.04	47	R			From: 20-4005					NA	NA			1994
						To: Cul-de-Sac									
(4008) Meredith Hill Tr	0.08	90	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4005									
(4009)	0.05	30	R			From: 20-4004					NA	NA			11/20/2000
						To: Cul-de-Sac									
(4010) Sir Sagamore Dr	0.06	440	R			From: 20-642					NA	NA			1994
						To: 20-4011									
(4010) Sir Sagamore Dr	0.07	240	R			From: 20-4011					NA	NA			1994
						To: 20-4012									
(4010) Sir Sagamore Dr	0.06	210	R			From: 20-4012					NA	NA			1994
						To: 20-4013									
(4010) Sir Sagamore Dr	0.06	60	R			From: 20-4013					NA	NA			1994
						To: 20-4014									
(4010) Sir Sagamore Dr	0.12	110	R			From: 20-4014					NA	NA			1994
						To: Dead End									
(4011) Excaliber Pl	0.13	150	R			From: 20-4010					NA	NA			1994
						To: Dead End									
(4012) Sir Sagamore Ct	0.10	140	R			From: 20-4010					NA	NA			1994
						To: Cul-de-Sac									
(4013) Sir Dinnadan Ct	0.09	140	R			From: 20-4010					NA	NA			1994
						To: Cul-de-Sac									
(4014)	0.05	150	R			From: 20-4010					NA	NA			1994
						To: 20-4015									
(4014)	0.30	420	R			From: 20-4015					NA	NA			1994
						To: 20-611									
(4015) Sir Lionel Ct	0.05	70	R			From: 20-4014					NA	NA			1994
						To: Cul-de-Sac									
(4016) Southcreek Dr	0.45	40	R			From: 20-620					NA	NA			11/20/2000
						To: 20-4017; 20-4018									
(4017) Crayfish Ct	0.04	20	R			From: Dead End					NA	NA			11/20/2000
						To: 20-4016; 20-4018									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4018 Crayfish Tr	0.04	20	R			From: 20-4016; 20-4017 To: Cul-de-Sac					NA		NA		11/20/2000
4019 Jumping Mallard Pl	0.09	20	R			From: 20-4016 To: Cul-de-Sac					NA		NA		11/20/2000
4020 Mason Crest Dr	0.06	70	R			From: Cul-de-Sac To: 20-4021					NA		NA		1994
4020 Mason Crest Dr	0.03	400	R			From: 20-4021 To: 20-641					NA		NA		1994
4021 Mason Run Dr	0.04	70	R			From: Cul-de-Sac To: 20-4023					NA		NA		1994
4021 Mason Run Dr	0.07	200	R			From: 20-4023 To: 20-4022					NA		NA		1994
4021 Mason Run Dr	0.06	340	R			From: 20-4022 To: 20-4020					NA		NA		1994
4021 Mason Run Dr	0.05	90	R			From: 20-4020 To: 20-4024					NA		NA		1994
4021 Mason Run Dr	0.07	110	R			From: 20-4024 To: 20-4025					NA		NA		1994
4021 Mason Run Dr	0.05	60	R			From: 20-4025 To: Cul-de-Sac					NA		NA		1994
4022 Mason Run Ct	0.07	60	R			From: Cul-de-Sac To: 20-4021					NA		NA		1994
4023 South Run Ct	0.06	110	R			From: Cul-de-Sac To: 20-4021					NA		NA		1994
4024 East Run Ct	0.06	80	R			From: Cul-de-Sac To: 20-4021					NA		NA		1994
4025 Cinderwood Dr	0.05	70	R			From: Cul-de-Sac To: 20-4021					NA		NA		1996
4025 Cinderwood Dr	0.04	200	R			From: 20-4021 To: 20-4026					NA		NA		1996
4025 Cinderwood Dr	0.03	220	R			From: 20-4026 To: 20-641					NA		NA		1996
4026 Mason Valley Dr	0.10	170	R			From: Cul-de-Sac To: 20-4027					NA		NA		1996
4026 Mason Valley Dr	0.12	350	R			From: 20-4027 To: 20-4027					NA		NA		1996
4027 Mason Valley Ct	0.03	46	R			From: 20-4026 To: Cul-de-Sac					NA		NA		1996
4028	0.12	NA				From: 20-04088(B)/ To: 20-00714(B)/					NA		NA		
4029 Mason Dale Dr	0.06	49	R			From: Cul-de-Sac To: 20-4035					NA		NA		1996

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4029) Mason Dale Dr	0.03	490	R			From: 20-4035					NA		NA		1996
(4029) Mason Dale Dr	0.04	670	R			To: 20-4030					NA		NA		1996
(4029) Mason Dale Dr	0.04	250	R			From: 20-4036					NA		NA		1996
(4029) Mason Dale Dr	0.04	200	R			To: 20-4037					NA		NA		1996
(4029) Mason Dale Dr	0.05	100	R			From: 20-4038					NA		NA		1996
(4029) Mason Dale Dr						To: 20-4039									
(4030) Mason Woods Dr	0.03	400	R			From: 20-641					NA		NA		1996
(4030) Mason Woods Dr	0.06	350	R			To: 20-4031					NA		NA		1996
(4030) Mason Woods Dr	0.02	290	R			From: 20-4032					NA		NA		1996
(4030) Mason Woods Dr	0.04	120	R			To: 20-4033					NA		NA		1996
(4030) Mason Woods Dr	0.05	1100	R			From: 20-4034					NA		NA		1996
(4030) Mason Woods Dr						To: 20-4029									
(4031) Mason Woods Ct	0.05	70	R			From: 20-4030					NA		NA		1996
(4031) Mason Woods Ct						To: Cul-de-Sac									
(4032) Mason Way Ct	0.05	70	R			From: 20-4030					NA		NA		1996
(4032) Mason Way Ct						To: Cul-de-Sac									
(4033) Mason Hollow Dr	0.08	100	R			From: Cul-de-Sac					NA		NA		1996
(4033) Mason Hollow Dr						To: 20-4030									
(4034) Mason Rest Ct	0.07	100	R			From: 20-4030					NA		NA		1996
(4034) Mason Rest Ct						To: Cul-de-Sac									
(4035) Mason Dale Pl	0.13	110	R			From: 20-4029					NA		NA		1996
(4035) Mason Dale Pl						To: Cul-de-Sac									
(4036) Mason Dale Cr	0.04	40	R			From: 20-4029					NA		NA		1996
(4036) Mason Dale Cr						To: Cul-de-Sac									
(4037) Mason Dale Ct	0.08	60	R			From: 20-4029					NA		NA		1996
(4037) Mason Dale Ct						To: Cul-de-Sac									
(4038) Mason Dale Tr	0.10	50	R			From: 20-4029					NA		NA		1996
(4038) Mason Dale Tr						To: Cul-de-Sac									
(4039) Mason Dale Wy	0.05	46	R			From: Cul-de-Sac					NA		NA		1996
(4039) Mason Dale Wy						To: 20-4029									
(4039) Mason Dale Wy	0.12	80	R			From: 20-4029					NA		NA		1996
(4039) Mason Dale Wy						To: Cul-de-Sac									
(4040) Darcy Ln	0.06	90	R			From: CREEK ROAD					NA		NA		1996
(4040) Darcy Ln						To: 20-4041									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4040) Darcy Ln	0.06	260	R			From: 20-4041					NA	NA			1996
						To: 20-837									
(4041) Darcy Ct	0.04	60	R			From: 20-4040					NA	NA			1996
						To: Cul-de-Sac									
(4042) West Tr	0.10	130	R			From: 0.10 MS 20-837					NA	NA			1996
						To: 20-837									
(4042) West Tr	0.05	60	R			From: 20-837					NA	NA			1996
						To: Cul-de-Sac									
(4043) West Ct	0.05	80	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-837									
(4044) West Cr	0.03	60	R			From: 20-837					NA	NA			1996
						To: Cul-de-Sac									
(4045) Broadbill Dr	0.12	20	R			From: 20-4016					NA	NA			11/20/2000
						To: Cul-de-Sac									
(4046) Southcreek Ct	0.08	20	R			From: 20-4016					NA	NA			11/20/2000
						To: Cul-de-Sac									
(4047) Creekbank Ct	0.09	10	R			From: 20-4016					NA	NA			11/20/2000
						To: Cul-de-Sac									
(4048)	0.08	NA				From: 20-04088(B)/					NA	NA			
						To: Cul-de-Sac/									
(4049)	0.09	NA				From: 20-04088(B)/					NA	NA			
						To: Cul-de-Sac/									
(4050) Riggers Station Dr	0.09	60	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4052									
(4050) Riggers Station Dr	0.11	520	R			From: 20-4052					NA	NA			11/13/2000
						To: 20-4051									
(4050) Riggers Station Dr	0.04	480	R			From: 20-4051					NA	NA			11/13/2000
						To: 20-620									
(4051) Trailtop Tr	0.07	110	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4052									
(4051) Trailtop Tr	0.13	260	R			From: 20-4052					NA	NA			11/13/2000
						To: 20-4050									
(4051) Trailtop Tr	0.04	60	R			From: 20-4050					NA	NA			11/13/2000
						To: Cul-de-Sac									
(4052) Woodsacre Ln	0.12	90	R			From: 20-4051					NA	NA			11/13/2000
						To: 20-4050									
(4052) Woodsacre Ln	0.06	20	R			From: 20-4050					NA	NA			11/13/2000
						To: Cul-de-Sac									
(4053)	0.03	NA				From: 20-04088(B)/					NA	NA			
						To: Cul-de-Sac/									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4054) Ransom Hills Road	0.28	30	R			From: 20-4058					NA		NA		11/20/2000
						To: 20-4057									
(4055) Ransom Hills Ct	0.06	10	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-4054									
(4056) Ransom Hills Tn	0.03	4	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-4054									
(4057) Ransom Hills Pl	0.08	10	R			From: 20-4054					NA		NA		11/20/2000
						To: Cul-de-Sac									
(4058) Ransom Hills Tr	0.22	20	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-4054									
(4059) Crosshaven Ct	0.07	170	R			From: 20-1092					NA		NA		1997
						To: Cul-de-Sac									
(4060) Howlett Line Dr	0.49	700	R			From: 20-4061					NA		NA		1997
						To: 20-620									
(4061) Fox Knoll Dr	0.12	1500	R			From: 20-4062					NA		NA		1997
						To: 20-4060									
(4061) Fox Knoll Dr	0.61	430	R			From: 20-4063					NA		NA		1997
						To: 20-4063									
(4061) Fox Knoll Dr	0.05	80	R			From: Cul-de-Sac					NA		NA		1997
						To: Cul-de-Sac									
(4062)	0.05	40	R			From: Dead End					NA		NA		1997
						To: 20-4061									
(4062)	0.05	1100	R			From: 20-4064					NA		NA		1997
						To: 20-4064									
(4062)	0.25	180	R			From: Cul-de-Sac					NA		NA		1997
						To: Cul-de-Sac									
(4063) Deer Springs Run	0.04	310	R			From: 20-4061					NA		NA		1997
						To: Dead End									
(4064) Clear Springs Ln	0.06	870	R			From: 20-4067					NA		NA		1997
						To: 20-4066									
(4064) Clear Springs Ln	0.29	860	R			From: 20-4065					NA		NA		1997
						To: 20-4065									
(4064) Clear Springs Ln	0.06	910	R			From: 20-4062					NA		NA		1997
						To: 20-4062									
(4065) Clear Springs Pl	0.06	46	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-4064									
(4066) Clear Springs Cr	0.06	20	R			From: Cul-de-Sac					NA		NA		04/13/2000
						To: 20-4064									
(4067) Walthall Creek Dr	0.56	210	R			From: 20-620					NA		NA		1997
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4068 Hidden Creek Ct	0.13	10	R			From: 20-4067					NA		NA		04/13/2000
						To: Cul-de-Sac									
4069 Clear Spring Ct	0.20	10	R			From: 20-4064					NA		NA		04/14/2000
						To: Cul-de-Sac									
4070 Wedgemont Pl	0.05	100	R			From: 20-3781					NA		NA		1994
						To: Cul-de-Sac									
4071	0.41	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4061									
4072 Woodmill Pl	0.05	80	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4071									
4073 Crestmoor Ct	0.06	90	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4071									
4074	0.09	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04075(B)/									
4075	0.19	NA				From: 20-03970(R)/					NA		NA		
						To: Cul-de-Sac/									
4076	0.06	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04075(B)/									
4077 Robys Wy	0.44	130	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-832									
4078 Lady Allison Ln	0.19	90	R			From: 20-4077					NA		NA		10/10/2000
						To: Cul-de-Sac									
4079 Lynngate Ln	0.10	200	R			From: 20-4082					NA		NA		10/10/2000
						To: 20-4077									
4080 Castlestone Rd	0.23	800	R			From: 20-815					NA		NA		1994
						To: 20-4081									
4081 Castle Hill Rd	0.16	100	R			From: Dead End					NA		NA		1994
						To: 20-4080									
4081 Castle Hill Rd	0.25	100	R			From: 20-4082					NA		NA		1994
						To: 20-4082									
4081 Castle Hill Rd	0.08	640	R			From: 20-4083					NA		NA		1994
						To: 20-4083									
4081 Castle Hill Rd	0.14	770	R			From: 20-832					NA		NA		1994
						To: 20-832									
4082 Park Ridge Rd	0.30	140	R			From: 20-832					NA		NA		1994
						To: 20-4081									
4083 Queens Crown Dr	0.14	70	R			From: 20-4081					NA		NA		1994
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4084 Prince Brians Ct	0.09	48	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-832									
4085 Lady Marian Ln	0.07	30	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-4087									
4085 Lady Marian Ln	0.11	240	R			From: 20-4086					NA		NA		10/10/2000
						To: 20-832									
4085 Lady Marian Ln	0.09	390	R			From: 20-832					NA		NA		10/10/2000
						To: 20-832									
4086 Nicholas Trace Ct	0.13	140	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-4085									
4087 Lady Marian Ct	0.27	210	R			From: 20-4085					NA		NA		10/10/2000
						To: Cul-de-Sac									
4088	0.49	NA				From: Cul-de-Sac/					NA		NA		
						To: Cul-de-Sac/									
4089	0.06	NA				From: 20-04088(B)/					NA		NA		
						To: Cul-de-Sac/									
4090	0.17	120	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-6051									
4090	0.07	190	R			From: 20-6051					NA		NA		09/07/2000
						To: 20-6050									
4090	0.04	310	R			From: 20-6050					NA		NA		09/07/2000
						To: 20-720									
4090	0.03	360	R			From: 20-720					NA		NA		09/07/2000
						To: 20-4091									
4090	0.03	300	R			From: 20-4091					NA		NA		09/07/2000
						To: 20-4092									
4090	0.05	220	R			From: 20-4092					NA		NA		09/07/2000
						To: 20-4093									
4090	0.05	110	R			From: 20-4093					NA		NA		09/07/2000
						To: 20-3783									
4090	0.07	90	R			From: 20-3783					NA		NA		09/07/2000
						To: Dead End									
4091 Mansfield Crossing C	0.04	46	R			From: 20-4090					NA		NA		1994
						To: Cul-de-Sac									
4092 Mansfield Crossing L	0.07	110	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4090									
4093 Mansfield Crossing T	0.03	70	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4090									
4094	0.10	NA				From: Cul-de-Sac					NA		NA		
						To: 20-3245									
4095 Westcreek Dr	0.11	400	R			From: 20-6051					NA		NA		09/10/2000
						To: 20-720									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4096)	0.25	NA				From: Cul-de-Sac					NA		NA		
						To: 20-3245									
(4097)	0.09	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4096									
(4098)	0.04	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4097									
(4099)	0.09	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4096									
(4100) Walnut Hollow Ct	0.03	60	R			From: 20-2036					NA		NA		1994
						To: Cul-de-Sac									
(4101) Parrish Branch Rd	0.03	490	R			From: Dead End					NA		NA		09/05/2000
						To: 20-4108									
(4101) Parrish Branch Rd	0.06	1100	R			From: 20-4108					NA		NA		09/05/2000
						To: 20-4107									
(4101) Parrish Branch Rd	0.05	1000	R			From: 20-4107					NA		NA		09/05/2000
						To: 20-4105									
(4101) Parrish Branch Rd	0.05	890	R			From: 20-4105					NA		NA		09/05/2000
						To: 20-4104									
(4101) Parrish Branch Rd	0.08	800	R			From: 20-4104					NA		NA		09/05/2000
						To: 20-2036 EAST									
(4101) Parrish Branch Rd	0.05	170	R			From: 20-2036 EAST					NA		NA		09/05/2000
						To: 20-4102									
(4101) Parrish Branch Rd	0.06	150	R			From: 20-4102					NA		NA		09/05/2000
						To: 20-4103									
(4101) Parrish Branch Rd	0.07	130	R			From: 20-4103					NA		NA		09/05/2000
						To: 20-2036 WEST									
(4102) Deep Hollow Ct	0.05	40	R			From: 20-4101					NA		NA		1994
						To: Cul-de-Sac									
(4103)	0.03	400	R			From: 20-4101					NA		NA		1994
						To: Dead End									
(4104) Bailey Mountain TI	0.28	260	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4101									
(4104) Bailey Mountain TI	0.12	160	R			From: 20-4101					NA		NA		1994
						To: Cul-de-Sac									
(4105) New Forest TI	0.32	130	R			From: Dead End					NA		NA		09/05/2000
						To: 20-4106									
(4106) New Forest Ct	0.05	30	R			From: Cul-de-Sac					NA		NA		09/05/2000
						To: 20-4105									
(4107) Parrish Branch Cr	0.10	90	R			From: Cul-de-Sac					NA		NA		09/05/2000
						To: 20-4101									
(4108) Bailey Woods Dr	0.21	1800	R			From: 20-651					NA		NA		09/05/2000
						To: 20-4101									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4108 Bailey Woods Dr	0.24	210	R			From: 20-4101					NA	NA			09/05/2000
						To: Cul-de-Sac									
4109 Bailey Woods Ln	0.03	4	R			From: Dead End					NA	NA			09/05/2000
						To: 20-4108									
4110 Frederick Farms Dr	0.04	40	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4114									
4110 Frederick Farms Dr	0.07	650	R			From: 20-4114					NA	NA			1994
						To: 20-4113									
4110 Frederick Farms Dr	0.18	500	R			From: 20-4113					NA	NA			1994
						To: 20-4112									
4110 Frederick Farms Dr	0.10	670	R			From: 20-4112					NA	NA			1994
						To: 20-4111									
4110 Frederick Farms Dr	0.11	850	R			From: 20-4111					NA	NA			1994
						To: 20-759									
4111 Frederick Farms Ct	0.03	60	R			From: 20-4110					NA	NA			1994
						To: Cul-de-Sac									
4112 Frederick Farms Cr	0.07	110	R			From: 20-4110					NA	NA			1994
						To: Cul-de-Sac									
4113 Brandenburg Dr	0.24	140	R			From: 20-4110					NA	NA			1994
						To: 20-759									
4114	0.04	1000	R			From: 20-651					NA	NA			1994
						To: 20-4117									
4114	0.12	800	R			From: 20-4117					NA	NA			1994
						To: 20-4116									
4114	0.09	670	R			From: 20-4116					NA	NA			1994
						To: 20-4110									
4114	0.07	510	R			From: 20-4110					NA	NA			1994
						To: 20-4115									
4114	0.09	110	R			From: 20-4115					NA	NA			1994
						To: Cul-de-Sac									
4115	0.05	60	R			From: Dead End					NA	NA			1994
						To: 20-4114									
4116 Lintz Ln	0.05	46	R			From: 20-4114					NA	NA			1994
						To: Dead End									
4117 Bayreuth Ln	0.06	40	R			From: 20-4114					NA	NA			1994
						To: Dead End									
4118	0.05	NA				From: 20-04108(B)/					NA	NA			
						To: Cul-de-Sac/									
4120 Raven Wing Dr	0.18	120	R			From: 20-654					NA	NA			1994
						To: 20-4121									
4120 Raven Wing Dr	0.15	820	R			From: 20-4121					NA	NA			1994
						To: 20-4122									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4120) Raven Wing Dr	0.06	340	R			From: 20-4122					NA	NA			1994
						To: Dead End									
(4121) Raven Wing Ct	0.05	60	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4120									
(4122) Escada Dr	0.21	320	R			From: 20-4120					NA	NA			1994
						To: 20-4123					NA	NA			
(4122) Escada Dr	0.34	NA				From: Cul-de-Sac					NA	NA			
						To: 20-4122					NA	NA			11/16/2000
(4123) Escada Ct	0.04	20	R			From: Dead End					NA	NA			
						To: 20-711					NA	NA			
(4125)	0.21	NA				From: 20-4124					NA	NA			
						To: 20-4124; 20-4142									
(4126) Elkwood Rd	0.28	130	R			From: 20-1292					NA	NA			11/16/2000
						To: Cul-de-Sac									
(4127) Elkwood Ct	0.10	50	R			From: Cul-de-Sac					NA	NA			11/16/2000
						To: 20-4126									
(4128) Bucktail Ct	0.10	50	R			From: 20-4126					NA	NA			11/16/2000
						To: Cul-de-Sac									
(4129) Alberta Cr	0.09	90	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-888									
(4130) Hunters Landing Dr	0.07	70	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4132									
(4130) Hunters Landing Dr	0.06	240	R			From: 20-4132					NA	NA			1994
						To: 20-4131									
(4130) Hunters Landing Dr	0.09	780	R			From: 20-4131					NA	NA			1994
						To: 20-4141									
(4130) Hunters Landing Dr	0.09	1100	R			From: 20-4141					NA	NA			1994
						To: 20-604; 20-906									
(4131) Poachers Run	0.22	200	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4141									
(4131) Poachers Run	0.08	290	R			From: 20-4141					NA	NA			1994
						To: 20-4139									
(4131) Poachers Run	0.12	220	R			From: 20-4139					NA	NA			1994
						To: 20-4138									
(4131) Poachers Run	0.08	380	R			From: 20-4138					NA	NA			1994
						To: 20-4130									
(4131) Poachers Run	0.09	550	R			From: 20-4130					NA	NA			1994
						To: 20-4134									
(4131) Poachers Run	0.08	210	R			From: 20-4134					NA	NA			1994
						To: 20-4133									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4131 Poachers Run	0.04	40	R			From: 20-4133					NA		NA		1994
						To: Cul-de-Sac									
4132 Hunters Landing Ct	0.06	90	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4130									
4133 Poachers Ct	0.08	80	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4131									
4134 Bexwood Dr	0.13	260	R			From: 20-3090					NA		NA		1996
						To: 20-4137									
4134 Bexwood Dr	0.05	190	R			From: 20-4137					NA		NA		1996
						To: 20-4136									
4134 Bexwood Dr	0.11	260	R			From: 20-4136					NA		NA		1996
						To: 20-4135									
4134 Bexwood Dr	0.08	340	R			From: 20-4135					NA		NA		1996
						To: 20-4131									
4135 Pursuit Ct	0.07	80	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4134									
4136 Snare Ct	0.07	70	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4134									
4137 Bexwood Ct	0.10	120	R			From: 20-4134					NA		NA		1996
						To: Cul-de-Sac									
4138 Blind Trap Ln	0.09	90	R			From: 20-4131					NA		NA		1994
						To: 20-4141									
4139 Tracker Dr	0.11	370	R			From: 20-4131					NA		NA		1996
						To: 20-4141									
4139 Tracker Dr	0.04	700	R			From: 20-4141					NA		NA		1996
						To: 20-4140									
4139 Tracker Dr	0.04	770	R			From: 20-4140					NA		NA		1996
						To: 20-604									
4140 Tracker Ct	0.06	60	R			From: 20-4139					NA		NA		1996
						To: Cul-de-Sac									
4141 Decoy Ln	0.04	10	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4131									
4141 Decoy Ln	0.17	170	R			From: 20-4131					NA		NA		1996
						To: 20-4139									
4141 Decoy Ln	0.10	200	R			From: 20-4139					NA		NA		1996
						To: 20-4138									
4141 Decoy Ln	0.07	230	R			From: 20-4138					NA		NA		1996
						To: 20-4130									
4142	0.07	NA				From: 20-4124; 20-4125					NA		NA		
						To: Cul-de-Sac									
4143	0.21	NA				From: Dead End END SECTION LIMITS					NA		NA		
						To: 20-4124									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4144)	0.04	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4124									
(4145) Hollypark Dr	0.15	100	R			From: 20-4146					NA		NA		09/07/2000
						To: 20-1385									
(4146) Walton Ridge Ln	0.21	210	R			From: 20-3750					NA		NA		09/07/2000
						To: 20-4145									
(4146) Walton Ridge Ln	0.19	160	R			From: 20-4145					NA		NA		09/07/2000
						To: 20-1385									
(4147) Dannyhill Ct	0.04	10	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-4158									
(4148) Seabright Tr	0.08	80	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-1385									
(4149) Gradyhill Pl	0.09	60	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-1385									
(4150) Lancey Dr	0.07	370	R			From: 20-624					NA		NA		1996
						To: 20-4151									
(4150) Lancey Dr	0.06	320	R			From: 20-4151					NA		NA		1996
						To: 20-1084									
(4150) Lancey Dr	0.09	80	R			From: 20-1084					NA		NA		1996
						To: Cul-de-Sac									
(4151) Lancey Ct	0.15	180	R			From: 20-4150					NA		NA		1996
						To: Cul-de-Sac									
(4152)	0.05	48	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4154									
(4152)	0.06	200	R			From: 20-4154					NA		NA		1996
						To: 20-4153									
(4152)	0.04	250	R			From: 20-4153					NA		NA		1996
						To: 20-624									
(4152)	0.18	100	R			From: 20-624					NA		NA		1996
						To: Cul-de-Sac									
(4153) Coralview Ct	0.14	100	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4152									
(4154) Coralview Tr	0.11	90	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4152									
(4155) Timberlake Ct	0.13	70	R			From: 20-624					NA		NA		09/07/2000
						To: Cul-de-Sac									
(4156) Knobhill Ct	0.20	90	R			From: 20-624					NA		NA		09/07/2000
						To: Cul-de-Sac									
(4157)	0.09	46	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-1385									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4157)	0.04	30	R	From: 20-1385							NA	NA			09/07/2000
				To: Cul-de-Sac											
(4158) Dannyhill Rd	0.10	70	R	From: Cul-de-Sac							NA	NA			09/07/2000
				To: 20-4147											
(4158) Dannyhill Rd	0.07	270	R	From: 20-4147							NA	NA			09/07/2000
				To: 20-1385											
(4158) Dannyhill Rd	0.05	50	R	From: 20-1385							NA	NA			09/07/2000
				To: Cul-de-Sac											
(4159) Beauridge Ct	0.10	50	R	From: 20-1385							NA	NA			09/07/2000
				To: Cul-de-Sac											
(4160) Shadowhill Ct	0.10	120	R	From: 20-1385							NA	NA			1997
				To: Cul-de-Sac											
(4161) Glendower Ct	0.15	120	R	From: 20-1068							NA	NA			1997
				To: Cul-de-Sac											
(4162) Bosham Ct	0.05	30	R	From: 20-4166							NA	NA			1997
				To: Cul-de-Sac											
(4163) Drakewood Cr	0.06	60	R	From: Cul-de-Sac							NA	NA			1997
				To: 20-4166											
(4164) Drakewood Ct	0.09	60	R	From: Cul-de-Sac							NA	NA			1997
				To: 20-4166											
(4165) Glendower Cr	0.12	90	R	From: 20-1068							NA	NA			1997
				To: Cul-de-Sac											
(4166)	0.03	30	R	From: Cul-de-Sac							NA	NA			1997
				To: 20-1068 WEST											
(4166)	0.07	80	R	From: 20-1068 WEST							NA	NA			1997
				To: 20-4167											
(4166)	0.07	90	R	From: 20-4167							NA	NA			1997
				To: 20-4168											
(4166)	0.16	150	R	From: 20-4168							NA	NA			1997
				To: 20-4164											
(4166)	0.12	320	R	From: 20-4164							NA	NA			1997
				To: 20-1237											
(4166)	0.11	310	R	From: 20-1237							NA	NA			1997
				To: 20-4163											
(4166)	0.10	270	R	From: 20-4163							NA	NA			1997
				To: 20-4162											
(4166)	0.26	320	R	From: 20-4162							NA	NA			1997
				To: 20-1068 EAST											
(4167) Cawood Dr	0.12	140	R	From: 20-4166							NA	NA			1997
				To: 20-711											
(4168) Drakewood Tr	0.13	60	R	From: Cul-de-Sac							NA	NA			1997
				To: 20-4166											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4169) Carbon Hill Pl	0.05	40	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-1227									
(4170) Framar Dr	0.10	1500	R			From: 20-902					NA	NA			1997
						To: 20-4181									
(4170) Framar Dr	0.17	1400	R			From: 20-4176					NA	NA			1997
						To: 20-4172; 20-4175									
(4170) Framar Dr	0.07	1100	R			From: 20-4174					NA	NA			1997
						To: 20-4171									
(4170) Framar Dr	0.08	1200	R			From: 20-4171					NA	NA			1997
						To: 20-728; 20-1223									
(4171) Olde Queen Tr	0.15	140	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-4179									
(4171) Olde Queen Tr	0.11	200	R			From: 20-4170					NA	NA			1997
						To: Cul-de-Sac									
(4172) Olde Stone Rd	0.08	100	R			From: 20-4170; 20-4175					NA	NA			1997
						To: 20-4173									
(4172) Olde Stone Rd	0.06	47	R			From: Cul-de-Sac					NA	NA			1997
						To: Cul-de-Sac									
(4173) Olde Stone Cr	0.06	30	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-4172									
(4174)	0.06	46	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4176									
(4174)	0.08	190	R			From: 20-4178					NA	NA			1994
						To: 20-4170									
(4174)	0.16	230	R			From: Dead End					NA	NA			1994
						To: Cul-de-Sac									
(4175)	0.18	150	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4170; 20-4172									
(4176) Edgeview Ln	0.09	620	R			From: 20-4174					NA	NA			1994
						To: 20-4177									
(4176) Edgeview Ln	0.35	440	R			From: 20-4170					NA	NA			1994
						To: Dead End									
(4177) Normandstone Dr	0.41	920	R			From: Dead End					NA	NA			1994
						To: 20-4176									
(4178) Swanhurst Cr	0.05	50	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4174									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4179) Olde Queen Ct	0.05	40	R			From: 20-4171					NA	NA			1994
						To: Cul-de-Sac									
(4180) Charter Dr	0.05	1100	R			From: 20-4181					NA	NA			1994
						To: 20-711									
(4181)	0.05	10	R			From: 20-3139					NA	NA			10/12/2000
						To: Dead End; Gap Terminus					NA	NA			10/12/2000
(4181)	0.09	410	R			From: 20-4184 WEST					NA	NA			10/12/2000
						To: 20-4182 WEST					NA	NA			10/12/2000
(4181)	0.13	440	R			From: 20-4183					NA	NA			10/12/2000
						To: 20-4180					NA	NA			10/12/2000
(4181)	0.08	890	R			From: 20-4180					NA	NA			10/12/2000
						To: 20-4182 EAST					NA	NA			10/12/2000
(4181)	0.09	790	R			From: 20-4184 EAST					NA	NA			10/12/2000
						To: Dead End					NA	NA			10/12/2000
(4182)	0.25	160	R			From: 20-4181 WEST					NA	NA			1994
						To: 20-4181 EAST					NA	NA			1994
(4182)	0.05	60	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4181					NA	NA			1994
(4183) Chartstone Ct	0.09	60	R			From: 20-4181 WEST					NA	NA			1994
						To: Cul-de-Sac					NA	NA			1994
(4184)	0.30	100	R			From: 20-4181 EAST					NA	NA			1994
						To: 20-4181 WEST					NA	NA			1994
(4185) Kidbrook Ln	0.06	20	R			From: 20-4181					NA	NA			10/12/2000
						To: Cul-de-Sac					NA	NA			10/12/2000
(4186) Craystone Cr	0.07	20	R			From: 20-4181					NA	NA			10/12/2000
						To: Cul-de-Sac					NA	NA			10/12/2000
(4187) Trenadier Cr	0.06	10	R			From: 20-4181					NA	NA			10/12/2000
						To: Cul-de-Sac					NA	NA			10/12/2000
(4188) Broncroft Ct	0.09	20	R			From: 20-1010					NA	NA			11/20/2000
						To: Cul-de-Sac					NA	NA			11/20/2000
(4189) Radnor Forest Ct	0.05	20	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-1010					NA	NA			11/20/2000
(4190) Third Branch Dr	0.11	90	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4191					NA	NA			1994
(4190) Third Branch Dr	0.09	220	R			From: 20-654					NA	NA			1994
						To: 20-654					NA	NA			1994

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4191) Third Branch Ct	0.19	110	R			From: 20-4190					NA		NA		1994
						To: Cul-de-Sac									
(4192)	0.04	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4143									
(4193) Robious Forest Wy	0.47	70	R			From: Cul-de-Sac					NA		NA		10/12/2000
						To: 20-711									
(4194)	0.14	NA				From: 20-02142(B)/					NA		NA		
						To: Cul-de-Sac/									
(4195) Olde King Ln	0.10	30	R			From: 20-4181					NA		NA		10/12/2000
						To: 20-4196									
(4195) Olde King Ln	0.07	10	R			From: Cul-de-Sac					NA		NA		10/12/2000
						To: Cul-de-Sac									
(4196) Olde King Cr	0.04	8	R			From: Cul-de-Sac					NA		NA		10/12/2000
						To: 20-4195									
(4197)	0.07	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04194(B)/									
(4198) Natural Bark Dr	0.04	30	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4199									
(4198) Natural Bark Dr	0.20	150	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-653									
(4199) Hourglass Ct	0.21	80	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4198									
(4200) Ashlake Py	0.01	NA				From: Dead End					NA		NA		
						To: 20-4201									
(4200) Ashlake Py	0.13	760	R			From: Cul-de-Sac					NA		NA		05/10/2000
						To: 20-4202									
(4200) Ashlake Py	0.28	1300	R			From: Cul-de-Sac					NA		NA		05/10/2000
						To: US 360									
(4201) Broadreach Dr	0.11	4	R			From: Dead End					NA		NA		1996
						To: 20-4203									
(4201) Broadreach Dr	0.23	740	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4200									
(4202)	0.28	20	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4203									
(4202)	0.09	390	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4200									
(4203) Offshore Dr	0.04	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4207									
(4203) Offshore Dr	0.15	640	R			From: Cul-de-Sac					NA		NA		05/10/2000
						To: 20-4206									
(4203) Offshore Dr	0.08	550	R			From: Cul-de-Sac					NA		NA		05/10/2000
						To: 20-4205									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4203) Offshore Dr	0.04	520	R			From: 20-4205					NA		NA		05/10/2000
(4203) Offshore Dr	0.10	460	R			From: 20-4204					NA		NA		05/10/2000
						To: 20-4202									
(4204) Helmsman Ct	0.06	90	R			From: 20-4203					NA		NA		1996
						To: Cul-de-Sac									
(4205) Inlet Ct	0.08	70	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4203									
(4206) Midship Woods Ct	0.07	150	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4203									
(4207) Breaker Point Ln	0.03	140	R			From: 20-4208					NA		NA		05/10/2000
						To: 20-4203									
(4208) Breaker Point Ct	0.18	90	R			From: Cul-de-Sac					NA		NA		05/10/2000
						To: Cul-de-Sac									
(4209) Shady Banks Dr	0.51	NA				From: 20-4215					NA		NA		
						To: 20-4215									
(4210) Halyard Tr	0.18	110	R			From: Cul-de-Sac					NA		NA		05/10/2000
						To: Cul-de-Sac									
(4211) Halyard Ct	0.07	60	R			From: 20-4210					NA		NA		05/10/2000
						To: Cul-de-Sac									
(4212) Shady Banks Ct	0.05	20	R			From: 20-4209					NA		NA		11/20/2000
						To: Cul-de-Sac									
(4213) Shady Banks Rd	0.03	10	R			From: 20-4209					NA		NA		11/20/2000
						To: 20-4214									
(4214) Shady Banks Tr	0.17	20	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-4213									
(4215)	0.24	NA				From: Dead End					NA		NA		
(4215) Featherchase Dr	0.13	30	R			To: 20-4209					NA		NA		11/20/2000
						To: 20-4216									
(4216)	0.11	20	R			From: 20-4215					NA		NA		11/20/2000
						To: Cul-de-Sac									
(4217)	0.11	NA				From: 20-4215					NA		NA		
						To: Cul-de-Sac									
(4218)	0.15	NA				From: 20-4215					NA		NA		
						To: Cul-de-Sac									
(4219)	0.09	NA				From: 20-04253(L)/					NA		NA		
						To: Dead End/									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4220 Castle Glen Tr	0.04	50	R			From: Cul-de-Sac					NA	NA			1994
4220 Castle Glen Tr	0.05	220	R			From: 20-4223					NA	NA			1994
4220 Castle Glen Tr	0.08	360	R			From: 20-4222					NA	NA			1994
4220 Castle Glen Tr	0.04	490	R			From: 20-4221					NA	NA			1994
						To: 20-672									
4221 Castle Glen Cr	0.05	60	R			From: 20-4220					NA	NA			1994
						To: Cul-de-Sac									
4222 Castle Glen Dr	0.32	240	R			From: 20-4220					NA	NA			05/18/2000
						To: 20-790									
4223 Castle Glen Ct	0.08	120	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4220									
4224 Glenhurst Av	0.04	4	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-790									
4225 Northcreek Dr	0.06	30	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-790									
4225 Northcreek Dr	0.06	30	R			From: 20-790					NA	NA			11/20/2000
						To: 20-4226									
4226 Stonecrest Rd	0.12	20	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-4227									
4226 Stonecrest Rd	0.11	20	R			From: 20-4227					NA	NA			11/20/2000
						To: 20-4225									
4226 Stonecrest Rd	0.03	4	R			From: 20-4225					NA	NA			11/20/2000
						To: Dead End									
4227 Stonecrest Ct	0.03	4	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-4226									
4228	0.09	NA				From: 20-790; 20-4224 Gap Terminus					NA	NA			
						To: Cul-de-Sac									
4229 Reeds Bluff Ln	0.23	100	R			From: 20-673					NA	NA			10/12/2000
						To: Cul-de-Sac									
4230 Auger Ln	0.03	20	R			From: Dead End					NA	NA			1996
						To: 20-4231									
4230 Auger Ln	0.05	130	R			From: 20-4231					NA	NA			1996
						To: 20-673									
4230 Auger Ln	0.04	230	R			From: 20-673					NA	NA			1996
						To: 20-4232									
4230 Auger Ln	0.03	120	R			From: 20-4232					NA	NA			1996
						To: Dead End									
4231 Welrose Ct	0.06	80	R			From: 20-4230					NA	NA			1996
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4232) Linville Ct	0.05	60	R			From: 20-4230					NA		NA		1996
						To: Cul-de-Sac									
(4233)	0.13	NA				From: Cul-de-Sac					NA		NA		
						To: 20-711									
(4234)	0.13	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04209(B)/									
(4235)	0.23	NA				From: Cul-de-Sac/					NA		NA		
						To: Cul-de-Sac/									
(4236)	0.05	NA				From: 20-04234(B)/					NA		NA		
						To: Cul-de-Sac/									
(4237)	0.15	NA				From: 20-04253(B)/					NA		NA		
						To: 20-04235(B)/									
(4238)	0.08	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4222									
(4239)	0.07	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4222									
(4240) Cole Mill Rd	0.09	70	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4241									
(4240) Cole Mill Rd	0.15	320	R			From: 20-4241					NA		NA		1996
						To: 20-2072									
(4240) Cole Mill Rd	0.08	60	R			From: 20-2072					NA		NA		1996
						To: Cul-de-Sac									
(4241) Vista Ridge Ln	0.08	400	R			From: 20-4240					NA		NA		1996
						To: 20-4242									
(4242) Old Cannon Rd	0.10	250	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4241									
(4242) Old Cannon Rd	0.12	710	R			From: 20-4241					NA		NA		1996
						To: 20-637									
(4244)	0.09	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5450									
(4246)	0.04	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5450									
(4247) Winters Hill Pl	0.15	60	R			From: 20-4248 BEGIN LOOP					NA		NA		11/20/2000
						To: 20-647									
(4248) Winters Hill Cr	0.46	120	R			From: 20-4247 BEGIN LOOP					NA		NA		11/20/2000
						To: END OF LOOP									
(4249) Winters Hill Ct	0.05	30	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-4248									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4250 Middlewood Cr	0.04	40	R			From: 20-1256					NA		NA		1996
						To: Cul-de-Sac									
4251 Middlewood Tr	0.08	48	R			From: 20-1256					NA		NA		1996
						To: Cul-de-Sac									
4252	0.05	NA				From: 20-04237(B)/					NA		NA		
						To: Cul-de-Sac/									
4253	0.20	NA				From: 20-04219(R)/					NA		NA		
						To: Cul-de-Sac/									
4254	0.04	NA				From: 20-04253(B)/					NA		NA		
						To: Cul-de-Sac/									
4255 Fircrest Pl	0.06	30	R			From: 20-3396					NA		NA		10/10/2000
						To: Cul-de-Sac									
4256 Briarmoor Ln	0.14	70	R			From: 20-1065					NA		NA		10/10/2000
						To: Cul-de-Sac									
4257	0.11	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04835(B)/									
4258	0.12	NA				From: 20-04257(B)/					NA		NA		
						To: Cul-de-Sac/									
4259	0.03	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04258(B)/									
4260 Exbury Dr	0.07	110	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4263									
4260 Exbury Dr	0.08	1200	R			From: 20-4263					NA		NA		1996
						To: 20-4262									
4260 Exbury Dr	0.06	1200	R			From: 20-4262					NA		NA		1996
						To: 20-4261									
4260 Exbury Dr	0.04	1400	R			From: 20-4261					NA		NA		1996
						To: 20-720									
4261 Exbury Ct	0.08	120	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4260									
4262 Exbury Tr	0.11	130	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4260									
4262 Exbury Tr	0.03	20	R			From: 20-4260					NA		NA		1996
						To: 0.03 ME 20-4260									
4263 Winbury Dr	0.34	1100	R			From: Dead End					NA		NA		10/10/2000
						To: 20-4260									
4264 Sanbury Ln	0.13	70	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: Dead End									
4265 Winbury Ct	0.04	20	R			From: 20-4263					NA		NA		10/10/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4266) Upperbury Tr	0.03	7	R			From: Dead End					NA	NA			10/10/2000
(4266) Upperbury Tr	0.07	10	R			From: 20-3341					NA	NA			10/10/2000
						To: Cul-de-Sac									
(4269)	0.08	NA				From: 20-03819(B)/					NA	NA			
						To: Cul-de-Sac/									
(4270) Cardiff Wy	0.16	120	R			From: 20-2641					NA	NA			1996
						To: Cul-de-Sac									
(4271) Cardiff Ct	0.12	80	R			From: 20-2641					NA	NA			1996
						To: Cul-de-Sac									
(4272) Cardiff Pl	0.04	20	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-2641									
(4275)	0.03	NA				From: 20-00974(L)/					NA	NA			
						To: Dead End/									
(4276)	0.06	NA				From: 20-03819(B)/					NA	NA			
						To: Cul-de-Sac/									
(4277) Taplow Rd	0.14	100	R			From: Cul-de-Sac					NA	NA			09/05/2000
						To: 20-4279									
(4277) Taplow Rd	0.07	160	R			From: 20-4279					NA	NA			09/05/2000
						To: 20-4278									
(4277) Taplow Rd	0.05	220	R			From: 20-4278					NA	NA			09/05/2000
						To: 20-2025									
(4278) Taplow Tr	0.07	40	R			From: 20-4277					NA	NA			09/05/2000
						To: Cul-de-Sac									
(4279) Taplow Cr	0.04	30	R			From: 20-4277					NA	NA			09/05/2000
						To: Cul-de-Sac									
(4280) Ivybridge Crossing	0.07	230	R			From: 20-2683					NA	NA			1994
						To: 20-2641 WEST									
(4280) Ivybridge Crossing	0.07	200	R			From: 90-2641 EAST					NA	NA			1994
						To: 20-2641									
(4281) Cardiff Ln	0.04	640	R			From: 20-2641					NA	NA			1997
						To: 20-647									
(4282)	0.25	NA				From: 20-00602(B)/					NA	NA			
						To: Cul-de-Sac/									
(4283)	0.05	NA				From: 20-04282(B)/					NA	NA			
						To: Cul-de-Sac/									
(4284) Spring Mill Rd	0.07	48	R			From: 20-2331					NA	NA			09/05/2000
						To: Cul-de-Sac									
(4287) Corryville Cr	0.04	20	R			From: Cul-de-Sac					NA	NA			09/05/2000
						To: 20-4292									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4288) Corryville Ct	0.05	40	R			From: Cul-de-Sac					NA		NA		09/05/2000
						To: 20-4292									
(4289) Corryville Tr	0.05	10	R			From: 20-4292					NA		NA		09/05/2000
						To: Cul-de-Sac									
(4290) Sunset Hills Tr	0.11	140	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-2331									
(4291) Sunset Hills Ct	0.09	110	R			From: 20-2331					NA		NA		1994
						To: Cul-de-Sac									
(4292) Corryville Rd	0.04	30	R			From: Cul-de-Sac					NA		NA		09/05/2000
						To: 20-4293									
(4292) Corryville Rd	0.10	100	R			From: 20-4288					NA		NA		09/05/2000
						To: 20-4289									
(4292) Corryville Rd	0.09	100	R			From: 20-4289					NA		NA		09/05/2000
						To: 20-4293									
(4292) Corryville Rd	0.06	60	R			From: 20-4293					NA		NA		09/05/2000
						To: 20-2331									
(4292) Corryville Rd	0.10	40	R			From: 20-2331					NA		NA		09/05/2000
						To: 20-4287									
(4292) Corryville Rd	0.05	20	R			From: 20-4287					NA		NA		09/05/2000
						To: Dead End									
(4293) Krossridge Rd	0.36	140	R			From: Cul-de-Sac					NA		NA		09/05/2000
						To: Dead End									
(4294) Krossridge Cr	0.04	20	R			From: 20-4293					NA		NA		09/05/2000
						To: Cul-de-Sac									
(4295) Krossridge Tr	0.04	20	R			From: 20-4293					NA		NA		09/05/2000
						To: Cul-de-Sac									
(4296) Krossridge Ct	0.07	46	R			From: 20-4293					NA		NA		09/05/2000
						To: Cul-de-Sac									
(4297) Sleepyhill Rd	0.20	360	R			From: 20-4293					NA		NA		09/05/2000
						To: 20-4298									
(4298) Providence Tr	0.11	670	R			From: Cul-de-Sac					NA		NA		09/05/2000
						To: 20-678									
(4300) West Branch Rd	0.19	200	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-3600									
(4301) Heather Glen Rd	0.09	150	R			From: 20-3600; 20-4305					NA		NA		1997
						To: BEGIN LOOP									
(4301) Heather Glen Rd	0.12	130	R			From: BEGIN LOOP					NA		NA		1997
						To: END LOOP									
(4302) Acorn Ridge Rd	0.06	260	R			From: 20-3600					NA		NA		1997
						To: 20-4303									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4302 Acorn Ridge Rd	0.08	150	R			From: 20-4303					NA	NA			1997
						To: Cul-de-Sac									
4303 Acorn Ridge Pl	0.10	420	R			From: 20-4302					NA	NA			1997
						To: 20-4304									
4303 Acorn Ridge Pl	0.09	120	R			From: 20-4304					NA	NA			1997
						To: Cul-de-Sac									
4304 Acorn Ridge Ct	0.14	220	R			From: 20-4303					NA	NA			1997
						To: Cul-de-Sac									
4305 Walnut Bend Rd	0.27	660	R			From: Cul-de-Sac					NA	NA			05/04/2000
						To: 20-3600; 20-4301									
4306 Walnut Bend Dr	0.23	290	R			From: Cul-de-Sac					NA	NA			05/04/2000
						To: 20-4305									
4307 Walnut Bend Ct	0.05	70	R			From: Cul-de-Sac					NA	NA			05/04/2000
						To: 20-4306									
4308 Walnut Bend Tr	0.17	200	R			From: Cul-de-Sac					NA	NA			05/04/2000
						To: 20-4305									
4309 Gates Mill Rd	0.21	490	R			From: Cul-de-Sac					NA	NA			05/04/2000
						To: 20-3600									
4310	0.19	450	R			From: 20-3600					NA	NA			05/04/2000
						To: Cul-de-Sac									
4311	0.09	120	R			From: Cul-de-Sac					NA	NA			05/04/2000
						To: 20-4310									
4312	0.08	120	R			From: 20-4310					NA	NA			05/04/2000
						To: Cul-de-Sac									
4313 Gates Mill Ct	0.12	140	R			From: 20-4309					NA	NA			05/04/2000
						To: Cul-de-Sac									
4314 Gates Mill Pl	0.16	100	R			From: Cul-de-Sac					NA	NA			05/04/2000
						To: Cul-de-Sac									
4315 Lansgate Ln	0.05	440	R			From: 20-4316					NA	NA			05/04/2000
						To: 20-3600									
4316 Lansgate Rd	0.21	430	R			From: Cul-de-Sac					NA	NA			05/04/2000
						To: Cul-de-Sac									
4317 Lansgate Ct	0.17	170	R			From: Cul-de-Sac					NA	NA			05/04/2000
						To: 20-4316									
4318 West Shore Ct	0.05	30	R			From: 20-4336					NA	NA			05/10/2000
						To: Cul-de-Sac									
4319 West Shore Ln	0.12	100	R			From: 20-4336					NA	NA			05/10/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4320	Candlewick Rd	0.10	120	R			From: Dead End				NA		NA		1997
4320	Candlewick Rd	0.05	390	R			From: 20-4321				NA		NA		1997
							To: 20-3600								
4321	Candlewick Ct	0.21	260	R			From: Dead End				NA		NA		1997
							To: 20-4320								
4322		0.06	NA				From: 20-4323				NA		NA		
							To: Dead End								
4323	Brandy Oaks Dr	0.57	150	R			From: 20-655				NA		NA		11/16/2000
							To: Cul-de-Sac								
4324		0.52	240	R			From: Cul-de-Sac				NA		NA		11/16/2000
							To: Cul-de-Sac								
4325	Brandy Oaks Wy	0.19	90	R			From: 20-4323				NA		NA		11/16/2000
							To: Cul-de-Sac								
4326	Clipper Cove Rd	0.43	290	R			From: 20-3600				NA		NA		05/10/2000
							To: END LOOP								
4327	Clipper Cove Ct	0.24	150	R			From: 20-4326				NA		NA		05/10/2000
							To: Cul-de-Sac								
4328	Rock Harbour Rd	0.55	250	R			From: BEGIN LOOP				NA		NA		11/20/2000
							To: 20-3600								
4329	Timber Bluff Py	0.32	110	R			From: 20-4337				NA		NA		11/20/2000
							To: 20-668								
4330	Beechwood Point Rd	0.06	330	R			From: 20-3600				NA		NA		1997
							To: 20-4331 WEST								
4330	Beechwood Point Rd	0.04	190	R			From: 20-4332				NA		NA		1997
							To: 20-4331 EAST								
4330	Beechwood Point Rd	0.16	160	R			From: 20-4331 EAST				NA		NA		1997
							To: Dead End								
4331	Beechwood Point Cr	0.32	210	R			From: 20-4330 WEST				NA		NA		1997
							To: 20-4330 EAST								
4332	Beechwood Point Ct	0.14	50	R			From: 20-4330				NA		NA		1994
							To: Dead End								
4333	Watercrest Rd	0.04	270	R			From: 20-3600				NA		NA		1994
							To: 20-4334								
4333	Watercrest Rd	0.09	140	R			From: 20-4335				NA		NA		1994
							To: 20-4335								
4333	Watercrest Rd	0.09	70	R			From: 20-4335				NA		NA		1994
							To: Cul-de-Sac								

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4334 Watercrest Ct	0.08	80	R			From: 20-4333					NA	NA			1994
						To: Cul-de-Sac									
4335 Watercrest Pl	0.06	40	R			From: 20-4333					NA	NA			1994
						To: Cul-de-Sac									
4336 West Shore Rd	0.28	270	R			From: 20-3600					NA	NA			05/10/2000
						To: Cul-de-Sac									
4337 Lakebluff Py	0.51	130	R			From: 20-5201					NA	NA			11/20/2000
						To: 20-4615									
4337 Lakebluff Py	0.27	90	R			From: 20-5009					NA	NA			11/20/2000
						To: 20-5000 SOUTH									
4337 Lakebluff Py	0.16	60	R			From: 20-5000 SOUTH					NA	NA			11/20/2000
						To: 20-3600									
4338 Grove Forest Rd	0.21	410	R			From: 20-3600					NA	NA			05/04/2000
						To: Cul-de-Sac									
4339 Grove Forest Ct	0.14	180	R			From: 20-4338					NA	NA			05/04/2000
						To: Cul-de-Sac									
4340 Pleasant Grove Ln	0.13	260	R			From: 20-3600					NA	NA			1994
						To: 20-4341									
4340 Pleasant Grove Ln	0.05	70	R			From: 20-4341					NA	NA			1994
						To: Cul-de-Sac									
4341 Pleasant Grove Ct	0.04	60	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4340									
4342 Standing Oak Ln	0.04	550	R			From: 20-4343					NA	NA			05/10/2000
						To: 20-3600									
4343 Standing Oak Rd	0.33	140	R			From: Cul-de-Sac					NA	NA			05/10/2000
						To: Cul-de-Sac									
4344 Standing Oak Pl	0.06	60	R			From: Cul-de-Sac					NA	NA			05/10/2000
						To: 20-4343									
4345 Standing Oak Ct	0.22	220	R			From: Cul-de-Sac					NA	NA			05/10/2000
						To: 20-4343									
4346 Chatmoss Rd	0.23	240	R			From: 20-3600					NA	NA			05/10/2000
						To: Cul-de-Sac									
4347 Chatmoss Ct	0.04	20	R			From: Cul-de-Sac					NA	NA			05/10/2000
						To: 20-4346									
4348 Silver Birch Ln	0.21	210	R			From: 20-3600					NA	NA			05/10/2000
						To: Cul-de-Sac									
4349 Silver Birch Ct	0.07	30	R			From: 20-4348					NA	NA			05/10/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4350) Riverpark Wy	0.21	49	R			From: Dead End					NA		NA		1997
(4350) Riverpark Wy	0.08	50	R			To: 20-4368					NA		NA		1997
(4350) Riverpark Wy	0.03	170	R			From: 20-4355					NA		NA		1997
(4350) Riverpark Wy	0.09	200	R			To: 20-4353					NA		NA		1997
(4350) Riverpark Wy	0.16	260	R			From: 20-4352					NA		NA		1997
(4350) Riverpark Wy	0.22	400	R			To: 20-4351					NA		NA		1997
(4350) Riverpark Wy						From: 20-659					NA		NA		1997
(4351) Ashenberry Ct	0.04	50	R			To: 20-4350					NA		NA		1997
(4352) Bay Colony Ct	0.08	60	R			From: Cul-de-Sac					NA		NA		1997
(4352) Bay Colony Ct						To: 20-4350					NA		NA		1997
(4353) Southern Points Dr	0.18	70	R			From: Dead End					NA		NA		11/16/2000
(4353) Southern Points Dr						To: 20-4350					NA		NA		11/16/2000
(4354) Southern Points Ct	0.07	30	R			From: Cul-de-Sac					NA		NA		11/16/2000
(4354) Southern Points Ct						To: 20-4353					NA		NA		11/16/2000
(4355) Northbrook Cr	0.04	30	R			From: 20-4350					NA		NA		1997
(4355) Northbrook Cr						To: Cul-de-Sac					NA		NA		1997
(4356) Prince Philip Ln	0.05	30	R			From: Cul-de-Sac					NA		NA		1997
(4356) Prince Philip Ln	0.28	190	R			To: 20-4359					NA		NA		1997
(4356) Prince Philip Ln	0.17	290	R			From: 20-4358					NA		NA		1997
(4356) Prince Philip Ln	0.06	310	R			To: 20-4357					NA		NA		1997
(4356) Prince Philip Ln						From: 20-659					NA		NA		1997
(4357)	0.08	60	R			To: Cul-de-Sac					NA		NA		1997
(4357)	0.10	40	R			From: 20-4356					NA		NA		1997
(4357)						To: Cul-de-Sac					NA		NA		1997
(4358)	0.23	100	R			From: Cul-de-Sac					NA		NA		11/16/2000
(4358)	0.10	110	R			To: 20-4376					NA		NA		11/16/2000
(4358)	0.21	200	R			From: 20-4375					NA		NA		11/16/2000
(4358)						To: 20-4356					NA		NA		11/16/2000
(4359) Princess Mary Rd	0.34	60	R			From: Dead End					NA		NA		1997
(4359) Princess Mary Rd	0.26	130	R			To: 20-4356					NA		NA		1997
(4359) Princess Mary Rd						From: Cul-de-Sac					NA		NA		1997

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4360) Timber Trail Dr	0.03	20	R			From: Cul-de-Sac					NA	NA			09/05/2000
(4360) Timber Trail Dr	0.09	280	R			From: 20-4365					NA	NA			09/05/2000
(4360) Timber Trail Dr	0.03	300	R			From: 20-2088					NA	NA			09/05/2000
(4360) Timber Trail Dr	0.09	700	R			From: 20-4364					NA	NA			09/05/2000
(4360) Timber Trail Dr	0.08	740	R			From: 20-4363					NA	NA			09/05/2000
(4360) Timber Trail Dr	0.03	790	R			From: 20-4361					NA	NA			09/05/2000
(4361) Campbellridge Dr	0.05	120	R			From: 20-4360					NA	NA			1994
(4361) Campbellridge Dr	0.04	40	R			From: 20-4362					NA	NA			1994
(4362) Campbellridge Ct	0.05	50	R			From: 20-4361					NA	NA			1994
(4363) Timber Trail Ct	0.04	40	R			From: 20-4360					NA	NA			1994
(4364)	0.15	30	R			From: 20-4360					NA	NA			09/05/2000
(4365) King Cotton Ln	0.23	190	R			From: 20-4366					NA	NA			09/05/2000
(4366) King Cotton Ct	0.11	70	R			From: Cul-de-Sac					NA	NA			09/05/2000
(4367) Timbernorth Ct	0.03	30	R			From: Cul-de-Sac					NA	NA			09/05/2000
(4368) Riverpark Dr	0.16	100	R			From: 20-4350					NA	NA			09/05/2000
(4368) Riverpark Dr	0.07	50	R			From: 20-4369					NA	NA			09/05/2000
(4369) Plantation Trace Pl	0.13	120	R			From: Cul-de-Sac					NA	NA			09/05/2000
(4369) Plantation Trace Pl	0.13	170	R			From: 20-4368					NA	NA			09/05/2000
(4370) Gable Wy	0.07	120	R			From: 20-3124					NA	NA			1994
(4371) O'Hara Dr	0.05	60	R			From: 20-3123					NA	NA			1994
(4372) Twelveoaks Ct	0.04	47	R			From: Cul-de-Sac					NA	NA			1994

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4373	Glen Tara Ct	0.06	20	R			From: 20-3124				NA	NA			1994
							To: Cul-de-Sac								
4374	White Manor Ct	0.03	30	R			From: Cul-de-Sac				NA	NA			09/05/2000
							To: 20-3126; 20-3127								
4375	Sylvan Ridge Pl	0.08	40	R			From: 20-4358				NA	NA			11/16/2000
							To: Cul-de-Sac								
4376	Sylvan Ridge Ct	0.06	30	R			From: 20-4358				NA	NA			11/16/2000
							To: Cul-de-Sac								
4377	Riverpark Tr	0.19	90	R			From: Dead End				NA	NA			11/16/2000
							To: 20-4350								
4378	Bermuda Ct	0.07	40	R			From: Cul-de-Sac				NA	NA			11/18/2000
							To: 20-2410								
4379	Traywick Dr	0.10	60	R			From: Cul-de-Sac				NA	NA			11/18/2000
							To: 20-2200								
4379	Traywick Dr	0.07	80	R			From: 20-4380				NA	NA			11/18/2000
							To: 20-4380								
4379	Traywick Dr	0.06	60	R			From: 20-2410				NA	NA			11/18/2000
							To: 20-2410								
4379		0.08	NA				From: Cul-de-Sac				NA	NA			
							To: Cul-de-Sac								
4380	Traywick Ct	0.04	10	R			From: 20-4379				NA	NA			11/18/2000
							To: Cul-de-Sac								
4381	Santell Dr	0.04	20	R			From: Cul-de-Sac				NA	NA			11/18/2000
							To: 20-2200								
4381	Santell Dr	0.08	70	R			From: 20-2410				NA	NA			11/18/2000
							To: 20-2410								
4381		0.08	NA				From: Cul-de-Sac				NA	NA			
							To: Cul-de-Sac								
4382		0.20	NA				From: 20-2410; 20-4378				NA	NA			
							To: Cul-de-Sac								
4383		0.07	30	R			From: Cul-de-Sac				NA	NA			11/18/2000
							To: 20-2200								
4383		0.03	10	R			From: Cul-de-Sac				NA	NA			11/18/2000
							To: Cul-de-Sac								
4385	Split Creek Dr	0.05	40	R			From: Cul-de-Sac				NA	NA			1994
							To: 20-4387								
4385	Split Creek Dr	0.06	140	R			From: 20-4386				NA	NA			1994
							To: 20-4386								
4385	Split Creek Dr	0.08	280	R			From: 20-1593				NA	NA			1994
							To: 20-1593								
4386	Pompton Ln	0.13	140	R			From: Cul-de-Sac				NA	NA			1994
							To: 20-4385								

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4387) Split Creek Ct	0.08	100	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4385									
(4388)	0.51	NA				From: 20-602					NA		NA		
						To: Cul-de-Sac									
(4389)	0.11	NA				From: 20-4388					NA		NA		
						To: Cul-de-Sac									
(4390) Timbercreek Dr	0.44	40	R			From: 20-642					NA		NA		11/20/2000
						To: Cul-de-Sac									
(4391) Timbercreek Ct	0.22	120	R			From: 20-4390					NA		NA		11/20/2000
						To: Cul-de-Sac									
(4392)	0.16	NA				From: 20-00642(B)/					NA		NA		
						To: 20-04393(B)/									
(4393)	0.23	NA				From: Cul-de-Sac/					NA		NA		
						To: Cul-de-Sac/									
(4394)	0.25	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-00651(B)/									
(4395) Exton Ln	0.08	100	R			From: Cul-de-Sac					NA		NA		11/13/2000
						To: 20-1166									
(4395) Exton Ln	0.15	100	R			From: 20-1166					NA		NA		11/13/2000
						To: Cul-de-Sac									
(4396) Edenton Pl	0.10	120	R			From: Cul-de-Sac					NA		NA		11/13/2000
						To: 20-1166									
(4396) Edenton Pl	0.08	140	R			From: 20-1166					NA		NA		11/13/2000
						To: Cul-de-Sac									
(4397)	0.19	NA				From: 20-04359(B)/					NA		NA		
						To: Cul-de-Sac/									
(4398)	0.08	NA				From: 20-04394(B)/					NA		NA		
						To: Cul-de-Sac/									
(4399)	0.03	NA				From: 20-04394(B)/					NA		NA		
						To: Cul-de-Sac/									
(4400) Venture Rd	0.08	110	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-2855									
(4401) Brightridge Rd	0.07	80	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4404									
(4401) Brightridge Rd	0.08	170	R			From: 20-4404					NA		NA		1994
						To: 20-4403									
(4401) Brightridge Rd	0.06	250	R			From: 20-4403					NA		NA		1994
						To: 20-4402									
(4401) Brightridge Rd	0.16	440	R			From: 20-4402					NA		NA		1994
						To: 20-2857									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4402	Brightridge Wy	0.04	30	R							NA	NA			1994
						From:	Cul-de-Sac								
						To:	20-4401								
4403	Brightridge Ct	0.03	30	R							NA	NA			1994
						From:	Cul-de-Sac								
						To:	20-4401								
4404	Brightridge Ln	0.05	40	R							NA	NA			1994
						From:	Dead End								
						To:	20-4401								
4405		0.18	NA								NA	NA			
						From:	Cul-de-Sac/								
						To:	20-04413(B)/								
4406		0.18	NA								NA	NA			
						From:	20-720; 20-3340								
						To:	20-4407								
4407		0.25	NA								NA	NA			
						From:	Cul-de-Sac								
						To:	Cul-de-Sac								
4408		0.06	NA								NA	NA			
						From:	Cul-de-Sac								
						To:	20-4407								
4409		0.03	NA								NA	NA			
						From:	Cul-de-Sac								
						To:	20-4407								
4411	Brookforest Tr	0.12	8	R							NA	NA			11/20/2000
						From:	Cul-de-Sac								
						To:	20-2115								
4412		0.11	NA								NA	NA			
						From:	20-4413								
						To:	20-654								
4413		0.18	NA								NA	NA			
						From:	Cul-de-Sac								
						To:	20-4412								
4413		0.15	NA								NA	NA			
						From:	Cul-de-Sac								
						To:	End State Maintenance								
4414		0.03	NA								NA	NA			
						From:	20-4413								
						To:	Cul-de-Sac								
4415		0.04	NA								NA	NA			
						From:	20-4413								
						To:	Cul-de-Sac								
4416		0.06	NA								NA	NA			
						From:	20-04405(B)/								
						To:	Cul-de-Sac/								
4417		0.08	NA								NA	NA			
						From:	20-04405(B)/								
						To:	Cul-de-Sac/								
4418	Dodds Ridge Dr	0.07	110	R							NA	NA			1996
						From:	20-4419								
						To:	Cul-de-Sac								
4419	Glouchestershire St	0.20	350	R							NA	NA			1996
						From:	20-763								
						To:	20-4418								
4419	Glouchestershire St	0.06	80	R							NA	NA			1996
						From:	Cul-de-Sac								
						To:	Cul-de-Sac								

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4420)	0.05	690	R			From: 20-763					NA		NA		05/18/2000
(4420)	0.02	540	R			To: 20-4421					NA		NA		05/18/2000
(4420)	0.12	520	R			From: 20-4422					NA		NA		05/18/2000
(4420)	0.18	170	R			To: 20-4423					NA		NA		05/18/2000
(4420)	0.05	140	R			From: 20-4426					NA		NA		05/18/2000
(4420)	0.20	200	R			To: 20-4427					NA		NA		05/18/2000
(4421)	Landing Ct	0.04	40	R		From: 20-4420					NA		NA		1996
						To: Cul-de-Sac									
(4422)	Landing Cr	0.12	140	R		From: 20-4420					NA		NA		1996
						To: Cul-de-Sac									
(4423)	Boonesboro Dr	0.08	260	R		From: 20-4420					NA		NA		1996
(4423)	Boonesboro Dr	0.10	160	R		To: 20-4424					NA		NA		1996
(4423)	Boonesboro Dr	0.05	49	R		From: 20-4425					NA		NA		1996
						To: Cul-de-Sac									
(4424)	Boonesboro Cr	0.03	49	R		From: Cul-de-Sac					NA		NA		1996
						To: 20-4423									
(4425)	Boonesboro Ct	0.05	30	R		From: 20-4423					NA		NA		1996
						To: Cul-de-Sac									
(4426)	Jacobs Ridge Ct	0.03	20	R		From: Cul-de-Sac					NA		NA		05/18/2000
						To: 20-4420									
(4427)	Jacobs Glenn Dr	0.05	620	R		From: 20-763					NA		NA		05/18/2000
(4427)	Jacobs Glenn Dr	0.25	620	R		To: 20-4428					NA		NA		05/18/2000
(4428)	Jacobs Glenn Ct	0.03	30	R		From: Cul-de-Sac					NA		NA		05/18/2000
						To: 20-4427									
(4429)		0.21	NA			From: Dead End/					NA		NA		
						To: Cul-de-Sac/									
(4430)	Bonney Lea Ct	0.10	40	R		From: 20-910					NA		NA		1996
						To: Cul-de-Sac									
(4435)	Huntsville Rd	0.08	60	R		From: 20-4436					NA		NA		11/16/2000
						To: 20-3152									
(4436)	Huntsville Ct	0.05	150	R		From: 20-3169					NA		NA		11/16/2000
						To: 20-4435									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4436) Huntsville Ct	0.06	60	R			From: 20-4435					NA		NA		11/16/2000
						To: Cul-de-Sac									
(4437)	0.22	NA				From: 20-03670(B)/					NA		NA		
						To: Cul-de-Sac/									
(4438)	0.24	NA				From: 20-03670(B)/					NA		NA		
						To: Cul-de-Sac/									
(4439)	0.07	NA				From: 20-04438(B)/					NA		NA		
						To: Cul-de-Sac/									
(4440) Wind Pl	0.08	90	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4441									
(4440) Wind Pl	0.09	180	R			From: 20-3245					NA		NA		1996
						To: Cul-de-Sac									
(4441) Carriage House Ct	0.03	40	R			From: 20-4440					NA		NA		1996
						To: 20-4440									
(4442) Horsetail Ln	0.06	470	R			From: 20-3245					NA		NA		1996
						To: 20-3241									
(4444)	0.23	NA				From: 20-04890(B)/					NA		NA		
						To: 20-04449(B)/									
(4445) Parkers Battery Rd	0.10	430	R			From: Dead End					NA		NA		1996
						To: 20-617									
(4446)	0.04	NA				From: Dead End/					NA		NA		
						To: 20-04444(B)/									
(4448)	0.04	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04444(B)/									
(4449)	0.07	NA				From: Cul-de-Sac/					NA		NA		
						To: Cul-de-Sac/									
(4450) Perdue Av	0.07	120	R			From: 20-4453					NA		NA		1996
						To: 20-4452									
(4450) Perdue Av	0.07	130	R			From: 20-4451					NA		NA		1996
						To: 20-4451									
(4450) Perdue Av	0.10	250	R			From: 20-616					NA		NA		1996
						To: 20-616									
(4451) Perdue Ct	0.04	40	R			From: 20-4450					NA		NA		1996
						To: Cul-de-Sac									
(4452) Perdue Tr	0.14	110	R			From: 20-4450					NA		NA		1996
						To: Cul-de-Sac									
(4453) Cedar Ln	0.11	140	R			From: 20-4450					NA		NA		1996
						To: 20-616									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4457)	0.28	90	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-4459									
(4458) Colby Cove Ct	0.11	20	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-4457									
(4459) Kelsey Pointe Ct	0.07	50	R			From: Cul-de-Sac					NA	NA			11/20/2000
						To: 20-4457									
(4460) Stilton Dr	0.10	500	R			From: 20-3530					NA	NA			1996
						To: 10-4461									
(4460) Stilton Dr	0.23	350	R			From: 20-4461					NA	NA			1996
						To: 20-4462									
(4460) Stilton Dr	0.13	110	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-4460									
(4461) Stilton Ct	0.06	60	R			From: 20-3531					NA	NA			1997
						To: Cul-de-Sac									
(4462) Bethesda Dr	0.06	120	R			From: 20-4460					NA	NA			1997
						To: 20-3532									
(4462) Bethesda Dr	0.06	170	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-714									
(4464)	0.14	60	R			From: 20-4464					NA	NA			10/12/2000
						To: Dead End									
(4466) Michael Ridge Rd	0.07	70	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-714									
(4466) Michael Ridge Rd	0.07	70	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-714; 72-714									
(4467) Robert Mill Ct	0.08	70	R			From: Cul-de-Sac					NA	NA			1997
						To: SR 144									
(4470) Old Cheshire Dr	0.18	280	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4470									
(4471) Old Cheshire Ct	0.04	40	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4483									
(4472) Old Cheshire Ln	0.16	140	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: SR 144									
(4473) Kings Gate Rd	0.10	120	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-3585									
(4475) Glen Oaks Ct	0.12	630	R			From: 20-4478					NA	NA			11/13/2000
						To: 20-609									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4476) Walters Dr	0.05	20	R			From: Cul-de-Sac					NA	NA			1997
(4476) Walters Dr	0.13	120	R			To: 20-3586					NA	NA			1997
(4477) Hamlin Av	0.06	1000	R			From: SR 144					NA	NA			1997
(4477) Hamlin Av						To: 20-3586									
(4478) Erin Green Ct	0.20	48	R			From: Cul-de-Sac					NA	NA			11/13/2000
(4478) Erin Green Ct						To: 20-4475									
(4480) Hamlin Cr	0.05	60	R			From: Cul-de-Sac					NA	NA			11/13/2000
(4480) Hamlin Cr						To: 20-3586									
(4481) Hamlin Wy	0.10	60	R			From: Cul-de-Sac					NA	NA			11/13/2000
(4481) Hamlin Wy						To: 20-3586									
(4481) Hamlin Wy	0.03	30	R			From: Cul-de-Sac					NA	NA			11/13/2000
(4481) Hamlin Wy						To: Cul-de-Sac									
(4483) Kingstream Ln	0.09	47	R			From: 20-4486					NA	NA			11/20/2000
(4483) Kingstream Ln						To: 20-4472									
(4483) Kingstream Ln	0.10	110	R			From: Cul-de-Sac					NA	NA			11/20/2000
(4483) Kingstream Ln						To: Cul-de-Sac									
(4484) Royal Mews Ct	0.07	60	R			From: 20-4483					NA	NA			11/20/2000
(4484) Royal Mews Ct						To: Cul-de-Sac									
(4485) Paces Ferry Rd	0.06	300	R			From: SR 144					NA	NA			11/13/2000
(4485) Paces Ferry Rd						To: 20-4486									
(4485) Paces Ferry Rd	0.08	260	R			From: 20-4486					NA	NA			11/13/2000
(4485) Paces Ferry Rd						To: 20-4488									
(4485) Paces Ferry Rd	0.06	180	R			From: 20-4488					NA	NA			11/13/2000
(4485) Paces Ferry Rd						To: 20-4489									
(4485) Paces Ferry Rd	0.06	60	R			From: 20-4489					NA	NA			11/13/2000
(4485) Paces Ferry Rd						To: Cul-de-Sac									
(4486) Heathstead Rd	0.04	30	R			From: Cul-de-Sac					NA	NA			11/13/2000
(4486) Heathstead Rd						To: 20-4487									
(4486) Heathstead Rd	0.06	120	R			From: 20-4487					NA	NA			11/13/2000
(4486) Heathstead Rd						To: 20-4485									
(4486) Heathstead Rd	0.12	120	R			From: 20-4485					NA	NA			11/13/2000
(4486) Heathstead Rd						To: 20-4473; 20-4486									
(4487) Heathstead Ct	0.04	40	R			From: 20-4486					NA	NA			11/13/2000
(4487) Heathstead Ct						To: Cul-de-Sac									
(4488) Kentshire Ln	0.07	60	R			From: Cul-de-Sac					NA	NA			11/13/2000
(4488) Kentshire Ln						To: 20-4485									
(4489) Churchill Ct	0.04	30	R			From: Cul-de-Sac					NA	NA			11/13/2000
(4489) Churchill Ct						To: 20-4485									
(4490) Golden Leaf Rd	0.25	90	R			From: Cul-de-Sac					NA	NA			1992
(4490) Golden Leaf Rd						To: 20-2814									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4491)	0.17	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-02147(B)/									
(4492)	0.06	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04491(B)/									
(4495)	0.17	NA				From: 20-01315(B)/					NA		NA		
						To: Dead End/									
(4500) Brevard Dr	0.09	500	R			From: 20-4502					NA		NA		1997
						To: 20-4501									
(4500) Brevard Dr	0.07	240	R			From: 20-625					NA		NA		1997
						To: 20-625									
(4501) Brevard Ct	0.08	90	R			From: 20-4500					NA		NA		1997
						To: Cul-de-Sac									
(4502) Mariposa Dr	0.17	110	R			From: Cul-de-Sac					NA		NA		11/18/2000
						To: Cul-de-Sac									
(4504) Birdbrook Dr	0.02	40	R			From: Dead End					NA		NA		1997
						To: 20-4505									
(4504) Birdbrook Dr	0.09	400	R			From: 20-625					NA		NA		1997
						To: 20-625									
(4505) Rollingside Dr	0.15	400	R			From: Dead End					NA		NA		1997
						To: 20-4506									
(4505) Rollingside Dr	0.07	330	R			From: 20-4504					NA		NA		1997
						To: 20-4504									
(4506) Frye Ct	0.03	30	R			From: Cul-de-Sac					NA		NA		11/18/2000
						To: 20-4505									
(4520)	0.19	310	R			From: SR 36					NA		NA		11/18/2000
						To: 20-4522									
(4521) Gilritchie Ct	0.04	10	R			From: Cul-de-Sac					NA		NA		11/18/2000
						To: 20-4520									
(4524)	0.07	NA				From: Dead End					NA		NA		
						To: Dead End									
(4525)	0.22	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4524									
(4526)	0.56	NA				From: 20-4524					NA		NA		
						To: 20-654									
(4527)	0.04	NA				From: 20-4526					NA		NA		
						To: Cul-de-Sac									
(4528)	0.09	NA				From: 20-4526					NA		NA		
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4529)	0.16	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4526									
(4530) Ridgerun Pl	0.05	60	R			From: 20-3091					NA		NA		1994
						To: Cul-de-Sac									
(4531) Ridgerun Tr	0.10	130	R			From: 0.10 MW 20-3091					NA		NA		1994
						To: 20-3091									
(4531) Ridgerun Tr	0.10	120	R			From: 20-3091					NA		NA		1994
						To: Dead End									
(4535) Waterford Lake Dr	0.51	40	R			From: 20-754					NA		NA		09/07/2000
						To: Dead End									
(4536)	0.26	NA				From: 20-00611(B)/					NA		NA		
						To: 20-04538(B)/									
(4537)	0.17	NA				From: Cul-de-Sac/					NA		NA		
						To: Cul-de-Sac/									
(4538)	0.07	NA				From: Cul-de-Sac/					NA		NA		
						To: Cul-de-Sac/									
(4539)	0.06	NA				From: 20-04537(B)/					NA		NA		
						To: Cul-de-Sac/									
(4540) Lumlay Rd	0.04	30	R			From: 20-2080					NA		NA		11/20/2000
						To: 20-4541									
(4540) Lumlay Rd	0.09	30	R			From: 20-4541					NA		NA		11/20/2000
						To: 20-4543									
(4540) Lumlay Rd	0.09	40	R			From: 20-4543					NA		NA		11/20/2000
						To: 20-2081									
(4541) Dianawood Dr.	0.15	60	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-4540									
(4542) Marylou Ln	0.04	10	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-4541									
(4542) Marylou Ln	0.09	20	R			From: 20-4541					NA		NA		11/20/2000
						To: 20-4543									
(4543) Sharonridge Dr	0.08	40	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-4542									
(4543) Sharonridge Dr	0.09	30	R			From: 20-4542					NA		NA		11/20/2000
						To: 20-4540									
(4545) Millers Run Dr	0.07	30	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-2081									
(4550) Tamworth Rd	0.11	160	R			From: 20-2790					NA		NA		1994
						To: Cul-de-Sac									
(4559)	0.04	NA				From: Cul-de-Sac					NA		NA		
						To: 20-2118									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4560) Country Manor Ln	0.03	30	R			From: Dead End					NA		NA		11/16/2000
(4560) Country Manor Ln	0.06	120	R			To: 20-4565					NA		NA		11/16/2000
(4560) Country Manor Ln	0.11	740	R			From: 20-2118					NA		NA		11/16/2000
(4560) Country Manor Ln	0.08	750	R			To: 20-4567					NA		NA		11/16/2000
(4560) Country Manor Ln	0.07	770	R			From: 20-4566					NA		NA		11/16/2000
(4560) Country Manor Ln	0.04	820	R			To: 20-4563					NA		NA		11/16/2000
(4560) Country Manor Ln	0.03	870	R			From: 20-4562					NA		NA		11/16/2000
(4560) Country Manor Ln	0.17	910	R			To: 20-4561					NA		NA		11/16/2000
(4560) Country Manor Ln						From: SR 10									
(4561) Country Manor Ct	0.04	48	R			To: 20-4560					NA		NA		1994
(4561) Country Manor Ct						From: Cul-de-Sac									
(4562) Country Manor Pl	0.08	90	R			To: 20-4560					NA		NA		1994
(4562) Country Manor Pl						From: Cul-de-Sac									
(4563) Carriageway Ln	0.03	40	R			To: 20-4564					NA		NA		1994
(4563) Carriageway Ln	0.09	60	R			From: 20-4560					NA		NA		1994
(4563) Carriageway Ln						To: 20-4560									
(4564) Carriageway Ct	0.03	30	R			From: Cul-de-Sac					NA		NA		1994
(4564) Carriageway Ct						To: 20-4563									
(4565) Victoria Park Tr	0.11	90	R			From: 20-4560					NA		NA		11/16/2000
(4565) Victoria Park Tr						To: Cul-de-Sac									
(4566) Country Manor Wy	0.08	40	R			From: Cul-de-Sac					NA		NA		11/16/2000
(4566) Country Manor Wy						To: 20-4560									
(4567)	0.12	20	R			From: Cul-de-Sac					NA		NA		11/16/2000
(4567)	0.04	60	R			To: 20-4560					NA		NA		11/16/2000
(4567)						From: Cul-de-Sac									
(4570)	0.17	200	R			To: 20-1657					NA		NA		11/20/2000
(4570)	0.06	60	R			From: 20-4572					NA		NA		11/20/2000
(4570)						To: Cul-de-Sac									
(4571) Krag Cr	0.04	30	R			From: Cul-de-Sac					NA		NA		11/20/2000
(4571) Krag Cr						To: 20-4570									
(4572) Krag Ct	0.05	40	R			From: 20-4570					NA		NA		11/20/2000
(4572) Krag Ct						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4573)	0.10	100	R			From: 20-4575					NA		NA		11/20/2000
						To: 20-1657									
(4574) Ivywood Ct	0.06	40	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-1657									
(4575) Erin Rd	0.03	60	R			From: 20-4573					NA		NA		11/20/2000
						To: Cul-de-Sac									
(4580) Koyoto Ct	0.21	200	R			From: 20-2300					NA		NA		1994
						To: Cul-de-Sac									
(4585) Oakside Dr	0.36	60	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: SR 145									
(4586)	0.35	80	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-4585									
(4586)	0.03	30	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: Cul-de-Sac									
(4587)	0.03	30	R			From: Cul-de-Sac					NA		NA		11/20/2000
						To: 20-4586									
(4587)	0.03	30	R			From: Cul-de-Sac					NA		NA		11/26/2000
						To: Cul-de-Sac									
(4588) Oakside Cr	0.03	30	R			From: 20-4585					NA		NA		11/26/2000
						To: Cul-de-Sac									
(4589) Oak Center Dr	0.12	60	R			From: 20-4586					NA		NA		11/26/2000
						To: 20-4585									
(4590) Norlanya Dr	0.08	110	R			From: 0.08 MN 20-2498					NA		NA		1994
						To: 20-2498									
(4590) Norlanya Dr	0.11	120	R			From: Cul-de-Sac					NA		NA		1994
						To: Cul-de-Sac									
(4591)	0.06	NA				From: 20-04586(B)/					NA		NA		
						To: 20-04592(B)/									
(4592)	0.09	NA				From: Cul-de-Sac/					NA		NA		
						To: Cul-de-Sac/									
(4593) Mount Blanco Ct	0.20	70	R			From: Cul-de-Sac					NA		NA		10/18/2000
						To: 20-886									
(4600) Laurel Trail Rd	0.04	440	R			From: 20-3600					NA		NA		1994
						To: 20-4601									
(4600) Laurel Trail Rd	0.10	360	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4602									
(4600) Laurel Trail Rd	0.10	140	R			From: Cul-de-Sac					NA		NA		1994
						To: Cul-de-Sac									
(4601) Laurel Trail Ct	0.08	140	R			From: 20-4600					NA		NA		1994
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4602) Laurel Trail Pl	0.04	60	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4600									
(4610) Highberry Woods Rd	0.22	80	R			From: 20-4329					NA	NA			11/27/2000
						To: 20-4612									
(4610)	0.09	60	R			From: 20-4612					NA	NA			11/27/2000
						To: 20-4613									
(4610)	0.20	80	R			From: 20-4613					NA	NA			11/27/2000
						To: Cul-de-Sac									
(4611) Highberry Woods Tr	0.06	40	R			From: 20-4610					NA	NA			11/27/2000
						To: Cul-de-Sac									
(4612) Highberry Woods Ct	0.05	40	R			From: 20-4610					NA	NA			11/27/2000
						To: Cul-de-Sac									
(4613)	0.05	40	R			From: Cul-de-Sac					NA	NA			11/27/2000
						To: 20-4610									
(4613)	0.04	30	R			From: 20-4610					NA	NA			11/27/2000
						To: 20-4614									
(4613)	0.05	40	R			From: 20-4614					NA	NA			11/27/2000
						To: Cul-de-Sac									
(4614) Highberry Woods Ln	0.06	40	R			From: 20-5009					NA	NA			11/27/2000
						To: 20-4613									
(4615)	0.06	40	R			From: Cul-de-Sac					NA	NA			11/27/2000
						To: BEGIN LOOP									
(4615)	0.37	40	R			From: BEGIN LOOP					NA	NA			11/27/2000
						To: END LOOP									
(4615)	0.04	20	R			From: END LOOP					NA	NA			11/27/2000
						To: 20-4337									
(4615)	0.05	30	R			From: 20-4337					NA	NA			11/27/2000
						To: 20-4616									
(4615)	0.06	30	R			From: 20-4616					NA	NA			11/27/2000
						To: 20-4617									
(4615)	0.12	10	R			From: 20-4617					NA	NA			11/27/2000
						To: 20-4618									
(4615)	0.06	60	R			From: 20-4618					NA	NA			11/27/2000
						To: Cul-de-Sac									
(4616) Windy Ridge Dr	0.23	80	R			From: 20-4615					NA	NA			11/27/2000
						To: Cul-de-Sac									
(4617) Windy Ridge Tr	0.17	40	R			From: 20-4615					NA	NA			11/27/2000
						To: 20-4616									
(4618) Windy Ridge Ct	0.04	20	R			From: 20-4615					NA	NA			11/27/2000
						To: Cul-de-Sac									
(4620) Powell Grove Rd	0.15	30	R			From: 20-4337					NA	NA			11/27/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4621) Powell Grove Dr	0.18	40	R			From: 20-4620					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4622) Powell Grove Tr	0.07	30	R			From: 20-4621					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4625) Rosebay Forest Rd	0.20	60	R			From: Cul-de-Sac					NA		NA		11/27/2000
						To: 20-4337									
(4626) Rosebay Forest Dr	0.15	20	R			From: 20-4625					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4627) Rosebay Forest Pl	0.14	20	R			From: Cul-de-Sac					NA		NA		11/27/2000
						To: 20-4625									
(4628) Sedgefield Rd	0.11	20	R			From: 20-4629					NA		NA		11/27/2000
						To: 20-4337									
(4628) Sedgefield Rd	0.06	20	R			From: 20-4337					NA		NA		11/27/2000
						To: 20-4630									
(4628) Sedgefield Rd	0.05	10	R			From: 20-4630					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4629) Sedgefield Tr	0.11	20	R			From: Cul-de-Sac					NA		NA		11/27/2000
						To: 20-4628									
(4629) Sedgefield Tr	0.07	10	R			From: 20-4628					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4630)	0.08	20	R			From: 20-4628					NA		NA		11/27/2000
						To: 20-4631									
(4630)	0.09	20	R			From: 20-4631					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4631)	0.05	20	R			From: 20-4630					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4632)	0.26	NA				From: RT 4632(U)/					NA		NA		
						To: 20-00604(B)/									
(4633)	0.15	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04632(B)/									
(4640) Tweedsmuir Ct	0.07	20	R			From: 20-1243					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4641) Tweedsmuir Pl	0.03	40	R			From: 20-1243					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4642) Tweedsmuir Tr	0.03	40	R			From: 20-1243					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4643) Tweedsmuir Tn	0.03	40	R			From: Cul-de-Sac					NA		NA		11/27/2000
						To: 20-1243									
(4644)	0.05	NA				From: 20-1242					NA		NA		
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4650) Cove Ridge Rd	0.06	50	R			From: Cul-de-Sac					NA	NA			1994
(4650) Cove Ridge Rd	0.08	130	R			To: 20-4656					NA	NA			1994
(4650) Cove Ridge Rd	0.10	180	R			From: 20-4655					NA	NA			1994
(4650) Cove Ridge Rd	0.03	310	R			To: 20-4652					NA	NA			1994
(4650) Cove Ridge Rd	0.04	550	R			From: 20-4651					NA	NA			1994
(4650) Cove Ridge Rd	0.04	550	R			To: 20-2954					NA	NA			1994
(4651) Cove Ridge Ct	0.05	140	R			From: 20-4650					NA	NA			1994
(4651) Cove Ridge Ct	0.05	140	R			To: Cul-de-Sac					NA	NA			1994
(4652) Cove Ridge Pl	0.06	50	R			From: Cul-de-Sac					NA	NA			1994
(4652) Cove Ridge Pl	0.03	220	R			To: 20-4654					NA	NA			1994
(4652) Cove Ridge Pl	0.03	220	R			From: 20-4653					NA	NA			1994
(4652) Cove Ridge Pl	0.04	290	R			To: 20-4650					NA	NA			1994
(4653) Cove Ridge Cr	0.04	60	R			From: Cul-de-Sac					NA	NA			1994
(4653) Cove Ridge Cr	0.04	60	R			To: 20-4652					NA	NA			1994
(4654) Cove Ridge Trace	0.09	130	R			From: Cul-de-Sac					NA	NA			1994
(4654) Cove Ridge Trace	0.09	130	R			To: 20-4652					NA	NA			1994
(4655) Cove Ridge Tr	0.12	110	R			From: Cul-de-Sac					NA	NA			1994
(4655) Cove Ridge Tr	0.12	110	R			To: 20-4650					NA	NA			1994
(4656) Cove Ridge Ln	0.07	540	R			From: 20-604					NA	NA			1994
(4656) Cove Ridge Ln	0.07	540	R			To: 20-4650					NA	NA			1994
(4660) Chimney House Rd	0.08	80	R			From: Cul-de-Sac					NA	NA			1996
(4660) Chimney House Rd	0.06	190	R			To: 20-4663					NA	NA			1996
(4660) Chimney House Rd	0.06	190	R			From: 20-4662					NA	NA			1996
(4660) Chimney House Rd	0.15	280	R			To: 20-4661					NA	NA			1996
(4660) Chimney House Rd	0.04	590	R			From: 20-1921					NA	NA			1996
(4660) Chimney House Rd	0.04	590	R			To: 20-1921					NA	NA			1996
(4661) Chimney House Ct	0.14	130	R			From: Cul-de-Sac					NA	NA			1996
(4661) Chimney House Ct	0.14	130	R			To: 20-4660					NA	NA			1996
(4662) Chimney House Pl	0.07	90	R			From: Cul-de-Sac					NA	NA			1996
(4662) Chimney House Pl	0.07	90	R			To: 20-4660					NA	NA			1996
(4663) Chimney House Tr	0.16	100	R			From: 20-4660					NA	NA			1996
(4663) Chimney House Tr	0.16	100	R			To: Cul-de-Sac					NA	NA			1996
(4667) Muirfield Green Dr	0.24	210	R			From: 20-1873					NA	NA			09/07/2000
(4667) Muirfield Green Dr	0.24	210	R			To: Cul-de-Sac					NA	NA			09/07/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4668) Muirfield Green Ct	0.03	30	R			From: END LOOP					NA		NA		09/07/2000
						To: 20-4667									
(4669) Muirfield Green Pl	0.08	40	R			From: 20-4667					NA		NA		09/07/2000
						To: END CIRCLE									
(4670) Muirfield Green Tr	0.04	30	R			From: 20-4667					NA		NA		09/07/2000
						To: Cul-de-Sac									
(4671)	0.18	NA				From: 20-00754(B)/20-01016(U)/					NA		NA		
						To: Dead End/									
(4672)	0.05	NA				From: 20-04671(B)/					NA		NA		
						To: Cul-de-Sac/									
(4673)	0.17	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04671(B)/									
(4681)	0.25	140	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4685									
(4682) Providence Creek Pl	0.03	30	R			From: 20-4685					NA		NA		1996
						To: Cul-de-Sac									
(4683) Providence Creek Tr	0.04	30	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4685									
(4684) Providence Creek M	0.03	30	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-4685									
(4685) Providence Creek Rd	0.39	260	R			From: Dead End					NA		NA		09/05/2000
						To: 20-678 WEST									
(4685) Providence Creek Rd	0.66	170	R			From: 20-678 WEST					NA		NA		09/05/2000
						To: 20-678 EAST									
(4686) Providence Creek Ct	0.04	30	R			From: 20-4685					NA		NA		09/05/2000
						To: Cul-de-Sac									
(4687) Providence Ct	0.05	30	R			From: Cul-de-Sac					NA		NA		09/05/2000
						To: 20-678									
(4688)	0.05	46	R			From: 20-4681					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4690)	0.03	30	R			From: 20-678					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4692) Brenspark Rd	0.05	70	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-3154									
(4692) Brenspark Rd	0.13	160	R			From: 20-3154					NA		NA		1996
						To: Dead End									
(4695) Leeds Ln	0.09	50	R			From: 20-3170					NA		NA		05/18/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4696) Ashby Ln	0.07	40	R			From: 20-3170					NA		NA		05/18/2000
						To: Cul-de-Sac									
(4700)	0.04	1900	R			From: 20-654					NA		NA		1996
(4700)	0.17	1900	R			From: 20-5048					NA		NA		1996
(4700)	0.09	1900	R			From: 20-4994					NA		NA		1996
(4700)	0.08	2400	R			From: 20-4987					NA		NA		1996
(4700)	0.08	3500	R			From: 20-4984					NA		NA		1996
(4700)	0.32	4600	R			From: 20-4920					NA		NA		1996
(4700)	0.10	5000	R			From: 20-4906					NA		NA		05/08/2000
(4700)	0.15	5700	R			From: 20-4713					NA		NA		05/08/2000
(4700)	0.07	5900	R			From: 20-4744					NA		NA		05/08/2000
(4700)	0.09	6000	R			From: 20-4738					NA		NA		05/08/2000
(4700)	0.11	6100	R			From: 20-4730					NA		NA		05/08/2000
(4700)	0.13	6300	R			From: 20-4731					NA		NA		05/08/2000
(4700)	0.13	6700	R			From: 20-4734					NA		NA		05/08/2000
(4700)	0.19	10000	R			From: 20-4701					NA		NA		05/08/2000
(4700)	0.14	5500	R			From: US 360					NA		NA		05/08/2000
						To: Cul-de-Sac									
(4701) Velvet Antler Ln	0.06	1500	R			From: 20-4700					NA		NA		1996
						To: 20-4702									
(4702) Velvet Antler Dr	0.22	1700	R			From: 20-4701					NA		NA		1997
						To: 20-4705									
(4702) Velvet Antler Dr	0.06	2400	R			From: 20-4706					NA		NA		1997
						To: 20-4706									
(4702) Velvet Antler Dr	0.73	600	R			From: 27-4701					NA		NA		1997
						To: 27-4701									
(4703) Bayside Ln	0.13	48	R			From: US 360					NA		NA		1997
						To: Cul-de-Sac									
(4704)	0.02	NA				From: 20-04702(B)/					NA		NA		
						To: Cul-de-Sac/									
(4705) Velvet Antler PI	0.07	100	R			From: 20-4702					NA		NA		1997
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4706)	0.07	1100	R			From: 20-4702					NA		NA		1997
(4706)	0.17	700	R			From: BEGIN LOOP					NA		NA		1997
(4706)	0.19	590	R			From: 20-4710					NA		NA		1997
(4706)	0.08	250	R			From: 20-4711					NA		NA		1997
(4706)	0.04	340	R			From: 20-4712					NA		NA		1997
(4706)	0.10	250	R			From: 20-4713					NA		NA		1997
(4706)	0.17	400	R			From: 20-4714					NA		NA		1997
(4707)	0.09	47	R			From: Dead End					NA		NA		05/08/2000
(4708)	0.08	30	R			From: Cul-de-Sac					NA		NA		05/08/2000
(4709)	0.15	90	R			From: Cul-de-Sac					NA		NA		05/08/2000
(4710)	0.07	110	R			From: Cul-de-Sac					NA		NA		1997
(4711)	0.04	60	R			From: Cul-de-Sac					NA		NA		1997
(4712)	0.04	60	R			From: 20-4706					NA		NA		1997
(4713)	0.10	450	R			From: 20-662					NA		NA		1997
(4713)	0.06	420	R			From: 20-4708					NA		NA		1997
(4713)	0.09	400	R			From: 20-4707					NA		NA		1997
(4713)	0.38	210	R			From: 20-4904 Gap Terminus					NA		NA		1997
(4713)	0.34	280	R			From: Dead End; Gap Terminus					NA		NA		1997
(4713)	0.14	330	R			From: 20-4716					NA		NA		1997
(4713)	0.17	560	R			From: 20-4715					NA		NA		1997
(4714)	0.12	170	R			From: 20-4706					NA		NA		1997
(4715)	0.10	490	R			From: 20-4713					NA		NA		1997

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4715) Master Stag Dr	0.09	140	R			From: 20-4717					NA	NA			1997
						To: Cul-de-Sac									
(4716) Buck Rub Ct	0.06	70	R			From: 20-4713					NA	NA			1997
						To: Cul-de-Sac									
(4717) Whistlers Cove Dr	0.07	690	R			From: 20-4715					NA	NA			1997
						To: 20-4718									
(4717) Whistlers Cove Dr	0.10	320	R			From: 20-4718					NA	NA			1997
						To: 20-4720									
(4717) Whistlers Cove Dr	0.05	90	R			From: 20-4720					NA	NA			1997
						To: Cul-de-Sac									
(4718) Little Horn Ridge	0.18	300	R			From: 20-4717					NA	NA			1997
						To: 20-4719									
(4719) Pointer Ridge Rd	0.07	90	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-4718									
(4719) Pointer Ridge Rd	0.09	290	R			From: 20-4718					NA	NA			1997
						To: 20-4721									
(4719) Pointer Ridge Rd	0.06	60	R			From: 20-4721					NA	NA			1997
						To: Cul-de-Sac									
(4720) Whistlers Cove Ct	0.09	130	R			From: 20-4717					NA	NA			1997
						To: Cul-de-Sac									
(4721) Pointer Ridge Tr	0.07	60	R			From: 20-4719					NA	NA			09/05/2000
						To: Cul-de-Sac									
(4722)	0.08	230	R			From: 20-4719					NA	NA			1997
						To: 20-4723									
(4722)	0.07	250	R			From: 20-4723					NA	NA			1997
						To: 20-4724									
(4722)	0.10	240	R			From: 20-4724					NA	NA			1997
						To: 20-4725									
(4722)	0.10	250	R			From: 20-4725					NA	NA			1997
						To: 20-4728									
(4722)	0.09	60	R			From: 20-4728					NA	NA			1997
						To: Cul-de-Sac									
(4723)	0.04	40	R			From: Cul-de-Sac					NA	NA			09/05/2000
						To: 20-4722									
(4723)	0.19	130	R			From: 20-4722					NA	NA			09/05/2000
						To: Dead End									
(4724) Chateaugay Ln	0.06	40	R			From: Dead End					NA	NA			05/08/2000
						To: 20-4729									
(4724) Chateaugay Ln	0.10	210	R			From: 20-4729					NA	NA			05/08/2000
						To: 20-4722									
(4724) Chateaugay Ln	0.13	70	R			From: 20-4722					NA	NA			05/08/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4725)	0.03	10	R			From: Cul-de-Sac					NA		NA		05/08/2000
(4725)	0.04	70	R			From: 20-4727					NA		NA		05/08/2000
(4725)	0.04	80	R			From: 20-4722					NA		NA		05/08/2000
(4725)	0.05	40	R			From: 20-4726					NA		NA		05/08/2000
(4726)	Spring Trace Pl	0.04	30	R		From: 20-4725					NA		NA		05/08/2000
(4727)	Spring Trace Mw	0.05	40	R		From: 20-4725					NA		NA		05/08/2000
(4728)	Holly View Py	0.12	190	R		From: 20-654					NA		NA		05/08/2000
(4728)	Holly View Py	0.01	40	R		From: 20-4722					NA		NA		05/08/2000
(4729)		0.04	30	R		From: Cul-de-Sac					NA		NA		05/08/2000
(4729)		0.16	100	R		From: 20-4724					NA		NA		05/08/2000
(4730)	Chital Dr	0.22	3600	R		From: 20-4700					NA		NA		05/08/2000
(4731)	Deer Thicket Dr	0.30	100	R		From: Cul-de-Sac					NA		NA		05/08/2000
(4732)	Deer Thicket Ct	0.08	50	R		From: 20-4731					NA		NA		05/08/2000
(4733)	Deer Thicket Ln	0.10	70	R		From: 20-4731					NA		NA		05/08/2000
(4734)	Deer Run Ln	0.32	300	R		From: Cul-de-Sac					NA		NA		05/08/2000
(4735)	Deer Run Cr	0.05	30	R		From: 20-4734					NA		NA		05/08/2000
(4736)	Deer Run Ct	0.11	80	R		From: 20-4734					NA		NA		05/08/2000
(4737)	Deer Run Wy	0.06	48	R		From: 20-4734					NA		NA		05/08/2000
(4738)	Branched Antler Dr	0.03	320	R		From: Cul-de-Sac					NA		NA		05/08/2000
(4738)	Branched Antler Dr	0.46	440	R		From: 20-4747					NA		NA		05/08/2000

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4739) Branched Antler Cr	0.11	90	R			From: 20-4738					NA	NA			05/08/2000
						To: Cul-de-Sac									
(4740) Branched Antler Ct	0.13	100	R			From: 20-4738					NA	NA			05/08/2000
						To: Cul-de-Sac									
(4741) Branched Antler Tr	0.13	49	R			From: 20-4738					NA	NA			05/08/2000
						To: Cul-de-Sac									
(4742) Branched Antler PI	0.04	46	R			From: Cul-de-Sac					NA	NA			05/08/2000
						To: 20-4741									
(4743) Roedeer Dr	0.09	70	R			From: 20-4744					NA	NA			05/08/2000
						To: 20-4738									
(4744) Key Deer Dr	0.35	260	R			From: Cul-de-Sac- West					NA	NA			05/08/2000
						To: 20-4700									
(4744) Key Deer Dr	0.04	30	R			From: 20-4700					NA	NA			05/08/2000
						To: Cul-de-Sac- East									
(4745) Key Deer Ct	0.05	90	R			From: Cul-de-Sac					NA	NA			05/08/2000
						To: 20-4744									
(4746) Key Deer Cr	0.22	240	R			From: 20-4744 WEST					NA	NA			05/08/2000
						To: 20-4744 EAST									
(4747) Brush Rd	0.06	80	R			From: 20-4738					NA	NA			05/08/2000
						To: 20-4748									
(4748) Trophy Buck Ct	0.05	40	R			From: Cul-de-Sac					NA	NA			05/08/2000
						To: 20-4747									
(4748) Trophy Buck Ct	0.04	30	R			From: 20-4747					NA	NA			05/08/2000
						To: Cul-de-Sac									
(4749)	0.05	30	R			From: Cul-de-Sac					NA	NA			11/27/2000
						To: 20-4728									
(4749)	0.05	30	R			From: 20-4728					NA	NA			11/27/2000
						To: Cul-de-Sac									
(4750) Ferrylanding Dr	0.06	60	R			From: 0.06 MS 20-2276					NA	NA			1994
						To: 20-2776									
(4750) Ferrylanding Dr	0.07	70	R			From: 20-2776					NA	NA			1994
						To: 0.07 MN 20-2776									
(4755) Katie Ln	0.23	120	R			From: 20-630					NA	NA			1997
						To: Cul-de-Sac									
(4756)	0.46	NA				From: Dead End					NA	NA			
						To: 20-602									
(4757)	0.32	NA				From: Dead End					NA	NA			
						To: Dead End									
(4760) Meadowcreek Dr	0.12	100	R			From: 0.12 MS 20-3105					NA	NA			1994
						To: 20-3105									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4760) Meadowcreek Dr	0.08	100	R			From: 20-3105					NA		NA		1994
						To: 0.08 MN 20-3105									
(4766)	0.10	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04702(B)/									
(4767)	0.09	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04702(B)/									
(4768)	0.08	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04702(B)/									
(4769)	0.03	NA				From: 20-04702(L)/					NA		NA		
						To: Cul-de-Sac/									
(4770) Francill Ct	0.08	20	R			From: Cul-de-Sac					NA		NA		11/27/2000
						To: 20-1453									
(4771) Marblethorpe Rd	0.20	60	R			From: Dead End					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4772)	0.31	NA				From: 20-4706; 20-4710					NA		NA		
						To: 20-2023									
(4773)	0.12	NA				From: 20-4775					NA		NA		
						To: 20-4772									
(4774)	0.05	NA				From: 20-4772					NA		NA		
						To: Cul-de-Sac									
(4775)	0.22	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									
(4777)	0.38	NA				From: US 360 ENT. TO LOWES WAREHOUSE					NA		NA		
						To: 20-4779									
(4778)	0.04	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4777									
(4779)	0.23	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									
(4780) Talon Point Ct	0.31	110	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-1364									
(4781) Eagle Cove Ct	0.08	48	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-4782									
(4781) Eagle Cove Ct	0.12	220	R			From: 20-1364					NA		NA		1997
						To: Cul-de-Sac									
(4782) Eagle Cove Cr	0.16	170	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-4781									
(4783) Oak River Ct	0.47	260	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-1364									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4784) Ivan Rd	0.33	250	R			From: Cul-de-Sac					NA		NA		1996
(4784) Ivan Rd	0.06	70	R			From: 20-1364					NA		NA		1996
						To: 0.06 MN 20-1364									
(4785)	0.14	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04835(B)/									
(4786)	0.04	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04785(B)/									
(4787)	0.12	NA				From: 20-04835(B)/					NA		NA		
						To: Cul-de-Sac/									
(4788)	0.09	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04787(B)/									
(4790) Maywood St	0.07	30	R			From: 20-1403					NA		NA		11/27/2000
						To: 20-1420									
(4795) Lucy Corr Ct	0.56	110	R			From: 20-2099					NA		NA		11/13/2000
						To: LUCY CORR DRIVE									
(4796)	0.29	NA				From: 20-04795(L)/LUCY CORR DRIVE(R)/LORI					NA		NA		
						To: 20-02099(B)/									
(4800)	0.07	100	R			From: Cul-de-Sac					NA		NA		11/13/2000
						To: 20-1569									
(4800)	0.05	360	R			From: 20-4801					NA		NA		11/13/2000
						To: 20-4802									
(4800)	0.03	310	R			From: 20-4803					NA		NA		11/13/2000
						To: Cul-de-Sac									
(4800)	0.04	280	R			From: 20-4800					NA		NA		11/13/2000
						To: 20-4803									
(4800)	0.10	140	R			From: Cul-de-Sac					NA		NA		11/13/2000
						To: Cul-de-Sac									
(4801) Arbor Green Ct	0.03	30	R			From: 20-4800					NA		NA		1994
						To: Cul-de-Sac									
(4802) Oakbrook Ln	0.08	90	R			From: Cul-de-Sac					NA		NA		1994
						To: 20-4800									
(4803) Walnut Landing Wy	0.18	140	R			From: 20-4800					NA		NA		1994
						To: Cul-de-Sac									
(4805)	0.08	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-04815(B)/20-04827(U)/									
(4806) Arbor View Tr	0.12	120	R			From: 20-1569					NA		NA		11/13/2000
						To: Cul-de-Sac									
(4807) Arbor Park Dr	0.09	60	R			From: Cul-de-Sac					NA		NA		11/13/2000
						To: 20-1569									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4808) Holly Arbor Ct	0.04	120	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4810									
(4809) Oak Landing Dr	0.06	40	R			From: 20-4810					NA	NA			11/13/2000
						To: Cul-de-Sac									
(4810)	0.06	60	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4813									
(4810)	0.04	80	R			From: 20-4812					NA	NA			11/13/2000
						To: 20-4811									
(4810)	0.07	280	R			From: 20-1569					NA	NA			11/13/2000
						To: 20-4809									
(4810)	0.03	90	R			From: 20-4808					NA	NA			11/13/2000
						To: Cul-de-Sac									
(4810)	0.05	50	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4810									
(4811) Hickory Landing Pl	0.06	70	R			From: 20-4810					NA	NA			1994
						To: Cul-de-Sac									
(4812) Maple Landing Pl	0.07	48	R			From: Cul-de-Sac					NA	NA			1994
						To: 20-4810									
(4813) Arbor Banks Ct	0.03	10	R			From: 20-4810					NA	NA			1994
						To: 0.09 MS 20-1569									
(4814)	0.09	70	R			From: 20-1569					NA	NA			1994
						To: 0.05 MN 20-1569									
(4814)	0.05	60	R			From: Dead End					NA	NA			1994
						To: 20-1569									
(4815) Arbor Landing Dr	0.37	20	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4815									
(4816)	0.03	40	R			From: 20-4815					NA	NA			11/13/2000
						To: Cul-de-Sac									
(4816)	0.03	40	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4815									
(4817)	0.05	40	R			From: 20-4815					NA	NA			11/13/2000
						To: Cul-de-Sac									
(4817)	0.03	40	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4815									
(4818)	0.03	110	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4815									
(4818)	0.30	20	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4819 Willow Landing Wy	0.07	60	R			From: 20-4818					NA	NA			11/13/2000
						To: Cul-de-Sac									
4820 Rose Arbor Ct	0.05	40	R			From: 20-1569					NA	NA			11/27/2000
						To: Cul-de-Sac									
4821 Cedar Landing Tr	0.08	45	R			From: 20-1569					NA	NA			11/27/2000
						To: Cul-de-Sac									
4822 Brentwood Arbor Ct	0.08	40	R			From: Cul-de-Sac					NA	NA			11/27/2000
						To: 20-1569									
4823 Heather Landing Pl	0.06	50	R			From: Cul-de-Sac					NA	NA			11/27/2000
						To: 20-1569									
4824 Stephens Point Dr	0.13	50	R			From: 20-1569					NA	NA			11/27/2000
						To: Cul-de-Sac									
4825 Stephens Point Ct	0.04	60	R			From: 20-4824					NA	NA			11/27/2000
						To: Cul-de-Sac									
4826	0.05	NA				From: Cul-de-Sac/					NA	NA			
						To: 20-04815(B)/20-04828(U)/									
4827	0.05	NA				From: 20-04815(B)/20-04805(U)/					NA	NA			
						To: Cul-de-Sac/									
4828	0.11	NA				From: 20-04815(B)/20-04826(U)/					NA	NA			
						To: Cul-de-Sac/									
4829	0.04	NA				From: Cul-de-Sac/					NA	NA			
						To: 20-04828(B)/									
4830 Teelin Ct	0.06	60	R			From: Dead End					NA	NA			1994
						To: 20-3494									
4831 Lifford Ln	0.16	130	R			From: 20-3494					NA	NA			1994
						To: Dead End									
4832 Fermanagh Dr	0.09	80	R			From: Dead End					NA	NA			1994
						To: 20-3490									
4833	0.03	NA				From: 20-04818(B)/					NA	NA			
						To: Cul-de-Sac/									
4834	0.03	NA				From: Cul-de-Sac/					NA	NA			
						To: 20-04818(B)/									
4835 Hogans Alley	0.40	500	R			From: Cul-de-Sac					NA	NA			10/18/2000
						To: 20-4853									
4835 Hogans Alley	0.17	460	R			From: 20-4836					NA	NA			10/18/2000
						To: Gap Terminus Dead End									
4835	1.13	NA				From: Cul-de-Sac					NA	NA			
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4836) Rivers Bank Bl	0.09	440	R			From: 20-4840					NA	NA			10/18/2000
						To: 20-4835									
(4837)	0.15	NA				From: 20-4835					NA	NA			
						To: 20-4838									
(4838)	0.20	NA				From: Dead End					NA	NA			
						To: Cul-de-Sac									
(4839)	0.16	NA				From: 20-4838					NA	NA			
						To: 20-4835									
(4840) Rivers Bend Bl	0.89	470	R			From: SR 10					NA	NA			10/18/2000
						To: 20-4841									
(4841) Kingston Av	0.18	NA				From: 20-4835					NA	NA			
						To: 20-4840									
(4841) Kingston Av	0.47	360	R			From: 20-4835					NA	NA			10/18/2000
						To: Dead End									
(4845) Harbour Hill Rd	0.13	340	R			From: 20-2023					NA	NA			05/10/2000
						To: 20-4846									
(4846) Harbour Hill Pl	0.23	190	R			From: Cul-de-Sac					NA	NA			05/10/2000
						To: END LOOP									
(4847) Spinnaker Cove Rd	0.16	140	R			From: 20-4845					NA	NA			05/10/2000
						To: Cul-de-Sac									
(4848) Harbour Ridge Rd	0.10	80	R			From: 20-3200					NA	NA			1996
						To: Dead End									
(4849) Bay Hill Dr	0.14	70	R			From: Cul-de-Sac					NA	NA			10/18/2000
						To: 20-4850									
(4849) Bay Hill Dr	0.17	90	R			From: 20-4850					NA	NA			10/18/2000
						To: Cul-de-Sac									
(4850) Redbird Dr	0.13	160	R			From: 20-4863					NA	NA			10/18/2000
						To: 20-4851									
(4850) Redbird Dr	0.08	200	R			From: 20-4851					NA	NA			10/18/2000
						To: 20-4853									
(4850) Redbird Dr	0.08	200	R			From: 20-4853					NA	NA			10/18/2000
						To: 20-4849									
(4851)	0.09	30	R			From: Cul-de-Sac					NA	NA			10/18/2000
						To: 20-4850									
(4851)	0.05	100	R			From: 20-4850					NA	NA			10/18/2000
						To: 20-4852									
(4851)	0.14	70	R			From: 20-4852					NA	NA			10/18/2000
						To: Cul-de-Sac									
(4852) Crystal Downs Ct	0.07	60	R			From: Cul-de-Sac					NA	NA			10/18/2000
						To: 20-4851									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4853) Hogans Dr	0.34	650	R			From: 20-618; 20-4840					NA	NA			10/18/2000
(4853) Hogans Dr	0.13	620	R			To: 20-4850					NA	NA			10/18/2000
(4853) Hogans Dr	0.10	660	R			From: 20-4854					NA	NA			10/18/2000
(4853) Hogans Dr	0.03	20	R			To: 20-4835					NA	NA			10/18/2000
(4854) Hogans Ct	0.03	40	R			From: Cul-de-Sac					NA	NA			10/18/2000
(4855) Rivers Bend Rd	0.41	1100	R			To: 20-4853					NA	NA			10/18/2000
(4856) Rivers Bend Cr	0.64	250	R			From: SR 10					NA	NA			10/18/2000
(4857) Rivers Bend Ct	0.08	40	R			To: 20-4859					NA	NA			10/18/2000
(4858) Karlyn Ct	0.06	20	R			From: 20-4855					NA	NA			10/18/2000
(4859) Kristen Ln	0.20	70	R			To: Dead End					NA	NA			10/18/2000
(4860) Scrimshaw Dr	0.08	300	R			From: 20-4856					NA	NA			10/18/2000
(4860) Scrimshaw Dr	0.10	280	R			To: Dead End					NA	NA			10/18/2000
(4860) Scrimshaw Dr	0.25	250	R			From: Dead End					NA	NA			10/18/2000
(4861) Scrimshaw Ct	0.05	30	R			To: 20-4856					NA	NA			10/18/2000
(4862) Scrimshaw Cr	0.08	48	R			From: 20-4856					NA	NA			10/18/2000
(4863)	0.05	30	R			To: 20-4861					NA	NA			10/18/2000
(4863)	0.23	290	R			From: 20-4862					NA	NA			10/18/2000
(4863)	0.24	110	R			To: 20-4863					NA	NA			10/18/2000
(4864) Thornhill Dr	0.06	30	R			From: 20-4860					NA	NA			1996
(4864) Thornhill Dr	0.07	200	R			To: Cul-de-Sac					NA	NA			1996
(4864) Thornhill Dr	0.08	310	R			From: 20-4860					NA	NA			1996
						To: Cul-de-Sac					NA	NA			1996
						From: 20-4869					NA	NA			1996
						To: 20-4868					NA	NA			1996
						From: 20-4867					NA	NA			1996
						To: 20-4867					NA	NA			1996

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4864) Thornhill Dr	0.07	420	R			From: 20-4867					NA	NA			1996
(4864) Thornhill Dr	0.09	440	R			From: 20-4866					NA	NA			1996
(4864) Thornhill Dr	0.09	460	R			From: 20-4865					NA	NA			1996
						To: 20-828									
(4865)	0.07	40	R			From: Cul-de-Sac					NA	NA			1996
(4865)	0.07	40	R			From: 20-4864					NA	NA			1996
						To: Cul-de-Sac									
(4866) Thornhill Ct	0.05	40	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-4864									
(4867)	0.12	NA				From: 20-4879					NA	NA			
(4867)	0.24	210	R			From: 20-4886					NA	NA			1996
						To: 20-4864									
(4868) Rystock Ct	0.04	30	R			From: Cul-de-Sac					NA	NA			1996
						To: 20-4864									
(4869)	0.04	30	R			From: Cul-de-Sac					NA	NA			10/18/2000
(4869)	0.15	70	R			From: 20-4864					NA	NA			10/18/2000
						To: Cul-de-Sac									
(4870) Derbycreek Ln	0.27	240	R			From: 20-4873					NA	NA			10/18/2000
						To: 20-828									
(4871) Winners Cr	0.04	30	R			From: 20-4870					NA	NA			10/18/2000
						To: Cul-de-Sac									
(4872) Furlong Tr	0.05	40	R			From: 20-4870					NA	NA			10/18/2000
						To: Cul-de-Sac									
(4873) Back Stretch Ct	0.07	50	R			From: Dead End					NA	NA			10/18/2000
						To: Cul-de-Sac									
(4874) Rothschild Dr	0.19	210	R			From: 20-828					NA	NA			1996
						To: Cul-de-Sac									
(4875) Hollingsford Dr	0.07	120	R			From: 20-4874					NA	NA			1996
						To: 20-4876									
(4876) Wellshire Pl	0.10	48	R			From: Cul-de-Sac					NA	NA			1996
(4876) Wellshire Pl	0.09	46	R			From: 20-4875					NA	NA			1996
						To: Cul-de-Sac									
(4877) Martineau Dr	0.14	180	R			From: 20-828					NA	NA			1996
						To: 20-4878									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4877) Martineau Dr	0.11	20	R			From: 20-4878					NA		NA		1996
						To: Cul-de-Sac									
(4878) Copperton Cr	0.04	40	R			From: Cul-de-Sac					NA		NA		10/18/2000
						To: 20-4877									
(4879)	0.46	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									
(4880) Old Wrexham Rd	0.28	120	R			From: Dead End					NA		NA		11/27/2000
						To: SR 145									
(4881) Old Wrexham Cr	0.04	60	R			From: Cul-de-Sac					NA		NA		11/27/2000
						To: 20-4880									
(4882) Old Wrexham Pl	0.04	30	R			From: Cul-de-Sac					NA		NA		11/27/2000
						To: 20-4880									
(4883) Homeland Ct	0.05	60	R			From: 20-929					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4884) Greyledge Bl	0.55	130	R			From: Dead End					NA		NA		11/27/2000
						To: 20-4889									
(4885) Rock Harvest Ct	0.04	48	R			From: 20-4884					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4886) Rockhaven Ct	0.15	60	R			From: Cul-de-Sac					NA		NA		11/27/2000
						To: 20-4867; 20-4867									
(4887) Greyledge Tr	0.05	50	R			From: 20-4884					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4888) Greyledge Pl	0.05	50	R			From: 20-4884					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4889) Greyledge Ct	0.05	48	R			From: 20-4884					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4890)	0.09	60	R			From: 20-828					NA		NA		11/27/2000
						To: 20-4891									
(4890)	0.04	30	R			From: 20-4892					NA		NA		11/27/2000
						To: 20-4892									
(4890)	0.03	30	R			From: 20-4893					NA		NA		11/27/2000
						To: 20-4893									
(4890)	0.08	40	R			From: Cul-de-Sac					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4891)	0.10	50	R			From: 20-4890					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4892) Orchard Leaf Ct	0.04	40	R			From: Cul-de-Sac					NA		NA		11/27/2000
						To: 20-4890									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4893)	0.05	30	R			From: 20-4890					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4894)	0.05	NA				From: 20-4879					NA		NA		
						To: Cul-de-Sac									
(4895) Business Center Dr	0.20	80	R			From: 20-645					NA		NA		11/27/2000
						To: Dead End									
(4896)	0.05	NA				From: 20-4879					NA		NA		
						To: Cul-de-Sac									
(4897)	0.05	NA				From: 20-4879					NA		NA		
						To: Cul-de-Sac									
(4898)	0.05	NA				From: 20-4879					NA		NA		
						To: Cul-de-Sac									
(4899)	0.25	NA				From: 20-4879					NA		NA		
						To: Dead End									
(4900) Triple Crown Dr	0.17	350	R			From: 20-662					NA		NA		11/16/2000
						To: 20-4904									
(4901) Whirlaway Dr	0.67	330	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-4990									
(4901) Whirlaway Dr	0.08	250	R			From: 20-4991					NA		NA		1997
						To: 20-4992									
(4901) Whirlaway Dr	0.23	240	R			From: 20-4992					NA		NA		1997
						To: 20-4947									
(4901) Whirlaway Dr	0.10	240	R			From: 20-4947					NA		NA		1997
						To: 20-4946									
(4901) Whirlaway Dr	0.07	260	R			From: 20-4946					NA		NA		1997
						To: 20-4900									
(4901) Whirlaway Dr	0.11	220	R			From: 20-4900					NA		NA		1997
						To: 20-4902									
(4901) Whirlaway Dr	0.07	230	R			From: 20-4902					NA		NA		1997
						To: 20-4903									
(4901) Whirlaway Dr	0.10	240	R			From: 20-4903					NA		NA		1997
						To: 20-4904									
(4902) Whirlaway Pl	0.06	30	R			From: 20-4901					NA		NA		05/08/2000
						To: Cul-de-Sac									
(4903) Whirlaway Ct	0.04	30	R			From: 20-4901					NA		NA		05/08/2000
						To: Cul-de-Sac									
(4904)	0.10	NA				From: 20-4901					NA		NA		
						To: 20-4900									
(4904) Flag Tail Dr	0.55	90	R			From: 20-4900					NA		NA		05/08/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4905) Citation Dr	0.08	160	R			From: 20-4904					NA	NA			1997
(4905) Citation Dr	0.14	140	R			To: 20-4906					NA	NA			1997
(4906) Belmont Stakes Dr	0.08	320	R			From: 20-4920					NA	NA			1997
(4906) Belmont Stakes Dr	0.28	310	R			To: 20-4905					NA	NA			1997
(4906) Belmont Stakes Dr	0.07	300	R			From: 20-4907					NA	NA			1997
(4906) Belmont Stakes Dr	0.04	230	R			To: 20-4908					NA	NA			1997
(4906) Belmont Stakes Dr	0.07	220	R			From: 20-4700					NA	NA			1997
(4906) Belmont Stakes Dr	0.07	60	R			To: 20-4921					NA	NA			1997
(4906) Belmont Stakes Dr	0.07	49	R			From: 20-4916					NA	NA			1997
(4907) Belmont Stakes Pl	0.07	49	R			To: Cul-de-Sac					NA	NA			1997
(4908) Gallant Fox Dr	0.08	270	R			From: 20-4906					NA	NA			1997
(4908) Gallant Fox Dr	0.14	270	R			To: 20-4909					NA	NA			1997
(4908) Gallant Fox Dr	0.07	240	R			From: 20-4923					NA	NA			1997
(4909) Gallant Fox Ct	0.16	60	R			To: 20-4920					NA	NA			1997
(4910) Gallant Fox Pl	0.03	30	R			From: Cul-de-Sac					NA	NA			1997
(4911) Flag Tail Wy	0.06	30	R			To: 20-4908					NA	NA			05/08/2000
(4912) Pensive Pl	0.04	30	R			From: 20-4909					NA	NA			05/08/2000
(4913) Buck Rub Ln	0.09	60	R			To: Cul-de-Sac					NA	NA			05/08/2000
(4914) Buck Rub Pl	0.09	48	R			From: 20-4713					NA	NA			05/08/2000
(4915) Buck Rub Cr	0.04	30	R			To: Cul-de-Sac					NA	NA			1997
(4916) Belmont Stakes Ct	0.09	70	R			From: 20-4713					NA	NA			1997
(4917) Count Fleet Dr	0.12	80	R			To: 20-4906					NA	NA			1997
						From: 20-4921					NA	NA			1997
						To: 20-4918									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4917) Count Fleet Dr	0.04	40	R			From: 20-4918					NA		NA		1997
						To: Cul-de-Sac									
(4918) Assault Dr	0.07	60	R			From: 20-4917					NA		NA		05/08/2000
						To: 20-4919									
(4919) Affirmed Dr	0.12	150	R			From: 20-4921					NA		NA		1997
						To: 20-4918									
(4919) Affirmed Dr	0.03	170	R			From: 20-4918					NA		NA		1997
						To: Dead End									
(4920) Kentucky Derby Dr	0.13	80	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-4905									
(4920) Kentucky Derby Dr	0.08	140	R			From: 20-4905					NA		NA		1997
						To: 20-4926									
(4920) Kentucky Derby Dr	0.34	190	R			From: 20-4926					NA		NA		1997
						To: 20-4700									
(4920) Kentucky Derby Dr	0.12	170	R			From: 20-4700					NA		NA		1997
						To: Cul-de-Sac									
(4921) War Admiral Dr	0.19	310	R			From: 20-4906					NA		NA		1997
						To: 20-4917									
(4921) War Admiral Dr	0.06	290	R			From: 20-4917					NA		NA		1997
						To: 20-4919									
(4921) War Admiral Dr	0.07	270	R			From: 20-4919					NA		NA		1997
						To: 20-4920									
(4922)	0.51	130	R			From: 20-4901					NA		NA		11/27/2000
						To: 20-5048									
(4922)	0.19	110	R			From: 20-5048					NA		NA		11/27/2000
						To: 20-5043									
(4922)	0.16	40	R			From: 20-5043					NA		NA		11/27/2000
						To: 20-4920									
(4923) Gallant Fox Tr	0.05	46	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-4908									
(4924) Kentucky Derby Ct	0.08	60	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-4920									
(4925) Kentucky Derby Pl	0.05	48	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-4920									
(4926) Stallion Wy	0.05	130	R			From: 20-4920					NA		NA		1997
						To: 20-4927									
(4926) Stallion Wy	0.05	45	R			From: 20-4927					NA		NA		1997
						To: Cul-de-Sac									
(4927) Nashua Dr	0.28	90	R			From: 20-4922					NA		NA		1997
						To: 20-4929									
(4927) Nashua Dr	0.07	130	R			From: 20-4929					NA		NA		1997
						To: 20-4928									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
4927 Nashua Dr	0.09	140	R			From: 20-4928					NA	NA			1997
						To: 20-4926									
4928 Nashua Ct	0.03	40	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-4927									
4929 Nashua Pl	0.06	30	R			From: Cul-de-Sac					NA	NA			11/16/2000
						To: 20-4927									
4930 Stoney Creek Py	0.96	20	R			From: SR 144 NORTH					NA	NA			11/16/2000
						To: SR 144; 20-706									
4931 Oak Hollow Rd	0.18	40	R			From: 20-4930					NA	NA			11/13/2000
						To: Cul-de-Sac									
4932 Twin Cedars Rd	0.38	40	R			From: Dead End					NA	NA			11/13/2000
						To: 20-4930									
4933 Foxwood Rd	0.21	20	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4932									
4934	0.09	NA				From: Cul-de-Sac					NA	NA			
						To: 20-4927									
4935 Cobble Glen Ct	0.09	90	R			From: 20-4932					NA	NA			11/13/2000
						To: Cul-de-Sac									
4936 Twin Cedars Tr	0.04	50	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4932									
4937 Twin Cliffs Ln	0.10	200	R			From: 20-4932					NA	NA			11/13/2000
						To: 20-4939									
4938 Twin Cedars Ct	0.06	70	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4932									
4939 Cedar Cliff Rd	0.52	460	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: END OF LOOP									
4940 Cedar Cliff Ct	0.03	50	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4939									
4941 Cedar Cliff Tr	0.07	100	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4939									
4942 Hickory Glen Rd	0.03	90	R			From: 20-4939					NA	NA			11/13/2000
						To: Dead End									
4943 Cedar Cliff Dr	0.05	230	R			From: 20-4939					NA	NA			11/13/2000
						To: 20-4930									
4944 Stoney Creek Ln	0.05	20	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4930									
4945	0.10	NA				From: Cul-de-Sac					NA	NA			
						To: 20-4927									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4946) Whirlaway Tr	0.04	60	R			From: 20-4901					NA	NA			11/13/2000
						To: Cul-de-Sac									
(4947) Whirlaway Tn	0.04	60	R			From: 20-4901					NA	NA			11/13/2000
						To: Cul-de-Sac									
(4948) Hill Spring Dr	0.14	60	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4932									
(4949) Hill Spring Tr	0.09	120	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: Cul-de-Sac									
(4950) Sandy Oak Rd	0.37	620	R			From: 20-4930 SOUTH					NA	NA			11/13/2000
						To: 20-4930 NORTH									
(4951) Sandy Oak Ct	0.04	60	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4950									
(4952) Sandy Oak Tr	0.04	50	R			From: 20-4950					NA	NA			11/13/2000
						To: Cul-de-Sac									
(4954)	0.32	440	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-1559									
(4954)	0.08	330	R			From: 20-1559					NA	NA			11/13/2000
						To: 20-4959									
(4954)	0.16	370	R			From: 20-4959					NA	NA			1997
						To: 20-619									
(4955) Laurel Spring Ct	0.13	130	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4954									
(4956) Greyfield Pl	0.04	40	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4954									
(4957) Stoney Creek Ct	0.04	60	R			From: 20-4930					NA	NA			11/13/2000
						To: Cul-de-Sac									
(4958) Stoney Creek Tr	0.04	50	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4930									
(4959) Burnettedale Ct	0.09	30	R			From: Cul-de-Sac					NA	NA			11/13/2000
						To: 20-4954									
(4960)	0.05	30	R			From: Cul-de-Sac					NA	NA			1997
						To: 20-1559									
(4960)	0.24	130	R			From: 20-1559					NA	NA			1997
						To: Cul-de-Sac									
(4961) Highpaige Wy	0.12	60	R			From: 20-1559					NA	NA			1997
						To: Cul-de-Sac									
(4962) Old Hampstead Ct	0.16	190	R			From: Dead End					NA	NA			11/13/2000
						To: 20-4963									
(4962) Old Hampstead Ct	0.06	320	R			From: 20-4963					NA	NA			11/13/2000
						To: 20-1559									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4963) Old Hampstead Ln	0.11	160	R			From: 20-4962					NA		NA		11/13/2000
						To: 20-4964									
(4964) Happy Hill Rd	0.30	NA				From: 20-625					NA		NA		
(4964) Happy Hill Rd	0.17	220	R			From: 20-4965					NA		NA		11/13/2000
(4964) Happy Hill Rd	0.17	210	R			From: 20-4963					NA		NA		11/13/2000
						To: 20-619									
(4965) Lippingham Pl	0.04	340	R			From: 20-4966; 20-4966					NA		NA		11/13/2000
						To: 20-4964									
(4966) Lippingham Dr	0.31	150	R			From: Cul-de-Sac					NA		NA		11/13/2000
						To: 20-4967									
(4966)	0.20	NA				From: 20-4965					NA		NA		
						To: 20-4967 WEST									
(4967) Lippingham Ln	0.33	100	R			From: Cul-de-Sac					NA		NA		11/13/2000
						To: 20-4966 EAST									
(4968) Lippingham Tr	0.08	100	R			From: 20-4967					NA		NA		11/13/2000
						To: Cul-de-Sac									
(4969)	0.06	NA				From: 20-4967					NA		NA		
						To: Cul-de-Sac									
(4970) Pagehurst Dr	0.37	180	R			From: 20-902					NA		NA		11/27/2000
						To: Cul-de-Sac									
(4971)	0.18	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4901									
(4972)	0.18	NA				From: 20-4971					NA		NA		
						To: 20-4901									
(4973)	0.07	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4972									
(4974)	0.05	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4901									
(4975)	0.06	NA				From: 20-4922					NA		NA		
						To: Cul-de-Sac									
(4976)	0.17	NA				From: Cul-de-Sac					NA		NA		
						To: 20-4901									
(4977)	0.11	NA				From: 20-04964(B)/20-04965(U)/					NA		NA		
						To: 20-04978(R)/									
(4978)	0.51	NA				From: 20-04977(R)/					NA		NA		
						To: 20-04977(B)/									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4979)	0.08	NA									NA		NA		
						From:	Cul-de-Sac/								
						To:	20-04978(B)/								
(4980) Mill Forest Dr	0.17	60	R			From:	20-4982					NA		NA	11/27/2000
						To:	20-677								
(4981) Mill Forest Ct	0.03	30	R			From:	Cul-de-Sac					NA		NA	11/27/2000
						To:	20-4980								
(4982) Mill Lock Tr	0.12	60	R			From:	Cul-de-Sac					NA		NA	11/27/2000
						To:	Cul-de-Sac								
(4983) Silver Creek Ct	0.07	60	R			From:	Cul-de-Sac					NA		NA	11/27/2000
						To:	20-677								
(4984) Native Dancer Dr	0.05	40	R			From:	Cul-de-Sac					NA		NA	09/05/2000
						To:	20-4700								
(4984) Native Dancer Dr	0.04	170	R			From:	20-4986					NA		NA	09/05/2000
						To:	20-4986								
(4984) Native Dancer Dr	0.06	150	R			From:	20-4985					NA		NA	09/05/2000
						To:	20-4985								
(4984) Native Dancer Dr	0.06	48	R			From:	Cul-de-Sac					NA		NA	09/05/2000
						To:	Cul-de-Sac								
(4985) Swale Ln	0.06	70	R			From:	20-4984					NA		NA	09/05/2000
						To:	20-4997								
(4985) Swale Ln	0.15	90	R			From:	20-4994					NA		NA	09/05/2000
						To:	20-4994								
(4986) Lucky Debonair Ln	0.17	100	R			From:	20-4984					NA		NA	09/05/2000
						To:	20-4994								
(4987) Winning Colors Ln	0.11	240	R			From:	20-4700					NA		NA	09/05/2000
						To:	20-4988								
(4987) Winning Colors Ln	0.06	100	R			From:	20-4989					NA		NA	09/05/2000
						To:	20-4989								
(4987) Winning Colors Ln	0.13	200	R			From:	20-5048					NA		NA	09/05/2000
						To:	20-5048								
(4988) Winning Colors Ct	0.05	40	R			From:	20-4987					NA		NA	09/05/2000
						To:	Cul-de-Sac								
(4989) Winning Colors Pl	0.08	110	R			From:	20-4987					NA		NA	09/05/2000
						To:	Cul-de-Sac								
(4990) Alysheba Ln	0.04	180	R			From:	20-662					NA		NA	11/16/2000
						To:	20-4901								
(4991) Whirlaway Tl	0.08	40	R			From:	20-4901					NA		NA	11/16/2000
						To:	Cul-de-Sac								
(4992) Whirlaway Wy	0.08	40	R			From:	20-4901					NA		NA	11/16/2000
						To:	Cul-de-Sac								

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(4994)	0.03	630	R			From: 20-4700					NA		NA		09/05/2000
(4994)	0.08	360	R			To: 20-4986					NA		NA		09/05/2000
(4994)	0.06	240	R			From: 20-4985					NA		NA		09/05/2000
(4994)	0.05	270	R			To: 20-4995					NA		NA		09/05/2000
(4994)	0.03	140	R			From: 20-4998					NA		NA		09/05/2000
(4994)						To: Dead End									
(4995) Cannonade Ln	0.04	30	R			From: Cul-de-Sac					NA		NA		09/05/2000
(4995) Cannonade Ln	0.08	110	R			To: 20-4997					NA		NA		09/05/2000
(4995) Cannonade Ln	0.10	290	R			From: 20-4996					NA		NA		09/05/2000
(4995) Cannonade Ln						To: 20-4994									
(4996) Cannonade Ct	0.03	30	R			From: Cul-de-Sac					NA		NA		09/05/2000
(4996) Cannonade Ct						To: 20-4995									
(4997) Proud Clairion Ln	0.14	60	R			From: 20-4985					NA		NA		09/05/2000
(4997) Proud Clairion Ln						To: 20-4995									
(4998) Decidedly Ln	0.07	140	R			From: 20-4994					NA		NA		09/05/2000
(4998) Decidedly Ln	0.06	47	R			To: 20-4999					NA		NA		09/05/2000
(4998) Decidedly Ln						To: Cul-de-Sac									
(4999) Decidedly Ct	0.12	90	R			From: Cul-de-Sac					NA		NA		09/05/2000
(4999) Decidedly Ct						To: 20-4998									
(5000)	0.28	160	R			From: Cul-de-Sac					NA		NA		11/27/2000
(5000)						To: 20-4337 SOUTH									
(5000)	0.32	180	R			From: 20-4337 NORTH					NA		NA		11/27/2000
(5000)						To: Cul-de-Sac									
(5001) Sandstone Ridge Ct	0.05	30	R			From: 20-5000					NA		NA		11/27/2000
(5001) Sandstone Ridge Ct						To: Cul-de-Sac									
(5002) Sandstone Ridge Tr	0.13	60	R			From: Cul-de-Sac					NA		NA		11/27/2000
(5002) Sandstone Ridge Tr						To: 20-5000									
(5003) Orchard Grove Dr	0.12	60	R			From: 20-5006					NA		NA		11/27/2000
(5003) Orchard Grove Dr						To: 20-5000									
(5004) Chestnut Bluff Tr	0.16	70	R			From: 20-5000					NA		NA		11/27/2000
(5004) Chestnut Bluff Tr						To: Cul-de-Sac									
(5005) Chestnut Bluff Pl	0.09	40	R			From: 20-5000					NA		NA		11/27/2000
(5005) Chestnut Bluff Pl						To: Cul-de-Sac									
(5006) Orchard Grove Ln	0.15	60	R			From: 20-4337					NA		NA		11/27/2000
(5006) Orchard Grove Ln						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
5007 Orchard Grove Ct	0.05	60	R			From: Cul-de-Sac					NA		NA		11/27/2000
						To: 20-5006									
5008 Saddle Hill Dr	0.25	80	R			From: 20-4337					NA		NA		11/27/2000
						To: Cul-de-Sac									
5009 Meadow Chase Rd	0.38	220	R			From: 20-4337					NA		NA		11/27/2000
						To: END OF LOOP									
5010 Brandon Hill Dr	0.04	80	R			From: 20-5011					NA		NA		11/27/2000
						To: 20-5013; 20-5014									
5011 Buffalo Nickel Dr	0.20	46	R			From: Dead End					NA		NA		11/29/2000
						To: Cul-de-Sac									
5012 Buffalo Nickel Ct	0.08	40	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5011									
5013 Battlecreek Dr	0.28	49	R			From: Dead End					NA		NA		11/29/2000
						To: 20-5014; 20-5010									
5013 Battlecreek Dr	0.34	400	R			From: 20-5014; 20-5010					NA		NA		11/29/2000
						To: 20-654									
5014 Bay Knolls TI	0.04	270	R			From: 20-5013					NA		NA		11/29/2000
						To: 20-5015									
5014 Bay Knolls TI	0.12	150	R			From: 20-5015					NA		NA		11/29/2000
						To: 20-5016									
5015	0.05	30	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5014									
5015	0.11	60	R			From: 20-5014					NA		NA		11/29/2000
						To: Cul-de-Sac									
5016 Hillcreek Dr	0.24	8	R			From: 20-5013					NA		NA		11/29/2000
						To: 20-5014									
5016 Hillcreek Dr	0.07	60	R			From: 20-5014					NA		NA		11/29/2000
						To: 20-5017									
5016 Hillcreek Dr	0.06	90	R			From: 20-5017					NA		NA		11/29/2000
						To: 20-5018									
5016 Hillcreek Dr	0.10	20	R			From: 20-5018					NA		NA		11/29/2000
						To: Dead End									
5017	0.04	20	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5016									
5017	0.08	8	R			From: 20-5016					NA		NA		11/29/2000
						To: Dead End									
5018 Hillcreek Ct	0.08	40	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5016									
5019	0.06	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05011(B)/									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
5020	Royal Birkdale Py	0.22	140	R			From: 20-621				NA		NA		11/29/2000
							To: 20-5021								
5021		0.65	46	R			From: Dead End				NA		NA		1997
5021		0.07	120	R			From: 20-5041				NA		NA		1997
5021		0.07	130	R			From: 20-5040				NA		NA		1997
5021		0.06	140	R			From: 20-5039				NA		NA		1997
5021		0.06	150	R			From: 20-5038				NA		NA		1997
5021		0.29	170	R			From: 20-5036				NA		NA		11/16/2000
5021		0.17	150	R			From: 20-5023				NA		NA		1997
5021		0.05	170	R			From: 20-5020				NA		NA		1997
5021		0.24	190	R			From: 20-5022				NA		NA		1997
5021		0.34	NA				From: 20-5024				NA		NA		
							To: 20-05024(L)/								
							To: Cul-de-Sac/								
5022	Leamington Dr	0.15	70	R			From: Cul-de-Sac				NA		NA		11/16/2000
							To: 20-5021								
5023	Old Brompton Rd	0.12	60	R			From: 20-5021				NA		NA		11/16/2000
							To: Cul-de-Sac								
5024	Houghton St	0.12	60	R			From: Cul-de-Sac				NA		NA		1997
5024	Houghton St	0.08	110	R			From: 20-5026				NA		NA		1997
5024	Houghton St	0.06	120	R			From: 20-5025				NA		NA		1997
							To: 20-5021								
5025	Houghton Ct	0.05	40	R			From: 20-5024				NA		NA		1997
							To: Cul-de-Sac								
5026	Houghton Pl	0.12	60	R			From: Cul-de-Sac				NA		NA		1997
							To: 20-5024								
5027		0.27	NA				From: 20-05021(B)/				NA		NA		
							To: Cul-de-Sac/								
5028		0.03	NA				From: Cul-de-Sac/				NA		NA		
							To: 20-05027(B)/								
5029		0.08	NA				From: Cul-de-Sac/				NA		NA		
							To: 20-05021(B)/								

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(5035) Preakness Ct	0.18	90	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-4922									
(5036) Highgate Hill Dr	0.07	40	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-5037									
(5036) Highgate Hill Dr	0.11	100	R			From: 20-5037					NA		NA		1997
						To: 20-5021									
(5037) Highgate Hill Ct	0.06	30	R			From: 20-5036					NA		NA		1997
						To: Cul-de-Sac									
(5038) Duchess Wy	0.05	30	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-5021									
(5039)	0.12	60	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-5021									
(5040) Merseyside Ln	0.21	70	R			From: Cul-de-Sac					NA		NA		1997
						To: 20-5021									
(5041)	0.06	30	R			From: 20-5021					NA		NA		1997
						To: Cul-de-Sac									
(5042) Secretariat Ct	0.08	40	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-4922									
(5043) Northern Dancer Ct	0.14	70	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-4922									
(5044) Bold Forbes Ln	0.17	80	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-4922									
(5045) Bold Forbes Ct	0.04	20	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5044									
(5046) Sunday Silence Ln	0.04	30	R			From: 20-654					NA		NA		11/29/2000
						To: 20-4922									
(5046) Sunday Silence Ln	0.26	120	R			From: 20-4922					NA		NA		11/29/2000
						To: 20-4922									
(5047) Sunday Silence Ct	0.04	20	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5046									
(5048) Genuine Risk Ln	0.23	400	R			From: 20-4922					NA		NA		09/05/2000
						To: 20-4700									
(5049) Genuine Risk Ct	0.05	40	R			From: Cul-de-Sac					NA		NA		09/05/2000
						To: 20-5048									
(5050) Cedar Crossing Dr	0.07	250	R			From: 20-3501					NA		NA		05/01/2000
						To: 20-5051									
(5051) Cedar Crossing Tr	0.22	220	R			From: Cul-de-Sac					NA		NA		05/01/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
5052 Cedar Crossing Pl	0.04	40	R			From: Cul-de-Sac					NA		NA		05/01/2000
						To: 20-5051									
5053 Cedar Crossing Tl	0.15	110	R			From: Cul-de-Sac					NA		NA		05/01/2000
						To: 20-3501									
5054 Cedar Crossing Cr	0.03	40	R			From: Cul-de-Sac					NA		NA		05/01/2000
						To: 20-5053									
5055 Cedar Crossing Ct	0.04	30	R			From: Cul-de-Sac					NA		NA		05/01/2000
						To: 20-5053									
5056	0.17	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05021(B)/									
5057	0.12	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05021(B)/									
5058	0.10	NA				From: 20-5021					NA		NA		
						To: Cul-de-Sac									
5059	0.03	NA				From: 20-5058					NA		NA		
						To: Cul-de-Sac									
5060	0.05	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5016; 20-5061									
5061	0.07	NA				From: 20-5016; 20-5060					NA		NA		
						To: Dead End									
5062	0.05	NA				From: 20-5016					NA		NA		
						To: Cul-de-Sac									
5063	0.10	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5016; 20-5064									
5064	0.28	NA				From: 20-5016; 20-5063					NA		NA		
						To: Dead End									
5065	0.09	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05016(B)/20-05066(U)/									
5066	0.03	NA				From: 20-05016(B)/20-05065(U)/					NA		NA		
						To: Cul-de-Sac/									
5067	0.04	NA				From: Dead End/					NA		NA		
						To: 20-05064(B)/									
5068	0.05	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05021(L)/20-05057(L)/									
5069	0.21	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05021(B)/20-05087(R)/									
5070 Stemwell Bl	0.70	140	R			From: 20-5072 SOUTH					NA		NA		05/18/2000
						To: 20-678									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
5071 Stemwell Cr	0.04	20	R			From: Cul-de-Sac					NA	NA			05/18/2000
						To: 20-5070									
5072 St Regis Dr	0.72	340	R			From: Cul-de-Sac					NA	NA			05/18/2000
						To: 20-5070 NORTH									
5073 St Regis Tr	0.06	30	R			From: Cul-de-Sac					NA	NA			05/18/2000
						To: 20-5072									
5074 Stemwell Point	0.05	40	R			From: Cul-de-Sac					NA	NA			05/18/2000
						To: 20-5070									
5074 Stemwell Point	0.08	30	R			From: Cul-de-Sac					NA	NA			05/18/2000
						To: Cul-de-Sac									
5075 Teaberry Dr	0.39	120	R			From: Dead End					NA	NA			05/18/2000
						To: 20-5070									
5076 Stemwell Ct	0.06	40	R			From: 20-5070					NA	NA			05/18/2000
						To: Cul-de-Sac									
5077 Stemwell Tr	0.05	30	R			From: 20-5070					NA	NA			05/18/2000
						To: Cul-de-Sac									
5078 Stemwell Ln	0.03	6	R			From: Cul-de-Sac					NA	NA			05/18/2000
						To: 20-5070									
5079 St Regis Ct	0.06	30	R			From: Cul-de-Sac					NA	NA			05/18/2000
						To: 20-5072									
5080	1.56	NA				From: Cul-de-Sac/					NA	NA			
						To: 20-00657(B)/									
5081	0.09	NA				From: 20-05080(B)/					NA	NA			
						To: Cul-de-Sac/									
5082	0.42	NA				From: Cul-de-Sac/					NA	NA			
						To: 20-05080(B)/									
5083	0.22	NA				From: 20-05080(B)/					NA	NA			
						To: Cul-de-Sac/									
5084	0.28	NA				From: Cul-de-Sac/					NA	NA			
						To: 20-05080(B)/									
5085	0.09	NA				From: 20-05082(B)/					NA	NA			
						To: Cul-de-Sac/									
5086	0.07	NA				From: 20-05069(B)/SOUTH LOOP					NA	NA			
						To: 20-05069(B)/NORTH LOOP									
5087	0.10	NA				From: 20-05021(B)/20-05069(R)/					NA	NA			
						To: 20-05021(B)/									
5088	0.09	NA				From: Cul-de-Sac/					NA	NA			
						To: 20-05070(B)/									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(5089)	0.08	NA				From: 20-05088(B)/					NA		NA		
						To: Cul-de-Sac/									
(5090) Malbon Wy	0.08	70	R			From: Cul-de-Sac					NA		NA		05/18/2000
						To: 20-2767									
(5091) Morgan Trail Dr	0.09	70	R			From: Cul-de-Sac					NA		NA		05/18/2000
						To: 20-2767									
(5092) Heartside Pl	0.09	70	R			From: Cul-de-Sac					NA		NA		05/18/2000
						To: 20-2767									
(5093) Farmhill Ln	0.05	30	R			From: Dead End					NA		NA		05/18/2000
						To: 20-2767									
(5094) Madras Ct	0.04	30	R			From: Cul-de-Sac					NA		NA		05/18/2000
						To: 20-2767									
(5094) Madras Ct	0.03	140	R			From: Cul-de-Sac					NA		NA		05/18/2000
						To: 20-5095									
(5094) Madras Ct	0.14	110	R			From: Cul-de-Sac					NA		NA		05/18/2000
						To: Cul-de-Sac									
(5095) Madras Cr	0.03	30	R			From: 20-5094					NA		NA		05/18/2000
						To: Cul-de-Sac									
(5100) Gates Bluff Dr	0.60	720	R			From: 20-655					NA		NA		1997
						To: Cul-de-Sac									
(5101) Gates Bluff Pl	0.09	30	R			From: Cul-de-Sac					NA		NA		1996
						To: 20-5100									
(5101) Gates Bluff Pl	0.30	50	R			From: Cul-de-Sac					NA		NA		1996
						To: Cul-de-Sac									
(5102) Gates Bluff Ct	0.21	60	R			From: 20-5100					NA		NA		1997
						To: Cul-de-Sac									
(5103) Gates Bluff Tr	0.19	49	R			From: 20-5100					NA		NA		1997
						To: Cul-de-Sac									
(5104) Heathbluff Ct	0.17	70	R			From: 20-5100					NA		NA		1997
						To: Cul-de-Sac									
(5105)	0.10	NA				From: 20-05021(L)/					NA		NA		
						To: 20-00662(B)/									
(5106)	0.15	NA				From: 20-05021(B)/					NA		NA		
						To: 20-05021(B)/									
(5107)	0.10	NA				From: 20-05021(B)/					NA		NA		
						To: 20-05021(B)/									
(5110)	0.16	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-00663(B)/									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(5111)	0.22	NA				From: Cul-de-Sac/					NA		NA		
						To: Cul-de-Sac/									
(5112)	0.04	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05111(B)/									
(5113)	0.04	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05110(B)/20-05114(U)/									
(5114)	0.04	NA				From: 20-05110(B)/20-05113(U)/					NA		NA		
						To: Cul-de-Sac/									
(5120) Pheasant Run Dr	0.32	630	R			From: Cul-de-Sac					NA		NA	11/13/2000	
						To: 20-619; 5130									
(5121) Birds Eye Pl	0.06	80	R			From: Cul-de-Sac					NA		NA	11/13/2000	
						To: 20-5120									
(5122) Long Feather Ct	0.04	60	R			From: Cul-de-Sac					NA		NA	11/13/2000	
						To: 20-5120									
(5123) Swallow Rd	0.04	20	R			From: Dead End					NA		NA	11/13/2000	
						To: 20-5124									
(5123) Swallow Rd	0.06	60	R			From: Dead End					NA		NA	11/13/2000	
						To: 20-5120									
(5124) Nesting Wy	0.04	40	R			From: 20-5123					NA		NA	11/13/2000	
						To: Cul-de-Sac									
(5125) Birds Eye Tr	0.12	20	R			From: 20-5120; 20-5121					NA		NA	11/13/2000	
						To: 20-5126									
(5126)	0.11	10	R			From: 20-5128					NA		NA	11/13/2000	
						To: 20-5127									
(5127)	0.03	20	R			From: Cul-de-Sac					NA		NA	11/13/2000	
						To: 20-5126									
(5128)	0.12	90	R			From: Cul-de-Sac					NA		NA	11/13/2000	
						To: 20-5126									
(5129) Fantail Ct	0.03	10	R			From: 20-5120					NA		NA	11/13/2000	
						To: Cul-de-Sac									
(5130)	0.45	NA				From: 20-619; 20-5120					NA		NA		
						To: 20-5131									
(5131)	0.26	NA				From: 20-5132					NA		NA		
						To: Dead End									
(5132)	0.08	NA				From: 20-5133					NA		NA		
						To: 20-5135									
(5133)	0.21	NA				From: Dead End					NA		NA		
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(5134)	0.13	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5133									
(5135)	0.33	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									
(5136)	0.09	NA				From: 20-5135					NA		NA		
						To: Cul-de-Sac									
(5137)	0.09	NA				From: Dead End					NA		NA		
						To: 20-5131									
(5138)	0.09	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5137									
(5139)	0.05	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5130									
(5140) Leaffield Dr	0.09	20	R			From: Cul-de-Sac					NA		NA		10/12/2000
						To: 20-5144									
(5140) Leaffield Dr	0.15	170	R			From: 20-5144					NA		NA		10/12/2000
						To: 20-5142									
(5140) Leaffield Dr	0.06	260	R			From: 20-5142					NA		NA		10/12/2000
						To: 20-5141									
(5140) Leaffield Dr	0.24	330	R			From: 20-5141					NA		NA		10/12/2000
						To: 20-714									
(5141) Royenwood Rd	0.11	40	R			From: 20-5140					NA		NA		10/12/2000
						To: Cul-de-Sac									
(5142) Aylesford Dr	0.11	46	R			From: 20-5140					NA		NA		10/12/2000
						To: Dead End									
(5143) Aylesford Ct	0.03	10	R			From: 20-5142					NA		NA		10/12/2000
						To: Cul-de-Sac									
(5144) Whitecastle Dr	0.09	60	R			From: Cul-de-Sac					NA		NA		10/12/2000
						To: 20-5145									
(5144) Whitecastle Dr	0.21	150	R			From: 20-5145					NA		NA		10/12/2000
						To: 20-5140									
(5145)	0.14	140	R			From: 20-5146					NA		NA		10/12/2000
						To: 20-5144									
(5146) Hartlepool Ln	0.30	80	R			From: 20-5147; 20-5146					NA		NA		10/12/2000
						To: 20-5145									
(5147) Lastingham Dr	0.24	40	R			From: Dead End					NA		NA		10/12/2000
						To: 20-5146; 20-5146									
(5148)	0.30	NA				From: Cul-de-Sac/					NA		NA		
						To: Dead End/									
(5149)	0.08	NA				From: 20-05148(B)/					NA		NA		
						To: Cul-de-Sac/									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(5150) Brocket Dr	0.17	9	R			From: Cul-de-Sac					NA		NA		11/29/2000
(5150) Brocket Dr	0.07	60	R			To: 20-5152					NA		NA		11/29/2000
(5150) Brocket Dr	0.05	60	R			From: 20-5151					NA		NA		11/29/2000
(5150) Brocket Dr						To: 20-662									
(5151) Brocket Ct	0.07	30	R			From: Cul-de-Sac					NA		NA		11/29/2000
(5151) Brocket Ct						To: 20-5150									
(5152) Camouflage Ct	0.05	30	R			From: Cul-de-Sac					NA		NA		11/29/2000
(5152) Camouflage Ct						To: 20-5150									
(5153)	0.04	NA				From: Cul-de-Sac					NA		NA		
(5153)						To: 20-5150									
(5154)	0.03	NA				From: Cul-de-Sac					NA		NA		
(5154)						To: 20-5150									
(5158)	0.07	NA				From: 20-05147(B)/					NA		NA		
(5158)						To: Cul-de-Sac/									
(5160) Highland Glen Dr	0.35	230	R			From: 20-636					NA		NA		11/29/2000
(5160) Highland Glen Dr	0.12	110	R			To: 20-5170					NA		NA		11/29/2000
(5160)	0.96	NA				From: 20-5166					NA		NA		
(5160)						To: Dead End									
(5161) Glendevon Rd	0.28	140	R			From: Cul-de-Sac					NA		NA		11/29/2000
(5161) Glendevon Rd	0.33	170	R			To: 20-5160					NA		NA		11/29/2000
(5161) Glendevon Rd						From: Cul-de-Sac									
(5162) Glendevon Ct	0.07	30	R			From: Cul-de-Sac					NA		NA		11/29/2000
(5162) Glendevon Ct						To: 20-5161; 20-5163									
(5163) Glendevon Cr	0.04	20	R			From: 20-5161; 20-5162					NA		NA		11/29/2000
(5163) Glendevon Cr						To: Cul-de-Sac									
(5164) Glendevon Dr	0.15	100	R			From: 20-5161					NA		NA		11/29/2000
(5164) Glendevon Dr						To: 20-5160									
(5165) Glendevon Tr	0.17	90	R			From: Cul-de-Sac					NA		NA		11/29/2000
(5165) Glendevon Tr						To: 20-5164									
(5166) Seaview Dr	0.30	150	R			From: 20-5160					NA		NA		11/29/2000
(5166) Seaview Dr	0.41	NA				To: Cul-de-Sac					NA		NA		
(5166) Seaview Dr						From: Cul-de-Sac									
(5167) Braystone Dr	0.21	110	R			From: Cul-de-Sac					NA		NA		11/29/2000
(5167) Braystone Dr						To: 20-5161									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(5168) Braystone Ln	0.11	60	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5167									
(5169) Braystone Ct	0.07	60	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5168									
(5170) Rockvalley Ln	0.06	60	R			From: 20-5160					NA		NA		11/29/2000
						To: 20-5171									
(5170) Rockvalley Ln	0.09	40	R			From: 20-5171					NA		NA		11/29/2000
						To: Cul-de-Sac									
(5171) Shellharbor Ct	0.10	60	R			From: 20-5170					NA		NA		11/29/2000
						To: Cul-de-Sac									
(5172) Bronze Penny Ct	0.08	20	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5161; 20-5173									
(5173) Heathermist Ct	0.05	110	R			From: 20-5161; 20-5172					NA		NA		11/29/2000
						To: Cul-de-Sac									
(5174)	0.56	NA				From: 20-636					NA		NA		
						To: 20-5160; 20-5179									
(5175)	0.13	NA				From: 20-5174					NA		NA		
						To: Dead End									
(5176)	0.42	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5160									
(5177)	0.16	NA				From: 20-5178					NA		NA		
						To: 20-5176									
(5178)	0.28	NA				From: Dead End					NA		NA		
						To: Cul-de-Sac									
(5179)	0.09	NA				From: 20-5160; 20-5174					NA		NA		
						To: Cul-de-Sac									
(5180)	0.35	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5160									
(5181)	0.41	NA				From: 20-5160					NA		NA		
						To: 20-5160									
(5182)	0.11	NA				From: 20-5183 MID-RT 5183					NA		NA		
						To: 20-5160; 20-5184									
(5183)	0.30	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									
(5184)	0.06	NA				From: 20-5160; 20-5182					NA		NA		
						To: Dead End									
(5185)	0.20	NA				From: 20-5184					NA		NA		
						To: Cul-de-Sac; 020									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(5190)	0.70	NA				From: Dead End					NA		NA		
						To: US 360 HAMPTON PARK Dr									
(5191)	0.29	NA				From: 20-5194					NA		NA		
						To: 20-5190									
(5192)	0.09	NA				From: 20-5191 RT 5192 VIA LOOP					NA		NA		
						To: 20-5191 RT 5192 VIA LOOP									
(5193)	0.03	NA				From: Dead End					NA		NA		
						To: 20-5191									
(5194)	0.08	NA				From: 20-5195					NA		NA		
						To: Dead End									
(5195)	0.10	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									
(5196)	0.13	NA				From: Dead End/					NA		NA		
						To: 20-05190(B)/									
(5200) Fox Club Rd	0.13	50	R			From: 20-668					NA		NA		11/29/2000
						To: 20-5201									
(5201) Fox Club Py	0.03	NA				From: 20-5229					NA		NA		
						To: 20-5200									
(5201) Fox Club Py	0.24	230	R			From: 20-5202					NA		NA		05/04/2000
						To: 20-5201									
(5201) Fox Club Py	0.30	90	R			From: 20-4337					NA		NA		05/04/2000
						To: 20-5207									
(5201)	0.25	NA				From: Dead End					NA		NA		
						To: Cul-de-Sac									
(5202) Fox Briar Rd	0.07	20	R			From: 20-5206					NA		NA		11/29/2000
						To: 20-5205									
(5202) Fox Briar Rd	0.04	20	R			From: 20-5203					NA		NA		11/29/2000
						To: 20-5201									
(5202) Fox Briar Rd	0.06	40	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5204									
(5203) Fox Briar Ln	0.15	20	R			From: 20-5202					NA		NA		11/29/2000
						To: 20-5203									
(5204) Fox Briar Wy	0.05	20	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5202									
(5205) Fox Briar Cr	0.06	30	R			From: 20-5202					NA		NA		11/29/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(5206) Fox Briar Ct	0.05	60	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5202									
(5207) Fox Crest Wy	0.10	48	R			From: Cul-de-Sac					NA		NA		05/04/2000
(5207) Fox Crest Wy	0.03	70	R			From: 20-5211					NA		NA		05/04/2000
(5207) Fox Crest Wy	0.08	90	R			From: 20-5209					NA		NA		05/04/2000
(5207) Fox Crest Wy	0.05	100	R			From: 20-5208					NA		NA		05/04/2000
						To: 20-5201									
(5208) Fox Crest Pl	0.07	70	R			From: 20-5207					NA		NA		05/04/2000
						To: Cul-de-Sac									
(5209) Fox Crest Ln	0.10	70	R			From: Cul-de-Sac					NA		NA		05/04/2000
(5209) Fox Crest Ln	0.04	110	R			From: 20-5210					NA		NA		05/04/2000
						To: 20-5207									
(5210) Fox Crest Cr	0.07	60	R			From: 20-5209					NA		NA		05/04/2000
						To: Cul-de-Sac									
(5211) Fox Crest Ct	0.04	40	R			From: 20-5207					NA		NA		11/29/2000
						To: Cul-de-Sac									
(5212)	0.15	NA				From: 20-5201					NA		NA		
						To: Cul-de-Sac									
(5213)	0.05	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5212									
(5214)	0.17	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5212									
(5215) Houndmaster Rd	0.34	80	R			From: 20-5201					NA		NA		11/29/2000
						To: 20-5216; 20-5217									
(5216) Houndmaster Tr	0.09	60	R			From: Dead End					NA		NA		11/29/2000
						To: 20-5215; 20-5217									
(5217) Houndmaster Cr	0.04	30	R			From: 20-5215; 20-5216					NA		NA		11/29/2000
						To: Dead End									
(5218)	0.29	NA				From: 20-5201					NA		NA		
(5218) Foxvale Wy	0.10	60	R			From: 20-5215					NA		NA		11/29/2000
						To: Dead End									
(5219)	0.12	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5218									
(5220)	0.43	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05201(B)/									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
5221	0.09	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05220(B)/									
5222	0.11	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05220(B)/									
5228	0.14	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05220(B)/									
5229	0.22	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05201(R)/N RT 5201(L)/									
5230	0.04	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05229(B)/									
5231	0.11	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05229(B)/									
5250	0.52	NA				From: 20-621					NA		NA		
						To: Dead End									
5251	0.45	NA				From: 20-5250					NA		NA		
						To: Cul-de-Sac									
5252	0.04	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5251									
5253	0.05	NA				From: 20-5251					NA		NA		
						To: Cul-de-Sac									
5254	0.03	NA				From: 20-5251					NA		NA		
						To: Cul-de-Sac									
5255	0.64	NA				From: Cul-de-Sac					NA		NA		
						To: Dead End									
5256	0.04	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5255									
5257	0.24	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5255									
5258	0.11	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5257									
5259	0.15	NA				From: 20-5257					NA		NA		
						To: Cul-de-Sac									
5260	0.15	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5255									
5261	0.11	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5255									
5262	0.09	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5263; 20-5261									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(5263)	0.09	NA				From: 20-5261; 20-5262					NA		NA		
						To: Cul-de-Sac									
(5290)	0.09	NA				From: 20-05166(L)/					NA		NA		
						To: Cul-de-Sac/									
(5291)	0.11	NA				From: Dead End/					NA		NA		
						To: 20-05166(L)/									
(5300)	0.50	740	R			From: 20-3750					NA		NA		09/07/2000
						To: End of Loop									
(5301)	0.12	90	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-5302									
(5301)	0.09	60	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: Cul-de-Sac									
(5302) Half Moon Bay Ct	0.03	4	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-5301									
(5303) French Creek TI	0.05	30	R			From: 20-5301					NA		NA		09/07/2000
						To: Cul-de-Sac									
(5304) Walton Creek Dr	0.65	700	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-3750									
(5305) Whisperlake Ct	0.08	48	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-5304									
(5306) Clearwater Dr	0.07	50	R			From: 20-5304					NA		NA		09/07/2000
						To: Cul-de-Sac									
(5307) Troon Bay Dr	0.18	140	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-5304									
(5308) Waterlily Ct	0.03	30	R			From: 20-5307					NA		NA		09/07/2000
						To: Cul-de-Sac									
(5309) Lochmere Cr	0.04	30	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-5307									
(5310)	0.19	70	R			From: 20-5300					NA		NA		09/07/2000
						To: Cul-de-Sac									
(5311) Port Elissa Landing	0.24	110	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-5300									
(5312)	0.10	70	R			From: 20-5310					NA		NA		09/07/2000
						To: 20-5313; 20-5314									
(5313) Rocky River Dr	0.08	60	R			From: Cul-de-Sac					NA		NA		09/07/2000
						To: 20-5312; 20-5314									
(5314) Avon Lake Cr	0.08	60	R			From: 20-5312; 20-5313					NA		NA		09/07/2000
						To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(5315)	0.10	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05311(B)/									
(5320) Five Forks Ln	0.58	40	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5332									
(5320) Five Forks Ln	0.08	60	R			From: 20-5332					NA		NA		11/29/2000
						To: 20-5329									
(5320) Five Forks Ln	0.07	20	R			From: 20-5329					NA		NA		11/29/2000
						To: 20-5325									
(5320) Five Forks Ln	0.06	30	R			From: 20-5325					NA		NA		11/29/2000
						To: 20-5321									
(5320) Five Forks Ln	0.12	20	R			From: 20-5321					NA		NA		11/29/2000
						To: 20-651									
(5321)	0.06	30	R			From: 20-5320					NA		NA		11/29/2000
						To: 20-5322									
(5321)	0.08	30	R			From: 20-5322					NA		NA		11/29/2000
						To: 20-5323									
(5321)	0.06	30	R			From: 20-5323					NA		NA		11/29/2000
						To: 20-5324									
(5321)	0.04	40	R			From: 20-5324					NA		NA		11/29/2000
						To: Cul-de-Sac									
(5322)	0.04	40	R			From: 20-5321					NA		NA		11/29/2000
						To: Cul-de-Sac									
(5323)	0.07	46	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5321									
(5324)	0.03	20	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5321									
(5325)	0.03	20	R			From: 20-5320					NA		NA		11/29/2000
						To: 20-5326									
(5325)	0.04	20	R			From: 20-5326					NA		NA		11/29/2000
						To: 20-5328									
(5325)	0.05	20	R			From: 20-5328					NA		NA		11/29/2000
						To: Cul-de-Sac									
(5326)	0.03	20	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5327									
(5326)	0.04	30	R			From: 20-5327					NA		NA		11/29/2000
						To: 20-5325									
(5327)	0.03	20	R			From: Cul-de-Sac					NA		NA		11/29/2000
						To: 20-5326									
(5328)	0.03	20	R			From: 20-5325					NA		NA		11/29/2000
						To: Cul-de-Sac									
(5329) Bakers Hill Rd	0.05	120	R			From: 20-5320					NA		NA		11/29/2000
						To: 20-5330									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
5329 Bakers Hill Rd	0.04	80	R			From: 20-5330					NA		NA		11/29/2000
5329 Bakers Hill Rd	0.04	60	R			To: 20-5331					NA		NA		11/29/2000
						From: Cul-de-Sac									
5330 Bakers Hill Ln	0.06	60	R			To: 20-5329					NA		NA		11/29/2000
						From: 20-5329					NA		NA		11/29/2000
5331 Bakers Hill Pl	0.03	60	R			To: Cul-de-Sac					NA		NA		11/29/2000
						From: Cul-de-Sac					NA		NA		11/29/2000
5332	0.06	70	R			To: 20-5334					NA		NA		11/29/2000
5332	0.06	60	R			From: 20-5334					NA		NA		11/29/2000
						From: 20-5333					NA		NA		11/29/2000
5332	0.03	40	R			To: 20-5320					NA		NA		11/29/2000
						From: 20-5332					NA		NA		11/29/2000
5333	0.04	20	R			To: Cul-de-Sac					NA		NA		11/29/2000
						From: 20-5332					NA		NA		11/29/2000
5334	0.03	10	R			To: Cul-de-Sac					NA		NA		11/29/2000
						From: Cul-de-Sac					NA		NA		
5335	0.17	NA				To: 20-5320					NA		NA		
						From: 20-5335					NA		NA		
5336	0.07	NA				To: Cul-de-Sac					NA		NA		
						From: 20-5320					NA		NA		
5337	0.24	NA				To: Cul-de-Sac					NA		NA		
						From: 20-5337					NA		NA		
5338	0.08	NA				To: Cul-de-Sac					NA		NA		
						From: Cul-de-Sac					NA		NA		
5339	0.08	NA				To: 20-5338					NA		NA		
						From: 20-5320					NA		NA		
5340	0.19	NA				To: Cul-de-Sac					NA		NA		
						From: Cul-de-Sac					NA		NA		
5341	0.09	NA				To: 20-5343; 20-5340					NA		NA		
						From: Cul-de-Sac					NA		NA		
5342	0.05	NA				To: 20-5341					NA		NA		
						From: 20-5341; 20-5340					NA		NA		
5343	0.03	NA				To: Cul-de-Sac					NA		NA		
						From: Cul-de-Sac					NA		NA		
5344	0.11	NA				To: 20-5340					NA		NA		

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
5345	0.17	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05320(R)/									
5346	0.13	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05345(B)/									
5347	0.06	NA				From: 20-05346(B)/					NA		NA		
						To: Cul-de-Sac/									
5360	0.52	NA				From: 20-00655(B)/20-06000(U)/					NA		NA		
						To: Cul-de-Sac/									
5361	0.08	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05360(B)/20-05362(U)/									
5362	0.07	NA				From: 20-05360(B)/20-05361(U)/					NA		NA		
						To: Cul-de-Sac/									
5363	0.25	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05360(B)/									
5364	0.07	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05360(B)/									
5365	0.06	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-00659(B)/									
5366	0.09	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-00659(B)/									
5367	0.27	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-00659(B)/									
5368	0.33	NA				From: Dead End/					NA		NA		
						To: 20-05367(B)/									
5369	0.78	NA				From: 20-00655(B)/					NA		NA		
						To: Dead End/									
5370	0.28	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05369(B)/									
5371	0.23	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-05370(B)/									
5415	0.20	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-03387(L)/									
5416	0.26	NA				From: 20-05415(B)/					NA		NA		
						To: Cul-de-Sac/									
5417	0.09	NA				From: 20-05415(B)/					NA		NA		
						To: Cul-de-Sac/									
5450	0.17	NA				From: 20-1601; 20-2466					NA		NA		
						To: Gap									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(5450) Meadow Oaks Blvd	0.02	10	R			From: Dead End					NA		NA		11/29/2000
(5450) Meadow Oaks Blvd	0.13	30	R			From: 20-5455					NA		NA		11/29/2000
(5450) Meadow Oaks Blvd	0.08	30	R			From: 20-5454					NA		NA		11/29/2000
(5450) Meadow Oaks Blvd	0.08	40	R			From: 20-5451					NA		NA		11/29/2000
(5450) Meadow Oaks Blvd						To: 20-638									
(5451)	0.15	40	R			From: 20-1601; 20-2490					NA		NA		11/29/2000
(5451)	0.05	30	R			From: 20-5453					NA		NA		11/29/2000
(5451)	0.05	30	R			From: 20-5452					NA		NA		11/29/2000
(5451)	0.20	120	R			From: 20-5450					NA		NA		11/29/2000
(5451)						To: 20-5459									
(5452) Oregon Oak Ct	0.03	60	R			From: 20-5451					NA		NA		11/29/2000
(5452) Oregon Oak Ct						To: Cul-de-Sac									
(5453) Oregon Oak Pl	0.04	40	R			From: 20-5451					NA		NA		11/29/2000
(5453) Oregon Oak Pl						To: Cul-de-Sac									
(5454) Green Oaks Ct	0.10	60	R			From: Cul-de-Sac					NA		NA		11/29/2000
(5454) Green Oaks Ct						To: 20-5450									
(5455) Morningmist Dr	0.05	80	R			From: 20-5450					NA		NA		11/29/2000
(5455) Morningmist Dr	0.07	60	R			From: 20-5456					NA		NA		11/29/2000
(5455) Morningmist Dr	0.04	20	R			From: 20-5457					NA		NA		11/29/2000
(5455) Morningmist Dr	0.02	10	R			From: 20-5458					NA		NA		11/29/2000
(5455) Morningmist Dr						To: Cul-de-Sac									
(5456) Morningmist Ct	0.07	30	R			From: 20-5455					NA		NA		11/29/2000
(5456) Morningmist Ct						To: Cul-de-Sac									
(5457) Morningmist Cr	0.09	40	R			From: Cul-de-Sac					NA		NA		11/29/2000
(5457) Morningmist Cr						To: 20-5455									
(5458) Morningmist Pl	0.05	60	R			From: Cul-de-Sac					NA		NA		11/29/2000
(5458) Morningmist Pl						To: 20-5455									
(5459) Creek Meadow Cr	0.15	110	R			From: 20-5451					NA		NA		11/29/2000
(5459) Creek Meadow Cr						To: 20-5451 ; 20-5451 EAST									
(5459) Creek Meadow Cr	0.09	NA				From: 20-5451 EAST					NA		NA		
(5459) Creek Meadow Cr						To: Cul-de-Sac									
(5460) Clearview Dr	0.12	100	R			From: Cul-de-Sac					NA		NA		11/29/2000
(5460) Clearview Dr						To: 20-5461									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(5461) Clearview Ct	0.04	40	R			From: 20-5460					NA		NA		11/29/2000
						To: Cul-de-Sac									
(5462)	0.08	NA				From: 20-5459					NA		NA		
						To: Cul-de-Sac									
(5463)	0.05	NA				From: Cul-de-Sac					NA		NA		
						To: 20-5462									
(6000) Carters Way Bl	0.06	100	R			From: 20-6001					NA		NA		11/29/2000
						To: 20-655									
(6001)	0.11	47	R			From: Dead End					NA		NA		11/16/2000
						To: 20-6003									
(6001)	0.16	190	R			From: 20-6003					NA		NA		11/16/2000
						To: 20-6002									
(6001)	0.18	110	R			From: 20-6002					NA		NA		11/16/2000
						To: 20-6000									
(6001)	0.16	90	R			From: 20-6000					NA		NA		11/16/2000
						To: 20-6005									
(6001)	0.22	50	R			From: 20-6005					NA		NA		11/16/2000
						To: Dead End									
(6002)	0.14	30	R			From: Cul-de-Sac					NA		NA		11/16/2000
						To: Dead End									
(6003) Carters Creek Dr	0.27	20	R			From: Dead End					NA		NA		11/16/2000
						To: 20-6006									
(6003) Carters Creek Dr	0.06	120	R			From: 20-6006					NA		NA		11/16/2000
						To: 20-6004									
(6003) Carters Creek Dr	0.06	130	R			From: 20-6004					NA		NA		11/16/2000
						To: 20-6001									
(6004) Carters Creek Pl	0.14	60	R			From: 20-6003					NA		NA		11/16/2000
						To: Cul-de-Sac									
(6005) Carters Way Pl	0.08	90	R			From: Cul-de-Sac					NA		NA		11/16/2000
						To: 20-6001									
(6006) Carters Creek Ct	0.15	70	R			From: 20-6003					NA		NA		11/16/2000
						To: Cul-de-Sac									
(6007)	0.20	NA				From: CARTERS VALLEY ROAD					NA		NA		
						To: 20-6001									
(6008)	0.09	NA				From: Cul-de-Sac					NA		NA		
						To: 20-6007									
(6009)	0.63	NA				From: Dead End/					NA		NA		
						To: Dead End/									
(6010)	0.06	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-06009(B)/									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
(6011)	0.09	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-06009(B)/20-06012(U)/									
(6012)	0.07	NA				From: 20-06009(B)/20-06011(U)/					NA		NA		
						To: Cul-de-Sac/									
(6013)	0.10	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-06009(B)/									
(6015) Crooked Creek Dr	0.31	180	R			From: 20-6018					NA		NA		11/16/2000
						To: 20-653									
(6016) Crooked Creek Ct	0.04	10	R			From: Cul-de-Sac					NA		NA		11/16/2000
						To: 20-6015									
(6017) Golden Nugget Ct	0.11	30	R			From: 20-6015					NA		NA		11/16/2000
						To: Cul-de-Sac									
(6018) Long Branch Dr	0.05	20	R			From: Dead End					NA		NA		11/16/2000
						To: 20-6015									
(6018) Long Branch Dr	0.18	290	R			From: 20-6019					NA		NA		11/16/2000
						To: 20-6019									
(6018) Long Branch Dr	0.05	20	R			From: Dead End					NA		NA		11/16/2000
						To: Dead End									
(6019) Long Branch Ct	0.07	30	R			From: 20-6018					NA		NA		11/13/2000
						To: Cul-de-Sac									
(6020)	0.09	NA				From: 20-06003(B)/					NA		NA		
						To: Cul-de-Sac/									
(6030) Rockridge Rd	0.33	160	R			From: 20-1596					NA		NA		11/13/2000
						To: Dead End									
(6031) Chipstead Rd	0.38	130	R			From: 20-6030 SOUTH					NA		NA		11/13/2000
						To: 20-6030 NORTH									
(6032) Rockridge Pl	0.17	90	R			From: 20-6030					NA		NA		11/13/2000
						To: Cul-de-Sac									
(6033) Rockridge Ct	0.04	40	R			From: 20-6030					NA		NA		11/13/2000
						To: Cul-de-Sac									
(6034) Chipstead Pl	0.05	8	R			From: Cul-de-Sac					NA		NA		11/13/2000
						To: 20-6031									
(6035) Chipstead Ct	0.03	7	R			From: 20-6031					NA		NA		11/13/2000
						To: Cul-de-Sac									
(6040)	0.33	NA				From: 20-00754(B)/					NA		NA		
						To: Dead End/									
(6045)	0.52	NA				From: Cul-de-Sac/					NA		NA		
						To: US-00360(B)/									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
6050 Pineridge Ln	0.06	30	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-4090									
6051 Hardwood Dr	0.18	70	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-6059									
6051 Hardwood Dr	0.08	180	R			From: 20-6057					NA		NA		10/10/2000
						To: 20-6056									
6051 Hardwood Dr	0.11	260	R			From: 20-6054					NA		NA		10/10/2000
						To: 20-6054									
6051 Hardwood Dr	0.06	130	R			From: 20-4095					NA		NA		10/10/2000
						To: 20-4095									
6051 Hardwood Dr	0.10	80	R			From: 20-6052					NA		NA		10/10/2000
						To: 20-6052									
6051 Hardwood Dr	0.04	30	R			From: 20-4090					NA		NA		10/10/2000
						To: Cul-de-Sac									
6052 Laurel Top Dr	0.30	120	R			From: Dead End					NA		NA		10/10/2000
						To: 20-6053									
6052 Laurel Top Dr	0.06	210	R			From: 20-6051					NA		NA		10/10/2000
						To: 20-6051									
6053 Millside Tr	0.06	30	R			From: 20-6052					NA		NA		10/10/2000
						To: Cul-de-Sac									
6054 Stetson Ct	0.05	20	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: 20-6051									
6055	0.18	70	R			From: Dead End					NA		NA		10/10/2000
						To: 20-6052									
6055	0.05	20	R			From: Cul-de-Sac					NA		NA		10/10/2000
						To: Cul-de-Sac									
6056 Haven Oaks Cir	0.08	3	R			From: 20-6051					NA		NA		10/10/2000
						To: Cul-de-Sac									
6057 Crawford Wood Dr	0.22	NA				From: 20-6061					NA		NA		
						To: 20-6051									
6057 Crawford Wood Dr	0.06	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									
6058 Crawford Wood Tr	0.07	130	R			From: 20-6057					NA		NA		10/10/2000
						To: 20-6055									
6058	0.08	NA				From: 20-06055(L)/					NA		NA		
						To: Cul-de-Sac/									
6059	0.13	60	R			From: Dead End					NA		NA		10/10/2000
						To: 20-6051									
6059	0.09	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
6060	0.04	NA				From: 20-06055(L)/					NA		NA		
						To: Cul-de-Sac/									
6061	0.21	NA				From: Dead End/					NA		NA		
						To: Cul-de-Sac/									
6062	0.07	NA				From: 20-06052(B)/					NA		NA		
						To: Cul-de-Sac/									
6063	0.04	NA				From: 20-06052(B)/					NA		NA		
						To: Cul-de-Sac/									
6064	0.07	NA				From: Cul-de-Sac/					NA		NA		
						To: 20-06051(B)/									
9094	0.11	390	R			From: SR 10 CHESTER					NA		NA		1994
						To: INT SCH; 20-1519									
9095	0.48	430	R			From: 20-2770					NA		NA		1994
						To: MONACAN HIGH SCH									
9096	0.10	190	R			From: CHESTERFIELD TECH					NA		NA		1994
						To: SCH; 20-2099									
9097	0.08	280	R			From: ENON ELEM SCH					NA		NA		1994
						To: 20-691									
9098	0.23	340	R			From: SWIFT CRK MID SCH					NA		NA		1994
						To: 20-754									
9099	0.17	150	R			From: 20-641; 20-2340					NA		NA		1994
						To: BEULAH ELEM SCH									
9100	0.16	230	R			From: US 360					NA		NA		1994
						To: GRANGE HALL SCH									
9101	0.21	230	R			From: US 60					NA		NA		1994
						To: MIDLOTHIAN HIGH SCH									
9102	0.06	140	R			From: MATOACA SCH					NA		NA		1994
						To: SR 36									
9108	0.15	NA				From: 20-1177 WEST					NA		NA		
						To: 20-1177									
9450	0.08	590	R			From: 20-708					NA		NA		1994
						To: THOMAS DALE ANNEX									
9452	0.08	120	R			From: BELLWOOD ELEM SCH					NA		NA		1994
						To: 20-1625									
9453	0.29	290	R			From: 20-950					NA		NA		1994
						To: MIDLOTHIAN HIGH SCH									
9471	0.24	380	R			From: BON AIR ELEM SCH					NA		NA		1994
						To: 20-1703									

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Chesterfield County															
9472	0.35	600	R			From: 20-903; 20-2099					NA	NA			1994
						To: LLOYD BYRD HIGH SCH									
9473	0.13	180	R			From: 20-2776					NA	NA			1994
						To: W W GORDON ELEM SCH									
9736	0.13	380	R			From: 20-1608					NA	NA			1994
						To: BENSLEY SCHOOL									
9738	0.14	350	R			From: SR 144					NA	NA			1994
						To: HARROWGATE ELEM SCH									
9739	0.16	170	R			From: SR 10					NA	NA			1994
						To: CHESTER INTER SCH									
9740	0.07	280	R			From: ENON ELEM ANNEX SCH					NA	NA			1994
						To: 20-818									
9742	0.06	110	R			From: Cul-de-Sac					NA	NA			09/07/2000
						To: 20-669									
9770	0.08	100	R			From: 20-2307					NA	NA			1996
						To: J G HENNING ELM SCH									
9831	0.12	180	R			From: 20-627					NA	NA			1996
						To: ETRICK ELEM ANNEX									
9832	0.09	280	R			From: 20-650					NA	NA			1996
						To: J A CHALKLEY SCH									
9833	0.16	470	R			From: 20-1733					NA	NA			1996
						To: CRESTWOOD ELEM SCH									
9835	0.08	220	R			From: 20-1002 STUDENT					NA	NA			1996
						To: SPT SERVICE ANNEX									
9888	0.18	340	R			From: SR 10					NA	NA			1996
						To: THOMAS DALE HS									
9889	0.18	1100	R			From: US 360; 20-2355					NA	NA			1996
						To: MANCHESTER MID SCH									
9890	0.12	370	R			From: 20-722					NA	NA			1996
						To: MATOACA HIGH SCH									
9891	0.18	300	R			From: 20-638					NA	NA			1996
						To: MEADOWBROOK HS									
9892	0.08	60	R			From: 20-678					NA	NA			1996
						To: A M DAVIS ELEM SCH									
9893	0.39	540	R			From: FALLING CRK SCH					NA	NA			1996
						To: 20-637; 20-2346									
9895	0.13	510	R			From: 20-1458; 20-1459					NA	NA			1996
						To: BELLWOOD ELEM SCH									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Chesterfield County																
9897	0.08	90	R			From: 20-754 To: WATKINS ELEM SCH					NA		NA		1996	
9938	0.16	270	R			From: REAMS ROAD ELEM SCH To: 20-647					NA		NA		1996	
9939	0.07	150	R			From: SR 36 To: ETRICK ELEM SCH					NA		NA		1996	
9940	0.17	350	R			From: PROVIDENCE JR HS To: 20-894					NA		NA		1996	
9970	0.45	NA				From: 20-3970 WEST To: 20-3970					NA		NA			
9971	0.34	NA				From: 20-654; 20-817 SOUTH To: Cul-de-Sac					NA		NA			
9972	0.47	NA				From: PARKING RD & BUS LOOP To: 20-3387					NA		NA			
9973	0.15	150	R			From: 20-1689 To: 20-1689					NA		NA		09/07/2000	
9974	0.67	NA				From: 20-654 BAILEY BRIDGE MIDDLE To: Cul-de-Sac Loops at Middle School					NA		NA			
9975	0.30	NA				From: 20-654; 20-4360 To: 20-651					NA		NA			
9976	0.39	NA				From: 20-763 NORTH To: Cul-de-Sac					NA		NA			
City of Colonial Heights																
1 ₁₀₆	C H Dimmock Pkwy	0.69	10000	G	98%	0%	1%	0%	1%	0%	F	1000	G	11000	G	2001
				From: Southpark Blvd To: Temple Ave												
2 ₁₀₆	Southpark Blvd	0.31	18000	G	98%	0%	1%	0%	1%	0%	F	1900	G	19000	G	2001
				From: NB Ramp To I-95 To: South Ave												
2 ₁₀₆	Southpark Blvd	0.25	18000	G	98%	0%	1%	0%	1%	0%	F	1900	G	19000	G	2001
				From: C H Dimmock Pkwy To: Southpark Circle												
2 ₁₀₆	Southpark Blvd	0.05	10000	G	98%	0%	1%	0%	1%	0%	F	1100	G	11000	G	2001
				From: Forestview Dr To: Temple Ave												
4 ₁₀₆	Sherwood Dr	0.25	3800	G	98%	0%	1%	0%	1%	0%	C	360	G	4000	G	2001
				From: US 1 Boulevard To: US 1 Boulevard												
9020 ₁₀₆	Dupuy Ave	0.42	12000	G	97%	0%	1%	0%	1%	0%	C	1100	G	13000	G	2001
				From: WCL Colonial Heights To: US 1 Boulevard												
9024 ₁₀₆	Westover Ave	0.66	6100	G	97%	0%	1%	0%	1%	0%	F	610	G	6400	G	2001
				From: US 1 Boulevard To: Conduit Rd												
9026 ₁₀₆	Branders Bridge Roa	0.30	5300	G	98%	0%	1%	0%	1%	0%	C	550	G	5500	G	2001
				From: WCL Colonial Heights To: US 1 Boulevard												

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Colonial Heights																
9030 106 Lakeview Ave	0.85	7000	G	From: WCL Colonial Heights To: US 1 Boulevard	97%	0%	1%	1%	1%	0%	C	700	G	7400	G	2001
9032 106 E Ellerslie Ave	1.15	14000	G	From: US 1 Boulevard To: Conduit Rd	97%	0%	1%	1%	1%	0%	C	1400	G	15000	G	2001
9035 106 Washington Ave	0.37	500	G	From: US 1 Boulevard To: Stuart Ave	97%	1%	2%	0%	0%	0%	C	60	G	530	G	2001
9035 106 Stuart Ave	0.10	960	G	From: Washington Ave To: Bristol Ave	98%	0%	1%	0%	0%	0%	F	120	G	1000	G	2001
9035 106 Stuart Ave	0.05	190	G	From: Bristol Ave To: Stuart Ave	98%	0%	1%	1%	1%	0%	F	30	G	200	G	2001
9035 106 Conduit Rd	0.24	2300	G	From: Stuart Ave To: Lynchburg Ave	98%	0%	1%	0%	0%	0%	F	260	G	2400	G	2001
9035 106 Conduit Rd	0.22	4600	G	From: Lynchburg Ave To: Westover Ave	98%	0%	1%	0%	0%	0%	C	480	G	4900	G	2001
9035 106 Conduit Rd	0.47	8300	G	From: Westover Ave To: Temple Ave	98%	0%	1%	0%	0%	0%	F	830	G	8700	G	2001
9035 106 Conduit Rd	0.54	18000	G	From: Temple Ave To: E Ellerslie Ave	96%	0%	2%	0%	1%	0%	F	1700	G	19000	G	2001
9035 106 Conduit Rd	2.02	3600	G	From: E Ellerslie Ave To: Dunston Point Pkwy	96%	0%	2%	0%	1%	0%	C	410	G	3800	G	2001
9035 106 Dunston Point Pkwy	0.28	440	G	From: Waterfront Driveway To: Comstock Drive	96%	0%	2%	0%	1%	0%	F	50	G	460	G	2001
9037 106 Hamilton Ave	0.67	470	G	From: US 1 Boulevard To: E Westover Ave	97%	1%	1%	1%	0%	0%	C	60	G	490	G	2001
9037 106 Hamilton Ave	0.55	2700	G	From: Westover Ave To: Temple Ave	97%	1%	1%	1%	0%	0%	F	260	G	2800	G	2001
9066 106 Lynchburg Ave	0.65	2000	G	From: US 1 Boulevard To: Conduit Rd	96%	0%	2%	0%	1%	0%	F	210	G	2200	G	2001
City of Richmond																
1 127 Bryce Ln	1.02	2700	F	From: Hull St To: Broad Rock Rd								260	F	2800	F	2001
2 127 Orcutt Ln	1.24	3100	F	From: Hull St To: Broad Rock Rd								330	F	3200	F	2001
3 127 Clearfield St	0.78	420	F	From: Walmsley Blvd To: Orcutt Lane								60	F	440	F	2001
4 127 Royall Ave	0.66	2100	F	From: Jeff Davis Hwy To: Commerce Rd								230	F	2200	F	2001
5 127 Lynhaven Ave	1.96	730	F	From: Dale Ave To: Royall Ave								90	F	760	F	2001
6 127 Dale Ave	0.10	340	F	From: US 1 To: Lynhaven Ave								30	F	350	F	2001

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Richmond																
(7) 127	Castlewood Rd	0.83	3100	F			From: Walmsley Blvd					290	F	3200	F	2001
(7) 127	Castlewood Rd	0.45	2300	F			From: Bells Rd					220	F	2400	F	2001
							To: Ruffin Rd									
(8) 127	Ruffin Rd	0.03	2500	F	95%	1%	2%	0%	1%	0%	F	240	F	2700	F	2001
							From: Castlewood Rd									
(8) 127	Ruffin Rd	0.75	3700	F	95%	1%	2%	0%	1%	0%	C	310	F	3800	F	2001
							From: Jeff Davis Hwy									
							To: Commerce Rd									
(9) 127	W. Belmont Rd	0.32	810	F	95%	2%	2%	1%	0%	0%	C	80	F	840	F	2001
							From: Belmont Rd									
							To: Iron Bridge Rd									
(10) 127	Hioaks Rd	0.46	7200	F	96%	1%	3%	0%	0%	0%	C	660	F	7500	F	2001
							From: Carnation St									
							To: Jahnke Rd									
(11) 127	Carnation St	0.68	6400	F	97%	1%	2%	0%	0%	0%	C	650	F	6700	F	2001
							From: US 60									
							To: Hioake Rd									
(12) 127	Traylor Dr	0.97	320	F	98%	0%	1%	1%	0%	0%	F	50	F	340	F	2001
							From: Hobbyhill Rd									
							To: Cherokee Rd									
(13) 127	Duryea Dr	1.01	970	F	98%	0%	1%	1%	0%	0%	F	110	F	1000	F	2001
							From: Old Gun Rd									
							To: Old Field Dr									
(14) 127	Old Field Dr	0.08	530	F	98%	0%	1%	1%	0%	0%	F	70	F	560	F	2001
							From: Duryea Dr									
							To: Westgate Dr									
(15) 127	Old Gun Rd	1.09	2200	F	98%	0%	1%	1%	0%	0%	C	210	F	2300	F	2001
							From: Huguenot Rd									
							To: WCL Richmond									
(16) 127	Stratford Rd	1.12	260	F	96%	1%	2%	0%	0%	0%	C	30	F	270	F	2001
							From: Forest Hill Ave									
(16) 127	Stratford Rd	0.66	220	F	95%	1%	2%	1%	1%	0%	C	30	F	230	F	2001
							From: Chippenham Pkwy									
							To: Cherokee Rd									
(17) 127	DMV Dr	0.22	3900	F	97%	1%	1%	1%	0%	0%	C	380	F	4100	F	2001
							From: Leigh St									
							To: Broad St									
(18) 127	Forest Hill Ave	0.38	4500	F	97%	1%	1%	1%	0%	0%	F	530	F	4700	F	2001
							From: Semmes Ave									
							To: Broad Rock Rd									
(20) 127	Poe St	0.05	4300	F	97%	1%	1%	1%	0%	0%	F	410	F	4500	F	2001
							From: North Ave									
							To: Monteiro Ave									
(22) 127	1st Street	0.73	5100	F	97%	1%	1%	1%	0%	0%	F	490	F	5400	F	2001
							From: Leigh St									
							To: Fritz St									
(43) 127	8Th St	0.22	13000	F	97%	1%	1%	1%	0%	0%	F	1900	F	14000	F	2001
							From: Canal St									
(43) 127	8Th St	0.32	12000	F	97%	1%	1%	0%	0%	0%	F	1300	F	12000	F	2001
							From: Broad St									
							To: Leigh St									
(44) 127	7Th St	0.84	9100	F								1200	F	9500	F	2001
							From: Canal St									
							To: SBL I-95									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
(45) 127 5th St	0.41	9200	G	99%	0%	0%	1%	0%	0%	F	1300	G	9500	G	2001
				From:	Broad St										
				To:	I-95										
(46) 127 4th St	0.71	1500	F								240	F	1600	F	2001
				From:	Canal St										
				To:	Jackson St										
(47) 127 3rd St	0.83	4200	F								760	F	4400	F	2001
				From:	Canal St										
				To:	I-95										
(48) 127 2nd St	0.28	7000	G	99%	0%	0%	1%	0%	0%	C	1500	G	7200	G	2001
				From:	US 1, US 301 Belvidere St										
				To:	Spruce St										
(48) 127 2nd St	0.23	5100	F								790	F	5300	F	2001
				From:	SR 147 Cary St										
				To:	Clay St										
(49) 127 Adams St	0.54	2000	F								220	F	2100	F	2001
				From:	Canal St										
				To:	Leigh St										
(50) 127 Chamberlayne Pkwy	0.44	6100	F								630	F	6400	F	2001
				From:	Leigh St										
				To:	Belvidere St										
(51) 127 Canal St	0.76	4000	F								580	F	4200	F	2001
				From:	9Th St										
				To:	Belvidere St										
(52) 127 Marshall St	0.93	5800	G	94%	1%	2%	1%	1%	1%	C	720	G	6000	G	2001
				From:	Belvidere St										
				To:	9Th St										
(53) 127 Clay St	0.13	550	F	96%	1%	1%	1%	1%	0%	F	80	F	580	F	2001
				From:	2Nd St										
				To:	4Th St										
(54) 127 Clay St	0.05	2400	F	96%	1%	2%	1%	1%	0%	F	330	F	2500	F	2001
				From:	8Th St										
				To:	9Th St										
(55) 127 Jackson St	0.05	11000	F	96%	1%	2%	1%	1%	0%	F	1300	F	12000	F	2001
				From:	7Th St										
				To:	8Th St										
(7505) 127 Hopkins Rd	0.55	5200	F	96%	1%	2%	1%	1%	0%	F	580	F	5400	F	2001
				From:	SCL Richmond										
				To:	Walmsley Blvd										
(7505) 127 Hopkins Rd	0.98	9500	F	96%	1%	2%	1%	1%	0%	C	1000	F	9900	F	2001
				From:	Terminal Ave										
(7505) 127 Hopkins Rd	1.34	11000	F	96%	1%	2%	1%	1%	0%	F	1000	F	11000	F	2001
				From:	Holly Spring Ave										
(7505) 127 Hopkins Rd	0.69	10000	F	96%	1%	2%	1%	1%	0%	F	1000	F	11000	F	2001
				From:	Jeff Davis Hwy										
(7509) 127 Broad Rock Rd	0.38	7700	F	96%	1%	2%	0%	0%	0%	F	910	F	8100	F	2001
				From:	Hull St										
				To:	Forest Hill Ave										
(7509) 127 Bainbridge St	0.67	8000	F	96%	1%	2%	0%	0%	0%	C	990	F	8400	F	2001
				From:	Broad Rock Rd										
				To:	21St Street										
(7509) 127 Bainbridge St	0.06	9100	F	96%	1%	2%	0%	1%	0%	F	1100	F	9500	F	2001
				From:	21St Street										
				To:	20Th St										
(7509) 127 Bainbridge St	0.14	9800	F	96%	1%	2%	0%	1%	0%	F	1200	F	10000	F	2001
				From:	20Th St										
				To:	Jefferson Hwy										

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Richmond																
7509 127 Bainbridge St	0.52	4800	F	From: Jeff Davis Hwy To: Commerce Rd	96%	1%	2%	0%	1%	0%	C	740	F	5100	F	2001
7512 127 Cherokee Rd	2.54	2100	F	From: Denbigh Dr To: Huguenot Rd	96%	1%	2%	0%	1%	0%	F	380	F	2200	F	2001
7512 127 Cherokee Rd	1.92	2000	F	From: Huguenot Rd To: Forest Hill Ave	96%	1%	2%	0%	1%	0%	F	200	F	2100	F	2001
7520 127 Forest Hill Ave	1.36	26000	F	From: WCL Richmond; 20-683 To: Cherokee Rd	96%	0%	2%	1%	1%	0%	C	2500	F	27000	F	2001
7520 127 Forest Hill Ave	0.90	26000	F	From: Cherokee Rd To: Powhite Pkwy	96%	0%	2%	1%	1%	0%	F	2600	F	27000	F	2001
7520 127 Forest Hill Ave	1.27	20000	F	From: Powhite Pkwy To: Jahnke Rd	97%	1%	2%	0%	1%	0%	C	2000	F	21000	F	2001
7520 127 Forest Hill Ave	0.21	25000	F	From: Jahnke Rd To: Westover Hills Blvd	97%	1%	2%	0%	1%	0%	F	2700	F	26000	F	2001
7520 127 Forest Hill Ave	0.86	17000	F	From: Westover Hills Blvd To: Roanoke St	97%	1%	2%	0%	1%	0%	F	1800	F	18000	F	2001
7521 127 Commerce Rd	0.88	7400	F	From: Bells Rd To: Ruffin Rd	78%	2%	4%	8%	8%	0%	F	650	F	7700	F	2001
7521 127 Commerce Rd	1.08	5900	F	From: Ruffin Rd To: Bellmeade Rd	78%	2%	4%	8%	8%	0%	C	550	F	6100	F	2001
7522 127 Walmsley Blvd	1.44	7600	F	From: WCL Richmond To: Broad Rock Rd	96%	1%	2%	1%	1%	0%	C	830	F	7900	F	2001
7522 127 Walmsley Blvd	0.82	11000	F	From: Broad Rock Rd To: Hopkins Rd	96%	1%	2%	1%	1%	0%	F	1100	F	11000	F	2001
7522 127 Walmsley Blvd	1.61	6900	F	From: Hopkins Rd To: Jeff Davis Hwy	96%	1%	2%	1%	1%	0%	F	680	F	7200	F	2001
7528 127 Midlothian Tnpk	1.05	9700	F	From: Roanoke St To: Hull St	96%	1%	2%	1%	1%	0%	F	850	F	10000	F	2001
7530 127 Jahnke Rd	0.94	19000	F	From: WCL Richmond To: Blakemore Rd	97%	1%	1%	0%	0%	0%	F	2100	F	19000	F	2001
7530 127 Jahnke Rd	1.26	12000	F	From: Blakemore Rd To: Forest Hill Ave	97%	1%	1%	0%	0%	0%	F	1300	F	13000	F	2001
7530 127 Prince Arthur Rd	0.30	620	F	From: Forest Hill Ave To: New Kent Rd	97%	0%	1%	0%	0%	0%	F	80	F	650	F	2001
7530 127 New Kent Rd	0.82	980	F	From: Prince Arthur Rd To: 42Nd St	97%	1%	1%	0%	0%	0%	F	190	F	1000	F	2001
7531 127 Hey Rd	0.83	3100	F	From: Walmsley Blvd To: Hull St	97%	1%	1%	0%	0%	0%	F	290	F	3200	F	2001
7533 127 Whitehead Rd	1.18	4800	F	From: Elkhardt Rd To: Warwick Rd	95%	2%	2%	0%	1%	0%	F	530	F	5100	F	2001
7533 127 German School Rd	0.57	5800	F	From: Warwick Rd To: Midlothian Tnpk	95%	2%	2%	0%	1%	0%	C	600	F	6000	F	2001
7533 127 German School Rd	0.91	6000	F	From: Midlothian Tnpk To: Glenway Dr	95%	2%	2%	0%	1%	0%	F	670	F	6200	F	2001

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
7533 127 Glenway Dr	0.14	3300	F	95%	2%	2%	0%	1%	0%	F	350	F	3500	F	2001
				From:	German School Rd										
				To:	Blakemore Rd										
7533 127 Blakemore Rd	0.21	1900	F	95%	2%	2%	0%	1%	0%	F	250	F	2000	F	2001
				From:	Glenway Dr										
				To:	Jahnke Rd										
7533 127 Blakemore Rd	0.47	2900	F	95%	2%	2%	0%	1%	0%	F	410	F	3000	F	2001
				From:	Bliley Rd										
				To:	Blakemore Rd										
7533 127 Bliley Rd	0.57	2700	F	95%	2%	2%	0%	1%	0%	F	390	F	2800	F	2001
				From:	Forest Hill Ave										
				To:	Huguenot Rd										
7534 127 Riverside Dr	2.01	960	F	96%	0%	2%	0%	1%	0%	C	120	F	1000	F	2001
				From:	Scottview Dr										
				To:	Riverside Dr										
7534 127 Scottview Dr	0.22	380	F	96%	0%	2%	0%	1%	0%	F	49	F	390	F	2001
				From:	Longview Dr										
				To:	Scottview Dr										
7534 127 Longview Dr	0.20	1800	F	96%	0%	2%	0%	1%	0%	F	190	F	1800	F	2001
				From:	Hathaway Rd										
				To:	Longview Dr										
7534 127 Hathaway Rd	0.30	3000	F	96%	0%	2%	0%	1%	0%	F	320	F	3100	F	2001
				From:	Forest Hill Ave										
				To:	Broad Rock Blvd										
7535 127 Warwick Rd	1.00	14000	F	96%	1%	2%	0%	1%	0%	C	1400	F	15000	F	2001
				From:	Hull St										
				To:	Whitehead Rd										
7535 127 Warwick Rd	0.20	13000	F	96%	1%	2%	0%	1%	0%	F	1200	F	14000	F	2001
				From:	Labrook Concourse										
				To:	Carnation St										
7535 127 Warwick Rd	0.40	11000	F	96%	1%	2%	0%	1%	0%	F	980	F	11000	F	2001
				From:	WCL Richmond										
				To:	Malvern Ave										
7538 127 Monument Ave	0.83	23000	F	97%	0%	1%	1%	1%	0%	C	2600	F	24000	F	2001
				From:	Boulevard										
				To:	Lombardy St										
7538 127 Monument Ave	1.05	23000	F	97%	1%	1%	1%	1%	0%	F	2700	F	24000	F	2001
				From:	Belvidere St										
				To:	9Th St										
7538 127 Monument Ave	0.95	13000	F								1500	F	14000	F	2001
				From:	Lombardy St										
				To:	Three Chopt Rd										
7538 127 Franklin St	0.61	9000	F	96%	1%	2%	0%	0%	0%	C	1200	F	9400	F	2001
				From:	Libbie Ave										
				To:	Thompson St										
7538 127 Franklin St	0.92	9300	F	96%	1%	2%	0%	0%	0%	F	1300	F	9700	F	2001
				From:	Lombardy St										
				To:	Jeff Davis Hwy										
7542 127 Grove Ave	0.31	11000	F								1200	F	11000	F	2001
				From:	Libbie Ave										
				To:	Thompson St										
7542 127 Grove Ave	2.00	13000	F	96%	0%	1%	2%	1%	0%	C	1500	F	13000	F	2001
				From:	Lombardy St										
				To:	Jeff Davis Hwy										
7542 127 Grove Ave	1.65	9300	F	96%	0%	1%	2%	1%	0%	F	990	F	9700	F	2001
				From:	Jeff Davis Hwy										
				To:	Commerce Rd										
7545 127 Bellmeade Rd	0.75	6900	F	84%	2%	5%	3%	7%	0%	F	680	F	7200	F	2001
				From:	Commerce Rd										
				To:	Bellmeade Rd										
7545 127 Commerce Rd	1.27	13000	F	86%	1%	4%	4%	5%	0%	F	1200	F	13000	F	2001
				From:	Ingram Ave										
				To:											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
(7545/127) Commerce Rd	0.44	10000	F	86%	1%	4%	4%	5%	0%	C	980	F	11000	F	2001
				From: Ingram Ave											
				To: Marx St											
(7545/127) Commerce Rd	0.45	11000	F	86%	1%	4%	4%	5%	0%	F	1100	F	12000	F	2001
				From: Hull St											
				To: Semmes Ave											
(7548/127) Snead Rd	1.23	1000	F	86%	1%	4%	4%	5%	0%	F	100	F	1000	F	2001
				From: Hey Rd											
				To: Broad Rock Blvd											
(7552/127) Dumbarton Rd	0.05	8200	F	86%	1%	4%	4%	5%	0%	F	970	F	8600	F	2001
				From: WCL Richmond											
				To: Brook Rd											
(7553/127) Holly Spring Ave	0.48	4900	F	86%	1%	4%	4%	5%	0%	F	440	F	5100	F	2001
				From: Hopkins Rd											
				To: Broad Rock Rd											
(7555/127) Laburnum Ave	0.50	17000	F	95%	1%	2%	1%	1%	0%	C	1700	F	18000	F	2001
				From: Chamberlayne Ave											
				To: ECL Richmond											
(7559/127) Darbytown Rd	0.20	5700	F	95%	1%	2%	1%	1%	0%	F	530	F	6000	F	2001
				From: Williamsburg Rd											
				To: ECL Richmond											
(7560/127) 42nd St	0.44	1300	F	99%	0%	1%	0%	0%	0%	F	230	F	1300	F	2001
				From: Forest Hill Ave											
				To: Riverside Dr											
(7560/127) Riverside Dr	1.28	3000	F	99%	0%	1%	0%	0%	0%	C	590	F	3200	F	2001
				From: 42Nd St											
				To: Cowardin Ave											
(7561/127) Maury St	0.97	6100	F	86%	1%	5%	2%	6%	0%	F	570	F	6300	F	2001
				From: Holly Spring Ave											
				To: Jeff Davis Hwy											
(7561/127) Maury St	0.73	8300	F	86%	1%	5%	2%	6%	0%	C	720	F	8600	F	2001
				From: Commerce Rd											
				To: 2Nd St											
(7561/127) Maury St	0.35	9000	F	86%	1%	5%	2%	6%	1%	F	730	F	9400	F	2001
				From: 2Nd St											
				To: Maury St											
(7561/127) 2nd St	0.30	770	F	86%	1%	5%	2%	6%	1%	F	140	F	800	F	2001
				From: Maury St											
				To: Hull St											
(7562/127) Idlewood Ave	0.14	4800	F	92%	3%	4%	0%	0%	0%	F	530	F	5100	F	2001
				From: Boulevard											
				To: Robinson St											
(7562/127) Robinson St	0.05	4700	F	92%	3%	4%	0%	0%	0%	F	450	F	5000	F	2001
				From: Idlewood Ave N											
				To: Idlewood Ave S											
(7562/127) Idlewood Ave	1.49	1600	F	92%	3%	4%	0%	0%	0%	C	150	F	1600	F	2001
				From: Robinson St											
				To: Belvidere St											
(7563/127) Main St	0.25	15000	F	97%	0%	2%	0%	0%	0%	F	1700	F	16000	F	2001
				From: 21st Street											
				To: 25th St											
(7565/127) Hatcher St	0.17	2100	F	97%	0%	2%	0%	0%	0%	F	200	F	2200	F	2001
				From: Williamsburg Rd											
				To: Potomac Street											
(7565/127) Hatcher St	0.28	1600	F	97%	0%	2%	0%	0%	0%	C	170	F	1700	F	2001
				From: Potomac Street											
				To: ECL Richmond											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Richmond																
(7566/127) Colorado Ave	0.34	1600	F	From: Meadow St To: Lombardy St	97%	0%	2%	0%	0%	0%	F	160	F	1700	F	2001
(7567/127) Dinwiddie Ave	1.11	820	F	From: Jeff Davis Hwy To: 4Th St	86%	1%	4%	2%	7%	0%	F	80	F	850	F	2001
(7567/127) 4th St	0.21	7500	F	From: Dinwiddie Ave To: Maury St	86%	1%	4%	2%	7%	0%	F	680	F	7800	F	2001
(7567/127) 4th St	0.29	1200	F	From: Maury St To: Hull St	86%	1%	4%	2%	7%	0%	C	130	F	1300	F	2001
(7568/127) Westwood Ave	1.55	7300	F	From: Saunders Ave To: Hermitage Rd	95%	1%	3%	0%	1%	0%	C	810	F	7600	F	2001
(7570/127) Grace St	0.96	2500	F	From: Boulevard To: Lombardy St	97%	1%	2%	0%	0%	0%	C	240	F	2600	F	2001
(7570/127) Grace St.	0.60	5300	F	From: Lombardy St To: Belvidere St	97%	1%	2%	0%	0%	0%	F	520	F	5500	F	2001
(7570/127) Grace St	0.92	5400	F	From: Belvidere St To: 9Th St	97%	1%	2%	0%	0%	0%	F	590	F	5700	F	2001
(7573/127) P St	0.54	1800	F	From: 25Th St To: Oakwood Ave	97%	1%	2%	0%	0%	0%	F	170	F	1900	F	2001
(7573/127) Oakwood Ave	0.54	2200	F	From: P St To: Richmond Rd	97%	1%	2%	0%	0%	0%	F	200	F	2300	F	2001
(7573/127) Richmond Rd	0.65	1500	F	From: Oakwood Ave To: ECL Richmond	97%	1%	2%	0%	0%	0%	F	160	F	1600	F	2001
(7574/127) Parkwood Ave	0.65	3100	F	From: Meadow St To: Harrison St	97%	1%	2%	0%	0%	0%	F	470	F	3300	F	2001
(7574/127) Cumberland St	0.40	9400	F	From: Harrison St To: Belvidere St	97%	1%	2%	0%	0%	0%	F	1100	F	9800	F	2001
(7576/127) Westbrook Ave	0.08	8000	F	From: Hermitage Rd To: I-95 Off Ramp	97%	1%	2%	0%	0%	0%	F	830	F	8300	F	2001
(7576/127) Westbrook Ave	0.86	5000	F	From: I-95 Off Ramp To: Brook Rd	97%	1%	2%	0%	0%	0%	F	560	F	5200	F	2001
(7577/127) 21st St	0.07	1100	F	From: Hull St To: Decatur St	81%	10%	6%	3%	1%	0%	F	210	F	1200	F	2001
(7577/127) Decatur St	1.07	2800	G	From: 21St Street To: 2Nd Street	81%	11%	6%	3%	1%	0%	F	290	G	2900	G	2001
(7578/127) Cofer Rd	0.97	4300	F	From: Hopkins Rd To: Jeff Davis Hwy	81%	10%	6%	3%	1%	0%	F	440	F	4500	F	2001
(7579/127) Leigh St	0.80	1600	F	From: 22Nd St To: 35Th St	81%	11%	6%	3%	1%	0%	F	170	F	1600	F	2001
(7579/127) Glenwood Ave	0.34	1900	F	From: 35Th St To: Government Rd	81%	11%	6%	3%	1%	0%	F	200	F	1900	F	2001
(7580/127) Bellevue Ave	0.85	2300	F	From: Hermitage Rd To: Chamberlayne Ave	81%	10%	6%	3%	1%	0%	F	250	F	2400	F	2001

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Richmond																
(7582/127) Robin Hood Rd	0.51	16000	F	81%	11%	6%	3%	1%	0%	F	1600	F	17000	F	2001	
				From:	Boulevard											
				To:	I-95 On Ramp											
(7583/127) Chimborazo Blvd	0.56	1100	F	81%	11%	6%	3%	1%	0%	C	110	F	1100	F	2001	
				From:	Broad St											
				To:	Oakwood Ave											
(7584/127) Terminal Ave	1.03	2800	F	96%	1%	1%	0%	1%	0%	C	280	F	3000	F	2001	
				From:	Jeff Davis Hwy											
				To:	Belt Blvd											
(7585/127) 31st Street	1.20	3000	F	96%	1%	1%	0%	1%	0%	F	290	F	3100	F	2001	
				From:	Broad Street											
				To:	Nine Mile Rd											
(7586/127) Brookland Pkwy	0.83	6700	F	96%	1%	2%	0%	0%	0%	F	680	F	7000	F	2001	
				From:	Hermitage Rd											
				To:	Brook Rd											
(7586/127) Brookland Park Blvd	0.23	9300	F	96%	1%	2%	0%	0%	0%	F	850	F	9700	F	2001	
				From:	Chamberlayne Ave											
(7586/127) Brookland Park Blvd	1.01	12000	F	96%	1%	2%	0%	0%	0%	C	1000	F	13000	F	2001	
				From:	Richmond-Henrico Tnpg											
(7586/127) Brookland Park Blvd	0.56	9700	F	96%	1%	2%	0%	0%	0%	F	880	F	10000	F	2001	
				From:	Dill Ave											
(7586/127) Dill Ave	0.40	5500	F	98%	0%	1%	0%	0%	0%	C	630	F	5800	F	2001	
				From:	Brookland Park Blvd											
				To:	NCL Richmond											
(7587/127) 25Th St	0.76	6000	F	98%	0%	1%	0%	0%	0%	F	530	F	6200	F	2001	
				From:	Broad St											
				To:	Nine Mile Rd											
(7588/127) Overbrook Ave	1.51	8400	F	98%	0%	1%	0%	0%	0%	F	810	F	8800	F	2001	
				From:	Hermitage Rd											
				To:	North Ave											
(7590/127) Leigh St	0.59	8300	F	93%	1%	3%	1%	1%	0%	C	920	F	8700	F	2001	
				From:	Boulevard											
(7590/127) Leigh St	0.72	9000	F	93%	1%	3%	1%	1%	0%	F	910	F	9400	F	2001	
				From:	Hermitage Rd											
				To:	Harrison St											
(7592/127) Admiral St	0.18	3400	F	93%	1%	3%	1%	1%	0%	F	320	F	3500	F	2001	
				From:	Lombardy St											
(7592/127) School St	0.29	5900	F	93%	1%	3%	1%	1%	0%	F	530	F	6100	F	2001	
				From:	Brook Rd											
				To:	Chamberlayne Ave											
(7593/127) 14th St	0.21	12000	F	93%	1%	3%	1%	1%	0%	F	1100	F	12000	F	2001	
				From:	Main St											
				To:	Broad St											
(7595/127) 9th St	0.22	10000	F	93%	1%	3%	1%	1%	0%	F	1400	F	11000	F	2001	
				From:	Cary St											
(7595/127) 9th St	0.08	8400	F	93%	1%	3%	1%	1%	0%	F	1100	F	8800	F	2001	
				From:	Grace St											
(7595/127) 9Th St	0.23	8800	F	93%	1%	3%	1%	1%	0%	F	1000	F	9200	F	2001	
				From:	Broad St											
				To:	Leigh St											
(7596/127) Azalea Ave	0.13	18000	F	95%	1%	3%	1%	0%	0%	F	1800	F	19000	F	2001	
				From:	Chamberlayne Ave											
				To:	ECL Richmond											
(7597/127) Westgate Dr	0.51	580	F	95%	1%	3%	1%	0%	0%	F	60	F	600	F	2001	
				From:	Huguenot Rd											
				To:	Cedar Grove											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
7598/127 Ladies Mile Rd	1.39	3700	F	95%	1%	3%	1%	0%	0%	F	370	F	3800	F	2001
				From:	Chamberlayne Ave										
				To:	Meadowbridge Rd										
7599/127 Mosby St	0.14	6700	F	95%	1%	3%	1%	0%	0%	F	630	F	7000	F	2001
				From:	Venable St										
				To:	M. L. King Bridge										
7599/127 Mechanicsville TnPk	0.42	11000	F	95%	1%	3%	1%	0%	0%	C	880	F	11000	F	2001
				From:	Fairmount Ave										
				To:	Fairfield Ave										
7601/127 Lombardy St	0.49	490	F	95%	1%	2%	0%	1%	0%	F	50	F	510	F	2001
				From:	Colorado Ave										
				To:	Idlewood Ave										
7601/127 Lombardy St	0.86	3900	F	95%	1%	2%	0%	1%	0%	C	380	F	4000	F	2001
				From:	Parkwood St										
				To:	Leigh St										
7601/127 Lombardy St	0.49	9300	F	95%	1%	2%	0%	1%	0%	F	850	F	9700	F	2001
				From:	Brook Rd										
				To:	Chamberlayne Ave										
7601/127 Lombardy St	0.35	6600	F	95%	1%	2%	1%	1%	0%	F	560	F	6900	F	2001
				From:	Mauzy St										
				To:	I-95										
7602/127 Mauzy St Ramps	0.41	22000	F	95%	1%	3%	1%	0%	0%	F	1800	F	23000	F	2001
				From:	Colorado Ave										
				To:	Hermitage Rd										
7603/127 Meadow St	1.51	4800	F	96%	1%	2%	1%	1%	0%	F	450	F	5000	F	2001
				From:	Meadow St										
				To:	Robin Hood Rd										
7603/127 Hermitage Rd	1.14	6300	F	96%	1%	2%	1%	1%	0%	C	610	F	6600	F	2001
				From:	Ramps from I-95										
				To:	Brookland Pkwy										
7603/127 Hermitage Rd	0.12	7500	F	96%	1%	2%	1%	1%	0%	F	800	F	7900	F	2001
				From:	Fairmount Ave										
				To:	Fairfield Ave										
7603/127 Hermitage Rd	0.20	4100	G	96%	1%	2%	1%	1%	0%	F	480	G	4200	G	2001
				From:	North Ave										
				To:	Richmond-Henrico TnPk										
7606/127 Dove St	0.23	4200	F	96%	1%	2%	1%	1%	0%	F	380	F	4300	F	2001
				From:	2Nd Ave										
				To:	17Th St										
7606/127 Dove St	0.28	3600	F	95%	1%	3%	0%	0%	0%	F	330	F	3700	F	2001
				From:	Mosby St										
				To:	25Th St										
7608/127 Venable St	0.20	2200	F	95%	1%	3%	0%	0%	0%	C	210	F	2300	F	2001
				From:	Jackson St										
				To:	5Th St										
7608/127 Venable St	0.45	4900	F	95%	1%	3%	0%	0%	0%	F	470	F	5100	F	2001
				From:	Willow St										
				To:	Brookland Pkwy										
7609/127 4th St	0.48	4800	F	95%	1%	2%	0%	0%	0%	F	690	F	5000	F	2001
				From:	NCL Richmond										
				To:											
7609/127 4th St	0.54	3600	F	95%	1%	2%	0%	0%	0%	F	400	F	3800	F	2001
				From:											
				To:											
7609/127 4th St	0.62	5100	F	95%	1%	2%	0%	0%	0%	F	500	F	5300	F	2001
				From:											
				To:											
7609/127 Meadowbridge Rd	0.91	6800	F	95%	1%	2%	0%	0%	0%	C	680	F	7000	F	2001
				From:											
				To:											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
(7610/127) Jefferson Ave	0.32	3700	F	From: 21St 95%	1%	2%	0%	0%	0%	F	370	F	3800	F	2001
				To: 25Th St											
(7611/127) Stony Point Rd	0.26	7100	F	From: Huguenot Rd 97%	1%	1%	0%	0%	0%	F	860	F	7400	F	2001
				To: Evansway Lane											
(7611/127) Evansway Ln	0.72	4800	F	From: Stony Point Rd 97%	1%	1%	0%	0%	0%	C	590	F	5000	F	2001
				To: Westgate Dr											
(7611/127) Cedar Grove Rd	0.76	2100	F	From: Pondera Dr 97%	1%	1%	0%	0%	0%	F	230	F	2200	F	2001
				To: Pondera Rd											
(7611/127) Croatan Rd	0.52	420	F	From: Cherokee Rd 97%	1%	1%	0%	0%	0%	F	60	F	440	F	2001
				To: Cherokee Rd											
(7612/127) Magnolia St	0.96	9300	F	From: Meadowbridge Rd 92%	2%	3%	2%	2%	0%	F	830	F	9700	F	2001
				To: Mechanicsville Tnpg											
(7614/127) Williamsburg Rd	1.06	9300	F	From: Main St 92%	2%	3%	2%	2%	0%	C	900	F	9700	F	2001
				To: Hatcher St											
(7614/127) Williamsburg Rd	0.74	10000	F	From: Government St. 92%	2%	3%	2%	2%	0%	F	940	F	10000	F	2001
				To: Government St.											
(7616/127) Orleans St	0.21	2000	F	From: Main St 94%	1%	4%	0%	0%	0%	F	280	F	2100	F	2001
				To: Williamsburg Rd											
(7618/127) Fairfield Ave	0.20	5200	F	From: Mechanicsville Tnpg 94%	1%	4%	0%	0%	0%	F	490	F	5400	F	2001
				To: 20Th St											
(7618/127) Fairfield Ave	0.91	4600	F	From: ECL Richmond 94%	1%	4%	0%	0%	0%	C	460	F	4800	F	2001
				To: ECL Richmond											
(7619/127) 17th St	0.16	8000	F	From: Fairfield Ave 96%	1%	2%	1%	1%	0%	C	810	F	8300	F	2001
				To: Hospital St											
(7619/127) Hospital St	0.30	6700	F	From: 5Th St 96%	1%	2%	1%	1%	0%	F	640	F	7000	F	2001
				To: 17Th St											
(7621/127) St. James St	0.39	260	F	From: Leigh St 96%	1%	2%	1%	1%	0%	F	30	F	270	F	2001
				To: Hill St											
(7621/127) North Ave	0.45	5400	G	From: Poe St 96%	1%	2%	1%	1%	0%	F	470	G	5500	G	2001
				To: Poe St											
(7621/127) North Ave	0.79	9600	F	From: Brookland Park Blvd 97%	1%	1%	0%	0%	0%	F	840	F	10000	F	2001
				To: Brookland Park Blvd											
(7621/127) North Ave	1.64	5800	F	From: Chamberlayne Ave 97%	1%	1%	0%	0%	0%	C	500	F	6100	F	2001
				To: Chamberlayne Ave											
(7623/127) Valley Rd	0.41	2900	F	From: Hospital St 98%	1%	1%	0%	0%	0%	F	280	F	3100	F	2001
				To: Richmond-Henrico Tnpg											
(7623/127) Richmond-Henrico T	1.18	2000	F	From: Valley Rd 98%	1%	1%	0%	0%	0%	C	210	F	2100	F	2001
				To: Brookland Park Blvd											
(7623/127) Richmond-Henrico T	0.29	1500	F	From: Gladstone Ave 98%	1%	1%	0%	1%	0%	F	160	F	1600	F	2001
				To: Gladstone Ave											
(7623/127) Richmond-Henrico T	0.45	1900	F	From: NCL Richmond 98%	1%	1%	0%	1%	0%	C	200	F	2000	F	2001
				To: NCL Richmond											

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
7625 127 Brook Rd	0.70	7500	F	94%	2%	2%	0%	1%	0%	C	780	F	7800	F	2001
				From:	Chamberlayne Pkwy										
				To:	Lombardy St										
7625 127 Brook Rd	0.66	11000	F	94%	2%	2%	0%	1%	0%	F	1200	F	12000	F	2001
				From:	Brookland Park Blvd										
				To:	Laburnum Ave										
7625 127 Brook Rd	0.85	11000	F	98%	1%	1%	0%	0%	0%	C	1200	F	12000	F	2001
				From:	NCL Richmond										
				To:											
7627 127 Crenshaw Ave	0.25	570	F	98%	1%	1%	0%	0%	0%	F	70	F	590	F	2001
				From:	Cary St										
				To:	Grove Ave										
7629 127 Thompson St	0.08	14000	F	98%	1%	1%	0%	0%	0%	F	1600	F	14000	F	2001
				From:	Ellwood St										
				To:	Floyd Ave										
7629 127 Thompson St	0.89	15000	F	98%	1%	1%	0%	0%	0%	F	2000	F	16000	F	2001
				From:	Broad St										
				To:											
7631 127 Hamilton St	0.25	1800	F	92%	1%	5%	1%	1%	0%	F	200	F	1800	F	2001
				From:	Cary St										
				To:	Grove Ave										
7631 127 Hamilton St	0.60	2900	F	92%	1%	5%	1%	1%	0%	F	290	F	3000	F	2001
				From:	Monument Ave										
				To:	Broad St										
7631 127 Hamilton St	0.27	3000	F	92%	1%	5%	1%	1%	0%	F	330	F	3200	F	2001
				From:	Broad St										
				To:	Westwood Ave										
7631 127 Hamilton St	0.61	5300	F	92%	1%	5%	1%	1%	0%	C	700	F	5600	F	2001
				From:	Westwood Ave										
				To:											
7633 127 Roseneath Rd	0.76	1400	F	92%	1%	5%	1%	1%	0%	F	170	F	1500	F	2001
				From:	Grove Ave										
				To:	Broad St										
7637 127 Rady St	0.49	1300	F	92%	1%	5%	1%	1%	0%	F	120	F	1300	F	2001
				From:	Magnolia St										
				To:	Dill Ave										
7639 127 Westmoreland St	0.25	2100	F	92%	1%	5%	1%	1%	0%	F	200	F	2200	F	2001
				From:	Cary St										
				To:	Grove Ave										
7639 127 Westmoreland St	1.04	3600	F	92%	1%	5%	1%	1%	0%	F	380	F	3700	F	2001
				From:	Broad St										
				To:											
7641 127 Libbie Ave	0.29	7100	F	98%	0%	1%	0%	1%	0%	F	580	F	7400	F	2001
				From:	Cary St										
				To:	Grove Ave										
7641 127 Libbie Ave	0.72	13000	F	98%	0%	1%	0%	1%	0%	C	1200	F	14000	F	2001
				From:	NCL Richmond										
				To:											
7643 127 Maple Ave	0.57	1400	F	94%	2%	4%	0%	0%	0%	C	180	F	1400	F	2001
				From:	Cary St										
				To:	Guthrie Ave										
7643 127 Guthrie Ave	0.12	710	F	98%	0%	1%	0%	0%	0%	F	90	F	740	F	2001
				From:	Maple Ave										
				To:	Libbie Ave										
7645 127 Three Chopt Rd	0.60	12000	F	98%	0%	1%	0%	0%	0%	C	1200	F	12000	F	2001
				From:	Cary St										
				To:	Towana Rd										
7645 127 Three Chopt Rd	0.79	9500	F	98%	0%	1%	0%	0%	0%	F	880	F	9900	F	2001
				From:	Towana Rd										
				To:	Hanover Ave										
7645 127 Three Chopt Rd	0.35	12000	F	98%	0%	1%	0%	0%	0%	F	1100	F	13000	F	2001
				From:	Hanover Ave										
				To:	WCL Richmond										

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
7691 127 Warwick Rd	0.74	11000	F	96%	1%	From: Hopkins Rd				C	990	F	11000	F	2001
						To: Broad Rock Blvd									
7722 127 Willow Lawn Dr	0.29	6000	F	96%	1%	From: Patterson Ave				F	600	F	6200	F	2001
						To: NCL Richmond									
Chesterfield County															
Woolridge Rd	0.50	NA				From: 20-668; 20-3699 Crown Point Rd				NA	NA				
						To: 20-604 Genito Rd									
City of Colonial Heights															
James Ave.	9.53	1100	G			From: US 1				150	G	1200	G	2001	
						To: Hamilton Ave									
Lafayette Ave	9.53	550	G			From: US 1				60	G	580	G	2001	
						To: Danville Ave									
Richmond Ave	9.53	3300	G			From: US 1				340	G	3500	G	2001	
						To: Hill Pl.									
Snead Ave.	9.53	1700	G			From: Walnut Ave				200	G	1800	G	2001	
						To: MacArther Ave									
W. Rosylyn Ave	9.53	240	G			From: Conduit Rd				30	G	250	G	2001	
						To: Washington Ave									
Walnut Ave	9.53	290	G			From: Hamilton Ave				30	G	300	G	2001	
						To: Elk Ave									
Wrights Ave	9.53	600	G			From: Meridian Ave				70	G	630	G	2001	
						To: Battery Pl									
City of Richmond															
"M" St	8.80	1600	G			From: 27Th St				130	G	1700	G	2001	
						To: 28Th St									
1st Ave	8.80	2400	F			From: Trigg Street				250	F	2500	F	2001	
						To: 2nd Ave									
1st St	8.80	2600	F			From: Main St				280	F	2700	F	2001	
						To: Cary St									
1st Street	8.80	3700	G			From: Broad St				350	G	3800	G	2001	
						To: Marshall St									
24th St	8.80	1200	F			From: R St				100	F	1200	F	2001	
						To: Fairmount Ave									
2nd Ave	8.80	2300	F			From: 1St Ave				170	F	2300	F	2001	
						To: Brookland Pk Blvd									
Atlantic Ave	8.80	220	F			From: Dupont Ave				30	F	220	F	2001	
						To: Navrone Ave									
Bells Rd	0.00	4700	F	71%	0%	From: Commerce Rd				F	510	F	4900	F	2001
						To: Deepwater Terminal Rd									
Belmont Rd	8.80	5800	F			From: SCL Richmond				580	F	5900	F	2001	
						To: Walmsley Blvd									
Boroughbridge Rd	8.80	1700	F			From: Sheridan Ln				140	F	1800	F	2001	
						To: Tilford Rd									

Virginia Department of Transportation
Traffic Engineering Division
2001
Annual Average Daily Traffic Volume Estimates By Section of Route
Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
Brittannia Rd	8.80	340	F	From	Dorset Rd					46	F	350	F	2001	
				To	Clydewood Rd										
Caldwell Ave	8.80	530	F	From	Falling Creek Ave					60	F	550	F	2001	
				To	Pate Ave										
Carlisle Ave	8.80	1400	F	From	Creedmore St					130	F	1500	F	2001	
				To	Central Ave										
Carrington St	8.80	160	F	From	24Th St					30	F	160	F	2001	
				To	25Th St										
Cary St	8.80	6200	F	From	9Th St					600	F	6400	F	2001	
				To	14Th St										
Castlewood Rd	8.80	2900	F	From	Dale Ave					250	F	3100	F	2001	
				To	Lancelot Ave										
Chapel Dr	0.00	1300	F	From	Legions Ave					110	F	1300	F	2001	
				To	Bundy Ave										
Cheyenne Rd	8.80	150	F	From	Cherokee Rd					20	F	160	F	2001	
				To	Yuma Rd										
Clarendon Dr	8.80	100	F	From	Banister Ln					10	F	100	F	2001	
				To	Channing Ln										
Commerce Rd	8.80	4500	F	From	Walmsley Blvd					620	F	4600	F	2001	
				To	Trenton Ave										
Confederate Ave	8.80	530	F	From	Chatham Rd					60	F	550	F	2001	
				To	Gloucester Rd										
Cooks Rd	8.80	860	F	From	Alaska Dr					80	F	880	F	2001	
				To	Allwood Ave										
Creighton St	8.80	2400	F	From	Nine Mile Rd					220	F	2500	F	2001	
				To	Walcott Pl										
Deep Water Terminal Rd	0.00	1100	F	71%	0%	2%	6%	21%	0%	F	120	F	1100	F	2001
				To	Richmond Deep Water Terminal										
Deepwater Terminal Rd	8.80	1100	F	From	Port Of Richmond					140	F	1200	F	2001	
				To	Deepwater Terminal Connector										
Deloak Ave	8.80	210	F	From	Floral Ave					20	F	210	F	2001	
				To	Greystone Ave										
Derwent Rd	8.80	1000	F	From	Tennyson Ave					110	F	1100	F	2001	
				To	Stansbury Ave										
Deter Rd	8.80	510	F	From	Laveta Rd					50	F	520	F	2001	
				To	Lasalle Dr										
Dorchester Rd	8.80	170	F	From	New kent Rd					20	F	170	F	2001	
				To	Burton Rd										
Dorset Rd	8.80	780	F	From	Waldor Ave					80	F	800	F	2001	
				To	Pusey Ln										
Douglasdale Rd	8.80	3600	F	From	French St					400	F	3800	F	2001	
				To	Belmont Ave										

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year				
						2Axle	3+Axle	1Trail	2Trail										
City of Richmond																			
Dunston Ave	8.80	240	F			From: 41St Street To: Roanoke St					30	F	240	F	2001				
Elkhardt Rd	8.80	6600	F			From: Hull St To: Whitehead Rd					590	F	6800	F	2001				
Essex St	8.80	180	F			From: Montrose Ave To: Edgewood Ave					20	F	190	F	2001				
Faquier Ave	8.80	720	F			From: Nottoway Ave To: Claremont Ave					90	F	740	F	2001				
Franklin St	8.80	210	F			From: Spokane St To: Willow Lawn Dr					20	F	220	F	2001				
Glyndon Ln	8.80	300	F			From: Heartwood Rd To: Rettig Rd					40	F	310	F	2001				
Granite Ave	8.80	850	F			From: Matoaka Rd To: Tuckahoe Ave					100	F	870	F	2001				
Hunt Ave	8.80	2900	F			From: Hazelhurst Rd To: Meadowbridge Rd					280	F	3000	F	2001				
Junalaska Dr	8.80	370	F			From: Junaluska Ct To: Blakemore Rd					30	F	380	F	2001				
Kenmore Rd	8.80	370	F			From: Sterncroft Dr To: Kenmore Cir					40	F	380	F	2001				
Lanewood Dr	8.80	90	F			From: Moncrest Ave To: Ilex Ave					10	F	90	F	2001				
Lorraine Ave	8.80	200	F			From: Stratford Dr To: Newport Rd					40	F	210	F	2001				
Mike Rd	8.80	190	F			From: Clemson Ave To: Gavan Ave					20	F	190	F	2001				
Monteiro St	8.80	4400	F			From: Fritz St To: Poe St					340	F	4600	F	2001				
Moss Side Ave	8.80	1100	F			From: Laburnum Ave To: Henrico Blvd					90	F	1100	F	2001				
Newell Rd	8.80	2300	F			From: Jahnke Rd To: Huntland Rd					200	F	2400	F	2001				
Nottingham Rd	8.80	160	F			From: Sulgrave Rd To: Dover Rd					20	F	170	F	2001				
Oak Lane	8.80	280	F			From: Grove Ave To: Stratford Cres					40	F	290	F	2001				
Old Brook Rd	8.80	5000	F	96%	1%	From: Westbrook Ave To: Westminister Ave				1%	1%	1%	0%	C	500	F	5200	F	2001
Old Holly Rd	8.80	100	F			From: Hickory Rd To: Oakleaf Rd					10	F	100	F	2001				
Palmyra Ave	8.80	250	F			From: Gloucester Rd To: Lament St					20	F	260	F	2001				

Virginia Department of Transportation
 Traffic Engineering Division
 2001
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Chesterfield Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	Design Hour	QK	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
City of Richmond															
Patsy Anne Dr	8.80	540	F	From	Columbine Rd					50	F	560	F	2001	
				To	Rebecca Rd										
Peyton St	8.80	360	F	From	Larchmont Ln					40	F	380	F	2001	
				To	Mardick Rd										
Pilots Ln	8.80	1600	F	From	North Ave					160	F	1700	F	2001	
				To	ECL Richmond										
Princeton Rd	8.80	150	F	From	Hermitage Rd					20	F	160	F	2001	
				To	Pope Ave										
S Kinsley Ave	8.80	270	F	From	Orlando Rd					30	F	280	F	2001	
				To	Leake Rd										
Scher Rd	8.80	2000	F	From	Stony Run Dr					180	F	2100	F	2001	
				To	Richmond Rd										
Shafer St	8.80	690	F	From	Franklin St					70	F	720	F	2001	
				To	Grace St										
Snead Rd	8.80	980	F	From	Huth Rd					100	F	1000	F	2001	
				To	Clearfield St										
Swanson Rd	8.80	1800	F	From	Whitehead Rd					170	F	1900	F	2001	
				To	Bolton Rd										
Trabue Rd	8.80	130	F	From	Weyburn Rd					10	F	130	F	2001	
				To	Bicknell Rd										
Traylor Dr	8.80	210	F	From	Cherokee Rd					20	F	210	F	2001	
				To	Denbigh Dr										
Tulip St	8.80	1300	F	From	Venable St					100	F	1300	F	2001	
				To	Carrington St										
Westower Dr	8.80	2300	F	From	Yardley Dr					240	F	2400	F	2001	
				To	Limerick Dr										
Whitcomb St	8.80	2100	F	From	Sussex Ave					190	F	2200	F	2001	
				To	Redwood Ave										
Wilton Rd	8.80	450	F	From	Matoaka Rd					46	F	460	F	2001	
				To	Tuckahoe Ave										
Woodhaven Dr	8.80	800	F	From	Stockwood Rd					70	F	830	F	2001	
				To	Alberene Rd										