

2017

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

27

City of Hampton

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source





Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
Bypass - Bypass Route
Truck - Truck Route
- ALT
 ALT - Alternate Route
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2017
Annual Average Daily Traffic Volume Estimates By Section of Route
Elizabeth City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: WCL Newport News 60 Kecoughtan Rd	City of Hampton	1.18	4900	G	97%	2%	1%	0%	0%	0%	C	0.094	0.528	5200	G	
To: Powhatan Pkwy 60 Kecoughtan Rd	City of Hampton	1.03	6700	G	97%	1%	1%	0%	0%	0%	F	0.103	0.525	7100	G	
From: Lasalle Ave 60 Kecoughtan Rd	City of Hampton	1.04	8100	G	97%	1%	1%	0%	0%	0%	C	0.096	0.513	8600	G	
To: SR 143 Victoria Blvd 60 143 Kecoughtan Rd	City of Hampton	0.26	10000	G	97%	1%	1%	0%	0%	0%	F	0.093	0.512	11000	G	
To: Settlers Landing Rd From: Kecoughtan Rd 60 143 Settlers Landing Rd	City of Hampton	0.13	14000	G	97%	1%	2%	0%	0%	0%	C	0.096	0.552	15000	G	
To: SR 134 Armistead Ave 60 143 Settlers Landing Rd	City of Hampton	0.46	12000	G	97%	1%	2%	0%	0%	0%	F	0.098	0.574	13000	G	
To: Eaton St From: Settlers Landing Rd 60 143 Settlers Landing Rd	City of Hampton	0.67	16000	G	97%	1%	2%	0%	0%	0%	F	0.109	0.835	17000	G	
To: I-64 From: US 60 SR 143 Tyler St 60 64 Hampton Roads Beltway	City of Hampton (Maint: 99)	0.33														
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 91000 G 96% 1% 1% 0% 2% 0% F 0.063 F 0.511 93000 G																
To: SR 169 Mallory St From: Hampton Roads Bridge Tunnel 60 64 Hampton Roads Bridge Tunnel	City of Hampton (Maint: 99)	4.00														
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 90000 A 97% 1% 1% 0% 2% 0% C 0.075 A 0.524 92000 A																
To: WCL Norfolk From: SR 143; 2US 60-P I-64-W267A 60 Ramp	City of Hampton (Maint: 99)	0.17	8300	G								0.093		8300	G	
To: I-64-W FROM RT 60 & 143SETTLERS LANDI East 64	City of Hampton (Maint: 99)	1.97	78000	G	95%	1%	1%	1%	3%	0%	F	0.074		79000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 159000 G 95% 1% 1% 1% 3% 0% F 0.076 F 0.528 162000 G																
To: Hampton Roads Center Parkway East 64	City of Hampton (Maint: 99)	1.33	74000	G	95%	1%	1%	1%	3%	0%	F	0.073		76000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 146000 G 95% 1% 1% 1% 3% 0% F 0.077 F 0.545 149000 G																
To: SR 134 Magruder Blvd East 64 134	City of Hampton (Maint: 99)	0.52	87000	G	95%	1%	1%	1%	3%	0%	F	0.076		89000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 174000 G 95% 1% 1% 1% 3% 0% F 0.079 F 0.554 177000 G																
To: US 258, SR 134 Mercury Blvd East 64	City of Hampton (Maint: 99)	1.19	79000	G	95%	1%	1%	1%	3%	0%	F	0.076		81000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 159000 G 95% 1% 1% 1% 3% 0% F 0.079 F 0.578 162000 G																
To: I-664 Hampton Roads Beltway																

Virginia Department of Transportation
Traffic Engineering Division
2017
Annual Average Daily Traffic Volume Estimates By Section of Route
Elizabeth City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64	From: I-664 Hampton Roads Beltway City of Hampton (Maint: 99)	0.77	59000	G	96%	1%	1%	0%	2%	0%	F	0.072		61000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		118000	G	96%	1%	1%	0%	2%	0%	F	0.070	F	0.524	121000	G
East 64	From: SR 167 LaSalle Ave Hampton Roads Beltway City of Hampton (Maint: 99)	0.68	55000	G	96%	1%	1%	0%	2%	0%	F	0.082		57000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		106000	G	96%	1%	1%	0%	2%	0%	F	0.079	F	0.501	109000	G
East 64	From: Rip Rap Rd Hampton Roads Beltway City of Hampton (Maint: 99)	1.83	49000	G	96%	1%	1%	0%	2%	0%	F	0.082		49000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		100000	G	96%	1%	1%	0%	2%	0%	F	0.079	F	0.501	101000	G
East 64 60	From: US 60, SR 143 Settlers Landing Rd Hampton Roads Beltway City of Hampton (Maint: 99)	0.33	43000	G	96%	1%	1%	0%	2%	0%	F	0.067		44000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		91000	G	96%	1%	1%	0%	2%	0%	F	0.063	F	0.511	93000	G
East 64 60	From: SR 169 Mallory St Hampton Roads Bridge Tunnel City of Hampton (Maint: 99)	4.00	46000	A	96%	1%	1%	0%	2%	0%	C	0.078		47000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		90000	A	97%	1%	1%	0%	2%	0%	C	0.075	A	0.524	92000	A
East 64	From: WCL Norfolk Ramp City of Hampton (Maint: 99)	0.21	5500	G								0.107		5500	G	
	To: 114-7026 W, Hampton Rds Ctr Pkwy															
East 64	From: I-64 East Ramp City of Hampton (Maint: 99)	0.33	9500	G								0.119		9500	G	
	To: 114-7026 E, Hampton Rds Ctr Pkwy															
East 64 134	From: I-64 East Ramp City of Hampton (Maint: 99)	0.10	17000	G								0.102		17000	G	
	To: I-64 East Exit 263B															
East 64	From: I-64 East Exit 263A Ramp City of Hampton (Maint: 99)	0.13	10000	G								0.100		10000	G	
	To: US 258 W, Mercury Blvd															
East 64 134	From: I-64 East Exit 263A Ramp City of Hampton (Maint: 99)	0.32	8800	G								0.11		8800	G	
	To: US 258 E, Mercury Blvd															
East 64	From: I-64 East Ramp City of Hampton (Maint: 99)	0.24	6300	G								0.101		6300	G	
	To: 114-7035 Lasalle Ave															
East 64	From: I-64 East Ramp City of Hampton (Maint: 99)	0.11	8100	G								0.116		8100	G	
	To: Rip Rap Rd															
East 64	From: I-64 East Ramp City of Hampton (Maint: 99)	0.07	6600	G								0.113		6600	G	
	To: US 60 Settlers Landing Rd															

Virginia Department of Transportation
Traffic Engineering Division
2017
Annual Average Daily Traffic Volume Estimates By Section of Route
Elizabeth City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64 Ramp	From: I-64 East City of Hampton (Maint: 99) To: 114-7057 Mallory St	0.13	4800	G										4800	G	
West 64	From: ECL Newport News City of Hampton (Maint: 99) To: Hampton Roads Center Parkway	2.41	82000	G	95%	1%	1%	1%	3%	0%	F	0.083		83000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 159000 G 95% 1% 1% 1% 3% 0% F 0.076 F 0.528 162000 G																
West 64	From: Hampton Roads Center Parkway City of Hampton (Maint: 99) To: SR 134 Magruder Blvd	0.78	72000	G	95%	1%	1%	1%	3%	0%	F	0.084		73000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 146000 G 95% 1% 1% 1% 3% 0% F 0.077 F 0.545 149000 G																
West 64 134	From: SR 134 Magruder Blvd City of Hampton (Maint: 99) To: US 258, SR 134 Mercury Blvd	0.79	87000	G	95%	1%	1%	1%	3%	0%	F	0.082		88000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 174000 G 95% 1% 1% 1% 3% 0% F 0.078 F 0.537 177000 G																
West 64	From: US 258, SR 134 Mercury Blvd City of Hampton (Maint: 99) To: I-664 Hampton Roads Beltway	0.92	80000	G	95%	1%	1%	1%	3%	0%	F	0.092		81000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 159000 G 95% 1% 1% 1% 3% 0% F 0.079 F 0.578 162000 G																
West 64 Hampton Roads Beltway	From: I-664 City of Hampton (Maint: 99) To: SR 167 LaSalle Ave	1.05	58000	G	95%	1%	1%	1%	3%	0%	F	0.074		59000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 118000 G 96% 1% 1% 0% 2% 0% F 0.070 F 0.524 121000 G																
West 64 Hampton Roads Beltway	From: SR 167 LaSalle Ave City of Hampton (Maint: 99) To: US 60, SR 143 Settlers Landing Rd	2.36	51000	G	95%	1%	1%	1%	3%	0%	F	0.087		52000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 100000 G 96% 1% 1% 0% 2% 0% F 0.079 F 0.501 101000 G																
West 64 60 Hampton Roads Beltway	From: US 60, SR 143 Settlers Landing Rd City of Hampton (Maint: 99) To: SR 169 Mallory St	0.38	48000	G	95%	1%	1%	1%	3%	0%	F	0.075		49000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 91000 G 96% 1% 1% 0% 2% 0% F 0.072 F 0.527 93000 G																
West 64 60 Hampton Roads Bridge Tunnel	From: SR 169 Mallory St City of Hampton (Maint: 99) To: WCL Norfolk	3.93	44000	A	97%	1%	1%	0%	2%	0%	C	0.074		45000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 90000 A 97% 1% 1% 0% 2% 0% C 0.075 A 0.524 92000 A																
West 64 Ramp	From: I-64 West City of Hampton (Maint: 99) To: 114-7026 W, Hampton Rds Ctr Pkwy	0.28	6300	G										6300	G	
West 64 Ramp	From: I-64 West City of Hampton (Maint: 99) To: US 258 W, Mercury Blvd	0.23	6800	G										6800	G	
West 64 Ramp	From: I-64 West City of Hampton (Maint: 99) To: US 258 E, Mercury Blvd	0.17	6700	G										6700	G	

Virginia Department of Transportation
Traffic Engineering Division
2017
Annual Average Daily Traffic Volume Estimates By Section of Route
Elizabeth City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW			
							2Axle	3+Axle	1Trail	2Trail									
West 64 Ramp	From: I-64 West City of Hampton (Maint: 99) To: I-664 East	0.46	14000	G										0.143	14000	G			
West 64 Ramp	From: I-64 West City of Hampton (Maint: 99) To: SR 134 Armistead Ave, SR 167 Lasalle Ave	0.17	1400	G										0.090	1400	G			
West 64 Ramp	From: I-64 West City of Hampton (Maint: 99) To: SR 134 Armistead Ave	0.19	3100	G										0.086	3100	G			
West 64 Ramp	From: I-64 West City of Hampton (Maint: 99) To: SR 143 County St	0.11	5400	G	95%	1%	1%	1%	3%	0%	F	0.1			5500	G			
West 64 Ramp	From: I-64 West City of Hampton (Maint: 99) To: 114-7057 Mallory St	0.15	3400	G										0.097	3400	G			
134 Magruder Blvd	From: York County Line City of Hampton To: Semple Farm Rd	0.28	21000	G	99%	0%	0%	0%	0%	0%	C	0.103	0.709		22000	G			
134 Magruder Blvd	From: Semple Farm Rd City of Hampton To: SR 172 Cmdr Shepard Blvd	0.83	22000	G	98%	1%	1%	0%	0%	0%	F	0.093			23000	G			
134 Magruder Blvd	From: SR 172 Cmdr Shepard Blvd City of Hampton To: Hampton Roads Center Pkwy	1.46	32000	G	98%	1%	1%	0%	0%	0%	F	0.091			33000	G			
134 Magruder Blvd	From: Hampton Roads Center Pkwy City of Hampton To: Hardy Cash Dr	0.29	31000	G	98%	1%	1%	0%	0%	0%	F	0.087			33000	G			
134 Ramp	From: Hardy Cash Rd City of Hampton To: Hardy Cash Dr	0.65	31000	N	98%	1%	1%	0%	0%	0%	N	0.087	0.530		33000	N			
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:			44000	N	98%	1%	1%	0%	1%	0%	N	NA	47000	N		
134 134 Ramp	From: Ramp to Cunningham Dr City of Hampton (Maint: 99) To: I-64	0.10	See VA 134 for directional traffic volume estimates for this segment.																
134 64	From: I-64-E FROM RT 134 EAST City of Hampton (Maint: 99) To: SR 134 Magruder Blvd	0.52	See I-64 for directional traffic volume estimates for this segment.																
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:			174000	G	95%	1%	1%	1%	3%	0%	F	0.079	F	0.554	177000	G
134 64 Ramp	From: US 258, SR 134 Mercury Blvd City of Hampton (Maint: 99) To: I-64-E263B TO RT 258 WEST	0.10	See I-64 for directional traffic volume estimates for this segment.																
134 64 Ramp	From: I-64-E TO RT 258 EAST-MERCURY BOULEVAR City of Hampton (Maint: 99) To: US 258 FROM I-64 EAST	0.32	See I-64 for directional traffic volume estimates for this segment.																
134 258 Mercury Blvd	From: US 258 FROM I-64 EAST City of Hampton To: I-64 Coliseum Dr	0.36	62000	G	98%	0%	0%	0%	1%	0%	F	0.083	0.54		64000	G			

Virginia Department of Transportation
Traffic Engineering Division
2017
Annual Average Daily Traffic Volume Estimates By Section of Route
Elizabeth City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: Coliseum Dr 134 258 Mercury Blvd	City of Hampton	0.42	44000	G	98%	0%	0%	0%	1%	0%	F	0.084	0.544	45000	G	
To: SR 152 Cunningham Dr From: Mercury Blvd	City of Hampton	0.24	52000	G	98%	0%	0%	0%	1%	0%	F	0.085	0.555	54000	G	
To: US 258; Arminstead Ave From: Mercury Blvd	City of Hampton	0.24	18000	G	98%	1%	0%	0%	0%	0%	C	0.087	0.504	19000	G	
134 Armistead Ave	City of Hampton	0.89	20000	G	98%	1%	1%	0%	0%	0%	C	0.088	0.500	21000	G	
From: Pine Chapel Rd To: I-64; Lasalle Ave 134 Armistead Ave	City of Hampton	0.41	15000	G	98%	1%	1%	0%	0%	0%	F	0.094	0.663	16000	G	
From: I-64 To: Rip Rap Rd 134 Armistead Ave	City of Hampton	0.38	12000	G	98%	1%	1%	0%	0%	0%	F	0.101	0.585	12000	G	
From: SR 351 Pembroke Ave To: Queen St 134 Armistead Ave	City of Hampton	0.10	12000	N	98%	1%	0%	0%	0%	0%	N	0.097	0.579	13000	N	
From: US 60 Settlers Landing Rd To: SR 134 Armistead Ave 134 Ramp	City of Hampton (Maint: 99)	0.22	15000	G								0.089		15000	G	
From: I-64 West To: Ramp to Cunningham Dr East 134 Ramp	City of Hampton (Maint: 99)	0.10	11000	G	95%	1%	1%	1%	3%	0%	F	0.106		13000	G	
From: I-64 East To: SR 134; Hardy Cash Dr; Enterprize Pkwy 134 Ramp from I 64 W to SR 134 W	City of Hampton	0.52	13000	G	98%	0%	1%	0%	1%	0%	F	0.092		14000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			44000	N	98%	1%	1%	0%	1%	0%	N	NA		47000	N	
From: I-64 West To: US 258 Mercury Blvd 143 Ingalls Rd	City of Hampton (Maint: US)	0.28	4600	G	99%	0%	0%	0%	0%	0%	C	0.135	0.915	4900	G	
From: Begin State Maintenance To: SR 169 Mallory St 143 Mellen St	City of Hampton	0.41	4600	G	99%	0%	0%	0%	0%	0%	C	0.135	0.915	4900	G	
From: SR 169 Mallory St To: I-64 143 County St	City of Hampton	0.59	4700	G	97%	1%	1%	0%	0%	0%	C	0.115	0.6	5000	G	
From: Tyler St To: Eaton St 143 60 Settlers Landing Rd	City of Hampton	0.67	16000	G	97%	1%	2%	0%	0%	0%	F	0.109	0.835	17000	G	
From: Eaton St To: SR 134 Armistead Ave 143 60 Settlers Landing Rd	City of Hampton	0.46	12000	G	97%	1%	2%	0%	0%	0%	F	0.098	0.574	13000	G	

Virginia Department of Transportation
Traffic Engineering Division
2017
Annual Average Daily Traffic Volume Estimates By Section of Route
Elizabeth City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
143 60 Settlers Landing Rd	From	SR 134 Armistead Ave															
	To	Kecoughtan Rd															
143 60 Kecoughtan Rd	From	Settlers Landing Rd															
	To	US 60 Kecoughtan Rd															
143 Victoria Blvd	From	Lasalle Ave															
	To	Powhatan Pkwy															
143 Victoria Blvd	From	ECL Newport News															
	To	ECL Newport News															
152 Todds Lane	From	Big Bethel Rd															
	To	Aberdeen Rd															
152 Todds Lane	From	Mag-Cunningham Connector															
	To	Coliseum Dr															
152 Cunningham Dr	From	US 258, SR 134 Mercury Blvd															
	To	SR 143 Mellen St															
169 Mallory St	From	SR 143 County St															
	To	US 258 Mercury Blvd															
169 Mallory St	From	SR 351 E, Pembroke Ave															
	To	SR 351 W, Pembroke Ave															
169 Old Buckroe Rd	From	Fox Hill Rd															
	To	Old Buckroe Rd															
169 Fox Hill Rd	From	Woodland Rd															
	To	Clemwood Pkwy															

Virginia Department of Transportation
 Traffic Engineering Division
 2017
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Elizabeth City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
169 Fox Hill Rd	City of Hampton	0.95	26000	G	98%	1%	0%	0%	0%	F	0.092		0.65	28000	G	
	From: Clemwood Pkwy															
	To: US 258; Mercury Blvd															
172 Cmdr Shepard Blvd	City of Hampton	0.61	9100	G	98%	0%	0%	1%	0%	F	0.115		0.865	9700	G	
	From: SR 134 Magruder Blvd															
	To: Armistead Ave															
172 Cmdr Shepard Blvd	City of Hampton	0.42	16000	G	98%	0%	0%	1%	0%	C	0.105		0.568	17000	G	
	From: Armistead Ave															
	To: NASA Main Gate															
172 Armistead Ave	City of Hampton	0.85	13000	G	99%	0%	0%	0%	0%	C	0.112		0.742	14000	G	
	From: NASA Main Gate															
	To: Semple Farm Rd															
172 Wythe Creek Rd	City of Hampton	1.03	15000	G	99%	0%	0%	0%	0%	F	0.103		0.762	16000	G	
	From: Semple Farm Rd															
	To: SCL Poquoson															
258 Mercury Blvd	City of Hampton	0.74	45000	G	98%	0%	0%	0%	1%	F	0.088		0.539	47000	G	
	From: ECL Newport News															
	To: 114-7019 Chestnut Ave															
258 Mercury Blvd	City of Hampton	0.52	48000	A	98%	0%	0%	0%	1%	C	0.098		0.518	50000	A	
	From: 114-7019 Chestnut Ave															
	To: 114-7021 Big Bethel Rd															
258 Mercury Blvd	City of Hampton	0.80	50000	G	98%	0%	0%	0%	1%	F	0.088		0.500	52000	G	
	From: 114-7021 Big Bethel Rd															
	To: Aberdeen Rd															
258 Mercury Blvd	City of Hampton	0.43	59000	G	98%	0%	0%	0%	1%	F	0.085		0.541	60000	G	
	From: Aberdeen Rd															
	To: SR 415 Power Plant Pkwy															
258 Mercury Blvd	City of Hampton	0.39	71000	G	98%	0%	0%	0%	1%	F	0.09		0.541	73000	G	
	From: SR 415 Power Plant Pkwy															
	To: I-64															
258 134 Mercury Blvd	City of Hampton	0.36	62000	G	98%	0%	0%	0%	1%	F	0.083		0.54	64000	G	
	From: I-64															
	To: Coliseum Dr															
258 134 Mercury Blvd	City of Hampton	0.42	44000	G	98%	0%	0%	0%	1%	F	0.084		0.544	45000	G	
	From: Coliseum Dr															
	To: SR 152 Cunningham Dr															
258 134 Mercury Blvd	City of Hampton	0.24	52000	G	98%	0%	0%	0%	1%	F	0.085		0.555	54000	G	
	From: SR 152 Cunningham Dr															
	To: SR 134 Armistead Ave															
258 Mercury Blvd	City of Hampton	0.63	51000	G	99%	0%	0%	0%	0%	C	0.088		0.583	55000	G	
	From: SR 134 Armistead Ave															
	To: Lasalle Ave															
258 Mercury Blvd	City of Hampton	0.89	61000	G	99%	0%	0%	0%	0%	F	0.085		0.6	65000	G	
	From: Lasalle Ave															
	To: SR 278 King St															
258 Mercury Blvd	City of Hampton	1.12	29000	G	99%	1%	0%	0%	0%	C	0.089		0.634	31000	G	
	From: SR 278 King St															
	To: Andrews Blvd															
258 Mercury Blvd	City of Hampton	0.55	18000	G	99%	1%	0%	0%	0%	F	0.095		0.586	19000	G	
	From: Andrews Blvd															
	To: SR 351 Pembroke Ave															
258 Mercury Blvd	City of Hampton	0.94	11000	G	98%	1%	1%	0%	0%	C	0.112		0.557	11000	G	
	From: SR 351 Pembroke Ave															
	To: SR 169 Mallory St															

Virginia Department of Transportation
 Traffic Engineering Division
 2017
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Elizabeth City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
258 Mercury Blvd	City of Hampton	0.80	2600	G	98%	1%	1%	0%	0%	0%	F	0.131	0.624	2800	G	
	From: SR 169 Mallory St															
	To: SR 143 Ingalls Rd															
East 258 Ramp	City of Hampton (Maint: 99)	0.05	17000	G								0.081		17000	G	
	From: US 258 E, Mercury Blvd															
	To: US 258 East Exit 63B Ramp to I-64 West															
East 258 Ramp	City of Hampton (Maint: 99)	0.14	7200	G								0.068		7200	G	
	From: US 258 East Exit 63A Ramp to I-64 East															
	To: I-64 East															
East 258 Ramp	City of Hampton (Maint: 99)	0.56	10000	G								0.095		10000	G	
	From: US 258 West Exit 63B Ramp to I-64 West															
	To: US 258 West Exit 63B Ramp to I-64 West															
West 258 Ramp	City of Hampton (Maint: 99)	0.18	5200	G								0.078		5200	G	
	From: US 258 W, Mercury Blvd															
	To: I-64 East															
West 258 Ramp	City of Hampton (Maint: 99)	0.26	9600	G								0.087		9600	G	
	From: US 258 W, Mercury Blvd															
	To: I-64 West															
278 King Street North	City of Hampton	0.10	23000	G	99%	1%	0%	0%	0%	0%	F	0.091	0.598	25000	G	
	From: US 258 Mercury Blvd															
	To: 114-7047 Old Fox Hill Rd															
278 King St	City of Hampton	0.85	18000	G	99%	1%	0%	0%	0%	0%	F	0.093	0.571	19000	G	
	From: 114-7047 Old Fox Hill Rd															
	To: Lamington Rd															
278 King St	City of Hampton	0.69	6300	G	99%	1%	0%	0%	0%	0%	C	0.108	0.736	6700	G	
	From: Lamington Rd															
	To: Langley Air Force Base															
351 Pembroke Ave	City of Hampton	0.36	8300	G	96%	1%	1%	1%	0%	0%	F	0.136	0.820	8800	G	
	From: WCL Hampton															
	To: 114-7025 Aberdeen Rd															
351 Pembroke Ave	City of Hampton	1.17	8500	G	96%	1%	1%	1%	0%	0%	F	0.109	0.638	9100	G	
	From: 114-7025 Aberdeen Rd															
	To: Powhatan Pkwy															
351 Pembroke Ave	City of Hampton	1.52	9400	G	96%	1%	1%	1%	0%	0%	C	0.119	0.679	10000	G	
	From: Powhatan Pkwy															
	To: Settlers Landing Rd															
351 Pembroke Ave	City of Hampton	0.14	9900	G	96%	1%	1%	1%	0%	0%	F	0.107	0.648	10000	G	
	From: Settlers Landing Rd															
	To: Lasalle Ave															
351 Pembroke Ave	City of Hampton	0.73	8000	G	96%	2%	1%	0%	0%	0%	C	0.11	0.606	8500	G	
	From: Lasalle Ave															
	To: SR 134 Armistead Ave															
351 Pembroke Ave	City of Hampton	1.41	8400	G	97%	2%	1%	0%	0%	0%	C	0.101	0.66	9000	G	
	From: SR 134 Armistead Ave															
	To: US 258 Mercury Blvd															
351 Pembroke Ave	City of Hampton	0.20	10000	G	97%	2%	1%	0%	0%	0%	F	0.108	0.636	11000	G	
	From: US 258 Mercury Blvd															
	To: Woodland Rd															

Virginia Department of Transportation
Traffic Engineering Division
2017
Annual Average Daily Traffic Volume Estimates By Section of Route
Elizabeth City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: Woodland Rd To: [Redacted]	City of Hampton	1.10	11000	G	98%	1%	0%	0%	0%	0%	C	0.086	0.591	12000	G	
351 Pembroke Ave																
From: SR 169 W, Old Buckroe Rd To: [Redacted]	City of Hampton	0.60	3000	G	98%	1%	0%	0%	0%	0%	F	0.092	0.628	3200	G	
351 169 Pembroke Ave																
From: SR 169 E, Mallory St To: [Redacted]	City of Hampton	0.07	3000	N	98%	1%	0%	0%	0%	0%	N	0.092	0.628	3200	N	
351 Pembroke Ave																
From: US 258 Mercury Blvd To: [Redacted]	City of Hampton	0.72	16000	G	98%	1%	0%	0%	0%	0%	F	0.115	0.701	17000	G	
415 Power Plant Pkwy																
From: Pine Chapel Rd To: [Redacted]	City of Hampton	0.47	23000	G	98%	1%	0%	0%	0%	0%	C	0.105	0.652	25000	G	
415 Power Plant Pkwy																
From: Briarfield Rd To: [Redacted]	City of Hampton	0.84	10000	G	97%	2%	1%	0%	0%	0%	C	0.104	0.525	11000	G	
415 Queen St																
From: Michigan Dr To: [Redacted]	City of Hampton	0.56	9900	G	97%	2%	1%	0%	0%	0%	F	0.107	0.527	11000	G	
415 Settlers Landing Rd																
From: SR 351 Pembroke Ave To: [Redacted]	City of Hampton															
East 664 Hampton Roads Beltway	City of Hampton (Maint: 99)	0.27	31000	G	94%	0%	1%	1%	4%	0%	F	0.100		34000	G	
From: Ramp from I-64 West To: [Redacted]	City of Hampton (Maint: 99)	0.86	45000	G	94%	0%	1%	1%	4%	0%	F	0.100		49000	G	
East 664 Hampton Roads Beltway																
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			88000	G	94%	0%	1%	1%	4%	0%	F	0.090	F	0.646	95000	G
<i>East I-664 is signed as South I-664</i>																
From: Powhatan Parkway To: [Redacted]	City of Hampton (Maint: 99)	1.21	42000	G	94%	0%	1%	1%	4%	0%	F	0.107		45000	G	
East 664 Hampton Roads Beltway																
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			83000	G	94%	0%	1%	1%	4%	0%	F	0.089	F	0.665	90000	G
<i>East I-664 is signed as South I-664</i>																
From: Aberdeen Road To: [Redacted]	City of Hampton (Maint: 99)	0.66	40000	G	94%	0%	1%	1%	4%	0%	F	0.109		43000	G	
East 664 Hampton Roads Beltway																
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			79000	G	94%	0%	1%	1%	4%	0%	F	0.087	F	0.617	85000	G
<i>East I-664 is signed as South I-664</i>																
From: NCL Newport News To: [Redacted]	City of Hampton (Maint: 99)	0.16	5700	G								0.095		5700	G	
East 664 Ramp																
From: I-664 East To: Power Plant Pkwy	City of Hampton (Maint: 99)	0.14	6100	G								0.104		6100	G	
East 664 Ramp																
From: I-664 East To: 114-7025 Aberdeen Rd	City of Hampton (Maint: 99)	0.14	6100	G								0.104		6100	G	

Virginia Department of Transportation
 Traffic Engineering Division
 2017
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Elizabeth City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 664 Hampton Roads Beltway	From: I-64 West City of Hampton (Maint: 99)	0.43	32000	G	94%	0%	1%	1%	4%	0%	F	0.104		35000	G	
West 664 Hampton Roads Beltway	To: Ramp to I-64 East City of Hampton (Maint: 99)	1.23	43000	G	94%	0%	1%	1%	4%	0%	F	0.104		46000	G	
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:	88000	G	94%	0%	1%	1%	4%	F	0.083	F	0.62	95000	G
			<i>West I-664 is signed as North I-664</i>													
West 664 Hampton Roads Beltway	To: Powhatan Parkway City of Hampton (Maint: 99)	1.27	41000	G	94%	0%	1%	1%	4%	0%	F	0.112		45000	G	
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:	83000	G	94%	0%	1%	1%	4%	F	0.085	F	0.626	90000	G
			<i>West I-664 is signed as North I-664</i>													
West 664 Hampton Roads Beltway	To: Aberdeen Road City of Hampton (Maint: 99)	0.28	39000	G	94%	0%	1%	1%	4%	0%	F	0.116		42000	G	
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:	79000	G	94%	0%	1%	1%	4%	F	0.094	F	0.676	85000	G
			<i>West I-664 is signed as North I-664</i>													
West 664 Ramp	To: NCL Newport News City of Hampton (Maint: 99)	0.22	11000	G								0.108		11000	G	
West 664 Ramp	To: I-64 East City of Hampton (Maint: 99)	0.13	4100	G								0.139		4100	G	
West 664 Ramp	To: Power Plant Pkwy; Powhatan Pkwy City of Hampton (Maint: 99)	0.16	3200	G								0.101		3200	G	
West 664 Ramp	To: 114-7025 Aberdeen Rd City of Hampton (Maint: 99)															

Virginia Department of Transportation
Traffic Engineering Division
2017
Annual Average Daily Traffic Volume Estimates By Section of Route
Elizabeth City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Hampton																
(7006/114) Shell Rd	1.21	3800	G	98%	1%	Powhatan Pkwy				C	0.09		0.52	4000	G	2017
(7006/114) Shell Rd	0.33	1000	G	98%	1%	Lasalle Ave				F	0.101		0.538	1100	G	2017
(7006/114) Newport News Ave	0.20	1200	G	98%	1%	Newport News Ave Shell Rd				F	0.086		0.537	1300	G	2017
(7008/114) Nickerson Blvd	0.43	8300	G	99%	1%	SR 169; Fox Hill Rd				F	0.096		0.596	8800	G	2017
(7008/114) Nickerson Blvd	0.69	5000	G	99%	1%	Andrews Blvd SR 169; Old Buckroe Rd				C	0.116		0.657	5300	G	2017
(7011/114) Orcutt Ave	0.18	3000	G	93%	4%	SECL Newport News				C	0.090		0.522	3200	G	2017
(7011/114) Orcutt Ave	1.37	10000	G	93%	4%	US 258 Mercury Blvd SR 152 Todds Lane				F	0.091		0.541	11000	G	2017
(7012/114) Briarfield Rd	0.39	8200	G	98%	1%	1%	1%	0%	0%	C	0.094		0.551	8700	G	2017
(7012/114) Briarfield Rd	0.48	9200	G	98%	1%	1%	1%	0%	0%	F	0.098		0.513	9800	G	2017
(7012/114) Briarfield Rd	0.99	11000	G	98%	1%	1%	1%	0%	0%	F	0.098		0.602	12000	G	2017
(7015/114) New Market Dr	0.13	8700	G			SWCL Newport News					0.083		0.52	9200	G	2017
(7017/114) Roanoke Ave	0.17	4000	G	99%	1%	US 258 Mercury Blvd				F	0.109		0.586	4200	G	2017
(7017/114) Wheaton Rd	1.30	4200	G	99%	1%	SWCL Newport News				C	0.114		0.643	4400	G	2017
(7019/114) Chestnut Ave	0.19	4400	G	99%	1%	US 258 Mercury Blvd				C	0.1		0.555	4700	G	2017
(7021/114) Big Bethel Rd	1.11	9800	G	98%	1%	Briarfield Rd				F	0.099		0.642	10000	G	2017
(7021/114) Big Bethel Rd	0.94	10000	G	98%	1%	US 258 Mercury Blvd				C	0.091		0.554	11000	G	2017
(7021/114) Big Bethel Rd	1.31	16000	G	98%	1%	SR 152 Todds Lane				F	0.089		0.571	17000	G	2017
(7021/114) Big Bethel Rd	0.48	21000	G	98%	1%	Hampton Roads Center Pkwy				F	0.089		0.546	22000	G	2017
(7021/114) Big Bethel Rd	1.41	14000	G	98%	1%	Thomas Nelson Dr				F	0.101		0.605	15000	G	2017
(7021/114) Big Bethel Rd	0.34	10000	G	98%	1%	Semple Farm Rd				F	0.110		0.657	11000	G	2017
(7022/114) Pine Chapel Rd	0.53	9600	G	98%	1%	York County Line				C	0.097		0.516	10000	G	2017
(7022/114) Pine Chapel Rd	0.64	5300	G	98%	1%	SR 415 Power Plant Pkwy				F	0.097		0.516	5700	G	2017
(7022/114) Pine Chapel Rd						Coliseum Dr										
(7022/114) Pine Chapel Rd						SR 134 Armistead Ave										

Virginia Department of Transportation
Traffic Engineering Division
2017
Annual Average Daily Traffic Volume Estimates By Section of Route
Elizabeth City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Hampton																
7025 114 Aberdeen Rd	0.40	12000	G	95%	1%	From: SWCL Newport News To: I-664				F	0.079		0.566	12000	G	2017
7025 114 Aberdeen Rd	1.10	21000	G	95%	1%	From: I-664 To: Briarfield Rd				C	0.086		0.607	22000	G	2017
7025 114 Aberdeen Rd	1.32	17000	G	97%	1%	From: Briarfield Rd To: US 258 Mercury Blvd				C	0.084		0.568	19000	G	2017
7025 114 Aberdeen Rd	0.19	11000	G	97%	1%	From: US 258 Mercury Blvd To: SR 152 Todds Lane				F	0.093		0.524	12000	G	2017
7025 114 Ramp	0.14	6000	G			From: 114-7025 Aberdeen Rd To: I-664-W					0.098			6000	G	2017
7025 114 Ramp	0.17	3500	G			From: 114-7025 Aberdeen Rd To: I-664-E					0.09			3500	G	2017
7026 114 Hampton Rds Ctr Pkwy	1.20	22000	A	99%	0%	From: ECL Newport News; 121-6 To: Big Bethel Rd				C	0.116		0.535	24000	A	2017
7026 114 Hampton Rds Ctr Pkwy	0.26	40000	G	99%	0%	From: Big Bethel Rd To: I-64				F	0.084		0.587	44000	G	2017
7026 114 Hampton Rds Ctr Pkwy	1.02	39000	G	99%	0%	From: I-64 To: SR 134 Magruder Blvd				F	0.099		0.643	43000	G	2017
7026 114 Hampton Rds Ctr Pkwy	0.65	28000	G	99%	0%	From: SR 134 Magruder Blvd To: Coliseum Dr				F	0.094		0.594	31000	G	2017
7026 114 Hampton Rds Ctr Pkwy	0.40	22000	G	99%	0%	From: Coliseum Dr To: Armistead Ave				F	0.095		0.598	24000	G	2017
7026 114 East Ramp	0.42	7200	G			From: 114-7026 Hampton Rds Ctr Pkwy To: I-64 East					0.090			7200	G	2017
7026 114 East Ramp	0.18	4500	G			From: 114-7026 Hampton Rds Ctr Pkwy To: I-64-W					0.079			4500	G	2017
7026 114 West Ramp	0.38	10000	G			From: 114-7026 Hampton Rds Ctr Pkwy To: I-64-W					0.141			10000	G	2017
7028 114 Tide Mill Lane	0.83	7100	G	99%	1%	From: Armistead Ave To: Lasalle Ave				C	0.109		0.652	7500	G	2017
7033 114 Armistead Ave	0.72	23000	G	99%	0%	From: US 258 Mercury Blvd To: Tide Mill Lane				F	0.088		0.558	25000	G	2017
7033 114 Armistead Ave	0.53	23000	A	99%	0%	From: Tidemill Lane To: Hampton Rds Ctr Pkwy				C	0.111		0.517	25000	A	2017
7033 114 Armistead Ave	1.52	17000	G	99%	0%	From: Hampton Rds Ctr Pkwy To: Cmdr Shepard Blvd				F	0.097		0.668	18000	G	2017
7034 114 Saunders Rd	0.72	9300	F	97%	2%	From: ECL Newport News To: Big Bethel Rd				F	0.106		0.68	9900	F	2017
7034 114 Semple Farm Rd	2.07	1700	G	97%	2%	From: Big Bethel Rd To: SR 134 Magruder Blvd				C	0.11		0.534	1900	G	2017
7034 114 Cmdr Shepard Blvd	0.19	19000	G	97%	2%	From: SR 134 Magruder Blvd To: Wythe Creek Rd				F	0.090		0.51	20000	G	2017

Virginia Department of Transportation
Traffic Engineering Division
2017
Annual Average Daily Traffic Volume Estimates By Section of Route
Elizabeth City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Hampton																
(7035/114) Chesapeake Ave	1.13	1200	G	99%	0%	1%	0%	0%	0%	C	0.107		0.569	1300	G	2017
						From: SECL Newport News										
						To: Powhatan Pkwy										
(7035/114) Chesapeake Ave	0.83	1200	G	99%	0%	1%	0%	0%	0%	F	0.11		0.547	1200	G	2017
						From: Lasalle Ave										
						To: Chesapeake Ave										
(7035/114) Lasalle Ave	0.37	1400	G	99%	0%	1%	0%	0%	0%	F	0.099		0.505	1500	G	2017
						From: US 60 Kecoughtan Rd										
						To: US 60 Kecoughtan Rd										
(7035/114) Lasalle Ave	0.57	5200	G	99%	0%	1%	0%	0%	0%	F	0.094		0.573	5500	G	2017
						From: SR 143 Victoria Blvd										
						To: Settlers Landing Rd										
(7035/114) Lasalle Ave	0.66	15000	G	99%	0%	1%	0%	0%	0%	F	0.085		0.540	16000	G	2017
						From: SR 351 Pembroke Ave										
						To: Michigan Dr										
(7035/114) Lasalle Ave	0.24	24000	G	98%	1%	1%	0%	0%	0%	F	0.095		0.559	26000	G	2017
						From: SR 134 Armistead Ave										
						To: US 258 Mercury Blvd										
(7035/114) Lasalle Ave	0.50	13000	G	98%	1%	1%	0%	0%	0%	C	0.091		0.525	14000	G	2017
						From: US 258 Mercury Blvd										
						To: Tide Mill Lane										
(7035/114) Lasalle Ave	0.31	9000	G	98%	1%	1%	0%	0%	0%	F	0.121		0.918	9600	G	2017
						From: Langley Gate										
						To: 114-7035 Lasalle Ave										
East (7035/114) Ramp	0.12	910	G								0.077			910	G	2017
						From: I-64-E										
						To: 114-7035 LaSalle Ave										
West (7035/114) Ramp	0.19	2000	G								0.092			2000	G	2017
						From: I-64-E										
						To: Newport News Ave										
(7037/114) Back River Rd	0.19	1000	G	97%	1%	1%	0%	0%	0%	F	0.1		0.623	1100	G	2017
						From: Settlers Landing Rd										
						To: SR 351 Pembroke Ave										
(7037/114) Back River Rd	0.31	1400	G	97%	1%	1%	0%	0%	0%	C	0.091		0.514	1500	G	2017
						From: Pembroke Ave										
						To: Rip Rap Rd										
(7037/114) Back River Rd	0.29	1800	G	97%	1%	1%	0%	0%	0%	F	0.105		0.607	1900	G	2017
						From: Back River Rd										
						To: I-64										
(7037/114) Rip Rap Rd	0.18	8100	G	97%	1%	1%	0%	0%	0%	F	0.105		0.607	8600	G	2017
						From: I-64										
						To: King St										
(7037/114) Rip Rap Rd	0.48	13000	G	97%	1%	1%	0%	0%	0%	C	0.102		0.81	13000	G	2017
						From: SR 351 Pembroke Ave										
						To: Rip Rap Rd										
(7039/114) King St	0.70	7200	G	97%	1%	1%	0%	0%	0%	F	0.086		0.572	7600	G	2017
						From: US 258 Mercury Blvd										
						To: SR 169 Fox Hill Rd										
(7041/114) Clemwood Pkwy	0.79	3000	G	97%	2%	1%	0%	0%	0%	C	0.105		0.635	3200	G	2017
						From: Little Back River Rd										
						To: SR 278 King St										
(7045/114) Little Back River Rd	0.78	12000	G	98%	1%	0%	0%	0%	0%	F	0.095		0.686	13000	G	2017
						From: Clemwood Pkwy										

Virginia Department of Transportation
Traffic Engineering Division
2017
Annual Average Daily Traffic Volume Estimates By Section of Route
Elizabeth City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Hampton																
(7045/114) Little Back River Rd	0.34	9500	G	98%	1%	0%	0%	0%	0%	C	0.094	0.638	10000	G	2017	
			From: Clemwood Pkwy													
			To: Rockwell Rd													
(7045/114) Little Back River Rd	0.84	4000	G	98%	1%	0%	0%	0%	0%	F	0.102	0.652	4300	G	2017	
			From: Harris Creek Rd													
			To: SR 169 Fox Hill Rd													
(7047/114) Beach Rd	2.76	5400	G	98%	1%	0%	0%	0%	0%	C	0.115	0.633	5800	G	2017	
			From: Lighthouse Dr													
			To: County St West													
(7049/114) Woodland Rd	0.35	19000	G	98%	1%	1%	0%	0%	0%	C	0.078	0.798	21000	G	2017	
			From: US 258 Mercury Blvd													
(7049/114) Woodland Rd	0.45	14000	G	98%	2%	0%	0%	0%	0%	F	0.078	0.579	15000	G	2017	
			From: SR 351 Pembroke Ave													
(7049/114) Woodland Rd	0.62	9200	G	98%	2%	0%	0%	0%	0%	F	0.094	0.542	9800	G	2017	
			From: SR 35 Pembroke Ave													
(7049/114) Woodland Rd	1.20	9200	G	98%	2%	0%	0%	0%	0%	C	0.103	0.511	9800	G	2017	
			From: Andrews Blvd													
			To: SR 169 Fox Hill Rd													
(7051/114) Old Buckroe Rd	1.50	3600	G	98%	1%	1%	0%	0%	0%	C	0.088	0.5	3800	G	2017	
			From: US 258 Mercury Blvd													
			To: SR 351 Pembroke Ave													
(7053/114) Andrews Blvd	0.53	14000	G	98%	1%	0%	0%	0%	0%	C	0.098	0.606	14000	G	2017	
			From: US 258 Mercury Blvd													
(7053/114) Andrews Blvd	1.38	4600	G	97%	2%	1%	0%	0%	0%	C	0.098	0.594	4900	G	2017	
			From: Woodland Rd													
			To: SR 169 Old Buckroe Rd													
(7055/114) Harris Creek Rd	0.82	3100	G	98%	1%	1%	0%	0%	0%	C	0.096	0.56	3300	G	2017	
			From: SR 169 Fox Hill Rd													
(7055/114) Harris Creek Rd	0.42	2300	G	98%	1%	1%	0%	0%	0%	F	0.1	0.644	2500	G	2017	
			From: Little Back River Rd													
			To: Farmhouse Lane													
(7057/114) Mallory St	0.36	8700	G	98%	1%	1%	0%	0%	0%	F	0.079	0.765	9200	G	2017	
			From: I-64-E Ramp													
			To: SR 143 Mellen St													
(7057/114) Ramp	0.04	4600	G								0.177		4600	G	2017	
			From: 114-7057 S Mallory St													
			To: 114-7057													
(7057/114) Ramp	0.04	7100	G								NA		7100	G	2017	
			From: I-64-E268M, Inspection Station													
			To: I-64 East													
(7057/114) Ramp	0.21	6400	G								0.130		6400	G	2017	
			From: 114-7057 Mallory St													
			To: I-64 West													
(7059/114) Powhatan Pkwy	0.33	650	G	99%	0%	0%	0%	0%	0%	C	0.107	0.513	690	G	2017	
			From: Chesapeake Ave													
(7059/114) Powhatan Pkwy	0.24	4500	G	99%	0%	0%	0%	0%	0%	F	0.084	0.540	4800	G	2017	
			From: US 60 Kecoughtan Rd													
(7059/114) Powhatan Pkwy	0.56	9500	G	98%	1%	0%	0%	0%	0%	C	0.083	0.508	10000	G	2017	
			From: SR 143 Victoria Blvd													
(7059/114) Powhatan Pkwy	0.16	21000	G	98%	1%	0%	0%	0%	0%	F	0.089	0.612	22000	G	2017	
			From: SR 351 Pembroke Ave													
(7059/114) Power Plant Pkwy	0.76	14000	G								0.119	0.714	15000	G	2017	
			From: I-664													
			To: Briarfield Rd													

Virginia Department of Transportation
 Traffic Engineering Division
 2017
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Elizabeth City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Hampton																
7059 114 Ramp	0.16	5800	G	From 114-7059 Powhatan Pkwy				0.097						5800	G	2017
				To I-664-W												
7059 114 Ramp	0.13	3300	G	From 114-7059 Powhatan Pkwy				0.084						3300	G	2017
				To I-664-E												
2nd St		570	G	From SR 351 Pembroke Ave				0.114			0.662		600	G	2017	
				To Buckroe Ave												
Aberdeen Rd		20000	G	From SR 351 Pembroke Ave				0.082			0.648		21000	G	2017	
				To I-664												
Armistead Ave		2400	G	From SR 143 Victoria Blvd				0.094			0.63		2600	G	2017	
				To Settlers Landing Rd												
Bellwood Rd		1200	G	From SR 152 Todds Lane				0.100			0.502		1300	G	2017	
				To ECL Newport News												
Brightwood Ave		770	G	98%	1%	1%	0%	0%	0%	C	0.087		0.677	770	G	2017
Catesby Jones Dr		480	G	From Worden Ave				0.112			0.537		510	G	2017	
				To Eggleston Ave												
Coliseum Dr		7800	G	From Pine Chapel Rd				0.091			0.519		8300	G	2017	
				To US 258 Mercury Blvd												
Coliseum Dr		22000	G	From SR 152 Cunningham Dr				0.084			0.542		24000	G	2017	
				To Marcella Rd												
Coliseum Dr		21000	G	From 0.40 MN Of Marcella Rd				0.085			0.674		23000	G	2017	
				To Hampton Rds Ctr Pkwy												
Coliseum Dr		22000	G	From Eltham Ct				0.083			0.511		24000	G	2017	
				To Club Run Blvd												
Coliseum Dr		19000	G	From Woodlawn Dr				0.084			0.524		20000	G	2017	
				To Templewood Dr												
Elizabeth Lake Dr		2100	G	From Old Buckroe Rd				0.103			0.568		2200	G	2017	
				To Revere Dr												
Farmington Blvd		3400	G	From Hurst Dr				0.092			0.571		3600	G	2017	
				To Beach Rd												
Fox Grove Dr		780	G	From Canavan Dr				0.112			0.616		780	G	2017	
				To Emma Dr												
Grimes Rd		1800	G	97%	0%	1%	1%	0%	0%	C	0.12		0.568	1800	G	2017
Hall Rd		630	G	From Edmonds Cove				0.097			0.581		640	G	2017	
				To Farmhouse Lane												
Hall Rd		640	G	From Pacer Point				0.118			0.671		680	G	2017	
				To Pacer Point												

Virginia Department of Transportation
 Traffic Engineering Division
 2017
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Elizabeth City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Hampton																
Ivy Home Rd		2400	G								0.107		0.598	2500	G	2017
Kingsway		4300	G								0.09		0.619	4700	G	2017
Lassiter St		2500	G								0.084		0.536	2600	G	2017
Lewis Dr		1200	G	99%	1%	0%	0%	0%	0%	C	0.089		0.625	1200	G	2017
Lincoln St		4400	G								0.101		0.514	4700	G	2017
Macon Rd		730	G								0.115		0.66	770	G	2017
Martha Lee Dr		1500	G								0.117		0.602	1600	G	2017
Michaels Wood Dr		5200	G								0.093		0.559	5200	G	2017
Newton Rd		660	G								0.094		0.526	700	G	2017
Queen St		750	G								0.096		0.532	790	G	2017
Salters Creek Rd		2100	G								0.139		0.784	2200	G	2017
Seward Dr		970	G	97%	2%	1%	0%	0%	0%	C	0.106		0.598	1000	G	2017
Shell Rd		620	G								0.107		0.674	660	G	2017
Silver Isle Blvd		4300	G								0.093		0.594	4600	G	2017
Smiley Rd		630	G								0.092		0.593	630	G	2017
Stockton St		350	G	97%	3%	0%	0%	0%	0%	C	0.101		0.5	380	G	2017
Warner Rd		240	G								0.121		0.662	260	G	2017
Westbrook Dr		490	G	99%	0%	1%	0%	0%	0%	C	0.137		0.519	490	G	2017
Wilderness Rd		420	G								0.129		0.595	420	G	2017

Virginia Department of Transportation
 Traffic Engineering Division
 2017
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Elizabeth City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Hampton																
Willard Ave S		340	G			From: Howard St				0.109			0.636	370	G	2017
						To: Mellon St										
Willow Oaks Blvd		2600	G			From: Missionary Bridge				0.108			0.544	2800	G	2017
						To: Beauregard Hgts										